

Attention:

Veterans Administration – Edwards Hines Jr. Hospital
Attn: Rita Young, Safety Officer
5th and Roosevelt
Hines, Illinois 60141

State of Illinois

CLEAN AIR ACT PERMIT
PROGRAM (CAAPP) PERMIT

Source:

Veterans Administration – Edwards Hines Jr. Hospital
5th and Roosevelt
Hines, Illinois 60141

I.D. No.: 031817AAL
Permit No.: 95060044

Permitting Authority:

Illinois Environmental Protection Agency
Bureau of Air, Permit Section
217/782-2113

CLEAN AIR ACT PERMIT PROGRAM (CAAPP) PERMIT

Type of Application: Renewal
Purpose of Application: Renew Existing CAAPP Permit for 5 Years

ID No.: 031817AAL
Permit No.: 95060044
Statement of Basis No.: 98050028-1

Date Application Received: May 6, 2009
Date Issued: March 27, 2012

Expiration Date: March 27, 2017
Renewal Submittal Date: 9 Months Prior to March 27, 2017

Source Name: Veterans Administration - Edward Hines Jr. Hospital
Address: 5th and Roosevelt
City: Hines
County: Cook
ZIP Code: 60141

This permit is hereby granted to the above-designated source authorizing operation in accordance with this CAAPP permit, pursuant to the above referenced application. This source is subject to the conditions contained herein. For further information on the source see Section 1 and for further discussion on the effectiveness of this permit see Condition 2.3(g).

If you have any questions concerning this permit, please contact Anatoly Belogorsky at 217/785-1705.

Edwin C. Bakowski, P.E.
Manager, Permit Section
Division of Air Pollution Control

ECB:MTR:AB:psj

cc: IEPA, Permit Section
IEPA, FOS, Region 1

<u>Section</u>	Table of Contents	<u>Page</u>
1	Source Information	4
	1.1 Addresses	
	1.2 Contacts	
	1.3 Single Source	
2	General Permit Requirements	5
	2.1 Prohibitions	
	2.2 Emergency Provisions	
	2.3 General Provisions	
	2.4 Testing	
	2.5 Recordkeeping	
	2.6 Certification	
	2.7 Permit Shield	
	2.8 Title I Conditions	
	2.9 Reopening and Revising Permit	
	2.10 Emissions Trading Programs	
	2.11 Permit Renewal	
	2.12 Permanent Shutdown	
	2.13 Startup, Shutdown, and Malfunction	
3	Source Requirements	12
	3.1 Applicable Requirements	
	3.2 Applicable Plans and Programs	
	3.3 Title I Requirements	
	3.4 Synthetic Minor Limits	
	3.5 Reporting Requirements	
4	Emission Unit Requirements	16
	4.1 Boilers	
	4.2 Gasoline Storage Tank and Dispensing Operations	
5	Title I Requirements	25
	5.1 Construction Permits	
6	Insignificant Activities Requirements	26
	6.1 Insignificant Activities Subject to Specific Regulations	
	6.2 Insignificant Activities in 35 IAC 201.210(a)	
	6.3 Insignificant Activities in 35 IAC 201.210(b)	
	6.4 Applicable Requirements	
	6.5 Periodic Monitoring Compliance Method	
	6.6 Notification Requirements for Insignificant Activities	
7	Other Requirements	29
8	State Only Requirements	32
	8.1 Permitted Emissions for Fees	
Attachment 1	List of Emission Units at This Source	33
Attachment 2	Acronyms and Abbreviations	34
Attachment 3	Contact and Reporting Addresses	36
Attachment 4	Example Certification by a Responsible Official	37

Section 1 - Source Information

1. Addresses

Source

Veterans Administration-Edward Hines Jr.
Hospital
5th and Roosevelt
Hines, Illinois 60141

Owner

Veterans Administration-Edward Hines Jr.
Hospital
5th and Roosevelt, P.O. Box 5000
Hines, Illinois 60141

Operator

Veterans Administration-Edward Hines Jr.
Hospital
5th and Roosevelt, P.O. Box 5000
Hines, Illinois 60141

Permittee

The owner or operator of the source as identified in this table.

2. Contacts

Certified Officials

The source shall submit an Administrative Permit Amendment for any change in the Certified Officials, pursuant to Section 39.5(13) of the Act.

	<i>Name</i>	<i>Title</i>
<i>Responsible Official</i>	Sharon M. Helman, MBA	Director
<i>Delegated Authority</i>	No other individuals have been authorized by the IEPA.	N/A

Other Contacts

	<i>Name</i>	<i>Phone No.</i>	<i>Email</i>
<i>Source Contact</i>	Rita Young	708/202-8387, ext.25613	
<i>Technical Contact</i>	Rita Young	708/202-8387, ext.25613	
<i>Correspondence</i>	Rita Young	708/202-8387, ext.25613	
<i>Billing</i>	Rita Young	708/202-8387, ext.25613	

3. Single Source

The source identified in Condition 1.1 above shall be defined to include all the following additional source(s):

<i>I.D. No.</i>	<i>Permit No.</i>	<i>Single Source Name and Address</i>
N/A	N/A	N/A

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

Section 2 - General Permit Requirements

1. Prohibitions

- a. It shall be unlawful for any person to violate any terms or conditions of this permit issued under Section 39.5 of the Act, to operate the CAAPP source except in compliance with this permit issued by the IEPA under Section 39.5 of the Act or to violate any other applicable requirements. All terms and conditions of this permit issued under Section 39.5 of the Act are enforceable by USEPA and citizens under the Clean Air Act, except those, if any, that are specifically designated as not being federally enforceable in this permit pursuant to Section 39.5(7)(m) of the Act. [Section 39.5(6)(a) of the Act]
- b. After the applicable CAAPP permit or renewal application submittal date, as specified in Section 39.5(5) of the Act, the source shall not operate this CAAPP source without a CAAPP permit unless the complete CAAPP permit or renewal application for such source has been timely submitted to the IEPA. [Section 39.5(6)(b) of the Act]
- c. No owner or operator of the CAAPP source shall cause or threaten or allow the continued operation of an emission source during malfunction or breakdown of the emission source or related air pollution control equipment if such operation would cause a violation of the standards or limitations applicable to the source, unless this CAAPP permit granted to the source provides for such operation consistent with the Act and applicable Illinois Pollution Control Board regulations. [Section 39.5(6)(c) of the Act]
- d. Pursuant to Section 39.5(7)(g) of the Act, emissions from the source are not allowed to exceed any allowances that the source lawfully holds under Title IV of the Clean Air Act or the regulations promulgated thereunder, consistent with Section 39.5(17) of the Act and applicable requirements, if any.

2. Emergency Provisions

Pursuant to Section 39.5(7)(k) of the Act, the owner or operator of the CAAPP source may provide an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations under this CAAPP permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:

- a.
 - i. An emergency occurred and the source can identify the cause(s) of the emergency.
 - ii. The source was at the time being properly operated.
 - iii. The source submitted notice of the emergency to the IEPA within 2 working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
 - iv. During the period of the emergency the source took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or requirements in this permit.
- b. For purposes of Section 39.5(7)(k) of the Act, "emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the source, such as an act of God, that requires immediate corrective action to restore normal operation, and that causes the source to exceed a technology-based emission limitation under this permit, due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventive maintenance, careless or improper operation, or operation error.
- c. In any enforcement proceeding, the source seeking to establish the occurrence of an emergency has the burden of proof. This provision is in addition to any emergency or

Veterans Administration - Edwards Hines Jr. Hospital
 I.D. #031817AAL
 Permit #95060044

Date Received: 05/06/09
 Date Issued: 03/27/12

upset provision contained in any applicable requirement. This provision does not relieve the source of any reporting obligations under existing federal or state laws or regulations.

3. General Provisions

a. Duty to Comply

The source must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. [Section 39.5(7)(o)(i) of the Act]

b. Need to Halt or Reduce Activity is not a Defense

It shall not be a defense for the source in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. [Section 39.5(7)(o)(ii) of the Act]

c. Duty to Maintain Equipment

The source shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements. [Section 39.5(7)(a) of the Act]

d. Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated there under. [Section 39.5(7)(a) of the Act]

e. Duty to Pay Fees

- i. The source must pay fees to the IEPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto. [Section 39.5(7)(o)(vi) of the Act]
- ii. The IEPA shall assess annual fees based on the allowable emissions of all regulated air pollutants, except for those regulated air pollutants excluded in Section 39.5(18)(f) of the Act and insignificant activities in Section 6, at the source during the term of this permit. The amount of such fee shall be based on the information supplied by the applicant in its complete CAAPP permit application. [Section 39.5(18)(a)(ii)(A) of the Act]
- iii. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois EPA, P.O. Box 19276, Springfield, IL, 62794-9276. Include on the check: ID #, Permit #, and "CAAPP Operating Permit Fees". [Section 39.5(18)(e) of the Act]

f. Obligation to Allow IEPA Surveillance

Pursuant to Sections 4(a), 39.5(7)(a), and 39.5(7)(p)(ii) of the Act, inspection and entry requirements that necessitate that, upon presentation of credentials and other documents as may be required by law and in accordance with constitutional limitations, the source shall allow the IEPA, or an authorized representative to perform the following:

- i. Enter upon the source's premises where the emission unit(s) are located or emissions-related activity is conducted, or where records must be kept under the conditions of this permit.

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

- ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit.
- iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
- iv. Sample or monitor any substances or parameters at any location at reasonable times:
 - A. As authorized by the Clean Air Act or the Act, at reasonable times, for the purposes of assuring compliance with this CAAPP permit or applicable requirements; or
 - B. As otherwise authorized by the Act.
- v. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source authorized by this permit.

g. Effect of Permit

- i. Pursuant to Section 39.5(7) (j) (iv) of the Act, nothing in this CAAPP permit shall alter or affect the following:
 - A. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section.
 - B. The liability of the owner or operator of the source for any violation of applicable requirements prior to or at the time of permit issuance.
 - C. The applicable requirements of the acid rain program consistent with Section 408(a) of the Clean Air Act.
 - D. The ability of USEPA to obtain information from the source pursuant to Section 114 (inspections, monitoring, and entry) of the Clean Air Act.
- ii. Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, pursuant to Sections 39.5(7) (j) and (p) of the Act, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements. [35 IAC 201.122 and Section 39.5(7) (a) of the Act]

h. Severability Clause

The provisions of this permit are severable. In the event of a challenge to any portion of this permit, other portions of this permit may continue to be in effect. Should any portion of this permit be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected and the rights and obligations of the source shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force. [Section 39.5(7) (i) of the Act]

4. Testing

- a. Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods if applicable test methods are not specified by the applicable regulations or otherwise identified in the conditions of this permit. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

any tests conducted as required by this permit or as the result of a request by the IEPA shall be submitted as specified in Condition 6.1 of this permit. [35 IAC Part 201 Subpart J and Section 39.5(7) (a) of the Act]

- b. Pursuant to Section 4(b) of the Act and 35 IAC 201.282, every emission source or air pollution control equipment shall be subject to the following testing requirements for the purpose of determining the nature and quantities of specified air contaminant emissions and for the purpose of determining ground level and ambient air concentrations of such air contaminants:
 - i. Testing by Owner or Operator: The IEPA may require the owner or operator of the emission source or air pollution control equipment to conduct such tests in accordance with procedures adopted by the IEPA, at such reasonable times as may be specified by the IEPA and at the expense of the owner or operator of the emission source or air pollution control equipment. All such tests shall be made by or under the direction of a person qualified by training and/or experience in the field of air pollution testing. The IEPA shall have the right to observe all aspects of such tests.
 - ii. Testing by the IEPA: The IEPA shall have the right to conduct such tests at any time at its own expense. Upon request of the IEPA, the owner or operator of the emission source or air pollution control equipment shall provide, without charge to the IEPA, necessary holes in stacks or ducts and other safe and proper testing facilities, including scaffolding, but excluding instruments and sensing devices, as may be necessary.

5. Recordkeeping

a. Control Equipment Maintenance Records

Pursuant to Section 39.5(7) (b) of the Act, a maintenance record shall be kept on the premises for each item of air pollution control equipment. At a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

b. Retention of Records

- i. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. [Section 39.5(7) (e) (ii) of the Act]
- ii. Pursuant to Section 39.5(7) (a) of the Act, other records required by this permit including any logs, plans, procedures, or instructions required to be kept by this permit shall be retained for a period of at least 5 years from the date of entry unless a different period is specified by a particular permit provision.

c. Availability of Records

- i. Pursuant to Section 39.5(7) (a) of the Act, the Permittee shall retrieve and provide paper copies, or as electronic media, any records retained in an electronic format (e.g., computer) in response to an IEPA or USEPA request during the course of a source inspection.
- ii. Pursuant to Section 39.5(7) (a) of the Act, upon written request by the IEPA for copies of records or reports required to be kept by this permit, the Permittee shall promptly submit a copy of such material to the IEPA. For this purpose, material shall be submitted to the IEPA within 30 days unless additional time is provided by the IEPA or the Permittee believes that the volume and nature of requested material would make this overly burdensome, in which case, the Permittee

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

shall respond within 30 days with the explanation and a schedule for submittal of the requested material. (See also Condition 2.9(d))

6. Certification

a. Compliance Certification

- i. Pursuant to Section 39.5(7)(p)(v)(C) of the Act, the source shall submit annual compliance certifications by including the following:
 - A. The identification of each term or condition of this permit that is the basis of the certification.
 - B. The compliance status.
 - C. Whether compliance was continuous or intermittent.
 - D. The method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- ii. Pursuant to Section 39.5(7)(p)(v)(D) of the Act, all compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the IEPA Compliance Section. Addresses are included in Attachment 3.
- iii. Pursuant to Section 39.5(7)(p)(i) of the Act, all compliance reports required to be submitted shall include a certification in accordance with Condition 2.6.

b. Certification by a Responsible Official

Any document (including reports) required to be submitted by this permit shall contain a certification by the responsible official of the source that meets the requirements of Section 39.5(5) of the Act and applicable regulations. [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included in Attachment 4 of this permit.

7. Permit Shield

- a. Pursuant to Section 39.5(7)(j) of the Act, except as provided in Condition 2.7(b) below, the source has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the IEPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit. This permit shield does not extend to applicable requirements which are promulgated after February 9, 2012 (date USEPA notice started), unless this permit has been modified to reflect such new requirements.
- b. Pursuant to Section 39.5(7)(j) of the Act, this permit and the terms and conditions herein do not affect the Permittee's past and/or continuing obligation with respect to statutory or regulatory requirements governing major source construction or modification under Title I of the CAA. Further, neither the issuance of this permit nor any of the terms or conditions of the permit shall alter or affect the liability of the Permittee for any violation of applicable requirements prior to or at the time of permit issuance.
- c. Pursuant to Section 39.5(7)(a) of the Act, the issuance of this permit by the IEPA does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any currently pending or future legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the IEPA or the USEPA

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

may have against the applicant including, but not limited to, any enforcement action authorized pursuant to the provision of applicable federal and state law.

8. Title I Conditions

Pursuant to Sections 39(a), 39(f), and 39.5(7)(a) of the Act, as generally identified below, this CAAPP permit may contain certain conditions that relate to requirements arising from the construction or modification of emission units at this source. These requirements derive from permitting programs authorized under Title I of the Clean Air Act (CAA) and regulations thereunder, and Title X of the Illinois Environmental Protection Act (Act) and regulations implementing the same. Such requirements, including the New Source Review programs for both major (i.e., PSD and nonattainment areas) and minor sources, are implemented by the IEPA.

- a. This permit may contain conditions that reflect requirements originally established in construction permits previously issued for this source. These conditions include requirements from preconstruction permits issued pursuant to regulations approved or promulgated by USEPA under Title I of the CAA, as well as requirements contained within construction permits issued pursuant to state law authority under Title X of the Act. Accordingly, all such conditions are incorporated into this CAAPP permit by virtue of being either an "applicable Clean Air Act requirement" or an "applicable requirement" in accordance with Section 39.5 of the Act. These conditions are identifiable herein by a designation to their origin of authority.
- b. This permit may contain conditions that reflect necessary revisions to requirements established for this source in preconstruction permits previously issued under the authority of Title I of the CAA. These conditions are specifically designated herein as "TIR".
 - i. Revisions to original Title I permit conditions are incorporated into this permit through the combined legal authority of Title I of the CAA and Title X of the Act. Public participation requirements and appeal rights shall be governed by Section 39.5 of the Act.
 - ii. Revised Title I permit conditions shall remain in effect through this CAAPP permit, and are therefore enforceable under the same, so long as such conditions do not expire as a result of a failure to timely submit a complete renewal application or are not removed at the applicant's request.
- c. This permit may contain conditions that reflect new requirements for this source that would ordinarily derive from a preconstruction permit established under the authority of Title I of the CAA. These conditions are specifically designated herein as "TIN".
 - i. The incorporation of new Title I requirements into this CAAPP permit is authorized through the combined legal authority of Title I of the CAA and Title X of the Act. Public participation requirements and appeal rights shall be governed by Section 39.5 of the Act.
 - ii. Any Title I conditions that are newly incorporated shall remain in effect through this CAAPP permit, and are therefore enforceable under the same, so long as such conditions do not expire as a result of a failure to timely submit a complete renewal application or are not removed at the applicant's request.

9. Reopening and Revising Permit

a. Permit Actions

This permit may be modified, revoked, reopened and reissued, or terminated for cause in accordance with applicable provisions of Section 39.5 of the Act. The filing of a request by the source for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition. [Section 39.5(7)(o)(iii) of the Act]

Veterans Administration - Edwards Hines Jr. Hospital
 I.D. #031817AAL
 Permit #95060044

Date Received: 05/06/09
 Date Issued: 03/27/12

b. Reopening and Revision

Pursuant to Section 39.5(15) (a) of the Act, this permit must be reopened and revised if any of the following occur:

- i. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- ii. Additional requirements become applicable to the source for acid deposition under the acid rain program;
- iii. The IEPA or USEPA determines that this permit contains a material mistake or that an inaccurate statement was made in establishing the emission standards or limitations, or other terms or conditions of this permit; or
- iv. The IEPA or USEPA determines that this permit must be revised or revoked to ensure compliance with the applicable requirements.

c. Inaccurate Application

Pursuant to Sections 39.5(5) (e) and (i) of the Act, the IEPA has issued this permit based upon the information submitted by the source in the permit application referenced on page 1 of this permit. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation or reopening of this CAAPP under Section 39.5(15) of the Act.

d. Duty to Provide Information

The source shall furnish to the IEPA, within a reasonable time specified by the IEPA any information that the IEPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the source shall also furnish to the IEPA copies of records required to be kept by this permit. [Section 39.5(7) (o) (v) of the Act]

10. Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement. [Section 39.5(7) (o) (vii) of the Act]

11. Permit Renewal

- a. Upon the expiration of this permit, if the source is operated, it shall be deemed to be operating without a permit unless a timely and complete CAAPP application has been submitted for renewal of this permit. However, if a timely and complete application to renew this CAAPP permit has been submitted, the terms and all conditions of the most recent issued CAAPP permit will remain in effect until the issuance of a renewal permit. [Sections 39.5(5) (1) and (o) of the Act]
- b. For purposes of permit renewal, a timely application is one that is submitted no less than 9 months prior to the date of permit expiration. [Section 39.5(5) (n) of the Act]

12. Permanent Shutdown

Pursuant to Section 39.5(7) (a) of the Act, this permit only covers emission units and control equipment while physically present at the source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down.

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

13. Startup, Shutdown, and Malfunction

Pursuant to Section 39.5(7) (a) of the Act, in the event of an action to enforce the terms or conditions of this permit, this permit does not prohibit a Permittee from invoking any affirmative defense that is provided by the applicable law or rule.

Section 3 - Source Requirements

1. Applicable Requirements

Pursuant to Sections 39.5(7)(a), 39.5(7)(b), and 39.5(7)(d) of the Act, the Permittee shall comply with the following applicable requirements. These requirements are applicable to all emission units (including insignificant activities unless specified otherwise in this Section) at the source.

a. Fugitive Particulate Matter

- i. Pursuant to 35 IAC 212.301 and 35 IAC 212.314, no person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally toward the zenith at a point beyond the property line of the source unless the wind speed is greater than 25 mph.

- ii. Periodic Monitoring Compliance Method

Upon request by the IEPA, the Permittee shall conduct observations at the property line of the source for visible emissions of fugitive particulate matter from the source to address compliance with 35 IAC 212.301. For this purpose, daily observations shall be conducted for a week for particular area(s) of concern at the source, as specified in the request, observations shall begin either within one day or three days of receipt of a written request from the IEPA, depending, respectively, upon whether observations will be conducted by employees of the Permittee or a third-party observer hired by the Permittee to conduct observations on its behalf. The Permittee shall keep records for these observations, including identity of the observer, the date and time of observations, the location(s) from which observations were made, and duration of any fugitive emissions event(s).

b. Ozone Depleting Substances

Pursuant to 40 CFR 82.150(b), the Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- i. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- ii. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- iii. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.
- iv. Any person performing service on a motor vehicle for consideration when this service involves the refrigerant in the motor vehicle air conditioner shall comply with 40 CFR Subpart B, Servicing of Motor Vehicle Air Conditioners.
- v. All persons shall comply with the reporting and recordkeeping requirements of 40 CFR 82.166.

c. Asbestos Demolition and Renovation

- i. Pursuant to 40 CFR 61 Subpart M, Standard of Asbestos, prior to any demolition or renovation at this facility, the Permittee shall fulfill notification requirements of 40 CFR 61.145(b).

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

- ii. Pursuant to 40 CFR 61.145(c), during demolition or renovation, the Permittee shall comply with the procedures for asbestos emission control established by 40 CFR 61.145(c).

d. Future Emission Standards

Pursuant to Section 39.5(15)(a) of the Act, this source shall comply with any new or revised applicable future standards of 40 CFR 60, 61, 62, or 63; or 35 IAC Subtitle B after the date issued of this permit. The Permittee shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by Condition 2.6(a). This permit may also have to be revised or reopened to address such new regulations in accordance to Condition 2.9.

2. Applicable Plans and Programs

Pursuant to Sections 39.5(7)(a), 39.5(7)(b), and 39.5(7)(d) of the Act, the Permittee shall comply with the following applicable requirements. These requirements are applicable to all emission units (including insignificant activities unless specified otherwise in this Section) at the source.

a. Fugitive PM Operating Program

Should this source become subject to 35 IAC 212.302, the Permittee shall prepare and operate under a Fugitive PM Operating Program consistent with 35 IAC 212.310 and submitted to the IEPA for its review. The Fugitive PM Operating Program shall be designed to significantly reduce fugitive particulate matter emissions, pursuant to 35 IAC 212.309(a). Any future Fugitive PM Operating Program made by the Permittee during the permit term is automatically incorporated by reference provided the Fugitive PM Operating Program is not expressly disapproved, in writing, by the IEPA within 30 days of receipt of the Fugitive PM Operating Program. In the event that the IEPA notifies the Permittee of a deficiency with any Fugitive PM Operating Program, the Permittee shall be required to revise and resubmit the Fugitive PM Operating Program within 30 days of receipt of notification to address the deficiency pursuant to Section 39.5(7)(a) of the Act.

b. PM₁₀ Contingency Measure Plan

Should this source become subject to 35 IAC 212.700, then the Permittee shall prepare and operate under a PM₁₀ Contingency Measure Plan reflecting the PM₁₀ emission reductions as set forth in 35 IAC 212.701 and 212.703. The Permittee shall, within 90 days after the date this source becomes subject to 35 IAC 212.700, submit a request to modify this CAAPP permit in order to include a new, appropriate PM₁₀ Contingency Measure Plan.

c. Episode Action Plan

- i. Pursuant to 35 IAC 244.141, the Permittee shall have on file with the IEPA an Episode Action Plan for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The Episode Action Plan shall contain the information specified in 35 IAC 244.144.
- ii. The Permittee shall immediately implement the appropriate steps described in the Episode Action Plan should an air pollution alert or emergency be declared, as required by 35 IAC 244.169, or as may otherwise be required under 35 IAC 244, Appendix D.
- iii. Pursuant to 35 IAC 244.143(d), if an operational change occurs at the source which invalidates the Episode Action Plan, a revised Episode Action Plan shall be submitted to the IEPA for review within 30 days of the change and is automatically

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

incorporated by reference provided the revision is not expressly disapproved, in writing, by the IEPA within 30 days of receipt of the revision. In the event that the IEPA notifies the Permittee of a deficiency with any revision to the Episode Action Plan, the Permittee shall be required to revise and resubmit the Episode Action Plan within 30 days of receipt of notification to address the deficiency pursuant to Section 39.5(7) (a) of the Act.

- iv. The Episode Action Plan, as submitted by the Permittee on January 24, 2012, is incorporated herein by reference. The document constitutes the formal Episode Action Plan required by 35 IAC 244.142, addressing the actions that will be implemented to reduce SO₂, PM₁₀, NO₂, CO and VOM emissions from various emissions units in the event of a yellow alert, red alert or emergency issued under 35 IAC 244.161 through 244.165.
- v. Pursuant to Section 39.5(7) (b) of the Act, the Permittee shall keep a copy of the Episode Action Plan, any amendments or revisions to the Episode Action Plan (as required by Condition 3.2(c)), and the Permittee shall also keep a record of activities completed according to the Episode Action Plan.

d. Risk Management Plan (RMP)

Should this stationary source, as defined in 40 CFR 68.3, become subject to the federal regulations for Chemical Accident Prevention in 40 CFR Part 68, then the Permittee shall submit a compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or submit a certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan, as part of the annual compliance certification required by Condition 2.6(a). This condition is imposed in this permit pursuant to 40 CFR 68.215(a) (2) (i) and (ii).

3. Title I Requirements

As of the date of issuance of this permit, there are no source-wide Title I requirements that need to be included in this Section.

4. Synthetic Minor Limits

As of the date of issuance of this permit, there are no source-wide synthetic minor limits that need to be included in this Condition.

5. Reporting Requirements

The Permittee shall submit the following information pursuant to Section 39.5(7) (f) of the Act.

a. Prompt Reporting

- i. A. Pursuant to Section 39.5(7) (f) (ii) of the Act, the Permittee shall promptly notify the IEPA, Air Compliance Section, within 30 days of deviations from applicable requirements as follows:
 - Requirements in Condition 3.1(a) (i).
- B. All such deviations shall be summarized and reported as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- ii. The Permittee shall notify the IEPA, Air Compliance Section, of all other deviations as part of the Semiannual Monitoring Reports required by in Condition 3.5(b).

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

- iii. The deviation reports shall contain at a minimum the following information:
 - A. Date and time of the deviation.
 - B. Emission unit(s) and/or operation involved.
 - C. The duration of the event.
 - D. Probable cause of the deviation.
 - E. Corrective actions or preventative measures taken.

b. Semiannual Reporting

- i. The Permittee shall submit Semiannual Monitoring Reports to the IEPA, Air Compliance Section, summarizing required periodic monitoring as part of the Compliance Methods in this Permit submitted every six months as follows, unless more frequent reporting is required in other parts of this permit. Addresses are included in Attachment 3.

<u>Monitoring Period</u>	<u>Report Due Date</u>
January through June	July 31
July through December	January 31

- ii. All deviation reports required in this Permit shall be identified, summarized, and reported as part of the Semiannual Monitoring Report.
- iii. The Semiannual Monitoring Report must be certified by a Responsible Official consistent with Condition 2.6(b).

c. Annual Emissions Reporting

Pursuant to 35 IAC Part 254, the Source shall submit an Annual Emission Report due by May 1 of the year following the calendar year in which the emissions took place. All records and calculations upon which the verified and reported data are based must be retained by the source.

Section 4 - Emission Unit Requirements

4.1 Boilers

1. Emission Units and Operations

Emission Units	Pollutants Being Regulated	Original Construction Date	Modification/ Reconstruction Date	Air Pollution Control Devices or Measures	Monitoring Devices
Boilers #1 through #4: Natural gas-fired with distillate fuel oil as backup; maximum heat input 50 mmBtu/hr each	PM, CO, NO _x , SO ₂	1967	None	None	None

2. Applicable Requirements

For the emission unit in Condition 4.1(1) above, the Permittee shall comply with the following applicable requirements pursuant to Sections 39.5(7) (a), 39.5(7) (b), and 39.5(7) (d) of the Act.

a. i. Opacity Requirements

A. Pursuant to 35 IAC 212.123(a), no person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit.

ii. Compliance Method (Opacity Requirements)

- A. Pursuant to Section 39.5(7) (p) of the Act, The Permittee shall conduct semi-annual visible emissions observation of an individual stack of each boiler or a common stack of all boilers by using Method 22. If opacity is observed, the Permittee shall conduct opacity testing by using Method 9 within one week.
- B. Pursuant to Section 39.5(7) (a) of the Act, the Permittee shall keep records of opacity observations and opacity testing.

b. i. Particulate Matter Requirements (PM)

A. Pursuant to 35 IAC 212.206, the emissions of particulate matter (PM) into the atmosphere in any one-hour period shall not exceed 0.15 kg/MW-hr (0.10 lb/mmBtu) of actual heat input from any fuel combustion emission unit using liquid fuel exclusively.

ii. Compliance Method (PM Requirements)

- A. Testing
- I. Pursuant to Section 39.5(7) (a) of the Act, if the boilers are fired by diesel fuel for a period that lasts longer than 48 hours per year and the firing is not the result of a gas curtailment as defined in 40 CFR 63.11237, the Permittee shall perform test of PM emissions by using USEPA Method 5 no later than 3 months from the date on which 48 hours of operation being exceeded.
- II. The Permittee shall also comply with the requirements in Section 7.1.

c. i. Carbon Monoxide Requirements (CO)

A. Pursuant to 35 IAC 216.121, the emissions of carbon monoxide (CO) into the atmosphere from any fuel combustion emission unit with actual heat input

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

greater than 2.9 MW (10 mmBtu/hr) shall not exceed 200 ppm, corrected to 50 percent excess air.

ii. Compliance Method (CO Requirements)

- A. Pursuant to Section 39.5(7) (d) for fuel oils, the Permittee shall comply with the following tune-up requirements for the boilers and conduct such tune-ups biennially no later than 25 months after the previous tune-up:
- I. As applicable, inspect the burner, and clean or replace any components of the burner as necessary (the Permittee may delay the burner inspection until the next scheduled unit shutdown, but each burner shall be inspected at least once every 36 months).
 - II. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specifications, if available.
 - III. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.
 - IV. Optimize total emissions of carbon monoxide. This optimization should be consistent with the manufacturer's specifications, if available.
 - V. Measure the concentrations in the effluent stream of carbon monoxide in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made (measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made).
 - VI. Maintain onsite and submit, if requested by the Illinois EPA, biennial report containing the following information:
 - The concentrations of CO in the effluent stream in parts per million, by volume, and oxygen in volume percent, measured before and after the tune-up of the boiler.
 - A description of any corrective actions taken as a part of the tune-up of the boiler.
 - The type and amount of fuel used over the 12 months prior to the biennial tune-up of the boiler.
- B. Pursuant to 39.5(7) (a) and (b), when natural gas as a fuel is only used, the Permittee shall perform the same tune-up procedures on the boilers at least every 5 years.
- C. Pursuant to Section 39.5(7) (b) of the Act, the Permittee shall keep the records of inspections and tune-ups performed.

d. i. Sulfur Dioxide Requirements (SO₂)

- A. Pursuant to 35 IAC 214.161(b), the emission of sulfur dioxide (SO₂) into the atmosphere in any one-hour period from any existing fuel combustion emission unit, burning liquid fuel exclusively shall not exceed 0.46 kg of sulfur dioxide per MW-hr of actual heat input when distillate fuel oil is burned (0.3 lb/mmBtu).

- B. Pursuant to permit #95060044, total emissions of SO₂ from all boilers shall not exceed 9.5 tons/month and 95.4 tons/year. [T1]
- C. Compliance with annual limits shall be determined from a running total of 12 months of data.

ii. Compliance Method (SO₂ Requirements)

- A. Testing
 - I. Pursuant to permit #95060044, sulfur content in the fuel oil shall not exceed 0.28 weight percent. [T1]
 - II. Pursuant to Section 39.5(7) (d), the Permittee shall take the samples of sulfur content in the fuel oil by using ASTM D7039-07. Such samples shall be taken at least once per year of the fuel stored on site or from any new shipment of fuel oil received.
- B. Recordkeeping
 - I. Pursuant to Section 39.5(7) (a), the Permittee shall keep the records of the fuel oil.
 - II. Pursuant to Section 39.5(7) (a), the Permittee shall keep the records of monthly and annual SO₂ emissions.
 - III. Pursuant to Section 39.5(7) (a), the Permittee shall keep the records of sulfur content in the fuel oil.

e. i. Nitrogen Oxide Requirements (NO_x)

- A. Pursuant to permit #95060044, total emissions of NO_x from all boilers shall not exceed 4.8 tons/month and 48.0 tons/year. [T1]
- B. Compliance with annual limits shall be determined from a running total of 12 months of data.

ii. Compliance Method (NO_x Requirements)

- A. Monitoring
 - I. Pursuant to Section 39.5(7) (a) of the Act, the Permittee shall develop emission factors for NO_x emissions during required testing procedures for purposes of using them for compliance demonstration in the periods between the tests.
- B. Testing
 - I. Pursuant to Section 39.5(7) (a) of the Act, the Permittee shall perform test of NO_x emissions from each boiler by using USEPA Method 7E or 19 once every five years upon issuance of this permit.
 - II. The Permittee shall also comply with the requirements in Section 7.1.
- C. Recordkeeping
 - I. Pursuant to Section 39.5(7) (a), the Permittee shall keep records of monthly and annual NO_x emissions with supporting calculations.

f. i. Operational or Production Requirements

- A. Pursuant to Permit #95060044, total fuel oil usage shall not exceed 480,000 gal/month and 4,800,000 gal/year. [T1]
- B. Compliance with annual limits shall be determined from a running total of 12 months of data.

ii. Compliance Method (Operational or Production Requirements)

- A. Compliance with annual limits shall be determined from a running total of 12 months of data.
- B. Pursuant to Section 39.5(7) (a) of the Act, the Permittee shall keep the following records:
 - I. Total distillate fuel oil usage for the boilers (gallons/mo and gallons/year).
 - II. Records of the periods when the fuel oil is used longer than 48 hours per calendar year.

3. Non-Applicability Determinations

- a. Pursuant to 35 IAC 218.303, because these are the fuel combustion emission units, the boilers are not subject to 35 IAC Part 218, Subpart G.
- b. Pursuant to 35 IAC 217.141, the existing fuel combustion emission units with an actual heat input less than 73.2 MW (250 mmBtu/hr) are not subject to 35 IAC 217.141(a) through (c).
- c. The boilers are not subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because they do not use an add-on control device(s) to achieve compliance with the limitations for any regulated air pollutant.
- d. Pursuant to 40 CFR 63.11195(e), the boilers are not subject to 40 CFR 63 Subpart JJJJJJ "National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources", because these boilers are defined as gas-fired unless boilers burn fuel oil not for the purposes of gas curtailment, gas supply emergencies or periodic testing on liquid fuels exceeds total of 48 hours per calendar year as defined in 40 CFR 63.11237.

4. Other Requirements

As of the date of issuance of this permit, there are no other requirements that need to be included for the boilers.

5. Reporting Requirements

The Permittee shall submit the following information pursuant to Section 39.5(7) (f) of the Act.

a. Prompt Reporting

- i. A. Pursuant to Section 39.5(7) (f) (ii) of the Act, the Permittee shall promptly notify the IEPA, Air Compliance Section, within 30 days of deviations from applicable requirements as follows unless a different period is specified by a particular permit provision, i.e., NSPS or NESHAP requirement:
 - Requirements in Conditions 4.1(2) (a) (i), (b) (i), (c) (i), (d) (i), (e) (i), and (f) (i).

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

- B. All such deviations shall be summarized and reported as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- ii. The Permittee shall notify the IEPA, Air Compliance Section, of all other deviations as part of the Semiannual Monitoring Reports required by in Condition 3.5(b).
- iii. The deviation reports shall contain at a minimum the following information:
 - A. Date and time of the deviation.
 - B. Emission unit(s) and/or operation involved.
 - C. The duration of the event.
 - D. Probable cause of the deviation.
 - E. Corrective actions or preventative measures taken.

4.2 Gasoline Storage Tank and Dispensing Operations

1. Emission Units and Operations

Emission Units	Pollutants Being Regulated	Original Construction Date	Modification/ Reconstruction Date	Air Pollution Control Devices or Measures	Monitoring Devices
One Gasoline Storage Tank (1,000 gallons capacity)	VOM	N/A	None	Submerged Loading Pipe, Stage II Vapor Recovery System	None

2. Applicable Requirements

For the emission units in Condition 4.2.1 above, the Permittee shall comply with the following applicable requirements pursuant to 39.5(7) (a), 39.5(7) (b), and 39.5(7) (d) of the Act.

- a. i. **Work Practice Requirements (35 IAC Part 218)**
- A. Pursuant to 35 IAC 218.122(b), no person shall cause or allow the loading of any organic material into any stationary tank having a storage capacity of greater than 946 l (250 gal), unless such tank is equipped with a permanent submerged loading pipe.
 - B. Pursuant to 35 IAC 218.583(a), the transfer of gasoline from any delivery vessel into the stationary storage tank at a gasoline dispensing operations shall include the following:
 - I. The tank is equipped with a submerged loading pipe.
 - II. The vapors displaced from the storage tank during filling and processed by a vapor control system that includes one or more of the following:
 - A vapor collection system that meets the requirements of 218.583(d) (4); and
 - The delivery vessel displays the appropriate sticker pursuant to the requirements of Section 218.584(b) or (d).
 - III. All tank vent pipes are equipped with pressure/vacuum relief valves and shall be set to resist a pressure of at least 3.5 inches water column and to resist a vacuum of no less than 6.0 inches water column.
 - C. Pursuant to 35 IAC 218.583(c), the Permittee shall:
 - I. Install all control systems and make all process modifications required by 35 IAC 218.583(a);
 - II. Provide instructions to the operator of the gasoline dispensing operation describing necessary maintenance operations and procedures for prompt notification of the owner in case of any malfunction of a vapor control system; and
 - III. Repair, replace or modify any worn out or malfunctioning component or element of design.
 - D. Pursuant to 35 IAC 218.583(d), the operator of a gasoline dispensing operation shall fulfill the following:

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

Section 4 - Title I Requirements
4.2 - Gasoline Storage Tank and Dispensing Operations

- I. Maintain and operate each vapor control system in accordance with the owner's instructions;
 - II. Promptly notify the owner of any scheduled maintenance or malfunction requiring replacement or repair of a major component of a vapor control system;
 - III. Maintain gauges, meters or other specified testing devices in proper working order;
 - IV. Operate the vapor collection system and delivery vessel unloading points in a manner that prevents:
 - A reading equal to or greater than 100 percent of the lower explosive limit (LEL measured as propane) when tested in accordance with the procedure described in EPA 450/2-78-051 Appendix B incorporated by reference in 35 IAC 218.112; and
 - Avoidable leaks of liquid during the filling of storage tanks; and
 - V. Within 15 business days after discovery of the leak by the owner, operator, or the Illinois EPA, repair and retest a vapor collection system which exceeds the limits of 35 IAC 218.583(d) (4) (A) (Condition 4.2(2) (a) (i) (C) (IV) above).
- E. Pursuant to 35 IAC 218.585(a), (b) and (c), no person shall sell, offer for sale, dispense, supply, offer for supply, or transport for use in Illinois gasoline whose Reid vapor pressure exceeds the following applicable limitations during the regulatory control periods, which shall be May 1 to September 15 for retail outlets, wholesale purchaser-consumer, operations, and all other operations:
- I. The Reid vapor pressure of gasoline, a measure of its volatility, shall not exceed 9.0 psi (62.07 kPa) during the regulatory control period in 1990 and each year thereafter.
 - II. The Reid vapor pressure of ethanol blend gasolines shall not exceed the limitations for gasoline set forth in subsection (b) of this Section by more than 1.0 psi (6.9 kPa). Notwithstanding this limitation, blenders of ethanol blend gasolines whose Reid vapor pressure is less than 1.0 psi above the base stock gasoline immediately after blending with ethanol are prohibited from adding butane or any product that will increase the Reid vapor pressure of the blended gasoline.

ii. Compliance Method (State Work Practice Requirements)

A. Monitoring

- I. Pursuant to 35 IAC 218.583(a) (4), the Permittee shall demonstrate compliance with 35 IAC 218.583(a) (3) after installation of each pressure/vacuum relief valve, and at least annually thereafter, by measuring and recording the pressure indicated by a pressure/vacuum gauge at each tank vent pipe. The test shall be performed on each tank vent pipe within two hours after product delivery into the respective storage tank. For manifold tank vent systems, observations at any point within the system shall be adequate.
- II. Pursuant to Section 39.5(7) (a) of the Act, the Permittee shall conduct semi-annual inspections of the gasoline storage tank and

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

dispensing operation while the tank is being filled by inspecting at least the following:

- Retractors, hoses, breakaways, swivels.
- Adapters, vapor caps, rubber gaskets, and spill containment buckets.
- Gauges and meters.
- Submerged loading pipe is physically present and the condition of the pipe for integrity.

B. Recordkeeping

- I. Pursuant to Section 39.5(7) (a) and (d) of the Act, the Permittee shall maintain the records of conducted inspections, with a date and results of such inspections.
- II. Pursuant to Section 39.5(7) (a) and (d) of the Act, the Permittee shall keep a copy of operating instructions and maintenance log.

b. i. Work Practice Requirements (40 CFR 63 Subpart CCCCCC)

- A. Pursuant to 40 CFR 63.1116(a), the Permittee shall fulfill at least the following requirements in regards to the gasoline dispensing facility with monthly throughput of less than 10,000 gallons of gasoline:
 - I. Minimize gasoline spills;
 - II. Clean up spills as expeditiously as practicable;
 - III. Cover all open gasoline containers and all gasoline storage tank fill-pipes with a gasketed seal when not in use; and
 - IV. Minimize gasoline sent to open waste collection systems that collect and transport gasoline to reclamation and recycling devices, such as oil/water separators.

ii. Compliance Method (Federal Work Practice Requirements)

A. Monitoring

- I. Pursuant to Section 39.5(7) (a) of the Act, the Permittee shall conduct semi-annual inspections of the gasoline storage tank and dispensing operation while the tank is being filled by inspecting at applicable operating requirements established by 40 CFR 63 Subpart CCCCCC.

B. Recordkeeping

- I. Pursuant to Section 39.5(7) (a) and (d) of the Act, the Permittee shall keep on site written operating procedures or instructions on how to implement operating requirements established by 40 CFR 63 Subpart CCCCCC.
- II. Pursuant to Section 39.5(7) (a) and (d) of the Act, the Permittee shall maintain the records of conducted inspections, with a date and results of such inspections.

c. i. Operational and Production Requirements

- A. Pursuant to Section 39.5(7) (a) of the Act, the average monthly gasoline throughput shall not exceed 10,000 gallons.

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

ii. Compliance Method (Operational and Production Requirements)

A. Recordkeeping

- I. Pursuant to Section 39.5(7) (a) and (d) of the Act, the Permittee shall keep monthly and annual records of gasoline throughput.

3. Non-Applicability Determinations

- a. The gasoline storage tank and associated dispensing operations are not subject to 40 CFR 64, Compliance Assurance Monitoring (CAM) because these operations do not have potential pre-control device emissions of the applicable regulated air pollutant that equals or exceeds major source threshold levels.
- b. The gasoline storage tank is not subject to 35 IAC 218.301 because the gasoline storage tank does not use organic material as defined in 35 IAC 211.4250(b).
- c. The gasoline storage tank is not subject to 35 IAC 218.586(c) because the average monthly gasoline throughput is less than 10,000 gallons.
- d. The gasoline storage tank is not subject to 35 IAC 218.581 and 218.582 the tank is not a bulk gasoline plant or bulk gasoline terminal as defined in 35 IAC 211.790 and 211.810, respectively.

4. Other Requirements

As of the date of issuance of this permit, there are no such requirements that need to be included for gasoline storage tank.

5. Reporting Requirements

The Permittee shall submit the following information pursuant to 39.5(7) (f) of the Illinois Environmental Protection Act.

a. Prompt Reporting

- i. A. Pursuant to Section 39.5(7) (f) (ii) of the Act, the Permittee shall promptly notify the Illinois EPA, Air Compliance Section, within 30 days of deviations from applicable requirements as follows:
- Requirements in Conditions 4.2(2) (a) (i), (b) (i) and (c) (i).
- B. All such deviations shall be summarized and reported as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- ii. The Permittee shall notify the Illinois EPA, Air Compliance Section, of all other deviations as part of the Semiannual Monitoring Reports required by in Condition 3.5(b).
- iii. The deviation report shall contain at a minimum the following information:
- A. Date and time of the deviation.
- B. Emission unit(s) and/or operation involved.
- C. The duration of the event.
- D. Probable cause of the deviation.
- E. Corrective actions or preventative measures taken.

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

Section 5 - Title I Requirements

This Section is reserved for Title I requirements not specified in Sections 3 or 4. As of the date of issuance of this permit, there are no Title I requirements that need to be separately addressed in this Section.

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

Section 6 - Insignificant Activities Requirements

1. Insignificant Activities Subject to Specific Regulations

Pursuant to 35 IAC 201.146, the following activities at the source constitute insignificant activities obligated to comply with Sections 9.1(d) and Section 39.5 of the Act; Sections 165, 173, and 502 of the Clean Air Act; or any other applicable permit or registration requirements:

<i>Insignificant Activity</i>	<i>Number of Units</i>	<i>Insignificant Activity Category</i>
Gas turbines and stationary reciprocating internal combustion engines < 112 kW (150 HP).	1	35 IAC 201.210(a) (15)
Gas Turbines and Engines between 112 KW and 1,118 KW (150 and 1,500 HP) that are emergency or standby units.	16	35 IAC 201.210(a) (16)

a. Applicable Requirements

Pursuant to Sections 39.5(7) (a), 39.5(7) (b), and 39.5(7) (d) of the Act, the Permittee shall comply with the following applicable requirements in addition to the applicable requirements in Condition 6.4:

- i. Standards of Performance for New Stationary Sources - Engines
 - A. Standards of Performance for Stationary Compression Ignition Internal Combustion Engines (40 CFR 60 Subpart IIII)
 - I. Pursuant to 40 CFR 60.4205(b) and 60.4202(a) (2), the engine is subject to the emission limitations of 40 CFR 89.112 and 89.113.
 - II. The engine shall meet the applicable general provisions of 40 CFR 60 Subpart A. See Condition 7.3(a).
 - III. The engine shall comply with the applicable emission limitations and operating limitations; general compliance requirements; testing and initial compliance requirements; continuous compliance requirements; notifications, reports, and records; and other requirements and information of 40 CFR 60 Subpart IIII and 40 CFR 89 Subpart B.
- ii. National Emission Standards for Hazardous Air Pollutants for Source Categories - Engines
 - A. National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines (40 CFR 63 Subpart ZZZZ)
 - I. Pursuant to 40 CFR 63.6590(c), the engine must meet the requirements of Subpart ZZZZ by meeting the requirements of 40 CFR 60 Subpart IIII.

2. Insignificant Activities in 35 IAC 201.210(a)

In addition to any Insignificant Activities identified in Condition 6.1, the following additional activities at the source constitute insignificant activities:

<i>Insignificant Activity</i>	<i>Number of Units</i>	<i>Insignificant Activity Category</i>
Storage tanks of virgin or rerefined distillate oil, hydrocarbon condensate from natural gas pipeline or storage systems, lubricating oil, or residual fuel oil.	1	35 IAC 201.210(a) (xi)

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

Insignificant Activity	Number of Units	Insignificant Activity Category
Ethylene Oxide Sterilizers	4	35 IAC 201.210(a)(1) and 201.211

3. Insignificant Activities in 35 IAC 201.210(b)

Pursuant to 35 IAC 201.210, the source has identified insignificant activities as listed in 35 IAC 201.210(b)(1) through (28) as being present at the source. The source is not required to individually list the activities.

4. Applicable Requirements

Insignificant activities in Conditions 6.1 and 6.2 are subject to the following general regulatory limits notwithstanding status as insignificant activities. The Permittee shall comply with the following requirements, as applicable:

- a. Pursuant to 35 IAC 212.123(a), no person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to 35 IAC 212.122, except as provided in 35 IAC 212.123(b).
- b. Pursuant to 35 IAC 212.321 or 212.322, no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units at a source or premises, exceed the allowable emission rates specified 35 IAC 212.321 or 212.322 and 35 IAC Part 266.

5. Periodic Monitoring Compliance Method

Pursuant to Section 39.5(7)(b) of the Act, the source shall maintain records of the following items:

- a. List of all insignificant activities, including insignificant activities added as specified in Condition 5.6, the categories the insignificant activities fall under, and supporting calculations as needed.
- b. Potential to emit emission calculations before any air pollution control device for each insignificant activity.

6. Notification Requirements for Insignificant Activities

The source shall notify the IEPA accordingly to the addition of insignificant activities:

a. Notification 7 Days in Advance

- i. Pursuant to 35 IAC 201.212(b), 35 IAC 201.146(kkk), and Sections 39.5(12)(a) and (b) of the Act; for the addition of an insignificant activity that would be categorized under 35 IAC 201.210(a)(1) and 201.211 and is not currently identified in Conditions 6.1 or 6.2, a notification to the IEPA Permit Section 7 days in advance of the addition of the insignificant activity is required. A construction permit is not required. Addresses are included in Attachment 3. The notification shall include the following pursuant to 35 IAC 201.211(b):
 - A. A description of the emission unit including the function and expected operating schedule of the unit.
 - B. A description of any air pollution control equipment or control measures associated with the emission unit.
 - C. The emissions of regulated air pollutants in lb/hr and ton/yr.

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

- D. The means by which emissions were determined or estimated.
 - E. The estimated number of such emission units at the source.
 - F. Other information upon which the applicant relies to support treatment of such emission unit as an insignificant activity.
- ii. Pursuant to 35 IAC 201.212(b), 35 IAC 201.146(kkk), and Sections 39.5(12) (a) and (b) of the Act; for the addition of an insignificant activity that would be categorized under 35 IAC 201.210(a) (2) through 201.210(a) (18) and is not currently identified in Conditions 6.1 or 6.2, a notification to the IEPA Permit Section 7 days in advance of the addition of the insignificant activity is required. A construction permit is not required. Addresses are included in Attachment 3.
 - iii. Pursuant to Sections 39.5(12) (a) (i) (b) and 39.5(12) (b) (iii) of the Act, the permit shield described in Section 7(j) of the Act (see Condition 2.7) shall not apply to any change made in Condition 6.6(a) above.

b. Notification Required at Renewal

Pursuant to 35 IAC 201.212(a) and 35 IAC 201.146(kkk), for the addition of an insignificant activity that would be categorized under 35 IAC 201.210(a) and is currently identified in Conditions 6.1 or 6.2, a notification is not required until the renewal of this permit. A construction permit is not required.

c. Notification Not Required

Pursuant to 35 IAC 201.212(c) and 35 IAC 201.146(kkk), for the addition of an insignificant activity that would be categorized under 35 IAC 201.210(b) as describe in Condition 6.3, a notification is not required. A construction permit is not required.

Section 7 - Other Requirements

1. Testing

- a. Pursuant to Section 39.5(7) (a) of the Act, a written test protocol shall be submitted at least sixty (60) days prior to the actual date of testing, unless it is required otherwise in applicable state or federal statutes. The IEPA may at the discretion of the Compliance Section Manager (or designee) accept protocol less than 60 days prior to testing provided it does not interfere with the IEPA's ability to review and comment on the protocol and does not deviate from the applicable state or federal statutes. The protocol shall be submitted to the IEPA, Compliance Section and IEPA, Stack Test Specialist for its review. Addresses are included in Attachment 3. This protocol shall describe the specific procedures for testing, including as a minimum:
- i. The name and identification of the emission unit(s) being tested.
 - ii. Purpose of the test, i.e., permit condition requirement, IEPA or USEPA requesting test.
 - iii. The person(s) who will be performing sampling and analysis and their experience with similar tests.
 - iv. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the emission unit and any control equipment will be determined.
 - v. The specific determinations of emissions and operation which are intended to be made, including sampling and monitoring locations.
 - vi. The test method(s) that will be used, with the specific analysis method, if the method can be used with different analysis methods. Include if emission tests averaging of 35 IAC 283 will be used.
 - vii. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with detailed justification. This shall be included as a waiver of the test procedures. If a waiver has already been obtained by the IEPA or USEPA, then the waiver shall be submitted.
 - viii. Any proposed use of an alternative test method, with detailed justification. This shall be included as a waiver of the test procedures. If a waiver has already been obtained by the IEPA or USEPA, then the waiver shall be submitted.
 - ix. Sampling of materials, QA/QC procedures, inspections, etc.
- b. The IEPA, Compliance Section shall be notified prior to these tests to enable the IEPA to observe these tests pursuant to Section 39.7(a) of the Act as follows:
- i. Notification of the expected date of testing shall be submitted in writing a minimum of thirty (30) days prior to the expected test date, unless it is required otherwise in applicable state or federal statutes.
 - ii. Notification of the actual date and expected time of testing shall be submitted in writing a minimum of five (5) working days prior to the actual date of the test. The IEPA may at its discretion of the Compliance Section Manager (or designee) accept notifications with shorter advance notice provided such notifications will not interfere with the IEPA's ability to observe testing.
- c. Copies of the Final Report(s) for these tests shall be submitted to the IEPA, Compliance Section within fourteen (14) days after the test results are compiled and finalized but

Veterans Administration - Edwards Hines Jr. Hospital
 I.D. #031817AAL
 Permit #95060044

Date Received: 05/06/09
 Date Issued: 03/27/12

no later than ninety (90) days after completion of the test, unless it is required otherwise in applicable state or federal statutes or the IEPA may at the discretion of the Compliance Section Manager (or designee) an alternative date is agreed upon in advance pursuant to Section 39.7(a) of the Act. The Final Report shall include as a minimum:

- i. General information including emission unit(s) tested.
 - ii. A summary of results.
 - iii. Discussion of conditions during each test run (malfunction/breakdown, startup/shutdown, abnormal processing, etc.).
 - iv. Description of test method(s), including description of sampling points, sampling train, analysis equipment, and test schedule.
 - v. Detailed description of test conditions, including:
 - A. Process information, i.e., mode(s) of operation, process rate, e.g. fuel or raw material consumption.
 - B. Control equipment information, i.e., equipment condition and operating parameters during testing.
 - C. A discussion of any preparatory actions taken, i.e., inspections, maintenance and repair.
 - vi. Data and calculations, including copies of all raw data sheets and records of laboratory analyses, sample calculations, and data on equipment calibration.
 - vii. An explanation of any discrepancies among individual tests or anomalous data.
 - viii. Results of the sampling of materials, QA/QC procedures, inspections, etc.
 - ix. Discussion of whether protocol was followed and description of any changes to the protocol if any occurred.
 - x. Demonstration of compliance showing whether test results are in compliance with applicable state or federal statutes.
- d. Copies of all test reports and other test related documentation shall be kept on site as required by Condition 2.5(b) pursuant to Section 39.5(7) (e) (ii) of the Act.

2. Emissions Reduction Market System (ERMS) Requirements

- a. Pursuant to 35 IAC Part 205, ERMS seasonal emissions of VOM during the seasonal allotment period from May 1 through September 30 shall not exceed 10 tons/year.
- b. Pursuant to 35 IAC 205, the Permittee shall maintain the following records to allow the confirmation of actual VOM emissions during the seasonal allotment period:
 - i. Records of operating data and other information for each individual emission unit or group of related emission units at the source, as specified in Sections 3 and 4 of this permit, as appropriate, to determine actual VOM emissions during the seasonal allotment period.
 - ii. Records of the VOM emissions, in tons, during the seasonal allotment period, with supporting calculations, for each individual emission unit or group of related emission units at the source, determined in accordance with the procedures specified in Sections 3 and 4 of this permit.

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

iii. Total VOM emissions from the source, in tons, during each seasonal allotment period, which shall be compiled by November 30 of each year.

c. Pursuant to 35 IAC Section 205.150(c), in the event that the source's VOM emissions during the seasonal allotment period equal or exceed 10 tons, the source shall become a participating source in the ERMS and beginning with the following seasonal allotment period, shall comply with 35 IAC Part 205, by holding allotment trading units (ATUs) for its VOM emissions during each seasonal allotment period, unless the source obtains exemption from the ERMS by operating with seasonal VOM emissions of no more than 15 tons pursuant to a limitation applied for and established in its CAAPP permit.

3. 40 CFR 60 Subpart A Requirements (NSPS)

a. 40 CFR 60 Subpart A and IIII - Engines

Pursuant to 40 CFR 60 Subpart A and Table 8 to Subpart IIII, the Permittee shall comply with the following applicable General Provisions as indicated:

<i>General Provisions citation</i>	<i>Subject of citation</i>	<i>Applies to subpart</i>	<i>Explanation</i>
40 CFR 60.1	General applicability of the General Provisions	Yes	
40 CFR 60.2	Definitions	Yes	Additional terms defined in §60.4219.
40 CFR 60.3	Units and abbreviations	Yes	
40 CFR 60.4	Address	Yes	
40 CFR 60.5	Determination of construction or modification	Yes	
40 CFR 60.6	Review of plans	Yes	
40 CFR 60.7	Notification and Recordkeeping	Yes	Except that §60.7 only applies as specified in §60.4214(a).
40 CFR 60.8	Performance tests	Yes	Except that §60.8 only applies to stationary CI ICE with a displacement of (≥30 liters per cylinder and engines that are not certified.
40 CFR 60.9	Availability of information	Yes	
40 CFR 60.10	State Authority	Yes	
40 CFR 60.11	Compliance with standards and maintenance requirements	No	Requirements are specified in subpart IIII.
40 CFR 60.12	Circumvention	Yes	
40 CFR 60.13	Monitoring requirements	Yes	Except that §60.13 only applies to stationary CI ICE with a displacement of (≥30 liters per cylinder.
40 CFR 60.14	Modification	Yes	
40 CFR 60.15	Reconstruction	Yes	
40 CFR 60.16	Priority list	Yes	
40 CFR 60.17	Incorporations by reference	Yes	
40 CFR 60.18	General control device requirements	No	
40 CFR 60.19	General notification and reporting requirements	Yes	

Veterans Administration - Edwards Hines Jr. Hospital
 I.D. #031817AAL
 Permit #95060044

Date Received: 05/06/09
 Date Issued: 03/27/12

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

Section 8 - State Only Requirements

1. Permitted Emissions for Fees

The annual emissions from the source for purposes of "Duties to Pay Fees" of Condition 2.3(e), not considering insignificant activities as addressed by Section 6, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. This Condition is set for the purpose of establishing fees and is not federally enforceable. See Section 39.5(18) of the Act.

Pollutant		Tons/Year
Volatile Organic Material	(VOM)	3.76
Sulfur Dioxide	(SO ₂)	35.88
Particulate Matter	(PM)	13.17
Nitrogen Oxides	(NO _x)	138.7
HAP, not included in VOM or PM	(HAP)	---
Total		191.51

Attachment 1 - List of Emission Units at This Source

Section	Emission Units	Description
4.1	Boilers	Provide power and heat for the hospital's needs
4.2	Gasoline Storage Tank and Dispensing	Provides gasoline dispensing service for hospital's fleet

Veterans Administration - Edwards Hines Jr. Hospital
 I.D. #031817AAL
 Permit #95060044

Date Received: 05/06/09
 Date Issued: 03/27/12

Attachment 2 - Acronyms and Abbreviations

acfm	Actual cubic feet per minute
ACMA	Alternative Compliance Market Account
Act	Illinois Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
ATU	Allotment trading unit
BACT	Best Available Control Technology
BAT	Best Available Technology
BTU	British Thermal Units
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CAIR	Clean Air Interstate Rule
CAM	Compliance Assurance Monitoring
CEMS	Continuous Emission Monitoring System
CFR	Code of Federal Regulations
CISWI	Commercial Industrial Solid Waste Incinerator
CO	Carbon monoxide
CO ₂	Carbon dioxide
COMS	Continuous Opacity Monitoring System
CPMS	Continuous Parameter Monitoring System
dscf	Dry standard cubic foot
dscm	Dry standard cubic meter
EAF	Electric arc furnace
ERMS	Emissions Reduction Market System
°F	Degrees Fahrenheit
GHG	Green house gas
gr	Grains
HAP	Hazardous air pollutant
Hg	Mercury
HMIWI	Hospital medical infectious waste incinerator
HP	Horsepower
hr	Hour
H ₂ S	Hydrogen sulfide
I.D. No.	Identification number of source, assigned by IEPA
IAC	Illinois Administrative Code
ILCS	Illinois Compiled Statutes
IEPA	Illinois Environmental Protection Agency
KW	Kilowatts
LAER	Lowest Achievable Emission Rate
lb	Pound

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

m	Meter
MACT	Maximum Achievable Control Technology
mm	Million
mon	Month
MSDS	Material Safety Data Sheet
MSSCAM	Major Stationary Sources Construction and Modification (Non-attainment New Source Review)
MW	Megawatts
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO _x	Nitrogen oxides
NSPS	New Source Performance Standards
NSR	New Source Review
PM	Particulate matter
PM ₁₀	Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 microns as measured by applicable test or monitoring methods
PM _{2.5}	Particulate matter with an aerodynamic diameter less than or equal to a nominal 2.5 microns as measured by applicable test or monitoring methods
ppm	Parts per million
ppmv	Parts per million by volume
PSD	Prevention of Significant Deterioration
PSEU	Pollutant-Specific Emission Unit
psia	Pounds per square inch absolute
PTE	Potential to emit
RACT	Reasonable Available Control Technology
RMP	Risk Management Plan
scf	Standard cubic feet
SCR	Selective catalytic reduction
SIP	State Implementation Plan
SO ₂	Sulfur dioxide
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit
T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
USEPA	United States Environmental Protection Agency
VOM	Volatile organic material

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12

Attachment 3 - Contact and Reporting Addresses

<p style="text-align: center;">IEPA Compliance Section</p> <p style="text-align: center;">IEPA Stack Test Specialist</p> <p style="text-align: center;">IEPA Air Quality Planning Section</p> <p style="text-align: center;">IEPA Air Regional Field Operations Regional Office #1</p> <p style="text-align: center;">IEPA Permit Section</p>	<p>Illinois EPA, Bureau of Air Compliance & Enforcement Section (MC 40) 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276 Phone No.: 217/782-2113</p> <p>Illinois EPA, Bureau of Air Compliance Section Source Monitoring - Third Floor 9511 Harrison Street Des Plaines, IL 60016 Phone No.: 847/294-4000</p> <p>Illinois EPA, Bureau of Air Air Quality Planning Section (MC 39) 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794-9276 Phone No.: 217/782-2113</p> <p>Illinois EPA, Bureau of Air Regional Office #1 9511 Harrison Street Des Plaines, IL 60016 Phone No.: 847/294-4000</p> <p>Illinois EPA, Bureau of Air Permit Section (MC 11) 1021 North Grand Avenue East P.O. Box 19506 Springfield, IL 62794-9506 Phone No.: 217/782-2113</p>
<p style="text-align: center;">USEPA Region 5 - Air Branch</p>	<p>USEPA (AR - 17J) Air and Radiation Division 77 West Jackson Boulevard Chicago, IL 60604 Phone No.: 312/353-2000</p>

Attachment 4 - Example Certification by a Responsible Official

SIGNATURE BLOCK

NOTE: THIS CERTIFICATION MUST BE SIGNED BY A RESPONSIBLE OFFICIAL. APPLICATIONS WITHOUT A SIGNED CERTIFICATION WILL BE DEEMED AS INCOMPLETE.

I CERTIFY UNDER PENALTY OF LAW THAT, BASED ON INFORMATION AND BELIEF FORMED AFTER REASONABLE INQUIRY, THE STATEMENTS AND INFORMATION CONTAINED IN THIS APPLICATION ARE TRUE, ACCURATE AND COMPLETE. ANY PERSON WHO KNOWINGLY MAKES A FALSE, FICTITIOUS, OR FRAUDULENT MATERIAL STATEMENT, ORALLY OR IN WRITING, TO THE ILLINOIS EPA COMMITS A CLASS 4 FELONY. A SECOND OR SUBSEQUENT OFFENSE AFTER CONVICTION IS A CLASS 3 FELONY. (415 ILCS 5/44(H))

AUTHORIZED SIGNATURE:

BY:

AUTHORIZED SIGNATURE

TITLE OF SIGNATORY

_____/_____/_____

TYPED OR PRINTED NAME OF SIGNATORY

DATE

Veterans Administration - Edwards Hines Jr. Hospital
I.D. #031817AAL
Permit #95060044

Date Received: 05/06/09
Date Issued: 03/27/12