

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Nicor Gas  
I.D. No.: 099832AAF  
Application No.: 95120023  
March 5, 2002

217/782-2113

TITLE V - CLEAN AIR ACT PERMIT PROGRAM (CAAPP) PERMIT  
and  
TITLE I PERMIT<sup>1</sup>

PERMITTEE

Nicor Gas  
Attn: Nancy J. Huston  
1844 Ferry Road  
Naperville, Illinois 60563-9600

Application No.: 95120023                      I.D. No.: 099832AAF  
Applicant's Designation: STATION #50      Date Received: December 5, 1995  
Operation of: Natural Gas Compressor/Storage Facility  
Date Issued: TO BE DETERMINED              Expiration Date<sup>2</sup>: DATE  
Source Location: 169 North 36th Road, Troy Grove, LaSalle, Illinois 61342  
Responsible Official: Brian C. Elliot, Vice President

This permit is hereby granted to the above-designated Permittee to OPERATE a natural gas compressor/storage facility, pursuant to the above referenced permit application. This permit is subject to the conditions contained herein.

If you have any questions concerning this permit, please contact John Cashman at 217/782-2113.

Donald E. Sutton, P.E.  
Manager, Permit Section  
Division of Air Pollution Control

DES:JRC:jar

cc: Illinois EPA, FOS, Region 2  
USEPA

<sup>1</sup> This permit may contain terms and conditions which address the applicability, and compliance if determined applicable, of Title I of the CAA and regulations promulgated thereunder, including 40 CFR 52.21 - federal PSD and 35 IAC Part 203 - Major Stationary Sources Construction and Modification. Any such terms and conditions are identified within this permit.

<sup>2</sup> Except as provided in Condition 8.7 of this permit.

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 SOURCE IDENTIFICATION	4
1.1 Source	
1.2 Owner/Parent Company	
1.3 Operator	
1.4 General Source Description	
2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT	5
3.0 INSIGNIFICANT ACTIVITIES	6
3.1 Identification of Insignificant Activities	
3.2 Compliance with Applicable Requirements	
3.3 Addition of Insignificant Activities	
4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE	8
5.0 OVERALL SOURCE CONDITIONS	10
5.1 Source Description	
5.2 Applicable Regulations	
5.3 Non-Applicability of Regulations of Concern	
5.4 Source-Wide Operational and Production Limits and Work Practices	
5.5 Source-Wide Emission Limitations	
5.6 General Recordkeeping Requirements	
5.7 General Reporting Requirements	
5.8 General Operational Flexibility/Anticipated Operating Scenarios	
5.9 General Compliance Procedures	
6.0 NOT APPLICABLE TO THIS PERMIT	15
7.0 UNIT SPECIFIC CONDITIONS	16
7.1 Turbines (Not Subject to NSPS - 40 CFR 60 Subpart GG)	
7.2 Turbines (Subject to NSPS - 40 CFR 60 Subpart GG)	
7.3 Engines	
7.4 TEG Dehydration Units	
7.5 Storage Tanks	
8.0 GENERAL PERMIT CONDITIONS	42

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

8.1	Permit Shield	
8.2	Applicability of Title IV Requirements	
8.3	Emissions Trading Programs	
8.4	Operational Flexibility/Anticipated Operating Scenarios	
8.5	Testing Procedures	
8.6	Reporting Requirements	
8.7	Obligation to Comply with Title I Requirements	
		<u>PAGE</u>
9.0	STANDARD PERMIT CONDITIONS	47
9.1	Effect of Permit	
9.2	General Obligations of Permittee	
9.3	Obligation to Allow Illinois EPA Surveillance	
9.4	Obligation to Comply with Other Requirements	
9.5	Liability	
9.6	Recordkeeping	
9.7	Annual Emissions Report	
9.8	Requirements for Compliance Certification	
9.9	Certification	
9.10	Defense to Enforcement Actions	
9.11	Permanent Shutdown	
9.12	Reopening And Reissuing Permit For Cause	
9.13	Severability Clause	
9.14	Permit Expiration and Renewal	
10.0	ATTACHMENTS	
10.1	Attachment 1 - Example Certification by a Responsible Official	1-1
10.2	Attachment 2 - Guidance on Revising This Permit	2-1
10.3	Attachment 3 - Form 199-CAAPP, Application For Construction Permit (For CAAPP Sources Only)	3-1
10.4	Attachment 4 - Guidance on Renewing This Permit	4-1

1.0 SOURCE IDENTIFICATION

1.1 Source

Nicor Gas - Station #50  
169 North 36th Road  
Troy Grove, Illinois 61342

I.D. No.: 099832AAF  
Standard Industrial Classification:\_4924, Natural Gas Distribution

1.2 Owner/Parent Company

Nicor Gas  
1844 Ferry Road  
Naperville, Illinois 60563-9600

1.3 Operator

Nicor Gas  
1844 Ferry Road  
Naperville, Illinois 60563-9600

Nancy J. Huston  
630/983-8676

1.4 General Source Description

Nicor Gas is located at 169 North 36th Road, Troy Grove. The source's primary function of the compressor station is to transmit natural gas to and from high-pressure underground storage fields. Prior to pipelinetransmission water is removed from the natural gas by a triethylene glycol dehydration unit. Next, natural gas is injected into the storage fields during the low demand months and withdrawn from storage during the high demand months. The compressors are powered by natural gas fired engines.

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

Act	Illinois Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
Btu	British thermal unit
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CAM	Compliance Assurance Monitoring
CFR	Code of Federal Regulations
ERMS	Emissions Reduction Market System
HAP	Hazardous Air Pollutant
Hr	hour
IAC	Illinois Administrative Code
I.D. No.	Identification Number of Source, assigned by Illinois EPA
ILCS	Illinois Compiled Statutes
Illinois EPA	Illinois Environmental Protection Agency
KW	kilowatts
Lb	pound
MmBtu	Million British thermal units
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO <sub>x</sub>	Nitrogen Oxides
NSPS	New Source Performance Standards
PM	Particulate Matter
PM <sub>10</sub>	Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 microns as measured by applicable test or monitoring methods
ppm	parts per million
PSD	Prevention of Significant Deterioration
RMP	Risk Management Plan
SO <sub>2</sub>	Sulfur Dioxide
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit
T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
USEPA	United States Environmental Protection Agency
VOM	Volatile Organic Material

### 3.0 INSIGNIFICANT ACTIVITIES

#### 3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the Illinois EPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

Fugitive Facility Roads  
Wastewater Evaporators  
Odorant Tank Pilot  
Natural Gas Fired Boilers/Reboilers < 10 mmBtu/Hr

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

None

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

Direct combustion units designed and used for comfort heating purposes and fuel combustion emission units as follows: (A) Units with a rated heat input capacity of less than 2.5 mmBtu/hr that fire only natural gas, propane, or liquefied petroleum gas; (B) Units with a rated heat input capacity of less than 1.0 mmBtu/hr that fire only oil or oil in combination with only natural gas, propane, or liquefied petroleum gas; and (C) Units with a rated heat input capacity of less than 200,000 Btu/hr which never burn refuse, or treated or chemically contaminated wood [35 IAC 201.210(a)(4)].

Storage tanks of organic liquids with a capacity of less than 10,000 gallons and an annual throughput of less than 100,000 gallons per year, provided the storage tank is not used for the storage of gasoline or any material listed as a HAP pursuant to Section 112(b) of the CAA [35 IAC 201.210(a)(10)].

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

Storage tanks of any size containing virgin or re-refined distillate oil, hydrocarbon condensate from natural gas pipeline or storage systems, lubricating oil, or residual fuel oils [35 IAC 201.210(a)(11)].

3.1.4 Activities that are considered insignificant activities pursuant to 35 IAC 201.210(b).

3.2 Compliance with Applicable Requirements

Insignificant activities are subject to applicable requirements notwithstanding status as insignificant activities. In particular, in addition to regulations of general applicability, such as 35 IAC 212.301 and 212.123 (Condition 5.2.2), the Permittee shall comply with the following requirements, as applicable:

3.2.1 For each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, 218.182, or 219.182.

3.2.2 For each particulate matter process emission unit, the Permittee shall comply with the applicable particulate matter emission limit of 35 IAC 212.321 or 212.322. For example, the particulate matter emissions from a process emission unit shall not exceed 0.55 pounds per hour if the emission unit's process weight rate is 100 pounds per hour or less, pursuant to 35 IAC 266.110.

3.2.3 For each organic material emission unit that uses organic material, e.g., a mixer or printing line, the Permittee shall comply with the applicable VOM emission limit of 35 IAC 215.301, 218.301, or 219.301, which requires that organic material emissions not exceed 8.0 pounds per hour or do not qualify as photochemically reactive material as defined in 35 IAC 211.4690.

3.3 Addition of Insignificant Activities

3.3.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

- 3.3.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.
- 3.3.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

Emission Unit	Description	Date Constructed	Emission Control Equipment
CC28	13,155 Hp Natural Gas Fired Turbine	1967	None
CC29	15,000 Hp Natural Gas Fired Turbine	1969	None
OC5	9,800 Hp Natural Gas Fired Turbine	1965	None
OC6	9,800 Hp Natural Gas Fired Turbine	1965	None
OC7	9,800 Hp Natural Gas Fired Turbine	1965	None
SC21	1,275 Hp Natural Gas Fired Turbine	1963	None
SC22	1,275 Hp Natural Gas Fired Turbine	1963	None
SC23	1,275 Hp Natural Gas Fired Turbine	1963	None
SC24	1,275 Hp Natural Gas Fired Turbine	1963	None
SC25	1,275 Hp Natural Gas Fired Turbine	1963	None
SC26	1,275 Hp Natural Gas Fired Turbine	1963	None
DR31	5,700 Hp Natural Gas Fired Turbine	1995	None
CC3	1,000 Hp Natural Gas Fired Engine	1960	None
CC4	1,000 Hp Natural Gas Fired Engine	1960	None
SG1	310 Hp Natural Gas Fired Engine	1990	None
SG2	500 Hp Natural Gas Fired Engine	1994	None
SG3	310 Hp Natural Gas Fired Engine	1982	None
CG5	225 Hp Natural Gas Fired Engine	1965	None
CG6	225 Hp Natural Gas Fired Engine	1965	None
CG7	225 Hp Natural Gas Fired Engine	1965	None

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

CG28	225 Hp Natural Gas Fired Engine	1967	None
VV1	TEG Dehydration Unit	1960	Flare #3
VV2	TEG Dehydration Unit	1959	Flare #2
VV3	TEG Dehydration Unit	1964	Flare #3
VV4	TEG Dehydration Unit	1960	Flare #2
Emission Unit	Description	Date Constructed	Emission Control Equipment
VV5	TEG Dehydration Unit	1994	Flare #1
VV1-N	TEG Dehydration Unit	Post-1972	Flare #1N
VV2-N	TEG Dehydration Unit	Post-1972	Flare #2N
VV3-N	TEG Dehydration Unit	Post-1972	Flare #2N
M1	30,000 Gallon Methanol Storage Tank	---	None
UG1	2,000 Gallon Gasoline Storage Tank	---	None

5.0 OVERALL SOURCE CONDITIONS

5.1 Source Description

5.1.1 This permit is issued based on the source requiring a CAAPP permit as a major source of NO<sub>x</sub>, VOM, and HAPs emissions.

5.2 Applicable Regulations

5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7 (Unit-Specific Conditions) of this permit.

5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:

- a. No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.

- b. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to the requirements of 35 IAC 212.122, pursuant to 35 IAC 212.123(a), except as allowed by 35 IAC 212.123(b) and 212.124.

5.2.3 Ozone Depleting Substances

The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service,

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.

- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

5.2.4 Risk Management Plan

Should this stationary source, as defined in 40 CFR Section 68.3, become subject to the Accidental Release Prevention regulations in 40 CFR Part 68, then the owner or operator shall submit [40 CFR 68.215(a)(2)(i) and (ii)]:

- a. A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or
- b. A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan (RMP), as part of the annual compliance certification required by 40 CFR Part 70 or 71.

- 5.2.5 a. Should this stationary source become subject to a regulation under 40 CFR Parts 60, 61, or 63, or 35 IAC after the date issued of this permit, then the owner or operator shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by 40 CFR Part 70 or 71.

- b. No later than upon the submittal for renewal of this permit, the owner or operator shall submit, as part of an application, the necessary information to address either the non-applicability of, or demonstrate

compliance with all applicable requirements of any potentially applicable regulation which was promulgated after the date issued of this permit.

5.2.6 Episode Action Plan

- a. If the source is required to have an episode action plan pursuant to 35 IAC 244.142, the Permittee shall maintain at the source and have on file with the Illinois EPA a written episode action plan (plan) for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The plan shall contain the information specified in 35 IAC 244.144.
- b. The Permittee shall immediately implement the appropriate steps described in this plan should an air pollution alert or emergency be declared.
- c. If a change occurs at the source which requires a revision of the plan (e.g., operational change, change in the source contact person), a copy of the revised plan shall be submitted to the Illinois EPA for review within 30 days of the change. Such plans shall be further revised if disapproved by the Illinois EPA.
- d. For sources required to have a plan pursuant to 35 IAC 244.142, a copy of the original plan and any subsequent revisions shall be sent to:
  - i. Illinois EPA, Compliance Section; and
  - ii. For sources located in Cook County and outside of the city of Chicago: Cook County Department of Environmental Control; or
  - iii. For sources located within the city of Chicago: Chicago Department of Environmental Control.

5.2.7 CAM Plan

This stationary source has a pollutant-specific emissions unit that is subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources. The source must submit a CAM plan for each affected pollutant-specific emissions unit upon application for renewal of the initial CAAPP permit, or upon a significant modification to the CAAPP permit for the construction or

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

modification of a large pollutant-specific emissions unit which has the potential post-control device emissions of the applicable regulated air pollutant that equals or exceeds major source threshold levels.

5.3 Non-Applicability of Regulations of Concern

5.3.1 This permit is issued based on the source not being subject to 40 CFR 63, Subpart HHH, Natural Gas Transmission and Storage Facilities, because the source is located in a local distribution company that transmit and store natural gas.

5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

5.5 Source-Wide Emission Limitations

5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. These limitations (Condition 5.5.1) are set for the purpose of establishing fees and are not federally enforceable.

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	192.2
Sulfur Dioxide (SO <sub>2</sub> )	1.9
Particulate Matter (PM)	39.4
Nitrogen Oxides (NO <sub>x</sub> )	300
HAP, not included in VOM or PM	-----
Total	533.5

5.5.2 Emissions of Hazardous Air Pollutants

Source-wide emission limitations for HAPs as listed in Section 112(b) of the CAA are not set. This source is considered to be a major source of HAPs.

5.5.3 Other Source-Wide Emission Limitations

Other source-wide emission limitations are not set for this source pursuant to either the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21, Illinois EPA rules for Major Stationary Sources Construction and Modification, 35 IAC Part 203, or Section 502(b)(10) of the CAA. However, there may be unit specific emission limitations set forth in Section 7 of this permit pursuant to these rules.

5.6 General Recordkeeping Requirements

5.6.1 Emission Records

The Permittee shall maintain records of the following items for the source to demonstrate compliance with Condition 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

Total annual emissions on a calendar year basis for the emission units covered by Section 7 (Unit Specific Conditions) of this permit.

5.6.2 Records for Operating Scenarios

N/A

5.6.3 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified by the particular recordkeeping provision herein), shall be kept at a location at the source that is readily accessible to the Illinois EPA or USEPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.
- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

response to an Illinois EPA or USEPA request for records during the course of a source inspection.

5.7 General Reporting Requirements

5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of deviations of the source with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken.

5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year.

5.8 General Operational Flexibility/Anticipated Operating Scenarios

N/A

5.9 General Compliance Procedures

5.9.1 General Procedures for Calculating Emissions

Compliance with the source-wide emission limits specified in Condition 5.5 shall be based on the recordkeeping and reporting requirements of Conditions 5.6 and 5.7, and Compliance Procedures in Section 7 (Unit Specific Conditions) of this permit.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Nicor Gas  
I.D. No.: 099832AAF  
Application No.: 95120023  
March 5, 2002

6.0 NOT APPLICABLE TO THIS PERMIT

7.0 UNIT SPECIFIC CONDITIONS

7.1 Turbines (Not Subject to NSPS - 40 CFR 60 Subpart GG)

7.1.1 Description

The turbines are process emission units used to provide power for the natural gas compressors. All turbines are powered by natural gas.

7.1.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
CC28	13,155 Hp Natural Gas Fired Turbine	None
CC29	15,000 Hp Natural Gas Fired Turbine	None
OC5	9,800 Hp Natural Gas Fired Turbine	None
OC6	9,800 Hp Natural Gas Fired Turbine	None
OC7	9,800 Hp Natural Gas Fired Turbine	None
SC21	1,275 Hp Natural Gas Fired Turbine	None
SC22	1,275 Hp Natural Gas Fired Turbine	None
SC23	1,275 Hp Natural Gas Fired Turbine	None
SC24	1,275 Hp Natural Gas Fired Turbine	None
SC25	1,275 Hp Natural Gas Fired Turbine	None
SC26	1,275 Hp Natural Gas Fired Turbine	None

7.1.3 Applicability Provisions and Applicable Regulations

- a. The "affected turbines" for the purpose of these unit-specific conditions, are the turbines described in Conditions 7.1.1 and 7.1.2.
- b. Each affected turbine is subject to the emission limits identified in Condition 5.2.2.

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

- c. No person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission source to excess 2000 ppm [35 IAC 214.301].
- d. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lbs/hr) of organic material into the atmosphere from any emission source, except as provided in 35 IAC 215.302, 215.303, 215.304 and the following exception: If no odor nuisance exists the limitation of 35 IAC 215 Subpart G shall apply only to photochemically reactive material [35 IAC 215.301].

7.1.4 Non-Applicability of Regulations of Concern

- a. This permit is issued based on the affected turbines not being subject to the New Source Performance Standards (NSPS) for Stationary Gas Turbines, 40 CFR Part 60, Subpart GG, because the affected turbines commenced construction, modification, or reconstruction prior to October 3, 1977.
- b. This permit is issued based on the affected turbines not being subject to the requirements of 35 IAC 212.321 or 212.322, because due to the unique nature of these units, a process weight rate can not be set so that such rules can not reasonably be applied.
- c. This permit is issued based on the affected turbines not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the affected turbines does not use an add-on control device to achieve compliance with an emission limitation or standard.

7.1.5 Operational and Production Limits and Work Practices

- a. Natural gas shall be the only fuel fired in the affected turbines.

7.1.6 Emission Limitations

There are no specific emission limitations for this unit, however, there are source wide emission limitations in Condition 5.5 that include this unit.

7.1.7 Testing Requirements

None

7.1.8 Monitoring Requirements

None

7.1.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected turbines to demonstrate compliance with 5.5.1 and 7.1.6, pursuant to Section 39.5(7)(b) of the Act:

- a. Turbine rating for each affected turbine, hp.
- b. Operating hours for each affected turbine, hrs/mo and hrs/yr.
- c. Emissions of NO<sub>x</sub>, SO<sub>2</sub>, PM, CO, and VOM from the affected turbines, ton/mo and ton/yr.

7.1.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected turbines with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. Emissions from or operation of an affected turbine in excess of the limits specified in Conditions 7.1.3, 7.1.5, and 7.1.6 within 30 days of such occurrence.

7.1.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.1.12 Compliance Procedures

- a. Compliance with Conditions 7.1.3(c) and (d) is demonstrated by proper operating conditions of the affected turbines.

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

b. Compliance with the emission limits in Conditions 5.5 and 7.1.6 shall be based on the recordkeeping requirements in Condition 7.1.9 and the emission factors and formulas listed below:

i. Emission factors for the affected turbines when fired by natural gas:

A. Affected Turbines CC28, SC21, SC22, SC23, SC24, SC25, and SC26:

<u>Pollutant</u>	<u>Emission Factors</u>	
	<u>(lb/mmBtu)</u>	<u>(lb/hp-hr)</u>
VOM	1.10E-02	2.80E-05
PM	1.90E-03	4.83E-06
SO <sub>2</sub>	0.94S	0.00239S
NO <sub>x</sub>	3.20E-01	8.14E-04
CO	8.20E-02	2.09E-04

The emission factors (lb/mmBtu) are for Natural Gas-Fired Stationary Gas Turbines from AP-42 Section 3.1 (dated 4/00) where S is the percent sulfur in the Natural Gas. The emission factors (lb/hp-hr) are calculated using 1 lb/mmBtu = 2.54443E-3 lb/hp-hr.

B. Affected Turbine CC29:

<u>Pollutant</u>	<u>Emission Factors</u>	
	<u>(lb/mmBtu)</u>	<u>(lb/hp-hr)</u>
VOM	1.10E-02	2.80E-05
PM	1.90E-03	4.83E-06
SO <sub>2</sub>	0.94S	0.00239S
NO <sub>x</sub>	---	53.4 lb/hr
CO	8.20E-02	2.09E-04

The emission factors (lb/mmBtu) are for Natural Gas-Fired Stationary Gas Turbines from AP-42 Section 3.1 (dated 4/00) where S is the percent sulfur in the Natural Gas. The emission factors (lb/hp-hr) are calculated using 1 lb/mmBtu = 2.54443E-3 lb/hp-hr. Except that the emission factor for NOx is

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

based on stack test data.

C. Affected Turbines OC5, OC6, and OC7:

<u>Pollutant</u>	<u>Emission Factors</u>	
	<u>(lb/mmBtu)</u>	<u>(lb/hp-hr)</u>
VOM	1.10E-02	2.80E-05
PM	1.90E-03	4.83E-06
SO <sub>2</sub>	0.94S	0.00239S
NO <sub>x</sub>	---	18.4 lb/hr
CO	8.20E-02	2.09E-04

The emission factors (lb/mmBtu) are for Natural Gas-Fired Stationary Gas Turbines from AP-42 Section 3.1 (dated 4/00) where S is the percent sulfur in the Natural Gas. The emission factors (lb/hp-hr) are calculated using 1 lb/mmBtu = 2.54443E-3 lb/hp-hr. Except that the emission factor for NOx is based on stack test data.

ii. Emission formula for the affected turbines when fired by natural gas:

A. For AP-42 Emission Factors:

$$(\text{Turbine Emissions, lb}) = (\text{The Appropriate Emission Factor, lb/hp-hr}) \times (\text{Turbine Rating, hp}) \times (\text{Operating Hours, hr})$$

B. For Stack Test Emission Factors:

$$(\text{Turbine Emissions, lb}) = (\text{The Appropriate Stack Test Emission Factor, lb/hr}) \times (\text{Operating Hours, hr})$$

7.2 Turbines (Subject to NSPS - 40 CFR 60 Subpart GG)

7.2.1 Description

The turbine is a process emission units used to provide power for the natural gas compressors. The turbine is powered by natural gas.

7.2.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
DR31	5,700 Hp Natural Gas Fired Turbine	None

7.2.3 Applicability Provisions and Applicable Regulations

- a. The "affected turbine" for the purpose of these unit-specific conditions, is a turbine described in Conditions 7.2.1 and 7.2.2.
- b. The affected turbine is subject to the emission limits identified in Condition 5.2.2.
- c. The affected turbine is subject to the NSPS for Stationary Gas Turbines, 40 CFR 60 Subparts A and GG, because the heat input at peak load is equal to or greater than 10.7 gigajoules per hour (10 mmBtu/hr), based on the lower heating value of the fuel fired and the affected turbine commenced construction, modification, or reconstruction after October 3, 1977. The Illinois EPA administers the NSPS for subject sources in Illinois pursuant to a delegation agreement with the USEPA.

i. Standard for Nitrogen Oxides:

Pursuant to 40 CFR 60.332(c), stationary gas turbines with a heat input at peak load equal to or greater than 10.7 gigajoules per hour (10 million Btu/hour) but less than or equal to 107.2 gigajoules per hour (100 million Btu/hour) based on the lower heating value of the fuel fired, shall comply with the provisions of 40 CFR 60.332(a)(2). Pursuant to 40 CFR 60.332(a)(2), no owner or operator

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

of an affected turbine shall cause to be discharged into the atmosphere from such gas turbine, any gases which contain nitrogen oxides in excess of:

$$STD = 0.0150 \frac{(14.4)}{Y} + F$$

Where:

STD = Allowable NO<sub>x</sub> emissions (percent by volume at 15 percent oxygen and on a dry basis).

Y = Manufacturer's rated heat rate at manufacturer's peak load (kilojoules per watt hour), or actual measured heat rate based on lower heater value of fuel as measured at actual peak load for the facility. The value of Y shall not exceed 14.4 kilojoules per watt hour.

F = NO<sub>x</sub> emission allowance for fuel-bound nitrogen calculated from the nitrogen content of the fuel as follows:

Fuel-Bound Nitrogen (Percent by Weight)	F (NO <sub>x</sub> Percent by Volume)
$N \leq 0.015$	0
$0.015 < N \leq 0.1$	0.04 (N)
$0.1 < N \leq 0.25$	$0.04 + 0.0067(N - 0.1)$
$N > 0.25$	0.005

Where:

N = The nitrogen content of the fuel (percent by weight) determined in accordance with Condition 7.2.8.

ii. Standard for Sulfur Dioxide

A. No owner or operator of an affected turbine shall cause to be discharged into the atmosphere from any stationary gas

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

turbine any gases which contain sulfur dioxide in excess of 0.015 percent by volume at 15 percent oxygen and on a dry basis [40 CFR 60.333(a)].

- B. No owner or operator of an affected turbine shall burn in any stationary gas turbine any fuel which contains sulfur in excess of 0.8 percent by weight [40 CFR 60.333(b)].
- d. No person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission source to excess 2000 ppm [35 IAC 214.301].
- e. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lbs/hr) of organic material into the atmosphere from any emission source, except as provided in 35 IAC 215.302, 215.303, 215.304 and the following exception: If no odor nuisance exists the limitation of 35 IAC 215 Subpart G shall apply only to photochemically reactive material [35 IAC 215.301].

7.2.4 Non-Applicability of Regulations of Concern

- a. This permit is issued based on the affected turbine not being subject to the requirements of 35 IAC 212.321 or 212.322, because due to the unique nature of these units, a process weight rate can not be set so that such rules can not reasonably be applied.
- b. This permit is issued based on the affected turbine not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the affected turbine does not use an add-on control device to achieve compliance with an emission limitation or standard.

7.2.5 Operational and Production Limits and Work Practices

- a. At all times, including periods of startup, shutdown, and malfunction, the Permittee shall, to the extent practicable, maintain and operate any affected turbine in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

procedures are being used will be based on information available to the Illinois EPA or the USEPA which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source [40 CFR 60.11(d)].

- b. Natural gas shall be the only fuel fired in the affected turbine.
- c. The affected turbine shall not operated for more than 5,040 hours per year [T1].

7.2.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected turbine DR31 is subject to the following:

Emissions from the affected turbine DR31 shall not exceed the following limits:

<u>Pollutant</u>	<u>(Lb/Hour)</u>	<u>(Ton/Year)</u>
PM	0.71	1.8
SO <sub>2</sub>	0.03	0.1
NO <sub>x</sub>	15.00	37.8
CO	2.96	7.5
VOM	0.12	0.3

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1].

The above limitations were established in Permit 95030010, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

7.2.7 Testing Requirements

None

7.2.8 Monitoring Requirements

Pursuant to 40 CFR 60.334(b), the Permittee shall monitor sulfur content and nitrogen content of the fuel being fired in an affected gas turbine. The frequency of determination of these values shall be as follows:

For natural gas, which is supplied without intermediate bulk storage, the values shall be determined by the following conditions. This is a custom schedule for determination of the values based on the design and operation of the affected gas turbine and the characteristics of the fuel supply, substantiated with data submitted to and approved by the Illinois EPA, pursuant to 40 CFR 60.334(b)(2).

a. Nitrogen Monitoring

Monitoring of fuel nitrogen content shall not be required while natural gas is the only fuel fired in the affected gas turbine, since there is no fuel-bound nitrogen and since the free nitrogen does not contribute appreciable to NOx emissions.

b. Sulfur Monitoring

- i. Analysis for fuel sulfur content of the natural gas shall be conducted using one of the approved ASTM reference methods for the measurement of sulfur in gaseous fuels, or an approved alternative method. The reference methods are: ASTM D1072-80: ASTM D3031-81: ASTM D3246-81: and ASTM D4084-82 as referenced in 40 CFR 60.335(b)(2).
- ii. Effective the date of this custom schedule, sulfur monitoring shall be conducted twice monthly for six months. If this monitoring shows little variability in the fuel sulfur content, and indicates consistent compliance with Condition 7.2.3(c)(ii) (see 40 CFR 60.333), then sulfur monitoring shall be conducted once per quarter for six quarters.
- iii. If after the monitoring required in Condition 7.2.8(b)(ii), or herein, the sulfur content of the fuel shows little variability and, calculated as sulfur dioxide, represents consistent compliance with the sulfur dioxide emission limits specified under Condition 7.2.3(c)(ii) (see 40 CFR 60.333), sampling analysis shall be conducted twice per annum. This monitoring shall be conducted during the first and third quarters of each calendar year.
- iv. Should any sulfur analysis as required in Conditions 7.2.8(ii) and (iii) indicate noncompliance with Condition 7.2.3(c)(ii) (see 40 CFR 60.333), the owner or operator shall notify the Illinois EPA of such excess emissions and the custom schedule shall be re-examined by the Illinois EPA. Sulfur monitoring shall be conducted weekly during the interim period when this custom schedule is being re-examined.

7.2.9 Recordkeeping Requirements

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected turbine to demonstrate compliance with Conditions 5.5.1, 7.2.3, 7.2.5, and 7.2.6, pursuant to Section 39.5(7)(b) of the Act:

- a. The sulfur content of the fuel to be used in the affected turbine as monitored pursuant to Condition 7.2.8(b).
- b. The heat content of the natural gas used in the affected turbine, Btu/ft<sup>3</sup>.
- c. Turbine rating for the affected turbine, hp.
- d. Operating hours for the affected turbine, hrs/mo and hrs/yr.
- e. Emissions of NO<sub>x</sub>, SO<sub>2</sub>, PM, CO, and VOM from the affected turbine, ton/mo and ton/yr.

7.2.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected turbine with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. Emissions from or operation of an affected turbine in excess of the limits specified in Conditions 7.2.3, 7.2.5, and 7.2.6 within 30 days of such occurrence.

7.2.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.2.12 Compliance Procedures

- a.
  - i. Compliance with Condition 7.2.3(c)(i) is considered to be assured by the use of natural gas.
  - ii. Compliance with Condition 7.2.3(c)(ii) is demonstrated by the monitoring requirements of

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

7.2.8(b) and by the recordkeeping requirements of 7.2.9.

- b. Compliance with Conditions 7.2.3(d) and (e) is demonstrated by proper operating conditions of the affected turbine.
- c. Compliance with the emission limits in Conditions 5.5 and 7.2.6 shall be based on the recordkeeping requirements in Condition 7.2.9 and the emission factors and formulas listed below:

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

- i. Emission factors for the affected turbine when fired by natural gas:

Affected Turbine DR31:

<u>Pollutant</u>	<u>Emission Factors</u>	
	<u>(lb/mmBtu)</u>	<u>(lb/hp-hr)</u>
VOM	1.10E-02	2.80E-05
PM	1.90E-03	4.83E-06
SO <sub>2</sub>	0.94S	0.00239S
NO <sub>x</sub>	---	15.0 lb/hr
CO	---	2.96 lb/hr

The emission factors (lb/mmBtu) are for Natural Gas-Fired Stationary Gas Turbines from AP-42 Section 3.1 (dated 4/00) where S is the percent sulfur in the Natural Gas. The emission factors (lb/hp-hr) are calculated using 1 lb/mmBtu = 2.54443E-3 lb/hp-hr. Except that the emission factors for NO<sub>x</sub> and CO are based on stack test data (NO<sub>x</sub>) and manufacturer's data (CO).

- ii. Emission formula for the affected turbine when fired by natural gas:

A. For AP-42 Emission Factors:

$$(\text{Turbine Emissions, lb}) = (\text{The Appropriate Emission Factor, lb/hp-hr}) \times (\text{Turbine Rating, hp}) \times (\text{Operating Hours, hr})$$

B. For Stack Test and Manufacturer's Data Emission Factors:

$$(\text{Turbine Emissions, lb}) = (\text{The Appropriate Stack Test Emission Factor, lb/hr}) \times (\text{Operating Hours, hr})$$

### 7.3 Engines

#### 7.3.1 Description

The engines are process emission units used to provide power for the natural gas compressors and to provide power to electric generators. All engines are powered by natural gas.

#### 7.3.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
CC3	1,000 Hp Natural Gas Fired Engine	None
CC4	1,000 Hp Natural Gas Fired Engine	None
SG1	310 Hp Natural Gas Fired Engine	None
SG2	500 Hp Natural Gas Fired Engine	None
SG3	310 Hp Natural Gas Fired Engine	None
CG5	225 Hp Natural Gas Fired Engine	None
CG6	225 Hp Natural Gas Fired Engine	None
CG7	225 Hp Natural Gas Fired Engine	None
CG28	225 Hp Natural Gas Fired Engine	None

#### 7.3.3 Applicability Provisions and Applicable Regulations

- a. The "affected engines" for the purpose of these unit-specific conditions, are engines described in Conditions 7.3.1 and 7.3.2.
- b. Each affected engine is subject to the emission limits identified in Condition 5.2.2.
- c. No person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission source to excess 2000 ppm [35 IAC 214.301].

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

- d. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lbs/hr) of organic material into the atmosphere from any emission source, except as provided in 35 IAC 215.302, 215.303, 215.304 and the following exception: If no odor nuisance exists the limitation of 35 IAC 215 Subpart G shall apply only to photochemically reactive material [35 IAC 215.301].

7.3.4 Non-Applicability of Regulations of Concern

- a. This permit is issued based on the affected engines not being subject to the requirements of 35 IAC 212.321 or 212.322, because due to the unique nature of these units, a process weight rate can not be set so that such rules can not reasonably be applied.
- b. This permit is issued based on affected engine CC41 not being subject to PSD, 40 CFR 52.21 for NOx emissions, because affected engine CC12 obtained a construction permit prior to March 1, 1978 and commenced construction prior to March 19, 1979.
- c. This permit is issued based on the affected engines not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the affected engines does not use an add-on control device to achieve compliance with an emission limitation or standard.

7.3.5 Operational and Production Limits and Work Practices

- a. Natural gas shall be the only fuel fired in the affected engines.

7.3.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected engines SG1, SG2, and SG3 are subject to the following:

Emissions from each affected engines SG1, SG2, and SG3 shall not exceed the following limits:

<u>Pollutant</u>	<u>(Ton/Year)</u>
NO <sub>x</sub>	39.0

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1N].

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the NO<sub>x</sub> emissions from the affected engines below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N].

7.3.7 Testing Requirements

None

7.3.8 Monitoring Requirements

None

7.3.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected engines to demonstrate compliance with Conditions 5.5.1 and 7.3.6, pursuant to Section 39.5(7)(b) of the Act:

- a. Engine rating for each affected engine, hp.
- b. Operating hours for each affected engine, hrs/mo and hrs/yr.
- c. Emissions of NO<sub>x</sub>, SO<sub>2</sub>, PM, CO, and VOM from each affected engine SG1, SG2, and SG3, ton/mo and ton/yr.
- d. Total emissions of NO<sub>x</sub>, SO<sub>2</sub>, PM, CO, and VOM from the affected engines, ton/mo and ton/yr.

7.3.10 Reporting Requirements

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected engines with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. Emissions from or operation of an affected engine in excess of the limits specified in Conditions 7.3.3, 7.3.5, and 7.3.6 within 30 days of such occurrence.

7.3.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.3.12 Compliance Procedures

- a. Compliance with Conditions 7.3.3(c) and (d) is demonstrated by proper operating conditions of the affected engines.
- b. Compliance with the emission limits in Conditions 5.5 and 7.3.6 shall be based on the recordkeeping requirements in Condition 7.3.9 and the emission factors and formulas listed below:
  - i. Emission factors for the affected engines when fired by natural gas:

A. Affected Engines CC3 and CC4:

<u>Pollutant</u>	<u>Emission Factors</u>	
	<u>(lb/mmBtu)</u>	<u>(lb/hp-hr)</u>
VOM	1.2E-01	3.05e-04
PM	3.84E-02	9.77E-05
SO <sub>2</sub>	5.88E-04	1.50E-06
NO <sub>x</sub>	3.17E+00	8.07E-03
CO	3.86E-01	9.82E-04

The emission factors (lb/mmBtu) are for Natural Gas-Fired Reciprocating 2-Stroke Lean-Burn Engines from AP-42 Section 3.2 (dated 7/00). The emission factors (lb/hp-hr) are calculated using 1 lb/mmBtu = 2.54443E-3

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

lb/hp-hr.

- B. Affected Engines SG1, SG2, SG3, CG5, CG6, CG7, and CG 28:

<u>Pollutant</u>	<u>Emission Factors</u>	
	<u>(lb/mmBtu)</u>	<u>(lb/hp-hr)</u>
VOM	3.58E-01	9.11E-04
PM	9.50E-03	2.42E-05
SO <sub>2</sub>	5.88E-04	1.50E-06
NO <sub>x</sub>	2.21E+00	5.62E-03
CO1	3.72E+00	9.47E-03

The emission factors (lb/mmBtu) are for Natural Gas-Fired Reciprocating 4-Stroke Rich-Burn Engines from AP-42 Section 3.2 (dated 7/00). The emission factors (lb/hp-hr) are calculated using 1 lb/mmBtu = 2.54443E-3 lb/hp-hr.

- ii. Emission formula for the affected engines when fired by natural gas:

$$(\text{Engine Emissions, lb}) = (\text{The Appropriate Emission Factor, lb/hp-hr}) \times (\text{Engine Rating, hp}) \times (\text{Operating Hours, hr})$$

7.4 TEG Dehydration Units

7.4.1 Description

These triethylene glycol (TEG) dehydration units are process emission units used primarily to separate products and remove contaminants from the natural gas.

7.4.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
VV1	TEG Dehydration Unit	Flare #3
VV2	TEG Dehydration Unit	Flare #2
VV3	TEG Dehydration Unit	Flare #3
VV4	TEG Dehydration Unit	Flare #2
VV5	TEG Dehydration Unit	Flare #1
VV1-N	TEG Dehydration Unit	Flare #1N
VV2-N	TEG Dehydration Unit	Flare #2N
VV3-N	TEG Dehydration Unit	Flare #2N

7.4.3 Applicability Provisions and Applicable Regulations

- a. The "affected TEG dehydration units" for the purpose of these unit-specific conditions, are TEG dehydration units as described in Conditions 7.4.1 and 7.4.2.
- b. The affected TEG dehydration units are subject to the emission limits identified in Condition 5.2.2.
- c. No person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission unit to exceed 2,000 ppm [35 IAC 214.301].
- d. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lbs/hr) of organic material into the atmosphere from any emission source, except as provided in 35 IAC 215.302, 215.303, 215.304 and the following exception: If no odor nuisance exists the limitation of 35 IAC 215 Subpart G shall apply only to photochemically reactive material [35 IAC 215.301].
- e. Malfunction and Breakdown Provisions

In the event of a malfunction or breakdown of the

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

flare, the Permittee is authorized to continue operation of the affected TEG dehydration units without the flare in violation of the applicable requirement of 35 IAC 215.301, as necessary to provide essential service, i.e. prevent interruption in or shortage of the public's natural gas supply, provided that operation shall not be continued solely for the economic benefit of the Permittee. This authorization is subject to the following requirements:

- i. The Permittee shall remove the affected TEG dehydration units from service or repair the flare as soon as practicable. This shall be accomplished within three days unless the Permittee obtains an extension, from the Regional Office of the Illinois EPA. The request for such extension must document that the flare is unavailable and specify a schedule of actions taken that will assure the feature(s) will be repaired or remove the affected dehydration units from services as soon as possible.
- ii. The Permittee shall reduce operation of the affected units to the extent that natural gas may reasonably be supplied from the Permittee's other storage fields.
- iii. The Permittee shall fulfill the applicable recordkeeping and reporting requirements of Conditions 7.4.9(d) and 7.4.10(b).

7.4.4 Non-Applicability of Regulations of Concern

- a. This permit is issued based on the affected TEG dehydration units not being subject to the requirements of 35 IAC 212.321 or 212.322, because due to the unique nature of these units, a process weight rate can not be set so that such rules can not reasonably be applied.
- b. The affected dehydration units are not subject to National Emission Standard for Hazardous Air Pollutants (NESHAP), 40 CFR 63 Subpart HHH: Natural Gas Transmission and Storage Facilities, because the affected TEG dehydration units are located in an

existing local distribution company that transmit and store natural gas.

7.4.5 Operational and Production Limits and Work Practices

- a. Natural gas shall be the only fuel fired in the affected engines.
- b. At all times, the Permittee shall to the extent practicable, maintain and operate the new flare, in a manner consistent with good air pollution control practice for minimizing emissions. For this purpose control efficiency of the flare shall achieve at least 85 percent [T1].

7.4.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected TEG dehydration units subject to the following:

- a. Emissions from the affected TEG dehydration units shall not exceed the following limits:

<u>Pollutant</u>	<u>(Ton/Year)</u>
VOM	39.0

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1N].

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the NOx emissions from affected engine SG1 below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N].

7.4.7 Testing Requirements

None

7.4.8 Monitoring Requirements

None

7.4.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected TEG dehydration units to demonstrate compliance with Conditions 5.5.1 and 7.4.6, pursuant to Section 39.5(7)(b) of the Act:

- a. Emissions of VOM from the affected TEG dehydration units including parameters used and pertinent supporting data as described in Condition 7.4.12, ton/mo and ton/yr.
- b. Maximum design capacity of the flare, mmBtu/hr.
- c. Log of maintenance of the flare, which demonstrate proper operation as required in Condition 7.4.5.
- d. Records for Malfunctions and Breakdowns

The Permittee shall maintain records, pursuant to 35 IAC 201.263, of continued operation of the affected TEG dehydration units controlled by the flare subject to 34 IAC 215.301 during malfunctions and breakdown of the flare, which as a minimum, shall include:

- i. Date and duration of malfunction or breakdown.
- ii. A detailed explanation of the malfunction or breakdown.
- iii. An explanation why the damaged feature(s) could not be immediately repaired without risk of injury to personnel or severe damage to equipment.
- iv. The measures used to reduce the quantity of emissions and the duration of the event.

- v. The steps taken to prevent similar malfunctions or breakdowns or reduce their frequency and severity.
- vi. The amount of release above typical emissions during malfunction/breakdown.

#### 7.4.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected TEG dehydration units with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. Emissions from or operation of the affected TEG dehydration units in excess of the limits specified in Conditions 7.4.3, 7.4.5, and 7.4.6 within 30 days of such occurrence.
- b. Reporting of Malfunctions and Breakdowns

The Permittee shall provide the following notification and reports to the Illinois EPA, Compliance Section and Regional Field Office, pursuant to 35 IAC 201.263, concerning continued operation for more than one hour of the affected TEG dehydration units controlled by the flare subject to Condition 7.4.3(e) during malfunction or breakdown of the control features of the flare.

- i. The Permittee shall notify the Illinois EPA's regional office by telephone as soon as possible during normal working hours, but no later than three days, upon the occurrence of noncompliance due to malfunction or breakdown.
- ii. Upon achievement of compliance, the Permittee shall give a written follow-up notice to the Illinois EPA, Compliance Section and Regional Field Office, providing a detailed explanation of the event, an explanation why continued operation of the affected dehydration units was necessary, the length of time during which

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

operation continued under such conditions, the measures taken by the Permittee to minimize and correct deficiencies with chronology, and when the repairs were completed.

- iii. If compliance is not achieved within five working days of the occurrence, the Permittee shall submit an interim status reports to the Illinois EPA, Compliance Section and Regional Field Office, within five days of the occurrence. This interim report shall provide a brief explanation of the nature of the malfunction or breakdown, corrective actions accomplished to date, actions anticipated to occur with schedule, and the expected date on which repairs will be complete.

7.4.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.4.12 Compliance Procedures

- a. Compliance with Conditions 7.4.3(c) and (d) is demonstrated by proper operating conditions of the affected TEG dehydration units.
- b. Compliance with the emission limits in Conditions 5.5 and 7.4.6 shall be based on the recordkeeping requirements in Condition 7.3.9 and the emission factors and formulas listed below:
  - i. For purposes of calculating VOM emissions, the current version of the GRI-GLYCalc<sup>\*1</sup> estimated air emissions program or other comparable emission determination method is acceptable. The minimum control efficiency of the flare is assumed to be 85% efficient.

\* 1 - GRI-GLYCalc model was developed by Radian Corporation for the Gas Research Institute (GRI) specifically for estimating BETX/VOM emissions from TEG and ethylene glycol dehydration units.

7.5 Storage Tanks

7.5.1 Description

Two storage tanks (one 30,000 gallon and one 2,000 gallon) used for onsite use.

7.5.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
M1	30,000 Gallon Methanol Storage Tank	None
UG1	2,000 Gallon Gasoline Storage Tank	None

7.5.3 Applicability Provisions and Applicable Regulations

- a. The "affected storage tanks" for the purpose of these unit-specific conditions, are storage tanks described in Conditions 7.5.1 and 7.5.2.
- b. The affected storage tanks are subject to the emission limits identified in Condition 5.2.2.
- c.
  - i. No person shall cause or allow the loading of any organic material into any stationary tank having a storage capacity of greater than 946 l (250 gal), unless such tank is equipped with a permanent submerged loading pipe, submerged fill, or an equivalent device approved by the Illinois EPA according to the provisions of 35 IAC 201 or unless such tank is a pressure tank as described in 35 IAC 215.121(a) or is fitted with a recovery system as described in 35 IAC 215.121(b)(2) [35 IAC 215.122(b)].
  - ii. Exception: If no odor nuisance exists the limitations of Condition 7.5.3(c) shall only apply to the loading of volatile organic liquid with a vapor pressure of 17.24 kPa (2.5 psia) or greater at 294.3°K (70°F) [35 IAC 215.122(c)].
- d. No person shall cause or allow the transfer of gasoline from any delivery vessel into any stationary

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

storage tank at a gasoline dispensing facility unless  
the tank is equipped with a submerged loading pipe  
[35 IAC 215.583(a)(1)].

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

7.5.4 Non-Applicability of Regulations of Concern

- a. This permit is issued based on each affected storage tank not being subject to the New Source Performance Standards (NSPS) for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels), 40 CFR Part 60, Subpart Kb, because each affected storage tank is less than 40 cubic meters (10,566 gallons) or construction, reconstruction, or modification commenced before July 23, 1984.
- b. This permit is issued based on each affected storage tank not being subject to 35 IAC 215.121, because each affected storage tank is less than 40,000 gallons.
- c. This permit is issued based on each affected storage tank not being subject to 35 IAC 215.122(a), because each affected storage tank is less than 40,000 gallons.
- d. The requirements of 35 IAC 215.583(a)(2) shall not apply to transfers of gasoline to a stationary storage tank at a gasoline dispensing facility because the tank is not located in any of the following counties: Boone, Cook, DuPage, Kane, Lake, Madison, McHenry, Peoria, Rock Island, St. Clair, Tazewell, Will or Winnebago [35 IAC 215.583(b)].
- e. This permit is issued based on each affected storage tank not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because each affected storage tank does not use an add-on control device to achieve compliance with an emission limitation or standard.

7.5.5 Operational and Production Limits and Work Practices

- a. The affected storage tanks subject to the applicable provisions of Condition 7.5.3(c) (loading of volatile organic liquid with a vapor pressure of 17.24 kPa (2.5 psia) or greater at 294.3°K (70°F)) or Condition 7.5.3(d) (loading of gasoline) shall be equipped and operated with a submerged loading pipe, submerged fill, or an equivalent device approved by the Illinois EPA, pursuant to 35 IAC 215.122(b) and 215.583(a). (The Illinois EPA has not approved use of other

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

equivalent equipment in lieu of a submerged loading  
pipe or submerged loading fill.)

7.5.6 Emission Limitations

There are no specific emission limitations for these units, however, there are source wide emission limitations in Condition 5.5 that include these units.

7.5.7 Testing Requirements

None

7.5.8 Monitoring Requirements

None

7.5.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected storage tanks to demonstrate compliance with Conditions 5.5.1 and 7.5.5, pursuant to Section 39.5(7)(b) of the Act:

- a. Design information for the affected storage tanks showing the presence of permanent submerged loading pipe or the use of submerged loading fill when loading of volatile organic liquid with a vapor pressure of 17.24 kPa (2.5 psia) or greater at 294.3°K (70°F) or loading of gasoline.
- b. Maintenance and repair records for the affected storage tanks, as related to the repair or replacement of the loading pipe.
- c. Identification and throughput of each material stored in the affected storage tanks, gal/yr.
- d. The VOM emissions from the affected storage tanks based on the materials stored, the tank throughputs, and the applicable emission factors and formulas with supporting calculations, ton/yr.

7.5.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected storage tanks with the permit requirements as follows, pursuant to

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. Any storage of VOL in the affected storage tanks that is not in compliance with the requirements of Conditions 7.5.3(c) or 7.5.3(d) within 30 days of becoming aware of the non-compliance status. This notification shall include a description of the event, the cause for the non-compliance, actions taken to correct the non-compliance, and the steps taken to avoid future non-compliance.

7.5.11 Operational Flexibility/Anticipated Operating Scenarios

The Permittee is authorized to make the following physical or operational change with respect to the affected storage tanks without prior notification to the Illinois EPA or revision of this permit. This condition does not affect the Permittee's obligation to properly obtain a construction permit in a timely manner for any activity constituting construction or modification of the source, as defined in 35 IAC 201.102:

- a. Changes to components related to either the submerged loading pipe or submerged fill, including addition of new components and repair and replacement of components.
- b. Changes in the material stored in the affect storage tank, provided the affected storage tanks continues to comply with the Conditions of Section 7.5 of this permit.

7.5.12 Compliance Procedures

- a. Compliance with Conditions 7.5.3(c) and 7.5.3(d) is considered to be assured by the use of submerged loading pipe or submerged fill as required in Condition 7.5.5(a) and by the recordkeeping requirement of Condition 7.5.9(a).
- b. Compliance with the emission limits in Conditions 5.5 shall be based on the recordkeeping requirements in Condition 7.5.9 and the emission factors and formulas listed below:

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

- i. For purposes of calculating VOM emissions, the current version of the USEPA's Tanks Program is acceptable.

## 8.0 GENERAL PERMIT CONDITIONS

### 8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after \_\_\_\_\_ **{insert public notice start date}** (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

### 8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

### 8.3 Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement [Section 39.5(7)(o)(vii) of the Act].

As of the date of issuance of this permit, there are no such economic incentive, marketable permit or emission trading programs that have been approved by USEPA.

### 8.4 Operational Flexibility/Anticipated Operating Scenarios

#### 8.4.1 Changes Specifically Addressed by Permit

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as

not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

#### 8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes that contravene express permit terms without applying for or obtaining an amendment to this permit, provided that [Section 39.5(12)(a)(i) of the Act]:

- a. The changes do not violate applicable requirements;
- b. The changes do not contravene federally enforceable permit terms or conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements;
- c. The changes do not constitute a modification under Title I of the CAA;
- d. Emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change; and
- e. The Permittee provides written notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change. This notice shall:
  - i. Describe the physical or operational change;
  - ii. Identify the schedule for implementing the physical or operational change;
  - iii. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
  - iv. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
  - v. Provide a certification that the physical or operational change will not result in

emissions greater than authorized under the Conditions of this permit.

8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.

8.6 Reporting Requirements

8.6.1 Monitoring Reports

If monitoring is required by any applicable requirements or conditions of this permit, a report summarizing the required monitoring results, as specified in the conditions of this permit, shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows [Section 39.5(7)(f) of the Act]:

<u>Monitoring Period</u>	<u>Report Due Date</u>
January - June	September 1
July - December	March 1

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

- b. The person(s) who will be performing sampling and analysis and their experience with similar tests;
- c. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;
- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;
- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with justification; and
- g. Any proposed use of an alternative test method, with detailed justification.

8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;
- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

- g. The operating conditions at the time of the sampling or measurements; and
- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

8.6.4 Reporting Addresses

- a. The following addresses should be utilized for the submittal of reports, notifications, and renewals:
  - i. Illinois EPA - Air Compliance Section  
  
Illinois Environmental Protection Agency  
Bureau of Air  
Compliance Section (#40)  
P.O. Box 19276  
Springfield, Illinois 62794-9276
  - ii. Illinois EPA - Air Regional Field Office  
  
Illinois Environmental Protection Agency  
Division of Air Pollution Control  
5415 North University  
Peoria, Illinois 61614
  - iii. Illinois EPA - Air Permit Section (MC 11)  
  
Illinois Environmental Protection Agency  
Division of Air Pollution Control  
Permit Section  
P.O. Box 19506  
Springfield, Illinois 62794-9506
  - iv. USEPA Region 5 - Air Branch  
  
USEPA (AR - 17J)  
Air & Radiation Division  
77 West Jackson Boulevard  
Chicago, Illinois 60604
- b. Unless otherwise specified in the particular provision of this permit, reports shall be sent to the Illinois

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

EPA - Air Compliance Section with a copy sent to the  
Illinois EPA - Air Regional Field Office.

8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

9.0 STANDARD PERMIT CONDITIONS

9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

9.2 General Obligations of Permittee

9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or

denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(a) and (p)(ii) of the Act and 415 ILCS 5/4]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- d. Sample or monitor any substances or parameters at any location:
  - i. At reasonable times, for the purposes of assuring permit compliance; or
  - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants authorized by this permit; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source authorized by this permit.

9.4 Obligation to Comply With Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

9.5 Liability

9.5.1 Title

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or resulting from the construction, maintenance, or operation of the sources.

9.5.3 Structural Stability

This permit does not take into consideration or attest to the structural stability of any unit or part of the source.

9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of the source.

9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7)(o)(iv) of the Act].

9.6 Recordkeeping

9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions resulting from those changes [Section 39.5(12)(b)(iv) of the Act].

9.6.3 Retention of Records

- a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7)(e)(ii) of the Act].
- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a

particular permit provision.

9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7)(p)(v) of the Act, the Permittee shall submit annual compliance certifications. The compliance certifications shall be submitted no later than May 1 or more frequently as specified in the applicable requirements or by permit condition. The compliance certifications shall be submitted to the Air Compliance Section, Air Regional Field Office, and USEPA Region 5 - Air Branch. The addresses for the submittal of the compliance certifications are provided in Condition 8.6.4 of this permit.

- a. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9.

9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

9.10 Defense to Enforcement Actions

9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
  - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency. Normally, an act of God such as lightning or flood is considered an emergency;
  - ii. The permitted source was at the time being properly operated;
  - iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
  - iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

9.12 Reopening and Reissuing Permit for Cause

9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15)(a) of the Act]:

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

#### 9.12.3 Inaccurate Application

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15)(b) of the Act.

#### 9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7)(o)(v) of the Act].

#### 9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force [Section 39.5(7)(i) of the Act].

#### 9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration. The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5)(l), (n), and (o) of the Act].

10.0 ATTACHMENTS

10.1 Attachment 1 - Example Certification by a Responsible Official

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Official Title: \_\_\_\_\_

Telephone No.: \_\_\_\_\_

Date Signed: \_\_\_\_\_

10.2 Attachment 2 - Guidance on Revising This Permit

The Permittee must submit an application to the Illinois EPA using the appropriate revision classification in accordance with Sections 39.5(13) and (14) of the Act and 35 IAC 270.302. Specifically, there are currently three classifications for revisions to a CAAPP permit. These are:

1. Administrative Permit Amendment;
2. Minor Permit Modification; and
3. Significant Permit Modification.

The Permittee must determine, request, and submit the necessary information to allow the Illinois EPA to use the appropriate procedure to revise the CAAPP permit. A brief explanation of each of these classifications follows.

1. Administrative Permit Amendment
  - Corrects typographical errors;
  - Identifies a change in the name, address, or phone number of any person identified in the permit, or provides a similar minor administrative change at the source;
  - Requires more frequent monitoring or reporting by the Permittee;
  - Allows for a change in ownership or operational control of the source where no other change in the permit is necessary, provided that a written agreement containing a specific date for transfer of permit responsibility, coverage, and liability between the current and new Permittees has been submitted to the Illinois EPA. This shall be handled by completing form 272-CAAPP, REQUEST FOR OWNERSHIP CHANGE FOR CAAPP PERMIT; or
  - Incorporates into the CAAPP permit a construction permit, provided the conditions of the construction permit meet the requirements for the issuance of CAAPP permits.
2. Minor Permit Modification

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

- Do not violate any applicable requirement;
- Do not involve significant changes to existing monitoring, reporting, or recordkeeping requirements in the permit;
- Do not require a case-by-case determination of an emission limitation or other standard, or a source-specific determination of ambient impacts, or a visibility or increment analysis;
- Do not seek to establish or change a permit term or condition for which there is no corresponding underlying requirement and which avoids an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
  - A federally enforceable emissions cap assumed to avoid classification as a modification under any provision of Title I of the CAA; and
  - An alternative emissions limit approved pursuant to regulations promulgated under Section 112(i)(5) of the CAA.
- Are not modifications under any provision of Title I of the CAA;
- Are not required to be processed as a significant permit modification; and
- Modifications involving the use of economic incentives, marketable permits, emissions trading, and other similar approaches.

An application for a minor permit modification shall include the following:

- A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
- The source's suggested draft permit/conditions;

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

- Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used; and
- Information as contained on form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT for the Illinois EPA to use to notify USEPA and affected States.

3. Significant Permit Modification

- Applications that do not qualify as either minor permit modifications or as administrative permit amendments;
- Applications requesting a significant change in existing monitoring permit terms or conditions;
- Applications requesting a relaxation of reporting or recordkeeping requirements; and
- Cases in which, in the judgment of the Illinois EPA, action on an application for modification would require decisions to be made on technically complex issues.

An application for a significant permit modification shall include the following:

- A detailed description of the proposed change(s), including all physical changes to equipment, changes in the method of operation, changes in emissions of each pollutant, and any new applicable requirements which will apply as a result of the proposed change. Note that the Permittee need only submit revised forms for equipment and operations that will be modified.

The Illinois EPA requires the information on the following appropriate forms to be submitted in accordance with the proper classification:

- Form 273-CAAPP, REQUEST FOR ADMINISTRATIVE PERMIT AMENDMENT FOR CAAPP PERMIT; or
- Form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT; or
- Form 200-CAAPP, APPLICATION FOR CAAPP PERMIT (for significant modification).

Application forms can be obtained from the Illinois EPA website at <http://www.epa.state.il.us/air/forms>.

Note that the request to revise the permit must be certified for truth, accuracy, and completeness by a responsible official.

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

Note that failure to submit the required information may require the Illinois EPA to deny the application. The Illinois EPA reserves the right to require that additional information be submitted as needed to evaluate or take final action on applications pursuant to Section 39.5(5)(g) of the Act and 35 IAC 270.305.



Illinois Environmental Protection Agency  
 Division Of Air Pollution Control -- Permit Section  
 P.O. Box 19506  
 Springfield, Illinois 62794-9506

<b>Application For Construction Permit (For CAAPP Sources Only)</b>	<b>For Illinois EPA use only</b>
	I.D. number:
	Permit number:
	Date received:

This form is to be used by CAAPP sources to supply information necessary to obtain a construction permit. Please attach other necessary information and completed CAAPP forms regarding this construction/modification project.

<b>Source Information</b>		
1. Source name:		
2. Source street address:		
3. City:	4. Zip code:	
5. Is the source located within city limits? <input type="checkbox"/> Yes <input type="checkbox"/> No		
6. Township name:	7. County:	8. I.D. number:

<b>Owner Information</b>		
9. Name:		
10. Address:		
11. City:	12. State:	13. Zip code:

<b>Operator Information (if different from owner)</b>		
14. Name		
15. Address:		
16. City:	17. State:	18. Zip code:

<b>Applicant Information</b>	
19. Who is the applicant? <input type="checkbox"/> Owner <input type="checkbox"/> Operator	20. All correspondence to: (check one) <input type="checkbox"/> Owner <input type="checkbox"/> Operator <input type="checkbox"/> Source
21. Attention name and/or title for written correspondence:	
22. Technical contact person for application:	23. Contact person's telephone number:

This Agency is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.



Illinois Environmental Protection Agency  
Division Of Air Pollution Control -- Permit Section  
P.O. Box 19506  
Springfield, Illinois 62794-9506

This Agency is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.

### Summary Of Application Contents

24.	Does the application address whether the proposed project would constitute a new major source or major modification under each of the following programs: a) Non-attainment New Source Review – 35 IAC Part 203; b) Prevention of Significant Deterioration (PSD) – 40 CFR 52.21; c) Hazardous Air Pollutants: Regulations Governing Constructed or Reconstructed Major Sources – 40 CFR Part 63?	<input type="checkbox"/> Yes <input type="checkbox"/> No
25.	Does the application identify and address all applicable emissions standards, including those found in the following: a) Board Emission Standards – 35 IAC Chapter I, Subtitle B; b) Federal New Source Performance Standards – 40 CFR Part 60; c) Federal Standards for Hazardous Air Pollutants – 40 CFR Parts 61 and 63?	<input type="checkbox"/> Yes <input type="checkbox"/> No
26.	Does the application include a process flow diagram(s) showing all emission units and control equipment, and their relationship, for which a permit is being sought?	<input type="checkbox"/> Yes <input type="checkbox"/> No
27.	Does the application include a complete process description for the emission units and control equipment for which a permit is being sought?	<input type="checkbox"/> Yes <input type="checkbox"/> No
28.	Does the application include the information as contained in completed CAAPP forms for all appropriate emission units and air pollution control equipment, listing all applicable requirements and proposed exemptions from otherwise applicable requirements, and identifying and describing any outstanding legal actions by either the USEPA or the Illinois EPA? Note: The use of "APC" application forms is not appropriate for applications for CAAPP sources. CAAPP forms should be used to supply information.	<input type="checkbox"/> Yes <input type="checkbox"/> No
29.	If the application contains TRADE SECRET information, has such information been properly marked and claimed, and have two separate copies of the application suitable for public inspection and notice been submitted, in accordance with applicable rules and regulations?	<input type="checkbox"/> Yes <input type="checkbox"/> No  <input type="checkbox"/> Not Applicable, No TRADE SECRET information in this application

Note 1: Answering "No" to any of the above may result in the application being deemed incomplete.

### Signature Block

This certification must be signed by a responsible official. Applications without a signed certification will be returned as incomplete.					
30.	I certify under penalty of law that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate and complete. Authorized Signature:  BY: <table style="width: 100%; margin-top: 10px;"> <tr> <td style="width: 50%; text-align: center;">           _____            AUTHORIZED SIGNATURE         </td> <td style="width: 50%; text-align: center;">           _____            TITLE OF SIGNATORY         </td> </tr> <tr> <td style="width: 50%; text-align: center;">           _____            TYPED OR PRINTED NAME OF SIGNATORY         </td> <td style="width: 50%; text-align: center;">           _____ / _____ / _____            DATE         </td> </tr> </table>	_____ AUTHORIZED SIGNATURE	_____ TITLE OF SIGNATORY	_____ TYPED OR PRINTED NAME OF SIGNATORY	_____ / _____ / _____ DATE
_____ AUTHORIZED SIGNATURE	_____ TITLE OF SIGNATORY				
_____ TYPED OR PRINTED NAME OF SIGNATORY	_____ / _____ / _____ DATE				

Note 2: An operating permit for the construction/modification permitted in a construction permit must be obtained by applying for the appropriate revision to the source's CAAPP permit, if necessary.

10.4 Attachment 4 - Guidance on Renewing This Permit

Timeliness - Pursuant to Section 39.5(5)(n) of the Act and 35 IAC 270.301(d), a source must submit to the Illinois EPA a complete CAAPP application for the renewal of a CAAPP permit not later than 9 months before the date of permit expiration of the existing CAAPP permit in order for the submittal to be deemed timely. Note that the Illinois EPA typically sends out renewal notices approximately 18 months prior to the expiration of the CAAPP permit.

The CAAPP application must provide all of the following information in order for the renewal CAAPP application to be deemed complete by the Illinois EPA:

1. A completed form 200-CAAPP, APPLICATION FOR CAAPP PERMIT.
2. A completed compliance certification for the source. For this purpose, the Illinois EPA will accept a copy of the most recent form 401-CAAPP, ANNUAL COMPLIANCE CERTIFICATION submitted to the Illinois EPA.
3. If this is the first time this permit is being renewed and this source has not yet addressed CAM, the application should contain the information on form 464-CAAPP, COMPLIANCE ASSURANCE MONITORING (CAM) PLAN.
4. Information addressing any outstanding transfer agreement pursuant to the ERMS.
5.
  - a. If operations of an emission unit or group of emission units remain unchanged and are accurately depicted in previous submittals, the application may contain a letter signed by a responsible official that requests incorporation by reference of existing information previously submitted and on file with the Illinois EPA. The boxes should be marked yes on form 200-CAAPP, APPLICATION FOR CAAPP PERMIT, as existing information is being incorporated by reference.
  - b. If portions of current operations are not as described in previous submittals, then in addition to the information above for operations that remain unchanged, the application must contain the necessary information on all changes, e.g., discussion of changes, new or

FINAL DRAFT/PROPOSED CAAPP PERMIT

Nicor Gas

I.D. No.: 099832AAF

Application No.: 95120023

March 5, 2002

revised CAAPP forms, and a revised fee form 292-CAAPP,  
FEE DETERMINATION FOR CAAPP PERMIT, if necessary.

The Illinois EPA will review all applications for completeness and timeliness. If the renewal application is deemed both timely and complete, the source shall continue to operate in accordance with the terms and conditions of its CAAPP permit until final action is taken on the renewal application.

Notwithstanding the completeness determination, the Illinois EPA may request additional information necessary to evaluate or take final action on the CAAPP renewal application. If such additional information affects your allowable emission limits, a revised form 292-CAAPP, FEE DETERMINATION FOR CAAPP PERMIT must be submitted with the requested information. The failure to submit to the Illinois EPA the requested information within the time frame specified by the Illinois EPA, may force the Illinois EPA to deny your CAAPP renewal application pursuant to Section 39.5 of the Act.

Application forms may be obtained from the Illinois EPA website at <http://www.epa.state.il.us/air/forms.html>.

If you have any questions regarding this matter, please contact a permit analyst at 217/782-2113.

Mail renewal applications to:

Illinois Environmental Protection Agency  
Division of Air Pollution Control  
Permit Section (MC 11)  
P.O. Box 19506  
Springfield, Illinois 62794-9506

I. INTRODUCTION

This source has applied for a Clean Air Act Permit Program (CAAPP) operating permit for its existing operation. The CAAPP is the program established in Illinois for the operating permits for significant stationary sources required by the federal Clean Air Act, as amended in 1990. The conditions in a CAAPP permit are enforceable by both the Illinois Environmental Protection Agency (Illinois EPA) and the USEPA.

Nicor Gas is located at 169 North 36<sup>th</sup> Road, Troy Grove. The source's primary function of the compressor station is to transmit natural gas to and from high-pressure underground storage fields. Prior to pipeline transmission water is removed from the natural gas by a triethylene glycol dehydration unit. Next, natural gas is injected into the storage fields during the low demand months and withdrawn from storage during the high demand months. The compressors are powered by natural gas fired engines.

II. EMISSION UNITS

Significant emission units at this source are as follows:

Emission Unit	Description	Date Constructed	Emission Control Equipment
CC28	13,155 Hp Natural Gas Fired Turbine	1967	None
CC29	15,000 Hp Natural Gas Fired Turbine	1969	None
OC5	9,800 Hp Natural Gas Fired Turbine	1965	None
OC6	9,800 Hp Natural Gas Fired Turbine	1965	None
OC7	9,800 Hp Natural Gas Fired Turbine	1965	None
SC21	1,275 Hp Natural Gas Fired Turbine	1963	None
SC22	1,275 Hp Natural Gas Fired Turbine	1963	None
SC23	1,275 Hp Natural Gas Fired Turbine	1963	None
SC24	1,275 Hp Natural Gas Fired Turbine	1963	None
SC25	1,275 Hp Natural Gas Fired Turbine	1963	None
SC26	1,275 Hp Natural Gas Fired Turbine	1963	None
DR31	5,700 Hp Natural Gas Fired Turbine	1995	None
CC3	1,000 Hp Natural Gas Fired Engine	1960	None
CC4	1,000 Hp Natural Gas	1960	None

	Fired Engine		
SG1	310 Hp Natural Gas Fired Engine	1990	None
SG2	500 Hp Natural Gas Fired Engine	1994	None
SG3	310 Hp Natural Gas Fired Engine	1982	None

Page 2

Emission Unit	Description	Date Constructed	Emission Control Equipment
CG5	225 Hp Natural Gas Fired Engine	1965	None
CG6	225 Hp Natural Gas Fired Engine	1965	None
CG7	225 Hp Natural Gas Fired Engine	1965	None
CG28	225 Hp Natural Gas Fired Engine	1967	None
VV1	TEG Dehydration Unit	1960	Flare #3
VV2	TEG Dehydration Unit	1959	Flare #2
VV3	TEG Dehydration Unit	1964	Flare #3
VV4	TEG Dehydration Unit	1960	Flare #2
VV5	TEG Dehydration Unit	1994	Flare #1
VV1-N	TEG Dehydration Unit	Post-1972	Flare #1N
VV2-N	TEG Dehydration Unit	Post-1972	Flare #2N
VV3-N	TEG Dehydration Unit	Post-1972	Flare #2N
M1	30,000 Gallon Methanol Storage Tank	---	None
UG1	2,000 Gallon Gasoline Storage Tank	---	None

### III. EMISSIONS

This source is required to have a CAAPP permit since it is a major source of emissions.

For purposes of fees, the source is allowed the following emissions:

Pollutant	Tons/Year
Volatile Organic Material (VOM)	192.2
Sulfur Dioxide (SO <sub>2</sub> )	1.9
Particulate Matter (PM)	39.4
Nitrogen Oxides (NO <sub>x</sub> )	300
HAP, not included in VOM or PM	-----
Total	533.5

This permit is a combined Title I/CAAPP permit that may contain terms and conditions which address the applicability, and compliance if determined applicable, of Title I of the Clean Air Act and regulations promulgated thereunder, including 40 CFR 52.21 - federal Prevention of Significant Deterioration (PSD) and 35 IAC Part 203 - Major Stationary Sources Construction and Modification. Any such terms and conditions are identified within the permit by T1, T1R, or T1N. The source has requested that the Illinois EPA establish or revise such conditions in a Title I permit, consistent with the information provided in the CAAPP application. Any conditions established in a construction permit pursuant to Title I and not revised or deleted in this permit, remain in effect pursuant to Title I provisions until such time that the Illinois EPA revises or deletes them.

IV. APPLICABLE EMISSION STANDARDS

All emission sources in Illinois must comply with the Illinois Pollution Control Board's emission standards. The Board's emission standards represent the basic requirements for sources in Illinois.

All emission sources in Illinois must comply with the federal New Source Performance Standards (NSPS). The Illinois EPA is administering NSPS in Illinois on behalf of the United States EPA under a delegation agreement.

All emission sources in Illinois must comply with the federal National Emission Standards for Hazardous Air Pollutants (NESHAP). The Illinois EPA is administering NESHAP in Illinois on behalf of the United States EPA under a delegation agreement.

V. PROPOSED PERMIT

CAAPP

A CAAPP permit contains all conditions that apply to a source and a listing of the applicable state and federal air pollution control regulations that are the origin of the conditions. The permit also contains emission limits and appropriate compliance procedures. The appropriate compliance procedures may include inspections, work practices, monitoring, record keeping, and reporting to show compliance with these requirements. The Permittee must carry out these procedures on an on-going basis.

Title I

A combined Title I/CAAPP permit contains terms and conditions established by the Illinois EPA pursuant to authority found in Title I provisions, e.g., 40 CFR 52.21 - federal Prevention of Significant Deterioration (PSD) and 35 IAC Part 203 - Major Stationary Sources Construction and Modification. Notwithstanding the expiration date on the first page of the permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

VI. REQUEST FOR COMMENTS

It is the Illinois EPA's preliminary determination that this source's permit application meets the standards for issuance of a CAAPP permit. The Illinois EPA is therefore proposing to issue a CAAPP permit, subject to the conditions proposed in the draft permit.

Comments are requested on this proposed action by the Illinois EPA and

the proposed conditions on the draft permit. If substantial public interest is shown in this matter, the Illinois EPA will consider holding a public hearing in accordance with 35 Ill. Adm. Code Part 166.

JRC:95120023:jar