

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

217/782-2113

TITLE V - CLEAN AIR ACT PERMIT PROGRAM (CAAPP) PERMIT
and
TITLE I PERMIT¹

PERMITTEE

Birmingham Steel Corporation, Kankakee, IL Steel Division
Attn: Mr. Ray Smith
972 East 4500 North Road
Bourbonnais, Illinois 60914-4127

Application No.: 96030147

I.D. No.: 091801AAA

Applicant's Designation:

Date Received: October 15, 1997

Operation of: Steel Mill

Date Issued: TO BE DETERMINED

Expiration Date²: DATE

Source Location: 972 East 4500 North Road, Bourbonnais, Kankakee

Responsible Official: Mr. John Ohm, Vice President - General Manager

This permit is hereby granted to the above-designated Permittee to OPERATE a Steel Mill, pursuant to the above referenced permit application. This permit is subject to the conditions contained herein.

If you have any questions concerning this permit, please contact Michael J. Knobloch at 217/782-2113.

Donald E. Sutton
Manager, Permit Section
Division of Air Pollution Control

DES:MJK:jar

cc: Illinois EPA, FOS, Region 1

¹ This permit may contain terms and conditions which address the applicability, and compliance if determined applicable, of Title I of the CAA and regulations promulgated thereunder, including 40 CFR 52.21 - federal PSD and 35 IAC Part 203 - Major Stationary Sources Construction and Modification. Any such terms and conditions are identified within this permit.

² Except as provided in Condition 8.7 of this permit.

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 SOURCE IDENTIFICATION	4
1.1 Source	
1.2 Owner/Parent Company	
1.3 Operator	
1.4 General Source Description	
2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT	5
3.0 INSIGNIFICANT ACTIVITIES	6
3.1 Identification of Insignificant Activities	
3.2 Compliance with Applicable Requirements	
3.3 Addition of Insignificant Activities	
4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE	9
5.0 OVERALL SOURCE CONDITIONS	10
5.1 Source Description	
5.2 Applicable Regulations	
5.3 Non-Applicability of Regulations of Concern	
5.4 Source-Wide Operational and Production Limits and Work Practices	
5.5 Source-Wide Emission Limitations	
5.6 General Recordkeeping Requirements	
5.7 General Reporting Requirements	
5.8 General Operational Flexibility/Anticipated Operating Scenarios	
5.9 General Compliance Procedures	
6.0 NOT APPLICABLE TO THIS PERMIT	16
7.0 UNIT SPECIFIC CONDITIONS	17
7.1 Unit 01: Electric Arc Furnace (E1)/Stirring Station (E2) Control 01: Baghouse Filter (EP1)	
7.2 Unit 02: Reheat Furnace (E3) Control 02: None	
7.3 Unit 03: EAF Dust Handling (E7) Control 03: None	
7.4 Unit 04: Slag Processing (E8)	

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

Control 04: None
7.5 Unit 05: Cooling Tower (E10)
Control 05: None
7.6 Unit 06: Rolling Mill (E13)
Control 06: None

PAGE

7.7	Unit 07: Gasoline Storage Tanks A2 (E9), L2 (E20), L2 (E21) Control 07: None	
7.8	Unit 08: Carbon Silo Filling (E14) Control 08: Vents EP14 and EP15	
7.9	Unit 09: Fugitive PM Emissions from roads and storage piles Control 09: None	57
8.0	GENERAL PERMIT CONDITIONS	
8.1	Permit Shield	
8.2	Applicability of Title IV Requirements	
8.3	Emissions Trading Programs	
8.4	Operational Flexibility/Anticipated Operating Scenarios	
8.5	Testing Procedures	
8.6	Reporting Requirements	
8.7	Obligation to Comply with Title I Requirements	
9.0	STANDARD PERMIT CONDITIONS	62
9.1	Effect of Permit	
9.2	General Obligations of Permittee	
9.3	Obligation to Allow Illinois EPA Surveillance	
9.4	Obligation to Comply with Other Requirements	
9.5	Liability	
9.6	Recordkeeping	
9.7	Annual Emissions Report	
9.8	Requirements for Compliance Certification	
9.9	Certification	
9.10	Defense to Enforcement Actions	
9.11	Permanent Shutdown	
9.12	Reopening and Reissuing Permit for Cause	
9.13	Severability Clause	
9.14	Permit Expiration and Renewal	
10.0	ATTACHMENTS	
10.1	Attachment 1 - Example Certification by a Responsible Official	1-1
10.2	Attachment 2 - Guidance on Revising This Permit	2-1
10.3	Attachment 3 - Form 199-CAAPP, Application For Construction Permit (For CAAPP Sources Only)	3-1

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

10.4 Attachment 4 - Guidance on Renewing This Permit

4-1

1.0 SOURCE IDENTIFICATION

1.1 Source

Birmingham Steel Corp., Kankakee IL Steel Division
972 East 4500 North Road
Bourbonnais, Illinois 60914-4127
800/866-3131

I.D. No.: 091801AAA
Standard Industrial Classification: 3312, Electric Arc Furnace
Steel Mill

1.2 Owner/Parent Company

Birmingham Steel Corporation
1000 Urban Center Parkway
Birmingham, Alabama 35242-2516

1.3 Operator

Birmingham Steel Corp., Kankakee IL Steel Division
972 East 4500 North Road
Bourbonnais, Illinois 60914-4127

Mr. Ray Smith, Environmental Coordinator
815/939-5525

1.4 General Source Description

The Birmingham Steel Corporation is located at 972 East 4500 North Road in Bourbonnais, Illinois. The source is a steel mill that manufactures steel rod and other products.

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Birmingham Steel Corp. Kankakee IL Steel Division
 I.D. No.: 091801AAA
 Application No.: 96030147
 May 15, 2002

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

Act	Illinois Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
Btu	British thermal unit
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CAM	Compliance Assurance Monitoring
CFR	Code of Federal Regulations
ERMS	Emissions Reduction Market System
HAP	Hazardous Air Pollutant
hr	Hour
IAC	Illinois Administrative Code
I.D. No.	Identification Number of Source, assigned by Illinois EPA
ILCS	Illinois Compiled Statutes
Illinois EPA	Illinois Environmental Protection Agency
kW	Kilowatts
lb	Pound
mmBtu	Million British thermal units
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO _x	Nitrogen Oxides
NSPS	New Source Performance Standards
PM	Particulate Matter
PM ₁₀	Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 microns as measured by applicable test or monitoring methods
ppm	parts per million
PSD	Prevention of Significant Deterioration
RMP	Risk Management Plan
SO ₂	Sulfur Dioxide
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit
T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
USEPA	United States Environmental Protection Agency
VOM	Volatile Organic Material

3.0 INSIGNIFICANT ACTIVITIES

3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the Illinois EPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

Heating/Dryout of Ladle
1E17 Lime Silo 1
1E18 Lime Silo 2
1E19 Lime Silo 3
Ladle Preheater/Dryer

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

2 Tundish Heaters
Cooling Tower #2
Cooling Tower #3
Cooling Tower #4
Cooling Tower #5
Parts Cleaning
Cutoff Torches
Tundish Dryer

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

Direct combustion units designed and used for comfort heating purposes and fuel combustion emission units as follows: (A) Units with a rated heat input capacity of less than 2.5 mmBtu/hr that fire only natural gas, propane, or liquefied petroleum gas; (B) Units with a rated heat input capacity of less than 1.0 mmBtu/hr that fire only oil or oil in combination with only natural gas, propane, or liquefied petroleum gas; and (C) Units with a rated heat input capacity of less than 200,000 Btu/hr which never burn refuse, or treated or chemically contaminated wood [35 IAC 201.210(a)(4)].

Storage tanks of organic liquids with a capacity of less than 10,000 gallons and an annual throughput of less than 100,000 gallons per year, provided the storage tank is not used for the storage of gasoline or any material listed as a HAP pursuant to Section 112(b) of the CAA [35 IAC 201.210(a)(10)].

Storage tanks of any size containing virgin or re-refined distillate oil, hydrocarbon condensate from natural gas pipeline or storage systems, lubricating oil, or residual fuel oils [35 IAC 201.210(a)(11)].

Gas turbines and stationary reciprocating internal combustion engines of between 112 kW and 1,118 kW (150 and 1,500 horsepower) power output that are emergency or standby units [35 IAC 201.210(a)(16)].

3.1.4 Activities that are considered insignificant activities pursuant to 35 IAC 201.210(b).

3.2 Compliance with Applicable Requirements

Insignificant activities are subject to applicable requirements notwithstanding status as insignificant activities. In particular, in addition to regulations of general applicability, such as 35 IAC 212.301 and 212.123 (Condition 5.2.2), the Permittee shall comply with the following requirements, as applicable:

3.2.1 For each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, 218.182, or 219.182.

3.2.2 For each particulate matter process emission unit, the Permittee shall comply with the applicable particulate matter emission limit of 35 IAC 212.321 or 212.322. For example, the particulate matter emissions from a process emission unit shall not exceed 0.55 pounds per hour if the emission unit's process weight rate is 100 pounds per hour or less, pursuant to 35 IAC 266.110.

3.2.3 For each organic material emission unit that uses organic material, e.g., a mixer or printing line, the Permittee shall comply with the applicable VOM emission limit of 35 IAC 215.301, 218.301, or 219.301, which requires that

organic material emissions not exceed 8.0 pounds per hour or do not qualify as photochemically reactive material as defined in 35 IAC 211.4690.

3.3 Addition of Insignificant Activities

- 3.3.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).
- 3.3.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.
- 3.3.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

Emission Unit	Description	Date Constructed	Emission Control Equipment
01	Electric Arc Furnace/Stirring Station (E1)	10/1989	Baghouse Filter EP1
	4 Strand Continuous Caster (E2)	05/1986	Baghouse Filter EP1 and EP16
02	Reheat Furnace (E3)	01/1987	None
03	EAF Dust Handling (E7)	10/1989	None
04	Slag Processing (E8)	01/1987	None
05	Cooling Tower (E10)	03/1988	None
06	Rolling Mill (E13)	03/1988	None
07	Gasoline Storage Tank A2 (E9)	03/1988	None
	Gasoline Storage Tank L2 (E20)	1988	None
	Gasoline Storage Tank L2 (E21)	1988	None
08	Carbon Silo Filling (E14)	05/1998	Carbon Silo Vent (EP14)
	Carbon Silo Scrap Bucket Charging (E14)		and Carbon Charging Vent (EP15)
09	Fugitive PM emissions from storage piles and roadways	-----	None

5.0 OVERALL SOURCE CONDITIONS

5.1 Source Description

5.1.1 This permit is issued based on the source requiring a CAAPP permit as a major source of NO_x, PM, SO₂, and VOM emissions.

5.1.2 This permit is issued based on the source not being a major source of HAPs.

5.2 Applicable Regulations

5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7 (Unit-Specific Conditions) of this permit.

5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:

- a. No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.

- b. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to the requirements of 35 IAC 212.122, pursuant to 35 IAC 212.123(a), except as allowed by 35 IAC 212.123(b) and 212.124.

5.2.3 Fugitive Particulate Matter Operating Program

- a. This source shall be operated under the provisions of an operating program prepared by the Permittee and submitted to the Illinois EPA for its review. Such

operating program shall be designed to significantly reduce fugitive particulate matter emissions [35 IAC 212.309(a)].

- b. The operating program shall be amended from time to time by the Permittee so that the operating program is current. Such amendments shall be consistent with the requirements set forth by this Condition and shall be submitted to the Illinois EPA [35 IAC 212.312].
- c. All normal traffic pattern roads and parking facilities located at this source shall be paved or treated with water, oils, or chemical dust suppressants. All paved areas shall be cleaned on a regular basis. All areas treated with water, oils, or chemical dust suppressants shall have the treatment applied on a regular basis, as needed, in accordance with the operating program [35 IAC 212.306].

5.2.4 Ozone Depleting Substances

The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

5.2.5 Risk Management Plan

Should this stationary source, as defined in 40 CFR Section 68.3, become subject to the Accidental Release Prevention regulations in 40 CFR Part 68, then the owner

or operator shall submit [40 CFR 68.215(a)(2)(i) and (ii)]:

- a. A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or
 - b. A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan (RMP), as part of the annual compliance certification required by 40 CFR Part 70 or 71.
- 5.2.6
- a. Should this stationary source become subject to a regulation under 40 CFR Parts 60, 61, or 63, or 35 IAC after the date issued of this permit, then the owner or operator shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by 40 CFR Part 70 or 71.
 - b. No later than upon the submittal for renewal of this permit, the owner or operator shall submit, as part of an application, the necessary information to address either the non-applicability of, or demonstrate compliance with all applicable requirements of any potentially applicable regulation which was promulgated after the date issued of this permit.
- 5.2.7 Episode Action Plan
- a. If the source is required to have an episode action plan pursuant to 35 IAC 244.142, the Permittee shall maintain at the source and have on file with the Illinois EPA a written episode action plan (plan) for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The plan shall contain the information specified in 35 IAC 244.144.
 - b. The Permittee shall immediately implement the appropriate steps described in this plan should an air pollution alert or emergency be declared.

- c. If a change occurs at the source which requires a revision of the plan (e.g., operational change, change in the source contact person), a copy of the revised plan shall be submitted to the Illinois EPA for review within 30 days of the change. Such plans shall be further revised if disapproved by the Illinois EPA.
- d. For sources required to have a plan pursuant to 35 IAC 244.142, a copy of the original plan and any subsequent revisions shall be sent to:
 - i. Illinois EPA, Compliance Section; and
 - ii. For sources located in Cook County and outside of the city of Chicago: Cook County Department of Environmental Control; or
 - iii. For sources located within the city of Chicago: Chicago Department of Environmental Control.

5.2.8 CAM Plan

This stationary source has a pollutant-specific emissions unit that is subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources. The source must submit a CAM plan for each affected pollutant-specific emissions unit upon application for renewal of the initial CAAPP permit, or upon a significant modification to the CAAPP permit for the construction or modification of a large pollutant-specific emissions unit which has the potential post-control device emissions of the applicable regulated air pollutant that equals or exceeds major source threshold levels.

5.3 Non-Applicability of Regulations of Concern

None

5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

5.5 Source-Wide Emission Limitations

5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. These limitations (Condition 5.5.1) are set for the purpose of establishing fees and are not federally enforceable.

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	186.98
Sulfur Dioxide (SO ₂)	57.54
Particulate Matter (PM)	42.4
Nitrogen Oxides (NO _x)	224.96
HAP, not included in VOM or PM	0
Total	511.88

5.5.2 Emissions of Hazardous Air Pollutants

This permit is issued based on the emissions of HAPs as listed in Section 112(b) of the CAA not being equal to or exceeding 10 tons per year of a single HAP or 25 tons per year of any combination of such HAPs, so that this source is considered a minor source for HAPs.

5.5.3 Other Source-Wide Emission Limitations

None

5.6 General Recordkeeping Requirements

5.6.1 Emission Records

The Permittee shall maintain records of the following items for the source to demonstrate compliance with Condition 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

Total annual emissions on a calendar year basis for the emission units covered by Section 7 (Unit Specific Conditions) of this permit.

5.6.2 General Records

None

5.6.3 Records for Specific Sub-Groups

None

5.6.4 Records for VOM and HAP Emissions

None

5.6.5 Records for Operating Scenarios

None

5.6.6 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

by the particular recordkeeping provision herein), shall be kept at a location at the source that is readily accessible to the Illinois EPA or USEPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.

- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in response to an Illinois EPA or USEPA request for records during the course of a source inspection.

5.7 General Reporting Requirements

5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the source with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken.

5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year.

5.8 General Operational Flexibility/Anticipated Operating Scenarios

N/A

5.9 General Compliance Procedures

5.9.1 General Procedures for Calculating VOM Emissions

Compliance with the source-wide emission limits specified in Condition 5.5 shall be based on the recordkeeping and reporting requirements of Conditions 5.6 and 5.7, and compliance procedures in Section 7 (Unit Specific Conditions) of this permit.

- a. For the purpose of estimating VOM emissions from the gasoline storage tank, the current version of the tanks program is acceptable.

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

6.0 NOT APPLICABLE TO THIS PERMIT

7.0 UNIT SPECIFIC CONDITIONS

7.1 Unit 01: Electric Arc Furnace/Stirring Station and 4 strand Caster
 Control 01: Baghouse Filter EP1 and EP16

7.1.1 Description

The facility utilizes a single arc furnace to melt scrap steel to a molten state before casting into billets. The caster is a 4 strand continuous caster.

7.1.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
01	Electric Arc Furnace/Stirring Station (E1)	Baghouse Filter EP1
	4 Strand Continuous Caster (E2)	Baghouse Filters EP1 and EP16

7.1.3 Applicability Provisions and Applicable Regulations

- a. The "affected furnace and affected caster" for the purpose of these unit-specific conditions, is the emission units listed in Condition 7.1.2.
- b. The affected furnace and affected caster is subject to the emission limits identified in Condition 5.2.2.
- c. The affected furnace is subject to 40 CFR 60.272a, Subpart AAA which states:
 - i. On and after the date of which the performance test required to be conducted by 60.8 is completed, no owner or operator subject to the provisions of this subpart shall cause to be discharged into the atmosphere from an EAF or an AOD vessel any gases which:
 - A. Exit from a control device and contain particulate matter in excess of 12 mg/dscm (0.0052 gr/dscf);
 - B. Exit from a control device and exhibit 3

percent opacity or greater; and

- C. Exit from a shop and, due solely to the operations of any affected EAF(s) or AOD vessel(s), exhibit 6 percent opacity or greater. [40 CFR 60.272a]
- d. The affected furnace and affected caster is subject to 35 IAC 212.321 which states:

- i. Except as further provided in this Part, no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of this Section.
- ii. Interpolated and extrapolated values of the data in subsection (c) of this Section shall be determined by using the equation:

$$E = A(P)^B$$

Where:

P = Process weight rate; and
E = Allowable emission rate; and,

- 1. Up to process weight rates of 408 MG/hr (450 T/hr)

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	1.214	2.54
B	0.534	0.534

- 2. For process weight rate greater than or equal to 408 Mg/hr (450 T/hr)

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	11.42	24.8
B	0.16	0.16

[35 IAC 212.321]

- e. The affected furnace is subject to 35 IAC 214.301 which states:

Except as further provided by this Part, no person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission source to exceed 2000 ppm. [35 IAC 214.301]

7.1.4 Non-Applicability of Regulations of Concern

N/A

7.1.5 Operational and Production Limits and Work Practices

- a. The tapped steel production rate of the arc furnace shall be limited to 120 tons per hour, weekly average, and 876,000 tons per year.
- b. The heat input to the supplementary arc furnace fuel burners shall not exceed 48.0 mmBtu/Hr.
- c. Emissions of CO and NO_x from the arc furnace shall not exceed 2.0 and 0.26 pounds per ton of tapped steel respectively.
- d. Any fuel burners operated on the arc furnace shall be of the low-NO_x design, such as oxygen/natural gas burners, designed and maintained to generate no more than 0.14 pound NO_x per million Btu heat input from fuel.
- e. Emissions of particulate matter (PM₁₀) from the arc furnace during tapping and charging shall be collected with at least 95% efficiency, as determined by opacity observations, so as to limit emissions attributable to such activity to no more than 0.070 lb per ton steel,

8.4 lb per hour, and 31.1 tons per year.

7.1.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected furnace is subject to the following:

Emissions from the affected furnace and any fuel burners shall not exceed the following limits:

Pollutant	(Lb/Hr)	(Ton/Yr)
PM	20.4	89.5
CO	241	880
NO _x	31.8	116

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1].

The above limitations were established in Permit 88110038, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Emissions from the affected furnace and any fuel burners shall not exceed the following limits:

Pollutant	Lb/Hr	Ton/Yr
VOM	50	175
SO ₂	17	60

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1N].

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35

IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the VOM and SO₂ emissions from affected furnace and affected caster below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N].

7.1.7 Testing Requirements

- a. The Permittee shall fulfill all testing requirements as per 40 CFR 60.275a, Subpart AAA. [40 CFR Subpart AAA]

7.1.8 Monitoring Requirements

- a. The Permittee shall perform all monitoring required by 40 CFR 60.273a and 60.274a, Subpart AAA. [40 CFR Subpart AAA]

7.1.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected furnace to demonstrate compliance with 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee shall maintain all records required by 40 CFR 60.276a, Subpart AAA. [40 CFR Subpart AAA]
- b. The Permittee shall maintain monthly and annual records of tons of steel produced (tons).
- c. The Permittee shall maintain monthly and annual gas consumption for the fuel burners (cubic feet).
- d. The Permittee shall maintain daily method 9 readings.
- e. The Permittee shall maintain the baghouse fan amperage for each shift (amps).
- f. The Permittee shall maintain the damper positions for the evacuation system for each shift (%closed or

open).

- g. The Permittee shall maintain the EAF Shell Negative Pressure for each shift.
- h. The Permittee shall maintain the hourly baghouse pressure drop (in. water).
- i. The Permittee shall maintain monthly and annual records of emissions (tons/mo and tons/yr).

7.1.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected furnace and affected caster with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. The Permittee shall fulfill all reporting requirements as required by 40 CFR 60.276a, Subpart AAA. [40 CFR Subpart AAA]
- b. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences [Section 39.5(7)(f)(ii) of the Act].

7.1.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.1.12 Compliance Procedures

- a. Compliance with Condition 5.5.1 and the emission limits in Condition 7.1.6 for the affected furnace and affected caster shall be based on the recordkeeping

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Birmingham Steel Corp. Kankakee IL Steel Division
 I.D. No.: 091801AAA
 Application No.: 96030147
 May 15, 2002

requirements in Condition 7.1.9 and the emission factors and formulas listed below.

Pollutant	Emission Factor (lb/ton Steel)
PM	0.05
CO*	0.86
NO _x *	0.12
SO ₂	0.13
VOC	0.39

* Without Oxygen Burners

- Criteria Emissions (tons) [(appropriate emission factor (lb/ton steel)) * (steel production (tons))]/2000 lb/ton

HAP Pollutant	% Concentration
As	0.0145
Cd	0.038
Cr	0.252
Pb	3.075

- HAP Emissions (tons) = [(PM Emissions (tons) * (HAP % concentration)/100]

Emission factors are from a stack test dated November 8 and 9, 1994. The above factors are for both furnace and caster combined.

7.2 Unit 02: Reheat Furnace (E3)
 Control 02: None

7.2.1 Description

The facility utilizes a 90.7 mmBtu/hr (typical), 154 mmBtu/hr (maximum) reheat furnace to heat the billets to a hot rolling temperature.

7.2.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
02	Reheat Furnace (E3)	None

7.2.3 Applicability Provisions and Applicable Regulations

- a. The "affected reheat furnace" for the purpose of these unit-specific conditions, is the emission unit in Condition 7.2.2.
- b. The affected reheat furnace is subject to 35 IAC 212.321 which states:
 - i. Except as further provided in this Part, no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of this Section.
 - ii. Interpolated and extrapolated values of the data in subsection (c) of this Section shall be determined by using the equation:

$$E = A(P)^B$$

Where:

P = Process weight rate; and
 E = Allowable emission rate; and,

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

1. Up to process weight rates of 408 MG/hr
(450 T/hr)

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Birmingham Steel Corp. Kankakee IL Steel Division
 I.D. No.: 091801AAA
 Application No.: 96030147
 May 15, 2002

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	1.214	2.54
B	0.534	0.534

2. For process weight rate greater than or equal to 408 Mg/hr (450 T/hr)

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	11.42	24.8
B	0.16	0.16

[35 IAC 212.321]

- c. The affected reheat furnace is subject to 35 IAC 216.121 which states:

No person shall cause or allow the emission of carbon monoxide (CO) into the atmosphere from any fuel combustion emission source with actual heat input greater than 2.9 MW (10 mmBtu/hr) to exceed 200 ppm, corrected to 50 percent excess air. [35 IAC 216.121]

- d. The affected reheat furnace is subject to 35 IAC 214.301 which states:

Except as further provided by this Part, no person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission source to exceed 2000 ppm. [35 IAC 214.301]

7.2.4 Non-Applicability of Regulations of Concern

- a. The affected reheat furnace is not subject to 35 IAC 217.121 because the reheat furnace is less than 250 mmBtu/hr of actual heat input.

7.2.5 Operational and Production Limits and Work Practices

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

- a. The total heat input to the reheat furnace shall not exceed 156 mmBtu/hr and shall be limited to natural gas firing.

7.2.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected reheat furnace is subject to the following:

Emissions from the affected reheat furnace shall not exceed the following limits:

Pollutant	(Lb/Hr)	(Ton/Yr)
PM	0.46	2.0
CO	10.24	44.7
NO _x	37.7	164.7

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1].

The above limitations were established in Permit 94120081, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Emissions from the affected reheat furnace shall not exceed the following limits:

Pollutant	(Lb/Hr)	(Ton/Yr)
SO ₂	0.11	0.5
VOM	0.5	2.0

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1N].

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of

Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the VOM and SO₂ emissions from affected reheat furnace below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N].

7.2.7 Testing Requirements

None

7.2.8 Monitoring Requirements

None

7.2.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected caster to demonstrate compliance with 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee shall maintain monthly and annual records of natural gas combusted in the reheat furnace (cubic feet).
- b. The Permittee shall maintain monthly and annual records of emissions (tons/mo and tons/yr).

7.2.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected reheat furnace with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in

accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences [Section 39.5(7)(f)(ii) of the Act].

7.2.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.2.12 Compliance Procedures

- a. Compliance with Condition 5.5.1 and the emission limits in Condition 7.2.6 for the affected reheat furnace shall be based on the recordkeeping requirements in Condition 7.2.9 and the emission factors and formulas listed below.

Pollutant	Emission Factor (lb/mmscf)
PM ₁₀	5.2
CO	2.3 (act) 42 (max)
NO _x	190 (tpy) 240 (max)
SO ₂	0.6
VOC	5.5
Lead	.0005
Benzene	2.10E-3
Dichlorobenzene	1.20E-3
Formaldehyde	7.5E-2
Hexane	1.80
Naphthalene	6.10E-4
Toluene	3.40E-3
PAH	6.98E-4
Arsenic	2.0E-4
Beryllium	1.20E-5
Cadmium	1.10E-3
Chromium	1.40E-3
Cobalt	8.40E-5
Manganese	3.80E-4
Mercury	2.60E-4
Nickel	2.10E-3
Selenium	2.40E-5

- Emissions (tons) [(appropriate emission factor

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

(lb/mmscf)) * (natural gas usage
(mmscf)])/2000 lb/ton

Emission factors are from existing permit limits and
AP-42 factors.

7.3 Unit 03: EAF Dust Handling (E7)
 Control 03: None

7.3.1 Description

Electric arc furnace dust is collected and transferred by screw conveyors to railroad cars.

7.3.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
03	EAF Dust Handling (E7)	None

7.3.3 Applicability Provisions and Applicable Regulations

- a. The "affected EAF Dust Handling System" for the purpose of these unit-specific conditions, is the emission unit in Condition 7.3.2.
- b. The affected EAF Dust Handling System is subject to 35 IAC 212.321 which states:
 - i. Except as further provided in this Part, no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of this Section.
 - ii. Interpolated and extrapolated values of the data in subsection (c) of this Section shall be determined by using the equation:

$$E = A(P)^B$$

Where:

P = Process weight rate; and
 E = Allowable emission rate; and,

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

1. Up to process weight rates of 408 MG/hr
(450 T/hr)

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Birmingham Steel Corp. Kankakee IL Steel Division
 I.D. No.: 091801AAA
 Application No.: 96030147
 May 15, 2002

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	1.214	2.54
B	0.534	0.534

2. For process weight rate greater than or equal to 408 Mg/hr (450 T/hr)

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	11.42	24.8
B	0.16	0.16

[35 IAC 212.321]

- c. The affected EAF Dust Handling System is subject to 40 CFR 60.272a(b) which states:

- i. On and after the date on which the performance test required to be conducted by 60.8 is completed, no owner or operator subject to the provisions of this subpart shall cause to be discharged into the atmosphere from the dust-handling system any gases that exhibit 10 percent opacity or greater. [40 CFR 60.272a, Subpart AAA]

7.3.4 Non-Applicability of Regulations of Concern

N/A

7.3.5 Operational and Production Limits and Work Practices

None

7.3.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected arc furnace dust handling system is subject to the following.

Pollutant	(Ton/yr)
-----------	----------

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

PM	2.0
Lead	0.05

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1N].

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the PM emissions from affected EAF dust handling system below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N].

7.3.7 Testing Requirements

None

7.3.8 Monitoring Requirements

None

7.3.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected caster to demonstrate compliance with 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee shall maintain monthly and annual records of dust shipped (tons).
- b. The Permittee shall maintain monthly and annual records of emissions (tons/mo and tons/yr).

7.3.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected arc furnace dust handling system with the permit requirements as follows,

pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences [Section 39.5(7)(f)(ii) of the Act].

7.3.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.3.12 Compliance Procedures

- a. Compliance with Condition 5.5.1 and the emission limits in Condition 7.3.6 for the affected arc furnace dust handling system shall be based on the recordkeeping requirements in Condition 7.3.9 and the emission factors and formulas listed below.

Pollutant	Emission Factor (lb/ton)
PM ₁₀	0.051
PM	0.21

- PM/PM_{10} Emissions (tons) [(appropriate emission factor (lb/ton)) * (dust shipped (ton))]/2000 lb/ton
- Lead Emissions (tons) = PM/PM_{10} Emissions (tons) * .0308*
- * Assumed to be the same as baghouse effluent

Emission factors are from AP-42 for concrete batching operations, Table 11.12-2.

7.4 Unit 04: Slag Processing (E8)
 Control 04: None

7.4.1 Description

Slag from the arc furnace is removed from the melt shop, taken to the processing site, sized and transported.

7.4.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
04	Slag Processing (E8)	None

7.4.3 Applicability Provisions and Applicable Regulations

- a. "Affected slag processing" for the purpose of these unit-specific conditions, is the emission unit listed in Condition 7.4.2.
- b. Affected slag processing is subject to 35 IAC 212.321 which states:
 - i. Except as further provided in this Part, no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of this Section.
 - ii. Interpolated and extrapolated values of the data in subsection (c) of this Section shall be determined by using the equation:

$$E = A(P)^B$$

Where:

P = Process weight rate; and
 E = Allowable emission rate; and,

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

1. Up to process weight rates of 408 MG/hr
(450 T/hr)

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Birmingham Steel Corp. Kankakee IL Steel Division
 I.D. No.: 091801AAA
 Application No.: 96030147
 May 15, 2002

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	1.214	2.54
B	0.534	0.534

2. For process weight rate greater than or equal to 408 Mg/hr (450 T/hr)

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	11.42	24.8
B	0.16	0.16

[35 IAC 212.321]

- c. Affected slag processing is subject to 35 IAC 212.315 which states:

No person shall cause or allow the operation of a motor vehicle of the second division as defined by 625 ILCS 5/1-217, or a semi-trailer as defined by 625 ILCS 5/1-187, without a covering sufficient to prevent the release of particulate matter into the atmosphere, provided that this rule shall not pertain to automotive exhaust emissions. [35 IAC 212.315]

- d. Affected slag processing is subject to 35 IAC 212.301 which states:

No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally toward the zenith at a point beyond the property line of the source. [35 IAC 212.301]

7.4.4 Non-Applicability of Regulations of Concern

N/A

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

7.4.5 Operational and Production Limits and Work Practices

None

7.4.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, affected slag processing is subject to the following.

Pollutant	ton/yr
PM	7.0
Lead	0.22

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1N].

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the PM emissions from affected slag processing below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N].

7.4.7 Testing Requirements

None

7.4.8 Monitoring Requirements

None

7.4.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected slag processing system to demonstrate compliance with 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee shall maintain monthly and annual records of slag processed (tons).

- b. The Permittee shall maintain monthly and annual records of emissions (tons/mo and tons/yr).

7.4.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of affected slag processing with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences [Section 39.5(7)(f)(ii) of the Act].

7.4.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.4.12 Compliance Procedures

- a. Compliance with Condition 5.5.1 and the emission limits in Condition 7.4.6 for the affected slag processing shall be based on the recordkeeping requirements in Condition 7.4.9 and the emission factors and formulas listed below.

Pollutant	Emission Factor (lb/ton)
PM ₁₀	0.09
PM	0.1

- $PM/PM_{10} \text{ Emissions (tons)} = [(appropriate \text{ emission factor (lb/ton)}) * (\text{slag processed (ton)})] / 2000 \text{ lb/ton}$
- $Lead \text{ Emissions (tons)} = PM/PM_{10} \text{ Emissions}$

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

(tons) * .0308*

* Assumed to be the same as baghouse effluent

7.5 Unit 05: Cooling Tower (E10)
 Control 05: None

7.5.1 Description

Cooling tower water that has contacted volatile organic compounds from the rolling mill.

7.5.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
05	Cooling Tower (E10)	None

7.5.3 Applicability Provisions and Applicable Regulations

- a. The "affected cooling tower" for the purpose of these unit-specific conditions, is the emission unit listed in Condition 7.5.2.
- b. The affected cooling tower is subject to 35 IAC 212.123 which states:
 - i. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to Section 212.122 of this Subpart.
 - ii. The emission of smoke or other particulate matter from any such emission unit may have an opacity greater than 30 percent but not greater than 60 percent for a period or periods aggregating 8 minutes in any 60 minute period provided that such opaque emissions permitted during any 60 minute period shall occur from only one such emission unit located within a 305 m (1000 ft) radius from the center point of any such emission unit owned or operated by such person, and provided further that such opaque emissions permitted from each such emission unit shall be limited to 3 times in any 24 hour period. [35 IAC 212.123]

7.5.4 Non-Applicability of Regulations of Concern

N/A

7.5.5 Operational and Production Limits and Work Practices

None

7.5.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected cooling tower is subject to the following.

Pollutant	(Ton/yr)
PM	1.2
PM ₁₀	1.2

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1N]

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the PM emissions from affected slag processing below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N]

7.5.7 Testing Requirements

None

7.5.8 Monitoring Requirements

None

7.5.9 Recordkeeping Requirements

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected cooling tower to demonstrate compliance with 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee shall maintain monthly and annual records of cooling water flow rate (gal/mo and gal/yr).
- b. The Permittee shall maintain monthly and annual records of emissions (tons/mo and tons/yr).

7.5.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected cooling tower with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences [Section 39.5(7)(f)(ii) of the Act].

7.5.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.5.12 Compliance Procedures

- a. Compliance with Condition 5.5.1 and the emission limits in Condition 7.5.6 for the affected cooling tower shall be based on the recordkeeping requirements in Condition 7.5.9 and the emission factors and formulas listed below.

Pollutant	Emission Factor (lb/1,000 gal)
PM and PM ₁₀	0.00055*

- PM₁₀ Emissions (tons) [(appropriate emission factor (lb/1000 gal)) * (cooling water flow rate (gal))]/2000 lb/ton

- * The emission factor for induced draft, wet cooling towers is 0.019 lbs/1000 gallons, which is based on a total dissolved solids concentration of approximately 12,000 ppm. Since typical steel mill cooling towers are

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

approximately 350 ppm, the AP-42 factor has
been factored down by the ratio of 350
ppm:12,000 ppm.

7.6 Unit 06: Rolling Mill (E13)
 Control 06: None

7.6.1 Description

Heated billets from the reheat furnace are hot rolled to progressively smaller size to produce products.

7.6.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
06	Rolling Mill (E13)	None

7.6.3 Applicability Provisions and Applicable Regulations

- a. The "affected rolling mill" for the purpose of these unit-specific conditions, is the emission unit listed in Condition 7.6.2.
- b. The affected rolling mill is subject to 35 IAC 215.301 which states:

No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lb/hr) of organic material into the atmosphere from any emission source, except as provided in Sections 215.302, 215.303, 215.304 and the following exception: If no odor nuisance exists the limitation of this Subpart shall apply only to photochemically reactive material. [35 IAC 215.301]

- c. The affected rolling mill is subject to 35 IAC 212.321 which states:

- i. Except as further provided in this Part, no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

specified in subsection (c) of this Section.

- ii. Interpolated and extrapolated values of the data in subsection (c) of this Section shall be determined by using the equation:

$$E = A(P)^B$$

Where:

P = Process weight rate; and
 E = Allowable emission rate; and,

1. Up to process weight rates of 408 MG/hr (450 T/hr)

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	1.214	2.54
B	0.534	0.534

2. For process weight rate greater than or equal to 408 Mg/hr (450 T/hr)

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	11.42	24.8
B	0.16	0.16

[35 IAC 212.321]

7.6.4 Non-Applicability of Regulations of Concern

N/A

7.6.5 Operational and Production Limits and Work Practices

None

7.6.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected rolling mill is subject to the following.

Pollutant	(Ton/yr)
VOM	13.1

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1N].

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the VOM emissions from affected rolling mill below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N]

7.6.7 Testing Requirements

None

7.6.8 Monitoring Requirements

None

7.6.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected rolling mill to demonstrate compliance with 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee shall maintain monthly and annual records of finished product produced in (ton/mo and ton/yr).
- b. The Permittee shall maintain monthly and annual records of emissions (tons/mo and tons/yr).
- c. The Permittee shall maintain copies of MSD sheets for all lubricants used on the rolling mills.
- d. The Permittee shall maintain monthly and annual records of lubricant usage.

7.6.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected rolling mill with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences [Section 39.5(7)(f)(ii) of the Act].

7.6.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.6.12 Compliance Procedures

- a. Compliance with Condition 5.5.1 and the emission limits in Condition 7.6.6 for the affected rolling mill shall be based on the recordkeeping requirements in Condition 7.6.9 and the emission factors and formulas listed below.

Pollutant	Emission Factor (lb VOM/ton Produced)
VOM	0.03*

- VOM Emissions (tons) [(0.03 (lb/ton produced)) * (product throughput(ton))]/2000 lb/ton
- * The emission factor comes from the AIRS database, SCC 3-03-009-31 which has been reduced to 0.03 because a guide lubricant is not used.

7.7 Unit 07: Gasoline Storage Tank A2, 12, L2
 Control 07: None

7.7.1 Description

Gasoline is stored in horizontal aboveground tanks.

7.7.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
07	Gasoline Storage Tank A2 (E9)	None
	Gasoline Storage Tank 12 (E20)	None
	Gasoline Storage Tank L2 (E21)	None

7.7.3 Applicability Provisions and Applicable Regulations

- a. The "affected gasoline storage tanks" for the purpose of these unit-specific conditions, is the emission units listed in Condition 7.7.2.
- b. The affected gasoline storage tanks are subject to 35 IAC 215.122 (b), which states:
 - i. No person shall cause or allow the loading of any organic material into any stationary tank having a storage capacity of greater than 946 l (250 gal), unless such tank is equipped with a permanent submerged loading pipe, submerged fill or an equivalent device approved by the Illinois EPA according to the provisions of 35 Ill. Adm. Code 201, or unless such tank is a pressure tank as described in Section 215.121(a) or is fitted with a recovery system as described in Section 215.121(b)(2). [35 IAC 215.122 (b)]

7.7.4 Non-Applicability of Regulations of Concern

N/A

7.7.5 Operational and Production Limits and Work Practices

None

7.7.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected gasoline storage tanks are subject to the following.

Tank	Pollutant	(Ton/yr)
A2	VOM	0.25
L2	VOM	0.07
L2	VOM	0.06

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1N]

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emission limitations and other appropriate terms and conditions in this permit that limit the VOM emissions from affected gasoline storage tanks below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N]

7.7.7 Testing Requirements

None

7.7.8 Monitoring Requirements

None

7.7.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected gasoline storage tanks to demonstrate compliance with 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee shall maintain monthly and annual records of gasoline throughput to the individual tanks (gal/mo and gal/yr).
- b. The Permittee shall maintain monthly and annual records of emissions for the individual tanks (tons/mo and tons/yr).

7.7.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected gasoline storage tank with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences [Section 39.5(7)(f)(ii) of the Act].

7.7.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.7.12 Compliance Procedures

For the purpose of estimating VOM emissions from the affected storage tank, the current version of the tanks program is acceptable.

- 7.8 Unit 08: Carbon Silo (E14)
 Control 08: Carbon Silo Vent (EP14)
 Carbon Charging Vent (EP15)

7.8.1 Description

The carbon silo is filled daily with metallurgical coke. The delivery truck fills the silo by blowing metallurgical coke into the silo. Existing air leaves by the bin vent which captures the particulates in the existing stream. The captured material is returned to the silo by gravity.

7.8.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
08	Carbon Silo Filling (E14)	Carbon Silo Vent(EP14)
	Carbon Silo Scrap Bucket Charging (E14)	Carbon Charging Vent (EP15)

7.8.3 Applicability Provisions and Applicable Regulations

- a. The "affected carbon silo operations" for the purpose of these unit-specific conditions, is the emission units listed in Condition 7.8.2.
- b. The affected carbon silo operations are subject to 35 IAC 212.321 which states:
 - i. Except as further provided in this Part, no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of this Section.
 - ii. Interpolated and extrapolated values of the data in subsection (c) of this Section shall be determined by using the equation:

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Birmingham Steel Corp. Kankakee IL Steel Division
 I.D. No.: 091801AAA
 Application No.: 96030147
 May 15, 2002

$$E = A(P)^B$$

Where:

P = Process weight rate; and
 E = Allowable emission rate; and,

1. Up to process weight rates of 408 MG/hr (450 T/hr)

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	1.214	2.54
B	0.534	0.534

2. For process weight rate greater than or equal to 408 Mg/hr (450 T/hr)

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	11.42	24.8
B	0.16	0.16

[35 IAC 212.321]

- c. The affected carbon silo operations are subject to 35 IAC 212.123 which states:
 - i. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to Section 212.122 of this Subpart.
 - ii. The emission of smoke or other particulate matter from any such emission unit may have an opacity greater than 30 percent but not greater than 60 percent for a period or periods aggregating 8 minutes in any 60 minute period provided that such opaque emissions

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Birmingham Steel Corp. Kankakee IL Steel Division
 I.D. No.: 091801AAA
 Application No.: 96030147
 May 15, 2002

permitted during any 60 minute period shall occur from only one such emission unit located within a 305 m (1000 ft) radius from the center point of any such emission unit owned or operated by such person, and provided further that such opaque emissions permitted from each such emission unit shall be limited to 3 times in any 24 hour period. [35 IAC 212.123]

7.8.4 Non-Applicability of Regulations of Concern

N/A

7.8.5 Operational and Production Limits and Work Practices

None

7.8.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected carbon silo operations are subject to the following.

Operation	Pollutant	(Ton/yr)
Carbon Silo Filling	PM ₁₀	0.44
Scrap Bucket Charging	PM ₁₀	0.44

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1]

The above limitations were established in Permit 98030025, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1]

7.8.7 Testing Requirements

None

7.8.8 Monitoring Requirements

None

7.8.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected slag processing system to demonstrate compliance with 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

a. Recordkeeping of Maintenance and Repair.

- i. Written records of inventory and documentation of inspections, maintenance, and repairs of all air pollution control equipment shall be kept in accordance with subsection (f) of this Section.

- ii. The owner or operator shall document any period during which any process emission unit was in operation when the air pollution control equipment was not in operation or was malfunctioning so as to cause an emissions level in excess of the emissions limitation. These records shall include documentation of causes for pollution control equipment not operating or such malfunction and shall state what corrective actions were taken and what repairs were made.
 - iii. A written record of the inventory of all spare parts not readily available from local suppliers shall be kept and updated.
 - iv. Copies of all records required by this Section shall be submitted to the Illinois EPA within ten (10) working days after a written request by the Illinois EPA.
 - v. The records required under this section shall be kept and maintained for at least three (3) years and shall be available for inspection and copying by Illinois EPA representatives during working hours.
- b. The Permittee shall maintain records of the amount of carbon throughput to the silo for the filling operation (ton/mo and ton/yr).
 - c. The Permittee shall maintain monthly and annual records of hours of operation for the carbon silo loading operation.
 - d. The Permittee shall maintain monthly and annual records of emissions (tons/mo and tons/yr).
 - e. The Permittee shall maintain monthly and annual records of hours of operation for the scrap bucket loading operation.

7.8.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected carbon

silo with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences [Section 39.5(7)(f)(ii) of the Act].

7.8.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.8.12 Compliance Procedures

- a. Compliance with Condition 5.5.1 and the emission limits in Condition 7.8.6 for the affected carbon silo filling operation and the carbon silo charging to scrap bucket operation shall be based on the recordkeeping requirements in Condition 7.8.9 and the formulas listed below.

Carbon Silo Filling Operations

Pollutant	Emission Rate (lb/hr)
PM ₁₀	.0044
As	1.58E-6
Be	1.1E-7
Cd	4.41E-7
Cr	5.29E-7
Cu	4.02E-6
Hg	3.53E-8
Mn	1.94E-5
Ni	1.32E-6

- PM Emissions (tons) [(appropriate emission rate (lb/hr)) * (hr operation for bin vent

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Birmingham Steel Corp. Kankakee IL Steel Division
 I.D. No.: 091801AAA
 Application No.: 96030147
 May 15, 2002

(hr)]/2000 lb/ton

Carbon Silo Scrap Bucket Charging

Pollutant	Emission Rate (lb/hr)
PM ₁₀	.0050
As	1.8E-6
Be	1.26E-7
Cd	5.04E-7
Cr	6.05E-7
Cu	4.59E-6
Hg	4.03E-8
Mn	2.22E-5
Ni	1.51E-6

PM Emissions (tons) = [(appropriate emission rate (lb/hr)) * (hr operation for bucket charging (hr))]/2000 lb/ton

7.9 Unit 08: Fugitive Emissions (E13)
 Control 08: None

7.9.1 Description

The source has various processes that generate fugitive dust emissions (e.g. storage pile, roads, etc.)

7.9.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
08	<ul style="list-style-type: none"> - Paved Roads - Unpaved Roads - Aggregate Handling and Storage Piles - Industrial Wind Erosion 	None

7.9.3 Applicability Provisions and Applicable Regulations

- a. The "affected fugitive emission sources" for the purpose of these unit-specific conditions, is the emission units listed in Condition 7.9.2.
- b. The affected fugitive emission sources are subject to 35 IAC 212.301 which states:

No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally toward the zenith at a point beyond the property line of the source. [35 IAC 212.301]

7.9.4 Non-Applicability of Regulations of Concern

N/A

7.9.5 Operational and Production Limits and Work Practices

- a. Emissions of particulate matter (PM) from vehicle traffic on roadways shall be controlled by paving the

unpaved road as indicated in the application.

- b. Emissions of fugitive particulate matter from scrap delivery, production supplies, finished products and slag handling on the supply road shall be controlled by:
 - i. Paving the road, and
 - ii. Vacuum sweeping of the road at least once a day, unless any measurable precipitation recorded by State Water Survey Office in Bourbonnais, has occurred during the previous 24 hours or there is snow or ice build up on the road.

7.9.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected fugitive emission sources are subject to the following:

Total fugitive particulate matter emissions increase from the source shall not exceed 3.1 tons/year from slag storage piles (wind erosion), truck unloading on storage piles, the haul road, scrap handling and production supplies. Compliance with this limit shall be determined using standard USEPA calculation methodology (EPA publication AP-42 "Compilation of Air Pollutant Emission Factors, Supplement A", Fourth Edition, September 1985) for fugitive emissions of particulate matter.

7.9.7 Testing Requirements

None

7.9.8 Monitoring Requirements

None

7.9.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected gasoline storage tank to demonstrate

compliance with 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee shall maintain approximate mileage for various truck travel over paved and unpaved roads (VMT).
- b. The Permittee shall maintain monthly and annual records of emissions (tons/mo and tons/yr).
- c. The Permittee shall maintain throughput for the aggregate handling and storage pile operations (tons/mo and tons/yr).
- d. The Permittee shall maintain the number of days that the storage piles are loaded into and out of (days/mo and days/yr).

7.9.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected fugitive emission sources with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. If there is an exceedance of the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences [Section 39.5(7)(f)(ii) of the Act].

7.9.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.9.12 Compliance Procedures

- a. Compliance with Condition 5.5.1 and the emission

limits in Condition 7.9.6 for the affected fugitive sources shall be based on the recordkeeping requirements in Condition 7.9.9 and the emission factors and formulas listed below.

Paved Road Derived Emission Factors

Fugitive Source	Emission Factor (lb/VMT)
Slag Shipping Empty	1.15
Slag Truck Full	2.01
Empty Product Trucks	0.15
Full Product Trucks	0.28
Empty Scrap Trucks	0.15
Full Scrap Trucks	1.96
Miscellaneous Traffic	0.31

- $PM \text{ Emissions (tons)} = [(appropriate \text{ emission factor (lb/VMT)}) * (Vehicle \text{ miles traveled (VMT)})] / 2000 \text{ lb/ton}$

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Birmingham Steel Corp. Kankakee IL Steel Division
 I.D. No.: 091801AAA
 Application No.: 96030147
 May 15, 2002

Fugitive Source	(lb/ton)
Scrap Loading/Unloading	0.0029
Slag Truck Dumping	0.0050
Front End Loader	0.0051
Front End Loader to Grizzly	0.0051
Metallic Separator	0.0050
Loading to Transport Truck	0.0050

- $PM \text{ Emissions (tons)} = [(\text{appropriate emission factor (lb/VMT)}) * (\text{material throughput (lb/ton)})] / 2000 \text{ lb/ton}$

All above emission factors are derived using the following constants.

Mean Wind Speed (U) = 7 mph
 Material Moisture Content (M) = 0.92%
 Particle Size Multiplier (k) = 0.34

Industrial Wind Erosion Storage Pile Emission Factors

Fugitive Source	Emission Factor (E) (lb/day/acre)
Slag Stock Piles	.42
Scrap Stock Piles	.42

- $PM \text{ Emissions (tons)} = [(\text{appropriate emission factor (lb/day/acre)}) * (\text{pile size (acre)}) * (\text{number of days used (days)})] / 2000 \text{ lb/ton}$

All above emission factors are derived using the following constants.

Silt Content (S) = 5.3%
 Number of Wet days (p) = 120 days
 Percentage of Time Wind Exceeds 12 mph at Mean Height (f) = 1%
 Pile Size Assumed to be 1 Acre

8.0 GENERAL PERMIT CONDITIONS

8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after _____ **{insert public notice start date}** (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

8.3 Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement [Section 39.5(7)(o)(vii) of the Act].

8.4 Operational Flexibility/Anticipated Operating Scenarios

8.4.1 Changes Specifically Addressed by Permit

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes that contravene express permit terms without applying for or obtaining an amendment to this permit, provided that [Section 39.5(12)(a)(i) of the Act]:

- a. The changes do not violate applicable requirements;
- b. The changes do not contravene federally enforceable permit terms or conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements;
- c. The changes do not constitute a modification under Title I of the CAA;
- d. Emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change; and
- e. The Permittee provides written notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change. This notice shall:
 - i. Describe the physical or operational change;
 - ii. Identify the schedule for implementing the physical or operational change;
 - iii. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
 - iv. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
 - v. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.

8.6 Reporting Requirements

8.6.1 Monitoring Reports

If monitoring is required by any applicable requirements or conditions of this permit, a report summarizing the required monitoring results, as specified in the conditions of this permit, shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows [Section 39.5(7)(f) of the Act]:

<u>Monitoring Period</u>	<u>Report Due Date</u>
January - June	September 1
July - December	March 1

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);
- b. The person(s) who will be performing sampling and analysis and their experience with similar tests;
- c. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;
- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;

- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with justification; and
- g. Any proposed use of an alternative test method, with detailed justification.

8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;
- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;
- g. The operating conditions at the time of the sampling or measurements; and
- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

8.6.4 Reporting Addresses

- a. The following addresses should be utilized for the submittal of reports, notifications, and renewals:

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

- i. Illinois EPA - Air Compliance Section

Illinois Environmental Protection Agency
Bureau of Air
Compliance Section (MC 40)
P.O. Box 19276
Springfield, Illinois 62794-9276
 - ii. Illinois EPA - Air Regional Field Office

Illinois Environmental Protection Agency
Division of Air Pollution Control
9511 West Harrison
Des Plaines, Illinois 60016
 - iii. Illinois EPA - Air Permit Section

Illinois Environmental Protection Agency
Division of Air Pollution Control
Permit Section (MC 11)
P.O. Box 19506
Springfield, Illinois 62794-9506
 - iv. USEPA Region 5 - Air Branch

USEPA (AE - 17J)
Air & Radiation Division
77 West Jackson Boulevard
Chicago, Illinois 60604
- b. Unless otherwise specified in the particular provision of this permit, reports shall be sent to the Illinois EPA - Air Compliance Section with a copy sent to the Illinois EPA - Air Regional Field Office.

8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

9.0 STANDARD PERMIT CONDITIONS

9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

9.2 General Obligations of Permittee

9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or

denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(a) and (p)(ii) of the Act and 415 ILCS 5/4]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- d. Sample or monitor any substances or parameters at any location:
 - i. At reasonable times, for the purposes of assuring permit compliance; or
 - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants authorized by this permit; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source authorized by this permit.

9.4 Obligation to Comply with Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

9.5 Liability

9.5.1 Title

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or resulting from the construction, maintenance, or operation of the sources.

9.5.3 Structural Stability

This permit does not take into consideration or attest to the structural stability of any unit or part of the source.

9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of the source.

9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7)(o)(iv) of the Act].

9.6 Recordkeeping

9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions resulting from those changes [Section 39.5(12)(b)(iv) of the Act].

9.6.3 Retention of Records

- a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7)(e)(ii) of the Act].
- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a

particular permit provision.

9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7)(p)(v) of the Act, the Permittee shall submit annual compliance certifications. The compliance certifications shall be submitted no later than May 1 or more frequently as specified in the applicable requirements or by permit condition. The compliance certifications shall be submitted to the Air Compliance Section, Air Regional Field Office, and USEPA Region 5 - Air Branch. The addresses for the submittal of the compliance certifications are provided in Condition 8.6.4 of this permit.

- a. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9.

9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

9.10 Defense to Enforcement Actions

9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
 - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency. Normally, an act of God such as lightning or flood is considered an emergency;
 - ii. The permitted source was at the time being properly operated;
 - iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

9.12 Reopening and Reissuing Permit for Cause

9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15)(a) of the Act]:

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

9.12.3 Inaccurate Application

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15)(b) of the Act.

9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7)(o)(v) of the Act].

9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force [Section 39.5(7)(i) of the Act].

9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration. The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5)(1), (n), and (o) of the Act].

10.0 ATTACHMENTS

10.1 Attachment 1 - Example Certification by a Responsible Official

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: _____

Name: _____

Official Title: _____

Telephone No.: _____

Date Signed: _____

10.2 Attachment 2 - Guidance on Revising This Permit

The Permittee must submit an application to the Illinois EPA using the appropriate revision classification in accordance with Sections 39.5(13) and (14) of the Act and 35 IAC 270.302. Specifically, there are currently three classifications for revisions to a CAAPP permit. These are:

1. Administrative Permit Amendment;
2. Minor Permit Modification; and
3. Significant Permit Modification.

The Permittee must determine, request, and submit the necessary information to allow the Illinois EPA to use the appropriate procedure to revise the CAAPP permit. A brief explanation of each of these classifications follows.

1. Administrative Permit Amendment
 - Corrects typographical errors;
 - Identifies a change in the name, address, or phone number of any person identified in the permit, or provides a similar minor administrative change at the source;
 - Requires more frequent monitoring or reporting by the Permittee;
 - Allows for a change in ownership or operational control of the source where no other change in the permit is necessary, provided that a written agreement containing a specific date for transfer of permit responsibility, coverage, and liability between the current and new Permittees has been submitted to the Illinois EPA. This shall be handled by completing form 272-CAAPP, REQUEST FOR OWNERSHIP CHANGE FOR CAAPP PERMIT; or
 - Incorporates into the CAAPP permit a construction permit, provided the conditions of the construction permit meet the requirements for the issuance of CAAPP permits.
2. Minor Permit Modification

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

- Do not violate any applicable requirement;
- Do not involve significant changes to existing monitoring, reporting, or recordkeeping requirements in the permit;
- Do not require a case-by-case determination of an emission limitation or other standard, or a source-specific determination of ambient impacts, or a visibility or increment analysis;
- Do not seek to establish or change a permit term or condition for which there is no corresponding underlying requirement and which avoids an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
 - A federally enforceable emissions cap assumed to avoid classification as a modification under any provision of Title I of the CAA; and
 - An alternative emissions limit approved pursuant to regulations promulgated under Section 112(i)(5) of the CAA.
- Are not modifications under any provision of Title I of the CAA;
- Are not required to be processed as a significant permit modification; and
- Modifications involving the use of economic incentives, marketable permits, emissions trading, and other similar approaches.

An application for a minor permit modification shall include the following:

- A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
- The source's suggested draft permit/conditions;
- Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request

that such procedures be used; and

- Information as contained on form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT for the Illinois EPA to use to notify USEPA and affected States.

3. Significant Permit Modification

- Applications that do not qualify as either minor permit modifications or as administrative permit amendments;
- Applications requesting a significant change in existing monitoring permit terms or conditions;
- Applications requesting a relaxation of reporting or recordkeeping requirements; and
- Cases in which, in the judgment of the Illinois EPA, action on an application for modification would require decisions to be made on technically complex issues.

An application for a significant permit modification shall include the following:

- A detailed description of the proposed change(s), including all physical changes to equipment, changes in the method of operation, changes in emissions of each pollutant, and any new applicable requirements which will apply as a result of the proposed change. Note that the Permittee need only submit revised forms for equipment and operations that will be modified.

The Illinois EPA requires the information on the following appropriate forms to be submitted in accordance with the proper classification:

- Form 273-CAAPP, REQUEST FOR ADMINISTRATIVE PERMIT AMENDMENT FOR CAAPP PERMIT; or
- Form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT; or
- Form 200-CAAPP, APPLICATION FOR CAAPP PERMIT (for significant modification).

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

Application forms can be obtained from the Illinois EPA website at
<http://www.epa.state.il.us/air/forms>.

Note that the request to revise the permit must be certified for
truth, accuracy, and completeness by a responsible official.

Note that failure to submit the required information may require
the Illinois EPA to deny the application. The Illinois EPA
reserves the right to require that additional information be
submitted as needed to evaluate or take final action on
applications pursuant to Section 39.5(5)(g) of the Act and 35 IAC
270.305.



Illinois Environmental Protection Agency
 Division Of Air Pollution Control -- Permit Section
 P.O. Box 19506
 Springfield, Illinois 62794-9506

Application For Construction Permit (For CAAPP Sources Only)	For Illinois EPA use only
	I.D. number:
	Permit number:
Date received:	

This form is to be used by CAAPP sources to supply information necessary to obtain a construction permit. Please attach other necessary information and completed CAAPP forms regarding this construction/modification project.

Source Information			
1. Source name:			
2. Source street address:			
3. City:		4. Zip code:	
5. Is the source located within city limits? <input type="checkbox"/> Yes <input type="checkbox"/> No			
6. Township name:	7. County:	8. I.D. number:	

Owner Information			
9. Name:			
10. Address:			
11. City:	12. State:	13. Zip code:	

Operator Information (if different from owner)			
14. Name			
15. Address:			
16. City:	17. State:	18. Zip code:	

Applicant Information			
19. Who is the applicant? <input type="checkbox"/> Owner <input type="checkbox"/> Operator		20. All correspondence to: (check one) <input type="checkbox"/> Owner <input type="checkbox"/> Operator <input type="checkbox"/> Source	
21. Attention name and/or title for written correspondence:			
22. Technical contact person for application:		23. Contact person's telephone number:	

This Illinois EPA is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.



Illinois Environmental Protection Agency
Division Of Air Pollution Control -- Permit Section
P.O. Box 19506
Springfield, Illinois 62794-9506

This Illinois EPA is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.

Summary Of Application Contents

24.	Does the application address whether the proposed project would constitute a new major source or major modification under each of the following programs: a) Non-attainment New Source Review – 35 IAC Part 203; b) Prevention of Significant Deterioration (PSD) – 40 CFR 52.21; c) Hazardous Air Pollutants: Regulations Governing Constructed or Reconstructed Major Sources – 40 CFR Part 63?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
25.	Does the application identify and address all applicable emissions standards, including those found in the following: a) Board Emission Standards – 35 IAC Chapter I, Subtitle B; b) Federal New Source Performance Standards – 40 CFR Part 60; c) Federal Standards for Hazardous Air Pollutants – 40 CFR Parts 61 and 63?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
26.	Does the application include a process flow diagram(s) showing all emission units and control equipment, and their relationship, for which a permit is being sought?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
27.	Does the application include a complete process description for the emission units and control equipment for which a permit is being sought?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
28.	Does the application include the information as contained in completed CAAPP forms for all appropriate emission units and air pollution control equipment, listing all applicable requirements and proposed exemptions from otherwise applicable requirements, and identifying and describing any outstanding legal actions by either the USEPA or the Illinois EPA? Note: The use of "APC" application forms is not appropriate for applications for CAAPP sources. CAAPP forms should be used to supply information.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
29.	If the application contains TRADE SECRET information, has such information been properly marked and claimed, and have two separate copies of the application suitable for public inspection and notice been submitted, in accordance with applicable rules and regulations?	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> Not Applicable, No TRADE SECRET information in this application

Note 1: Answering "No" to any of the above may result in the application being deemed incomplete.

Signature Block

This certification must be signed by a responsible official. Applications without a signed certification will be returned as incomplete.					
30.	I certify under penalty of law that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate and complete. Authorized Signature:				
BY:	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border-bottom: 1px solid black; text-align: center;">AUTHORIZED SIGNATURE</td> <td style="width: 50%; border-bottom: 1px solid black; text-align: center;">TITLE OF SIGNATORY</td> </tr> <tr> <td style="border-bottom: 1px solid black; text-align: center;">TYPED OR PRINTED NAME OF SIGNATORY</td> <td style="border-bottom: 1px solid black; text-align: center;">/ / DATE</td> </tr> </table>	AUTHORIZED SIGNATURE	TITLE OF SIGNATORY	TYPED OR PRINTED NAME OF SIGNATORY	/ / DATE
AUTHORIZED SIGNATURE	TITLE OF SIGNATORY				
TYPED OR PRINTED NAME OF SIGNATORY	/ / DATE				

Note 2: An operating permit for the construction/modification permitted in a construction permit must be obtained by applying for the appropriate revision to the source's CAAPP permit, if necessary.

10.4 Attachment 4- Guidance on Renewing This Permit

Timeliness - Pursuant to Section 39.5(5)(n) of the Act and 35 IAC 270.301(d), a source must submit to the Illinois EPA a complete CAAPP application for the renewal of a CAAPP permit not later than 9 months before the date of permit expiration of the existing CAAPP permit in order for the submittal to be deemed timely. Note that the Illinois EPA typically sends out renewal notices approximately 18 months prior to the expiration of the CAAPP permit.

The CAAPP application must provide all of the following information in order for the renewal CAAPP application to be deemed complete by the Illinois EPA:

1. A completed renewal application form 200-CAAPP, APPLICATION FOR CAAPP PERMIT.
2. A completed compliance plan form 293-CAAPP, COMPLIANCE PLAN/SCHEDULE OF COMPLIANCE FOR CAAPP PERMIT.
3. A completed compliance certification form 296-CAAPP, COMPLIANCE CERTIFICATION, signed by the responsible official.
4. Any applicable requirements that became effective during the term of the permit and that were not included in the permit as a reopening or permit revision.
5. If this is the first time this permit is being renewed and this source has not yet addressed CAM, the application should contain the information on form 464-CAAPP, COMPLIANCE ASSURANCE MONITORING (CAM) PLAN.
6. Information addressing any outstanding transfer agreement pursuant to the ERMS.
7. a. If operations of an emission unit or group of emission units remain unchanged and are accurately depicted in previous submittals, the application may contain a letter signed by a responsible official that requests incorporation by reference of existing information previously submitted and on file with the Illinois EPA. This letter must also include a statement that information incorporated by reference is also being certified for truth and accuracy by the responsible

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

official's signing of the form 200-CAAPP, APPLICATION FOR CAAPP PERMIT and the form 296-CAAPP, COMPLIANCE CERTIFICATION. The boxes should be marked yes on form 200-CAAPP, APPLICATION FOR CAAPP PERMIT, as existing information is being incorporated by reference.

- b. If portions of current operations are not as described in previous submittals, then in addition to the information above for operations that remain unchanged, the application must contain the necessary information on all changes, e.g., discussion of changes, new or revised CAAPP forms, and a revised fee form 292-CAAPP, FEE DETERMINATION FOR CAAPP PERMIT, if necessary.
8. Information about all off-permit changes that were not prohibited or addressed by the permit to occur without a permit revision and the information must be sufficient to identify all applicable requirements, including monitoring, recordkeeping, and reporting requirements, for such changes.
9. Information about all changes made under 40 CFR 70.4(b)(12)(i) and (ii) that require a 7-day notification prior to the change without requiring a permit revision.

The Illinois EPA will review all applications for completeness and timeliness. If the renewal application is deemed both timely and complete, the source shall continue to operate in accordance with the terms and conditions of its CAAPP permit until final action is taken on the renewal application.

Notwithstanding the completeness determination, the Illinois EPA may request additional information necessary to evaluate or take final action on the CAAPP renewal application. If such additional information affects your allowable emission limits, a revised form 292-CAAPP, FEE DETERMINATION FOR CAAPP PERMIT must be submitted with the requested information. The failure to submit to the Illinois EPA the requested information within the time frame specified by the Illinois EPA, may force the Illinois EPA to deny your CAAPP renewal application pursuant to Section 39.5 of the Act.

Application forms may be obtained from the Illinois EPA website at <http://www.epa.state.il.us/air/forms.html>.

FINAL DRAFT/PROPOSED CAAPP PERMIT
Birmingham Steel Corp. Kankakee IL Steel Division
I.D. No.: 091801AAA
Application No.: 96030147
May 15, 2002

If you have any questions regarding this matter, please contact a permit analyst at 217/782-2113.

Mail renewal applications to:

Illinois Environmental Protection Agency
Division of Air Pollution Control
Permit Section (MC 11)
P.O. Box 19506
Springfield, Illinois 62794-9506