

# ***Statement of Basis***

for the DRAFT CAAPP Permit for:

**Source Name:**

**The Gillette Company/P&G, North Chicago Plant**

Statement of Basis No.: 96010012-1108

I.D. No.: 097125AAM

Permit No.: 96010012

Date Prepared: January 23, 2012

Permitting Authority:

Illinois Environmental Protection Agency  
Bureau of Air, Permit Section  
217/782-2113

This Statement of Basis is being provided to USEPA and any interested parties as required by Section 39.5(8)(b) of the Illinois Environmental Protection Act.

## Table of Contents

### PREFACE

### INTRODUCTION

### CHAPTER I - LEGAL BASIS FOR THE PERMIT AND PERMIT CONDITIONS

- 1.1 Legal Basis for Program
- 1.2 Legal Basis for Issuance of CAAPP Permit
  - a. Application Status
  - b. Compliance Status
  - c. Payment of Fees
  - d. Additional Information Status
- 1.3 Legal Basis for Conditions in the CAAPP Permit
  - a. Applicable Federal Regulations
  - b. Applicable SIP Regulations
  - c. Other Applicable Requirements

### CHAPTER II - FACTUAL BASIS FOR THE PERMIT AND PERMIT CONDITIONS

- 2.1 Source History
- 2.2 Source Description
- 2.3 Single Source Status
- 2.4 Ambient Air Quality Status
- 2.5 Source Status
- 2.6 Annual Emissions
- 2.7 Fee Schedule
- 2.8 SIP Permit Facts

### CHAPTER III - SUPPLEMENTAL INFORMATION REGARDING THE PERMIT AND CONDITIONS

- 3.1 Environmental Justice
- 3.2 Emission Testing Results
- 3.3 Compliance Reports
- 3.4 Field Inspection Results
- 3.5 Historical Non-Compliance
- 3.6 Source Wide Justifications and Rationale
- 3.7 Emission Unit Justifications and Rationale
  - a. Resin Reactor 1 (RX\_1531)
  - b. Organic Chemical Manufacturing Processes Not Requiring VOM Control
  - c. Inorganic Chemical Manufacturing Processes
  - d. Fuel Combustion Equipment
  - e. Storage Tank
  - f. Bulk Powder Loading Operation
- 3.8 Insignificant Activities Discussion
- 3.9 Prompt Reporting Discussion
- 3.10 Emissions Reduction Market System (ERMS)

3.11 Incorporation by Reference Discussion

3.12 Periodic Monitoring General Discussions

CHAPTER IV - DESCRIPTION OF THE CHANGES FROM PREVIOUSLY ISSUED CAAPP PERMITS

4.1 Major Changes Summary

4.2 Specific Permit Condition Changes

ENDNOTES

## **PREFACE**

### **Reason For This Document**

This document is a requirement of the permitting authority in accordance with 502(a) of the Clean Air Act, 40 CFR 70.7(a)(5), and Section 39.5(8)(b) of the Illinois Environmental Protection Act. Section 39.5(8)(b) of the Illinois Environmental Protection Act states the following:

"The Agency shall prepare a ..... statement that sets forth the legal and factual basis for the draft CAAPP permit conditions, including references to the applicable statutory or regulatory provisions."

### **Purpose Of This Document**

The purpose of this Statement of Basis is to provide discussion regarding the development of this Draft CAAPP Permit. This document would also provide the permitting authority, the public, the source, and the USEPA with the applicability and technical matters that form the basis of the Draft CAAPP Permit.

### **Summary Of Historical Actions Leading Up To Today's Permitting Action**

Since the last Renewal of the CAAPP Permit issued on October 2, 2001, the source has also been issued the following: a minor modification issued April 5, 2004 to revise the emission limits to allow flexibility for Reactors RX\_101, RX\_201, and RX\_301.

### **Limitations**

This Statement of Basis is not enforceable and only sets forth the legal and factual basis for the Draft CAAPP Permit Conditions (Chapters I and II). Chapter III contains supplemental material that would assist in educating interested parties about this source and the Draft CAAPP Permit. The Statement of Basis does not shield the source from enforcement actions or its responsibility to comply with existing or future applicable regulations. Nor does the Statement of Basis constitute a defense to a violation of the Federal Clean Air Act or the Illinois Environmental Protection Act including implementing regulations.

This document does not purport to establish policy or guidance.

## INTRODUCTION

The Clean Air Act Permit Program (CAAPP) is the operating permit program established in Illinois for major stationary sources as required by Title V of the federal Clean Air Act and Section 39.5 of the Illinois Environmental Protection Act. The Title V Permit Program (CAAPP) is the primary mechanism to apply the various air pollution control requirements established by the Clean Air Act to major sources, defined in accordance with Title V of the Clean Air Act. The Draft CAAPP Permit contains conditions identifying the state and federal applicable requirements that apply to the source. The Draft CAAPP Permit also establishes the necessary monitoring and compliance demonstrations. The source must implement this monitoring to demonstrate that the source is operating in accordance with the applicable requirements of the permit. The Draft CAAPP Permit identifies all applicable requirements for the various emission units as well as establishes detailed provisions for testing, monitoring, recordkeeping, and reporting to demonstrate compliance with the Clean Air Act. Further explanations of the specific provisions of the Draft CAAPP Permit are contained in the following Chapters of this Statement of Basis.

The Illinois EPA has focused in on key elements of the permit that relate to the requirements of the CAAPP Program:

- The area surrounding The Gillette Company/P&G, North Chicago Plant has the potential for Environmental Justice ("EJ") concerns. Therefore the Illinois EPA has taken a careful review of the monitoring in the DRAFT CAAPP permit and has provided for public input. Given the nature of the source to be an intermediate chemical production facility, the Draft CAAPP permit's monitoring requirements can be found in Section 3.7 of this Statement of Basis and a discussion for Environmental Justice can be found in Section 3.1.

In addition, the Illinois EPA has committed substantial resources and effort in the development of an acceptable Statement of Basis (this document) that would meet the expectations of USEPA, Region 5. As a result, this document contains discussions that address applicability determinations, periodic monitoring, streamlining, prompt reporting, and SSM authorizations (as necessary). These discussions involve, where necessary, a brief description and justification for the resulting conditions and terms in this Draft CAAPP Permit. This document begins by discussing the legal basis for the contents of the Draft CAAPP Permit, moves into the factual description of the permit, and ends with supplemental information that has been provided to further assist with the understanding of the background and genesis of the permit content.

It is Illinois EPA's preliminary determination that this source's Permit Application meets the standards for issuance of a "Final" CAAPP Permit as stipulated in Section 39.5(10)(a) of the Illinois Environmental Protection Act (see Chapter I - Section 1.2 of this document). The Illinois EPA is therefore initiating the necessary procedural requirements to issue a Final CAAPP Permit. The Illinois EPA has posted the Draft CAAPP permit and this Statement of Basis on USEPA website:

<http://www.epa.gov/reg5oair/permits/ilonline.html>

## **CHAPTER I - LEGAL BASIS FOR THE PERMIT AND PERMIT CONDITIONS**

### **1.1 Legal Basis for Program**

The Illinois EPA's state operating permit program for major sources established to meet the requirements of 40 CFR Part 70 are found at Section 39.5 of the Illinois Environmental Protection Act [415 ILCS 5/39.5]. The program is called the Clean Air Act Permitting Program (CAAPP). The underlying statutory authority is found in the Illinois Environmental Protection Act at 415 ILCS 5/39.5. The CAAPP was given final full approval by USEPA on December 4, 2001 (see 66 FR 62946).

### **1.2 Legal Basis for Issuance of CAAPP Permit**

In accordance with Section 39.5(10)(a) of the Illinois Environmental Protection Act, the Illinois EPA may only issue a CAAPP Permit if all of the following standards for issuance have been met:

- The applicant has submitted a complete and certified application for a permit, permit modification, or permit renewal consistent with Sections 39.5(5) and (14) of the Illinois Environmental Protection Act, as applicable, and applicable regulations (Section a. below);
- The applicant has submitted with its complete application an approvable compliance plan, including a schedule for achieving compliance, consistent with Section 39.5(5) of the Illinois Environmental Protection Act and applicable regulations (Section b. below);
- The applicant has timely paid the fees required pursuant to Section 39.5(18) of the Illinois Environmental Protection Act and applicable regulations (Section c. below); and
- The applicant has provided any additional information as requested by the Illinois EPA (Section d. below).

#### **a. Application Status**

The source submitted an application for a Renewal CAAPP Permit on November 21, 2005. The source is currently operating under an application shield resulting from a timely and complete renewal application submittal. This Draft CAAPP Permit addresses application content and necessary revisions to meet the requirements for issuance of the permit.

#### **b. Present Compliance Status**

At the time of this Draft CAAPP Permit, there were no pending State or Federal enforcement actions against the source; therefore, a Compliance Schedule is not required for this source. The source submitted an approvable Compliance Plan as part of its Certified Permit Application. The source has certified compliance with all applicable rules and regulations. In addition, the draft permit requires the source to certify its compliance status on an annual basis.

#### **c. Payment of Fees**

The source is current on payment of all fees associated with operation of the emission units.

**d. Additional Information**

The source was not required to submit any additional application material.

**1.3 Legal Basis for Conditions in the CAAPP Permit**

This industrial source is subject to a variety of Federal and SIP regulations, which are the legal basis for the conditions in this permit (see Sections a. and b. below). Also, the CAAPP provides the legal basis for additional requirements such as periodic monitoring, reporting, and recordkeeping. The following list summarizes those regulations that form the legal basis for the conditions in this Draft CAAPP Permit and are provided in the permit itself as the origin and authority.

**a. Applicable Federal Regulations**

This source operates emission units that are subject to the following Federal regulation.

40 CFR Part 60 - Subpart Dc, New Source Performance Standards (NSPS) for Small Industrial-Commercial-Institutional Steam Generating Units

**b. Applicable SIP Regulations**

This source operates emission units that are subject to the following SIP regulations:

35 IAC Part 201 - Permits And General Provisions  
35 IAC Part 205 - Emissions Reduction Market System  
35 IAC Part 212 - Visible And Particulate Matter Emissions  
35 IAC Part 214 - Sulfur Limitations  
35 IAC Part 216 - Carbon Monoxide Emissions  
35 IAC Part 217 - Nitrogen Oxides Emissions  
35 IAC Part 218 - Organic Material Emis Stnds And Lmtns For The Chicago Area  
35 IAC Part 254 - Annual Emissions Report  
35 IAC Part 266 - Interpretation Of The Definition Of Process Weight Rate

**c. Other Applicable Requirements**

There are no other applicable requirements for this source.

## CHAPTER II - FACTUAL BASIS FOR THE PERMIT AND PERMIT CONDITIONS

### 2.1 Source History

The original CAAPP permit for this source was granted October 2, 2001 with an expiration date of October 2, 2006.

The source made a timely application for renewal and conversion to a Federally Enforceable State Operating Permit (FESOP) on November 21, 2005.

The request for conversion to FESOP was rescinded on August 25, 2010. Since no FESOP had yet been issued this application is being treated as a timely CAAPP renewal.

### 2.2 Description of Source

SIC Code: 2844  
County: Lake

The source manufactures bulk chemical intermediates for use in the production of personal care products at other Gillette facilities. The operation includes batch chemical processes and associated manufacturing processes. Some processes at the source can produce two or more different products by varying raw materials or process parameters.

The source contains the following processes:

<i>Emission Units</i>	<i>Description</i>
Resin Reactor 3 (RX_1531)	Resin Reactor 3 is a 600-gallon reactor. This reactor is used to manufacture resins through chemical reactions. Blending of raw materials may also occur in this vessel. These bulk resin solutions are shipped off-site for use in the manufacture of hair sprays.  The VOM emissions from this reactor are captured by a reflux condenser. This condenser cools the volatile material back into a liquid condensate, which is returned directly into the reactor during the reaction. All emissions from charging the reactor and filling the product drums are vented away from the area.
Blending Vessel (RX_1521)	Blending vessel is a 1,000-gallon reactor vessel used for blending of raw materials. The condenser was removed as described in Construction Permit #11010023.
GAP Plant (PLNT_901)	This process consists of a series of tanks (PLNT_901) for blending, evaporating, vacuum fractionation, and condensing raw materials for reuse. The products are salt solutions, which are shipped off-site.

Emission Units	Description
Powdered Inorganic Salt Manufacturing (PLNT_601)	<p>This inorganic salt manufacturing process includes a spray dryer, pulverizer, classifier, dust scrubber, classifier, baghouse filter, product cyclones, dehumidification system, hoppers, and a redissolve tank. This process converts inorganic salt solution into dry powder through drying, pulverizing, and classifying by size. The powder is drummed and stored for eventual transport to other facilities for processing into consumer product.</p> <p>The Powdered Inorganic Salt Manufacturing Process generates PM emissions, which are controlled by a dust scrubber, baghouse filter, and a redissolve tank. The dust scrubber and the baghouse filter collect PM emissions and recycles them back into the process. The redissolve tank controls the fine PM from the process, dissolving them in water and recycles them at the first stage of the process. The dehumidification system supplies process air for material handling. During operation of the dehumidifying concentrator, VOM emissions are generated.</p>
RX_101 Process	<p>This process consists of a 3,000-gallon reactor (RX_101). The reactor is used to dissolve inorganic acid salts or to facilitate a replacement reaction to produce inorganic salts. For certain batches, a Venturi scrubber is used to control hydrogen chloride vapors.</p>
RX_201 Process	<p>This process consists of a 2,000-gallon reactor (RX_201). The reactor is used for simple blending of chemical intermediates or to facilitate an acid-base reaction to produce inorganic salt solutions.</p>
RX_202 Process	<p>This process includes a 3,000-gallon reactor (RX_202). The reactor is used for simple blending of chemical intermediates or to manufacture inorganic salt solutions.</p>
RX_301 Process	<p>The process includes a pre-mix tank, a 2,000-gallon reactor (RX_301), and a product filter system. The reactor is used to manufacture inorganic salt solutions. For certain batches, a Venturi scrubber is used to control hydrogen chloride vapors.</p>
RX_302 Process	<p>The process includes a 2,000 gallon reactor (RX_302) and a product filter system. The process is used to manufacture inorganic salt solutions or for blending operations.</p>
Industrial Natural Gas-Fired Boilers (BO_1 and BO_2)	<p>These boilers produce steam and heat for the various processes at this source. These boilers each have a maximum design heat input capacity of 14.7 mmBtu/hr, combust only natural gas, and were constructed in 1995.</p>
Hydrochloric Acid Storage Tank (STK_1413)	<p>The Permittee operates fixed roof storage tanks to store materials used or produced in the chemical manufacturing processes at this source. Permanent submerged loading is used at Tank STK_1413, minimizing turbulence and evaporation emissions during loading.</p> <p>Tank STK_1413 stores hydrochloric acid, which is both a non-VOM and inorganic material. Hydrochloric acid is a hazardous air pollutant (HAP).</p>
Bulk powder loading	<p>A bulk powder loading operation is used to load powdered salt into hopper bottom truck trailers for shipping.</p>

### 2.3 Single Source Status

This source does not have any collocated facilities that would be considered a single source with this facility based on information found in the certified application.

### 2.4 Ambient Air Quality Status for the Area

The source is located in an area that is currently designated nonattainment for the National Ambient Air Quality Standards for ozone (moderate nonattainment) and PM<sub>2.5</sub> and attainment or unclassifiable for all other criteria pollutants (monoxide, lead, nitrogen dioxide, PM<sub>10</sub>, and sulfur dioxide). (See 40 CFR Part 81 - Designation of Areas for Air Quality Planning Purposes)

### 2.5 Source Status

The source requires a CAAPP permit because this source is considered major (based on its PTE) for the following regulated pollutants: PM<sub>10</sub>.

This source is considered a natural minor for the following regulated pollutants: PM<sub>2.5</sub>, nitrogen oxides (NO<sub>x</sub>), volatile organic material (VOM), carbon monoxide (CO), sulfur dioxide (SO<sub>2</sub>) and/or hazardous air pollutant (HAP).

### 2.6 Annual Emissions

The following table lists annual emissions (tons) of criteria pollutants for this source, as reported in the Annual Emission Reports (AER) sent to the Illinois EPA:

<i>Pollutant</i>	<i>2010</i>	<i>2009</i>	<i>2008</i>
CO	2.26	2.29	2.51
NO <sub>x</sub>	2.69	2.72	2.99
PM	9.33	9.33	9.57
SO <sub>2</sub>	0.02	0.02	0.02
VOM	0.45	0.45	0.79
HAP (total)	1.12	1.14	1.23

### 2.7 Fee Schedule

The following table lists the approved annual fee schedule (tons) submitted in the Source's permit application:

<i>Pollutant</i>	<i>Tons/Year</i>
Volatile Organic Material (VOM)	11.53
Sulfur Dioxide (SO <sub>2</sub> )	2.04
Particulate Matter (PM)	32.65
Nitrogen Oxides (NO <sub>x</sub> )	26.53
HAP, not included in VOM or PM (HAP)	----
Total	72.75

### 2.8 SIP Permit Facts (T1 Limits)

CAAPP Permits must address all "applicable requirements," which includes the terms and conditions of preconstruction permits issued under regulations

approved by USEPA in accordance with Title I of the CAA (See definition of applicable requirements in Section 39.5(1) of the Illinois Environmental Protection Act). Preconstruction permits, commonly referred to in Illinois as Construction Permits, derive from the New Source Review ("NSR") permit programs required by Title I of the CAA. These programs include the two major NSR permit programs: (1) the Prevention of Significant Deterioration ("PSD") program<sup>1</sup> and (2) the nonattainment NSR program.<sup>2</sup> These programs also encompass state construction permit programs for projects that are not major.

In the CAAPP or Illinois's Title V permit program, the Illinois EPA's practice is to identify requirements that are carried over from an earlier Title I permit into a New or Renewed CAAPP Permit as "TI" conditions (i.e., Title I conditions). Title I Conditions that are revised as part of their incorporation into a CAAPP Permit are further designated as "TIR". Title I Conditions that are newly established through a CAAPP Permit are designated as "TIN". It is important that Title I Conditions be identified in a CAAPP Permit because these conditions will not expire when the CAAPP Permit expires. Because the underlying authority for Title I Conditions comes from Title I of the CAA and their initial establishment in Title I Permits, the effectiveness of T1 Conditions derives from Title I of the CAA rather than being linked to Title V of the A. For "changes" to be made to Title I Conditions, they must either cease to be applicable based on obvious circumstances, e.g., the subject emission unit is permanently shut down, or appropriate Title I procedures must be followed to change the conditions.

- Previously Incorporated Construction Permits:

<i>Permit No.</i>	<i>Date Issued</i>	<i>Subject</i>
95010022	February 16, 1995	Two steam plant boilers (natural gas)
95110012	December 14, 1995	GAP Production Process PLNT_901
99100024	November 24, 1999	Batch Reactor RX_101
00030044	June 28, 2000	Pilot Plant Spray Dryer and Pulverizer
01080071	October 11, 2001	Scrubber System
03020081	March 3, 2003	Reactor
03100055	October 29, 2003	Reactor RX 302
03040010	April 9, 2003	Reactor RX 202
04020011	February 11, 2004	Reactor RX 101

- Newly Issued Construction Permits:

<i>Permit No.</i>	<i>Date Issued</i>	<i>Subject</i>
11010023	April 11, 2011	Permanent Shutdown of the Condenser for Vessel RX_1521
08020024	May 1, 2008	Bulk Powder Loading Operation

- There are no newly issued Construction Permits for projects not yet constructed for this source.
- The following table lists the T1R Limits issued by the Illinois EPA and require incorporation into the CAAPP Permit prior to the proposal and issuance of this Draft CAAPP Permit.

<i>T1 Type</i>	<i>Condition</i>	<i>Subject</i>
T1R	Section 4 Condition 4.3.2(b)(i)(B)	Minor NSR limit
T1R	Section 4 Condition 4.3.2(d)(i)(A)	Minor NSR limit

- There are no extraneous or obsolete T1 conditions for the source.

## **CHAPTER III - SUPPLEMENTAL DISCUSSIONS REGARDING THE PERMIT**

The information provided in this Chapter of the Statement of Basis is being provided to assist interested parties in understanding what additional information may have been relied on to support this draft CAAPP permit.

### **3.1 Environmental Justice Discussions**

While the Illinois EPA is sensitive to the location of this facility in a potential EJ community, Title V does not provide for substantive emission control requirements beyond those arising under currently applicable regulations. Thus, when issuing a CAAPP Permit for this facility, the Illinois EPA does not have the authority to impose additional emission control requirements to reduce emissions beyond the levels provided for by applicable state and federal regulations. At the same time, CAAPP Permits do not allow for additional emissions.

Having a facility subject to a CAAPP Permit provides benefits for air quality, the public and the environment generally. CAAPP Permits require more reporting on a facility's compliance status than is required by underlying state operating permits. For example, the requirements for semi-annual reports for all monitoring and annual compliance certifications only become applicable upon the effectiveness of a CAAPP Permit. In addition, CAAPP Permits generally provide clarity and awareness of applicable regulations and the mechanisms by which sources must comply with these regulations. CAAPP Permits add to the compliance checks put on facilities. Where a facility has outstanding compliance deficiencies, CAAPP Permits may establish compliance schedules and other additional conditions for monitoring and reporting.

With this Statement of Basis, the Illinois EPA has made very clear the applicable emission limitations, standards, and other enforceable terms and conditions, as well as attendant monitoring, reporting, recordkeeping, and certifications to assure compliance. The Illinois EPA has provided an explanation of same, as well as a justification for why the conditions that assure compliance are appropriate. The level of detail in the Statement of Basis is atypically involved and is in recognition of the public interest in the permitting of this complex facility in a potential EJ community. The Statement of Basis has been provided to the USEPA for its review. The extremely detailed explanation of the requirements, particularly Periodic Monitoring, applicable to this source is intended to further meaningful public participation.

### **3.2 Emission Testing Results**

The source, at the time of this draft permit, has not been required to perform any emissions testing. However, testing will be required when use of Resin Reactor 1 is resumed.

### **3.3 Compliance Reports (Annual Certifications, Semiannual Monitoring, NESHAP, etc.)**

A review of the source's compliance reports demonstrates the sources ability to comply with all applicable requirements.

### 3.4 Field Inspection Results

A review of the source's latest field inspection report demonstrates the source's ability to comply with all applicable requirements.

### 3.5 Historical Non-Compliance

There is no historical non-compliance for this source.

### 3.6 Source Wide Justifications and Rationale

<b>Applicable Requirements Summary</b>		
Applicable Requirement	Type	Location
Fugitive Particulate Matter (35 IAC 212.301 and 35 IAC 212.314)	Applicable Standard	See the Permit, Condition 3.1(a)
VOM Requirement, Emissions Reduction Market System (ERMS) (35 IAC Part.205)	Applicable Standard	See the Permit, Condition 3.1(b)

#### Particulate Matter Emission

- ✓ Monitoring as follows (Condition 3.1(a)(ii))
  - o If required, daily observations for a week for PM emissions.

#### Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient because:

- There is a small likelihood of an exceedance.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

#### Non-Applicability Discussion

Complex source-wide non-applicability determinations were not made for this source.

#### Prompt Reporting Discussion

Prompt reporting of deviations for source wide emission units has been established as 30 days. See rationale in Chapter III Section 8.

### 3.7 Emission Unit Justifications and Rationale

<b>a. Resin Reactor 3 (RX_1531)</b>		
<b>Applicable Requirements Summary</b>		
Applicable Requirement	Type	Location
Opacity Requirement (35 IAC 212.123(a))	Applicable Standard	See the Permit, Condition 4.1.2(a)
PM Requirement (35 IAC 212.321(a))	Applicable Standard	See the Permit, Condition 4.1.2(b)
VOM Requirement (35 IAC 218.301)	Applicable Standard	See the Permit, Condition 4.1.2(c)
VOM Requirement (35 IAC 218.966(a) and 35 IAC 218.966(d))	Applicable Standard	See the Permit, Condition 4.1.2(c)
VOM Limitation	Applicable Limit	See the Permit, Condition 4.1.2(c)
Operational and Production Requirement	Applicable Limit	See the Permit, Condition 4.1.2(d)
Work Practice Requirement	Applicable Work Practice	See the Permit, Condition 4.1.2(e)

#### Visible Emissions (i.e., Opacity)

- ✓ Monitoring as follows (Condition 4.1.2(a)(ii)(A) and (e)(ii)(A))
  - o Annual Method 22 observations
  - o If required, Method 9 measurements
  - o Monthly Inspections
- ✓ Recordkeeping as follows (Condition 4.1.2(a)(ii)(B) and (e)(ii)(B)):
  - o Records of each Method 22 observation
  - o If required, records of each Method 9 measurement
  - o Records of each inspection
- ✓ Reporting as follows (Condition 4.1.5):
  - o Prompt reporting within 30 days

#### Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- Annual observations of opacity, including records of these observations, are sufficient to verify compliance with the 30% opacity limit for the resin reactor. The likelihood of the resin reactor violating opacity is small. It should also be noted that the source is also required to maintain the inspection records and maintain maintenance and repair logs of the resin reactor and condenser. These records would help the Illinois EPA determine if the resin reactor is being operated properly and therefore would result in opacity being minimized. Because the resin reactor is controlled by a condenser also minimizes the likelihood of visible emissions.

#### Particulate Matter Emission

- ✓ Monitoring as follows (Condition 4.1.2(b)(ii)(A))
  - o Maximum hourly PM emissions

- ✓ Recordkeeping as follows (Condition 4.1.2(b)(ii)(A)):
  - o Keep records of maximum hourly PM emissions from the reactor.
- ✓ Reporting as follows (Condition 4.1.5):
  - o Prompt reporting within 30 days

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The allowable emission rate for PM, including records of the maximum hourly PM emissions, are sufficient to verify compliance with the PM limit for the resin reactor. The likelihood of the resin reactor violating the PM limit is small. It should also be noted that the source is also required to maintain the inspection records and maintain maintenance and repair logs of the resin reactor and condenser. These records would help the Illinois EPA determine if the resin reactor is being operated properly and therefore would result in PM emissions being minimized. Because the resin reactor is controlled by a condenser also minimizes the likelihood of PM emissions.

Organic Material Emission

- ✓ Testing as follows (Condition 4.1.2(c)(ii)(B))
  - o The Permittee shall within 180 days of resuming use of Resin Reactor 3 with the condenser, conduct testing to demonstrate compliance with 35 IAC 218.966(a). And as an alternative the source may conduct testing to demonstrate compliance with 35 IAC 218.966(d) within 180 days of resuming use of Resin Reactor 3 when the condenser is not used.
- ✓ Monitoring as follows (Condition 4.1.2(c)(ii)(C))
  - o When the condenser is in operation, the Permittee shall monitor the condenser outlet temperature to ensure that the condenser temperature stays below 92.3°F/33.5°C or the maximum temperature determined from the most recent test, which is the temperature determined to meet the 81% control requirement.
- ✓ Recordkeeping as follows (Condition 4.1.2(c)(ii)(D)and (E)):
  - o When the condenser is in operation, the Permittee shall keep a record of condenser temperature monitoring data, the operating time of the condenser, maintenance and repair logs, and maintain records of VOM emissions. When the condenser is not in operation, the Permittee shall maintain records of the VOM emissions per batch as determined from the most recent test, maintain records of the number of batches, and maintain records of VOM emissions.
- ✓ Reporting as follows (Condition 4.1.5):
  - o Prompt reporting within 30 days

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The source will demonstrate compliance with 35 IAC 218 by the required testing. The testing will either determine the maximum required condenser temperature or determine the VOM emission rate per batch required to demonstrate compliance.

**Non-Applicability Discussion**

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

**Prompt Reporting Discussion**

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 8.

<b>b. Organic Chemical Manufacturing Processes Not Requiring VOM Control</b>		
<b>Applicable Requirements Summary</b>		
Applicable Requirement	Type	Location
Opacity Requirement (35 IAC 212.123)	Applicable Standard	See the Permit, Condition 4.2.2(a)
PM Requirement (35 IAC 212.321)	Applicable Standard	See the Permit, Condition 4.2.2(b)
VOM Requirement (35 IAC 218.301)	Applicable Standard	See the Permit, Condition 4.2.2(c)
VOM Limitation	Applicable Limit	See the Permit, Condition 4.2.2(c)
Operational and Production Requirement	Applicable Limit	See the Permit, Condition 4.2.2(d)
Work Practice Requirement	Applicable Work Practice	See the Permit, Condition 4.2.2(e)

**Visible Emissions (i.e., Opacity)**

- ✓ Monitoring as follows (Condition 4.2.2(a)(ii)(A))
  - o Annual Method 22 observations
  - o If required, Method 9 measurements
  - o Monthly Inspections
  
- ✓ Recordkeeping as follows (Condition 4.2.2(a)(ii)(B)):
  - o Records of each Method 22 observation
  - o If required, records of each Method 9 measurement
  - o Records of each inspection
  
- ✓ Reporting as follows (Condition 4.2.5):
  - o Prompt reporting within 30 days

**Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- Annual observations of opacity, including records of these observations, are sufficient to verify compliance with the 30% opacity limit for the

GAP plant and the blending vessel. The likelihood of the GAP plant or the blending vessel violating opacity is small. It should also be noted that the source is also required to maintain the inspection records and maintain maintenance and repair logs of the GAP plant and the blending vessel. These records would help the Illinois EPA determine if the GAP plant and the blending vessel are being operated properly and therefore would result in opacity being minimized.

**Particulate Matter Emission**

- ✓ Monitoring as follows (Condition 4.2.2(b)(ii)(A))
  - o Maximum hourly PM emissions
  - o Monthly and Annual PM emission limits
- ✓ Recordkeeping as follows (Condition 4.2.2(b)(ii)(A)):
  - o Keep records of maximum hourly PM emissions from the reactor.
- ✓ Reporting as follows (Condition 4.2.5):
  - o Prompt reporting within 30 days.

**Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The hourly allowable emission rate for PM, including records of the maximum hourly PM emissions, are sufficient to verify compliance with the PM limit for the GAP plant and the blending vessel. Compliance with the monthly and annual PM emission limits are determined from the monthly and annual throughput recordkeeping. The likelihood of the GAP plant or the blending vessel violating the PM limit is small. It should also be noted that the source is also required to maintain inspection records and maintain maintenance and repair logs of the GAP plant and the blending vessel. These records would help the Illinois EPA determine if the GAP plant and the blending vessel are being operated properly and therefore would result in PM emissions being minimized.

**Organic Material Emission**

- ✓ Monitoring as follows (Condition 4.2.2(c)(ii))
  - o Maximum hourly VOM emissions
  - o Monthly and Annual VOM emission limits
- ✓ Recordkeeping as follows (Conditions 4.2.2(c)(ii)(A) and (B)):
  - o The Permittee shall maintain records of the maximum hourly, monthly and annual VOM emission from each chemical manufacturing process with supporting calculations.
- ✓ Reporting as follows (Condition 4.2.5):
  - o Prompt reporting within 30 days.

**Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The hourly allowable emission rate for VOM, including records of the maximum hourly VOM emissions, are sufficient to verify compliance with the VOM limit for the GAP plant and the blending vessel. Compliance with the monthly and annual VOM emission limits are determined from the monthly and annual throughput recordkeeping. The likelihood of the GAP plant or the blending vessel violating the VOM limit is small. It should also be noted that the source is also required to maintain inspection records and maintain maintenance and repair logs of the GAP plant and the blending vessel. These records would help the Illinois EPA determine if the bulk loading operation is being operated properly and therefore would result in VOM emissions being minimized.

**Non-Applicability Discussion**

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

**Prompt Reporting Discussion**

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 8.

<b>c. Inorganic Chemical Manufacturing Processes</b>		
<b>Applicable Requirements Summary</b>		
Applicable Requirement	Type	Location
Opacity Requirement (35 IAC 212.123)	Applicable Standard	See the Permit, Condition 4.3.2(a)
PM Requirement (35 IAC 212.321)	Applicable Standard	See the Permit, Condition 4.3.2(b)
VOM Requirement (35 IAC 218.301)	Applicable Standard	See the Permit, Condition 4.2.2(c)

**Visible Emissions (i.e., Opacity)**

- ✓ Monitoring as follows (Condition 4.3.2(ii)(A))
  - o Annual Method 22 observations
  - o If required, Method 9 measurements
  - o Monthly Inspections
- ✓ Recordkeeping as follows (Conditions 4.3.2(ii)(B) and (C)):
  - o Records of each Method 22 observation
  - o If required, records of each Method 9 measurement
  - o Records of each inspection
- ✓ Reporting as follows (Condition 4.3.5):
  - o Prompt reporting within 30 days.

**Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

- Annual observations of opacity, including records of these observations, are sufficient to verify compliance with the 30% opacity limit for the resin reactor. The likelihood of the resin reactor violating opacity is small. It should also be noted that the source is also required to maintain the inspection records and maintain maintenance and repair logs of the resin reactor and condenser. These records would help the Illinois EPA determine if the resin reactor is being operated properly and therefore would result in opacity being minimized. Because the resin reactor is controlled by a condenser also minimizes the likelihood of visible emissions.

**Particulate Matter Emission**

- ✓ Monitoring as follows (Condition 4.3.2(ii))
  - o Maximum hourly PM records
  - o Combined hourly and annual PM records
- ✓ Recordkeeping as follows (Conditions 4.3.2(ii)(A) and (B)):
  - o The Permittee shall maintain records of the maximum hourly emissions and the monthly and annual emissions.
- ✓ Reporting as follows (Condition 4.3.5):
  - o Prompt reporting within 30 days.

**Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The hourly allowable emission rate for PM, including records of the maximum hourly PM emissions, are sufficient to verify compliance with the PM limit for the inorganic chemical manufacturing processes. Compliance with the monthly and annual PM emission limits are determined from the monthly and annual emission recordkeeping as well as the processes being either controlled by venturi scrubber or the blending of wet materials. The likelihood of the inorganic chemical manufacturing process violating the PM limit is small. It should also be noted that the source is also required to maintain inspection records and maintain maintenance and repair logs of the inorganic chemical manufacturing process. These records would help the Illinois EPA determine if the inorganic chemical manufacturing process is being operated properly and therefore would result in PM emissions being minimized.

**Organic Material Emissions**

- ✓ Recordkeeping as follows (Condition 4.3.2(c)(ii)(A) and (B)):
  - o The Permittee shall maintain records of the maximum hourly VOM emission from each chemical manufacturing process and monthly and annual totals of VOM emissions for the PLNT\_601 process.
- ✓ Reporting as follows (Condition 4.3.5):
  - o Prompt reporting within 30 days.

**Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The hourly records of the maximum VOM emissions, are sufficient to verify compliance with the VOM limits for the inorganic chemical manufacturing processes. Compliance with the monthly and annual VOM emission limits for the PLNT\_601 process are determined from the monthly and annual emission recordkeeping as well as the processes being either controlled by venturi scrubber. The likelihood of the inorganic chemical manufacturing process violating the PM limit is small. It should also be noted that the source is also required to maintain inspection records and maintain maintenance and repair logs of the inorganic chemical manufacturing process. These records would help the Illinois EPA determine if the inorganic chemical manufacturing process is being operated properly and therefore would result in VOM emissions being minimized.

#### **Hazardous Air Pollutants Emissions**

- ✓ Recordkeeping as follows (Condition 4.3.2(d)):
  - o The Permittee shall maintain records of the maximum hourly emissions and the monthly and annual emissions..
- ✓ Reporting as follows (Condition 4.3.5):
  - o Prompt reporting within 30 days.

#### **Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The records of the maximum hourly HCL emissions, are sufficient to verify compliance with the HCL limit for the inorganic chemical manufacturing processes. Compliance with the monthly and annual HCL emission limits are determined from the monthly and annual emission recordkeeping as well as the processes being either controlled by venturi scrubber or the blending of wet materials. The likelihood of the inorganic chemical manufacturing process violating the HCL limit is small. It should also be noted that the source is also required to maintain inspection records and maintain maintenance and repair logs of the inorganic chemical manufacturing process. These records would help the Illinois EPA determine if the inorganic chemical manufacturing process is being operated properly and therefore would result in HCL emissions being minimized.

#### **Non-Applicability Discussion**

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

#### **Prompt Reporting Discussion**

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 8.

<b>d. Fuel Combustion Equipment</b>		
<b>Applicable Requirements Summary</b>		
Applicable Requirement	Type	Location
Opacity Requirement (35 IAC 212.123)	Applicable Standard	See the Permit, Condition 4.4.2(a)
NO <sub>x</sub> Requirement	Applicable Limit	See the Permit, Condition 4.4.2(b)
CO Requirement (35 IAC 216.121)	Applicable Standard	See the Permit, Condition 4.4.2(c)
Natural Gas Limitation	Applicable Limitation	See the Permit, Condition 4.4.2(c)
Work Practice Requirements	Applicable Work Practice	See the Permit, Condition 4.4.2(c)

**Visible Emissions (i.e., Opacity)**

- ✓ Monitoring as follows (Condition 4.4.2(a)(ii)(A))
  - o Annual Method 22 observations
  - o If required, Method 9 measurements
  - o Monthly Inspections
  
- ✓ Recordkeeping as follows (Condition 4.4.2(a)(ii)(B)):
  - o Records of each Method 22 observation
  - o If required, records of each Method 9 measurement
  - o Records of each inspection
  
- ✓ Reporting as follows (Condition 4.4.5):
  - o Prompt reporting within 30 days.

**Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- Annual observations of opacity, including records of these observations, are sufficient to verify compliance with the 30% opacity limit for boilers that combust natural gas. The likelihood of natural gas boilers violating opacity is small. It should also be noted that the source is also required to maintain the type of fuel used, maintain inspection records, and maintain maintenance and repair logs of the natural gas boiler. These records would help the Illinois EPA determine if the natural gas boiler is being operated properly and therefore would result in opacity being minimized. Because the boiler uses pipeline quality natural gas that contains low PM content and coupled with the boiler monthly inspections, boiler efficiency is maintained reducing the likelihood of visible emissions.

**Nitrogen Oxides Emissions**

- ✓ Monitoring as follows (Condition 4.4.2(f)(ii))
  - o Quarterly inspections of the boilers
  
- ✓ Recordkeeping as follows (Condition 4.4.2(b)(ii)(B)):

- o The Permittee shall maintain records of the monthly and annual emissions of NO<sub>x</sub> from each boiler with supporting calculations (tons/month and tons/year).
- ✓ Reporting as follows (Condition 4.4.5):
  - o Prompt reporting within 30 days.

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The likelihood of a natural gas boiler violating the NO<sub>x</sub> limit is unlikely. The use of pipeline quality natural gas is sufficient to demonstrate compliance. It should also be noted that the source is also required to maintain the type of fuel used, maintain inspection records, and maintain maintenance and repair logs of the natural gas boiler. These records would help the Illinois EPA determine if the natural gas boiler is being operated properly and therefore would result in NO<sub>x</sub> emissions being minimized.

Carbon Monoxide Emissions

- ✓ Monitoring as follows (Condition 4.4.2(f)(ii))
  - o Quarterly inspections of the boilers
- ✓ Recordkeeping as follows (Condition 4.4.2(c)(ii)(A)):
  - o Monthly and annual CO emissions with supporting calculations (tons/month and tons/year)
- ✓ Reporting as follows (Condition 4.4.5):
  - o Prompt reporting within 30 days.

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The likelihood of a natural gas boiler violating the CO limit is unlikely. The use of pipeline quality natural gas is sufficient to demonstrate compliance. It should also be noted that the source is also required to maintain the type of fuel used, maintain inspection records, and maintain maintenance and repair logs of the natural gas boiler. These records would help the Illinois EPA determine if the natural gas boiler is being operated properly and therefore would result in CO emissions being minimized.

Non-Applicability Discussion

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

**Prompt Reporting Discussion**

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 8.

<b>e. Storage Tank</b>		
<b>Applicable Requirements Summary</b>		
Applicable Requirement	Type	Location
Opacity Requirement (35 IAC 212.123)	Applicable Standard	See the Permit, Condition 4.5.2(a)
Work Practice Requirement	Applicable Work Practice	See the Permit, Condition 4.5.2(b)

**Visible Emissions (i.e., Opacity)**

- ✓ Monitoring as follows (Condition 4.5.2(a)(ii)(A))
  - o Annual Method 22 observations
  - o If required, Method 9 measurements
  - o Monthly Inspections
  
- ✓ Recordkeeping as follows (Condition 4.5.2(a)(ii)(B)and (C)):
  - o Records of each Method 22 observation
  - o If required, records of each Method 9 measurement
  - o Records of each inspection
  
- ✓ Reporting as follows (Condition 4.5.5):
  - o Prompt reporting within 30 days.

**Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- Annual observations of opacity, including records of these observations, are sufficient to verify compliance with the 30% opacity limit for the storage tank. The likelihood of the storage tank violating opacity is small. It should also be noted that the source is also required to maintain the inspection records and maintain maintenance and repair logs of the storage tank. These records would help the Illinois EPA determine if the storage tank is being operated properly and therefore would result in opacity being minimized.

**Non-Applicability Discussion**

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

**Prompt Reporting Discussion**

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 8.

<b>f. Bulk Powder Loading Operation</b>		
<b>Applicable Requirements Summary</b>		
<b>Applicable Requirement</b>	<b>Type</b>	<b>Location</b>
Opacity Requirement (35 IAC 212.123)	Applicable Standard	See the Permit, Condition 4.6.2(a)
PM Requirement (35 IAC 212.321)	Applicable Standard	See the Permit, Condition 4.6.2(b)
Operational and Production Requirement	Applicable Limit	See the Permit, Condition 4.6.2(c)
Work Practice Requirement	Applicable Work Practice	See the Permit, Condition 4.6.2(d)

**Visible Emissions (i.e., Opacity)**

- ✓ Monitoring as follows (Condition 4.6.2(a)(ii)(A))
  - o Annual Method 22 observations
  - o If required, Method 9 measurements
  - o Monthly Inspections
  
- ✓ Recordkeeping as follows (Condition 4.6.2(b)(ii)(A) and (B)):
  - o Records of each Method 22 observation
  - o If required, records of each Method 9 measurement
  - o Records of each inspection
  
- ✓ Reporting as follows (Condition 4.6.5):
  - o Prompt reporting within 30 days.

**Rationale and Justification for Periodic Monitoring**

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- Annual observations of opacity, including records of these observations, are sufficient to verify compliance with the 30% opacity limit for the bulk powder loading operation. The likelihood of the bulk powder loading operation violating opacity is small. It should also be noted that the source is also required to maintain the inspection records and maintain maintenance and repair logs of the bulk powder loading operation. These records would help the Illinois EPA determine if the bulk powder loading operation is being operated properly and therefore would result in opacity being minimized.

**Particulate Matter Emission**

- ✓ Monitoring as follows (Condition 4.6.2(b)(ii)(A)and (B))
  - o Maximum hourly PM emissions
  - o Monthly and Annual PM emission limits
  
- ✓ Recordkeeping as follows (Condition 4.6.2(b)(ii)(A)and(B)):
  - o The Permittee shall maintain records of the maximum hourly emissions and the monthly and annual emissions.
  
- ✓ Reporting as follows (Condition 4.6.5):
  - o Prompt reporting within 30 days.

### Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The hourly allowable emission rate for PM, including records of the maximum hourly PM emissions, are sufficient to verify compliance with the PM limit for the bulk loading operation. Compliance with the monthly and annual PM emission limits are determined from the monthly and annual throughput recordkeeping. The likelihood of the bulk loading operation violating the PM limit is small. It should also be noted that the source is also required to maintain inspection records and maintain maintenance and repair logs of the bulk loading operation. These records would help the Illinois EPA determine if the bulk loading operation is being operated properly and therefore would result in PM emissions being minimized.

### Non-Applicability Discussion

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

### Prompt Reporting Discussion

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 8.

### **3.8 Insignificant Activities Discussion**

There are no insignificant activities for the source subject to specific regulations which are obligated to comply with Sections 9.1(d) and Section 39.5 of the Act; Sections 165, 173, and 502 of the Clean Air Act; or any other applicable permit or registration requirements and therefore there are no periodic monitoring requirements that need to be separately addressed.

### **3.9 Prompt Reporting Discussion**

Among other terms and conditions, CAAPP Permits contain reporting obligations to assure compliance with applicable requirements. These reporting obligations are generally four-fold. More specifically, each CAAPP Permit sets forth any reporting requirements specified by state or federal law or regulation, requires prompt reports of deviations from applicable requirements, requires reports of deviations from required monitoring and requires a report certifying the status of compliance with terms and conditions of the CAAPP Permit over the calendar year.

The number and frequency of reporting obligations in any CAAPP Permit is source-specific. That is, the reporting obligations are directly related to factors, including the number and type of emission units and applicable requirements, the complexity of the source and the compliance status. This four-fold approach to reporting is common to virtually all CAAPP Permits as described below. Moreover, this is the approach established in the Draft CAAPP Permit for this source.

## **Regulatory Reports**

Many state and federal environmental regulations establish reporting obligations. These obligations vary from rule-to-rule and thus from CAAPP source to CAAPP source and from CAAPP Permit to CAAPP Permit. The variation is found in the report triggering events, reporting period, reporting frequency and reporting content. Regardless, the CAAPP makes clear that all reports established under applicable regulations shall be carried forward into the CAAPP Permit as stated in Section 39.5(7)(b) of the Illinois Environmental Protection Act. Generally, where sufficiently detailed to meet the exacting standards of the CAAPP, the regulatory reporting requirements are simply restated in the CAAPP Permit. Depending on the regulatory obligations, these regulatory reports may also constitute a deviation report as described below.

The Draft CAAPP Permit for this source would embody all regulatory reporting as promulgated under federal and state regulations under the Clean Air Act and the Illinois Environmental Protection Act. Depending on the frequency of the report, the regulatory report may also satisfy the prompt reporting obligations discussed below. These reports must be certified by a responsible official.

These reports are generally found in the reporting sections for each emission unit group. The various regulatory reporting requirements are summarized in the table at the end of this Reporting Section.

## **Deviation Reports (Prompt Reporting)**

Section 39.5(7)(f)(ii) of the Illinois Environmental Protection Act mandates that each CAAPP Permit require prompt reporting of deviations from the permit requirements.

Neither the CAAPP nor the federal rules upon which the CAAPP is based and was approved by USEPA define the term "prompt". Rather, 40 CFR Part 70.6(a)(3)(iii)(B) intended that the term have flexibility in application. The USEPA has acknowledged for purposes of administrative efficiency and clarity that the permitting authority (in this case, Illinois EPA) has the discretion to define "prompt" in relation to the degree and type of deviation likely to occur at a particular source. The Illinois EPA follows this approach and defines prompt reporting on a permit-by-permit basis. In instances where the underlying applicable requirement contains "prompt" reporting, the Illinois EPA typically incorporates the pre-established timeframe in the CAAPP permit (e.g. a NESHAP or NSPS deviation report). Where the underlying applicable requirement fails to explicitly set forth the timeframe for reporting deviations, the Illinois EPA generally uses a timeframe of 30 days to define prompt reporting of deviations.

This approach to prompt reporting of deviations as discussed herein is consistent with the requirements of Section 39.5(7)(f)(ii) of the Illinois Environmental Protection Act as well as 40 CFR Part 70 and the CAA. The reporting arrangement is designed so that the source will appropriately notify the Illinois EPA of those events that might warrant attention. The timing for these event-specific notifications is necessary and appropriate as it gives the source enough time to conduct a thorough investigation into the causes of an event, collecting any necessary data, and developing preventive measures, to reduce the likelihood of similar events, all of which must be addressed in the notification for the deviation, while at the same time affording regulatory authority and the public timely and relevant information. The approach also affords the Illinois EPA and USEPA an opportunity to direct investigation and

follow-up activities, and to make compliance and enforcement decisions in a timely fashion.

The Draft CAAPP Permit for this source would require prompt reporting as required by the Illinois Environmental Protection Act in the fashion described in this subsection. In addition, pursuant to Section 39.5(7)(f)(i) of the Illinois Environmental Protection Act, this Draft CAAPP Permit would also require the source to provide a summary of all deviations with the Semi-Annual Monitoring Report. These reports must be certified by a responsible official, and are generally found in the reporting sections for each emission unit group.

#### **Semi-Annual Monitoring Reports**

Section 39.5(7)(f)(i) of the Illinois Environmental Protection Act mandates that each CAAPP Permit require a report relative to monitoring obligations as set forth in the permit. Depending upon the monitoring obligation at issue, the semi-annual monitoring report may also constitute a deviation report as previously discussed. This monitoring at issue includes instrumental and non-instrumental emissions monitoring, emissions analyses, and emissions testing established by state or federal laws or regulations or as established in the CAAPP Permit. This monitoring also includes recordkeeping. Each deviation from each monitoring requirement must be identified in the relevant semi-annual report. These reports provide a timely opportunity to assess for compliance patterns of concern. The semi-annual reports shall be submitted regardless of any deviation events. Reporting periods for semi-annual monitoring reports are January 1 through June 30 and July 1 through December 31 of each calendar year. Each semi-annual report is due within 30 days after the close of reporting period. The reports shall be certified by a responsible official. The Draft CAAPP Permit for this source would require such reports at Condition 3.5(b).

#### **Annual Compliance Certifications**

Section 39.5(7)(p)(v) of the Illinois Environmental Protection Act mandates that each CAAPP Permit require a source to submit a certification of its compliance status with each term and condition of its CAAPP Permit. The reports afford a broad assessment of a CAAPP sources compliance status. The CAAPP requires that this report be submitted, regardless of compliance status, on an annual basis. Each CAAPP Permit requires this annual certification be submitted by May 1 of the year immediately following the calendar year reporting period. The report shall be certified by a responsible official. The Draft CAAPP Permit for this source would require such a report at Condition 2.6(a).

Prompt reporting of deviations is critical in order to have timely notice of deviations and the opportunity to respond, if necessary. The effectiveness of the permit depends upon, among other important elements, timely and accurate reporting. The Illinois EPA, USEPA, and the public rely on timely and accurate reports submitted by the source to measure compliance and to direct investigation and follow-up activities. Prompt reporting is evidence of the source's good faith in disclosing deviations and describing the steps taken to return to compliance and prevent similar incidents.

Any occurrence that results in an excursion from any emission limitation, operating condition, or work practice standard as specified in this Draft CAAPP Permit is a deviation subject to prompt reporting. Additionally, any failure to comply with any permit term or condition is a deviation of that permit term or condition and must be reported to the Illinois EPA as a permit

deviation. The deviation may or may not be a violation of an emission limitation or standard. A permit deviation can exist even though other indicators of compliance suggest that no emissions violation or exceedance has occurred. Reporting permit deviations does not necessarily result in enforcement action. The Illinois EPA has the discretion to take enforcement action for permit deviations that may or may not constitute a deviation from an emission limitation or standard or the like, as necessary and appropriate.

As a result, the Illinois EPA's approach to prompt reporting of deviations as discussed herein is consistent with the requirements of Section 39.5(7)(f)(ii) of the Illinois Environmental Protection Act as well as 40 CFR Part 70 and the CAA. This reporting arrangement is designed so that the source will appropriately notify the Illinois EPA of those events that might warrant individual attention.

### **3.10 Emissions Reduction Market System (ERMS)**

The Emissions Reduction Market System (ERMS) is a "cap and trade" market system for major stationary sources located in the Chicago ozone nonattainment area. It is designed to reduce VOM emissions from stationary sources to contribute to reasonable further progress toward attainment, as required by Section 182(c) of the CAA.

The ERMS addresses VOM emissions during a seasonal allotment period from May 1 through September 30. Participating sources must hold "allotment trading units" (ATUs) for their actual seasonal VOM emissions. Each year participating sources are issued ATUs based on allotments set in the sources' CAAPP permits. These allotments are established from historical VOM emissions or "baseline emissions" lowered to provide the emissions reductions from stationary sources required for reasonable further progress.

By December 31 of each year, the end of the reconciliation period following the seasonal allotment period, each source shall have sufficient ATUs in its transaction account to cover its actual VOM emissions during the preceding season. A transaction account's balance as of December 31 will include any valid ATU transfer agreements entered into as of December 31 of the given year, provided such agreements are promptly submitted to the Illinois EPA for entry into the transaction account database. The Illinois EPA will then retire ATUs in sources' transaction accounts in amounts equivalent to their seasonal emissions. When a source does not appear to have sufficient ATUs in its transaction account, the Illinois EPA will issue a notice to the source to begin the process for Emissions Excursion Compensation.

In addition to receiving ATUs pursuant to their allotments, participating sources may also obtain ATUs from the market, including ATUs bought from other participating sources and general participants in the ERMS that hold ATUs (35 IAC 205.630) and ATUs issued by the Illinois EPA as a consequence of VOM emissions reductions from an Emissions Reduction Generator or an Intersector Transaction (35 IAC 205.500 and 35 IAC 205.510). During the reconciliation period, sources may also buy ATUs from a secondary reserve of ATUs managed by the Illinois EPA, the "Alternative Compliance Market Account" (ACMA) (35 IAC 205.710). Sources may also transfer or sell the ATUs that they hold to other sources or participants (35 IAC 205.630).

### **3.11 Incorporation by Reference Discussion**

Based on guidance found in White Paper 2 and past petition responses by the Administrator, it is recognized that Title V permit authorities may, within their discretion, incorporate plans by reference. As recognized in the *White Paper 2*, permit authorities can effectively streamline the contents of a Title V permit, avoiding the inevitable clutter of restated text and preventing unnecessary delays where, as here, permit issuance is subject to a decision deadline.<sup>3</sup> However, it is also recognized that the benefits of incorporation of plans must be carefully balanced by a permit authority with its duty to issue permits in a way that is "clear and meaningful" to the Permittee and the public.<sup>4</sup>

The criteria that are mentioned in USEPA Administrator Petition Responses stress the importance of identifying, *with specificity*, the object of the incorporation.<sup>5</sup> The Illinois EPA agrees that such emphasis is generally consistent with USEPA's pronouncements in previous guidance.

For each condition incorporating a plan, the Illinois EPA is also briefly describing the general manner in which the plan applies to the source. Identifying the nature of the source activity, the regulatory requirements or the nature of the equipment associated with the plan is a recommendation of the *White Paper 2*.<sup>6</sup> The Illinois EPA has stopped short of enumerating the actual contents of a plan, as restating them in the permit would plainly defeat the purpose of incorporating the document by reference and be contrary to USEPA guidance on the subject.<sup>7</sup>

Plans may need to be revised from time to time, as occasionally required by circumstance or by underlying rule or permit requirement. Except where expressly precluded by the relevant rules, this Draft CAAPP Permit allows the Permittee to make future changes to a plan without undergoing formal permit revision procedures. This approach will allow flexibility to make required changes to a plan without separately applying for a revised permit and, similarly, will lessen the impacts that could result for the Illinois EPA if every change to a plan's contents required a permitting transaction.<sup>8</sup> Changes to the incorporated plans during the permit term are automatically incorporated into the Draft CAAPP Permit unless the Illinois EPA expresses a written objection.

The Draft CAAPP Permit incorporates by reference the following plans: Fugitive Particulate Matter Operating Program.<sup>9</sup>

### **3.12 Periodic Monitoring General Discussions**

Pursuant to Section 504(c) of the Clean Air Act, a Title V permit must set forth monitoring requirements, commonly referred to as "Periodic Monitoring," to assure compliance with the terms and conditions of the permit. A general discussion of Periodic Monitoring is provided below. The Periodic Monitoring that is proposed for specific operations and emission units and at this source is discussed in Chapter III of this Statement of Basis. Chapter III provides a narrative discussion of and justification for the elements of Periodic Monitoring that would apply to the different emission units and types of emission units at the facility.

As a general matter, the required content of a CAAPP Permit with respect to such Periodic Monitoring is addressed in Section 39.5(7) of the Illinois

Environmental Protection Act.<sup>10</sup> Section 39.5(7)(b) of the Illinois Environmental Protection Act<sup>11</sup> provides that in a CAAPP Permit:

The Agency shall include among such conditions applicable monitoring, reporting, record keeping and compliance certification requirements, as authorized by paragraphs d, e, and f of this subsection, that the Agency deems necessary to assure compliance with the Clean Air Act, the regulations promulgated thereunder, this Act, and applicable Board regulations. When monitoring, reporting, record keeping and compliance certification requirements are specified within the Clean Air Act, regulations promulgated thereunder, this Act, or applicable regulations, such requirements shall be included within the CAAPP Permit.

Section 39.5(7)(d)(ii) of the Illinois Environmental Protection Act further provides that a CAAPP Permit shall:

Where the applicable requirement does not require periodic testing or instrumental or noninstrumental monitoring (which may consist of recordkeeping designed to serve as monitoring), require Periodic Monitoring sufficient to yield reliable data from the relevant time period that is representative of the source's compliance with the permit ...

Accordingly, the scope of the Periodic Monitoring that must be included in a CAAPP Permit is not restricted to monitoring requirements that were adopted through rulemaking or imposed through permitting. When applicable regulatory emission standards and control requirements or limits and control requirement in relevant Title 1 permits are not accompanied by compliance procedures, it is necessary for Monitoring for these standards, requirements or limits to be established in a CAAPP Permit.<sup>12, 13</sup> Monitoring requirements must also be established when standards and control requirement are accompanied by compliance procedures but those procedures are not adequate to assure compliance with the applicable standards or requirements.<sup>14, 15</sup> For this purpose, the requirements for Periodic Monitoring in a CAAPP Permit may include requirements for emission testing, emissions monitoring, operational monitoring, non-instrumental monitoring, and recordkeeping for each emission unit or group of similar units at a facility, as required by rule or permit, as appropriate or as needed to assure compliance with the applicable substantive requirements. Various combinations of monitoring measures will be appropriate for different emission units depending on their circumstances, including the substantive emission standards, limitations and control requirements to which they are subject.

What constitutes sufficient Periodic Monitoring for particular emission units, including the timing or frequency associated with such Monitoring requirements, must be determined by the permitting authority based on its knowledge, experience and judgment.<sup>16</sup> For example, as Periodic Monitoring must collect representative data, the timing of Monitoring requirements need not match the averaging time or compliance period of the associated substantive requirements, as set by the relevant regulations and permit provisions. The timing of the various requirements making up the Periodic Monitoring for an emission unit is something that must be considered when those Monitoring requirements are being established. For this purpose, Periodic Monitoring often consists of requirements that apply on a regular basis, such as routine recordkeeping for the operation of control devices or the implementation of the control practices for an emission unit. For certain units, this regular monitoring may entail "continuous" monitoring of emissions, opacity or key operating parameters of a process or its associated control equipment, with direct measurement and

automatic recording of the selected parameter(s). As it is infeasible or impractical to require emissions monitoring for most emission units, instrumental monitoring is more commonly conducted for the operating parameters of an emission unit or its associated control equipment. Monitoring for operating parameter(s) serves to confirm proper operation of equipment, consistent with operation to comply with applicable emission standards and limits. In certain cases, an applicable rule may directly specify that a particular level of an operating parameter be maintained, consistent with the manner in which a unit was being operated during emission testing. Periodic Monitoring may also consist of requirements that apply on a periodic basis, such as inspections to verify the proper functioning of an emission unit and its associated controls.

The Periodic Monitoring for an emission unit may also include measures, such as emission testing, that would only be required once or only upon specific request by the Illinois EPA. These requirements would always be accompanied by Monitoring requirements would apply on a regular basis. When emission testing or other measure is only required upon request by the Illinois EPA, it is included as part of the Periodic Monitoring for an emission unit to facilitate a response by the Illinois EPA to circumstances that were not contemplated when Monitoring was being established, such as the handling of a new material or a new mode of operation. Such Monitoring would also serve to provide further verification of compliance, along with other potentially useful information. As emission testing provides a quantitative determination of compliance, it would also provide a determination of the margin of compliance with the applicable limit(s) and serve to confirm that the Monitoring required for an emission unit on a regular basis is reliable and appropriate. Such testing might also identify specific values of operating parameters of a unit or its associated control equipment that accompany compliance and can be relied upon as part of regular Monitoring.

There are a number of considerations or factors that are or may be relevant when evaluating the need to establish new monitoring requirements as part of the Periodic Monitoring for an emission unit. These factors include: (1) The nature of the emission unit or process and its emissions; (2) The variability in the operation and the emissions of the unit or process over time; (3) The use of add-on air pollution control equipment or other practices to control emissions and comply with the applicable substantive requirement(s); (4) The nature of that control equipment or those control practices and the potential for variability in their effectiveness; (5) The nature of the applicable substantive requirement(s) for which Periodic Monitoring is needed; (6) The nature of the compliance procedures that specifically accompany the applicable requirements; (7) The type of data that would already be available for the unit; (8) The effort needed to comply with the applicable requirements and the expected margin of compliance; (9) The likelihood of a violation of applicable requirements; (10) The nature of the Periodic Monitoring that may be readily implemented for the emission unit; (11) The extent to which such Periodic Monitoring would directly address the applicable requirements; (12) The nature of Periodic Monitoring commonly required for similar emission units at other facilities and in similar circumstances; (13) The interaction or relationship between the different measures in the Periodic Monitoring for an emission unit; and (14) The feasibility and reasonableness of requiring additional measures in the Periodic Monitoring for an emission unit in light of other relevant considerations.<sup>17</sup>

## **CHAPTER IV - CHANGES FROM PREVIOUSLY ISSUED CAAPP PERMITS**

### **4.1 Major Changes Summary**

This renewal CAAPP draft is presented in a new format. The new format is the result of recommendations by the USEPA, comments made by sources, and interactions with the public.

	<i>Previous CAAPP Permit Layout</i>	<i>New CAAPP Permit Layout</i>
Section 1	Source Identification	Source Information
Section 2	List Of Abbreviations/Acronyms	General Permit Requirements
Section 3	Insignificant Activities	Source Requirements
Section 4	Significant Emission Units	Emission Unit Requirements
Section 5	Overall Source Conditions	Title I Requirements
Section 6	Emission Control Programs	Insignificant Activities
Section 7	Unit Specific Conditions	Other Requirements
Section 8	General Permit Conditions	State Only Requirements
Section 9	Standard Permit Conditions	---
Section 10	Attachments	Attachments

### **4.2 Specific Permit Condition Changes**

- Section 3 - Source Requirements
  1. Asbestos demolition and renovation requirements added (Condition 3.1(c)).
- Section 4 - Emission Unit Requirements
  1. 35 IAC 217 Subpart Q requirements added (Condition 4.2f(c)).
  2. Future NESHAP standards (40 CFR 63 Subpart DDDDD) requiring annual tune-ups of the boiler added (Condition 4.2(c)).

## Endnotes

<sup>1</sup> The federal PSD program, 40 CFR 52.21, applies in Illinois. The Illinois EPA administers PSD permitting for major projects in Illinois pursuant to a delegation agreement with USEPA.

<sup>2</sup> Illinois has a state nonattainment NSR program, pursuant to state rules, Major Stationary Sources Construction and Modification ("MSSCM"), 35 IAC Part 203, which have been approved by USEPA as part of the State Implementation Plan for Illinois.

<sup>3</sup> Among other things, USEPA observed that the stream-lining benefits can consist of "reduced cost and administrative complexity, and continued compliance flexibility...". *White Paper 2*, page 41.

<sup>4</sup> See, *In the Matter of Tesoro Refining and Marketing*, Petition No. IX-2004-6, Order Denying in Part and Granting in Part Petition for Objection to Permit, at page 8 (March 15, 2005); see also, *White Paper 2* at page 39 ("reference must be detailed enough that the manner in which any referenced materials applies to a facility is clear and is not reasonably subject to misinterpretation").

<sup>5</sup> The Order provides that permit authorities must ensure the following: "(1) referenced documents be specifically identified; (2) descriptive information such as the title or number of the document and the date of the document be included so that there is no ambiguity as to which version of the document is being referenced; and (3) citations, cross references, and incorporations by reference are detailed enough that the manner in which any referenced material applies to a facility is clear and is not reasonably subject to misinterpretation." See, *Petition Response* at page 43, citing *White Paper 2* at page 37.

<sup>6</sup> See, *White Paper 2* at page 39.

<sup>7</sup> Nothing in USEPA guidance, including the *White Paper 2* or previous orders responding to public petitions, supports the notion that permit authorities incorporating a document by reference must also restate contents of a given plan in the body of the Title V permit. Such an interpretation contradicts USEPA recognition that permit authorities need not restate or recite an incorporated document so long as the document is sufficiently described. *White Paper 2* at page 39; see also, *In the matter of Consolidated Edison Co. of New York, Inc., 74th St. Station*, Petition No. II-2001-02, Order Granting in Part and Denying in Part Petition for Objection to Permit at page 16 (February 19, 2003).

<sup>8</sup> This approach is consistent with USEPA guidance, which has previously embraced a similar approach to certain SSM plans. See, *Letter and Enclosures*, dated May 20, 1999, from John Seitz, Director of Office of Air Quality Planning and Standards, to Robert Hodanbosi and Charles Lagges, STAPPA/ALAPCO, pages 9-10 of Enclosure B.

<sup>9</sup> Each incorporated plan addressed by this Section of the Statement of Basis is part of the source's permit file. As such, these plans are available to any person interested in viewing the contents of a given plan may do so at the public repository during the comment period or, alternatively, may request a copy of the same from the Illinois EPA under the Freedom of Information Act. See also 71 FR 20447.

<sup>10</sup> The provisions of the Act for Periodic Monitoring in CAAPP permits reflect parallel requirements in the federal guidelines for State Operating Permit Programs, 40 CFR 70.6(a)(3)(i)(A), (a)(3)(i)(B), and (c)(1).

<sup>11</sup> Section 39.5(7)(p)(i) of the Act also provides that a CAAPP permit shall contain "Compliance certification, testing, monitoring, reporting and record keeping requirements sufficient to assure compliance with the terms and conditions of the permit."

<sup>12</sup> The classic example of regulatory standards for which Periodic Monitoring requirements must be established in a CAAPP permit are state emission standards that pre-date the 1990 Clean Air Act Amendments that were adopted without any associated compliance procedures. Periodic Monitoring must also be established in a CAAPP permit when standards and limits are accompanied by compliance procedures but those procedures are determined to be inadequate to assure compliance with the applicable standards or limits.

<sup>13</sup> Another example of emission standards for which requirements must be established as part of Periodic Monitoring is certain NSPS standards that require initial performance testing but do not require periodic testing or other measures to address compliance with the applicable limits on a continuing basis.

<sup>14</sup> The need to establish Monitoring requirements as part of Periodic Monitoring when existing compliance procedures are determined to be inadequate, as well as when they are absent, was confirmed by the federal appeals court in *Sierra Club v. Environmental Protection Agency*, 536 F.3d 673, 383 U.S. App. D.C. 109.

<sup>15</sup> The need to establish Monitoring requirements as part of Periodic Monitoring is also confirmed in USEPA's Petition Response. USEPA explains that "...if there is periodic monitoring in the applicable requirements, but that monitoring is not sufficient to assure compliance with permit terms and conditions, permitting authorities must supplement monitoring to assure such compliance." Petition Response, page 6.

<sup>16</sup> The test for the adequacy of "Periodic Monitoring" is a context-specific determination, particularly whether the provisions in a Title V permit reasonably address compliance with relevant substantive permit conditions. 40 CFR 70.6(c)(1); see also 40 CFR 70.6(a)(3)(i)(B); see also, *In the Matter of CITGO Refinery and Chemicals Company L.P.*, Petition VI-2007-01 (May 28, 2009); see also, *In the Matter of Waste Management of LA. L.L.C. Woodside Sanitary Landfill & Recycling Center, Walker, Livingston Parish, Louisiana*, Petition VI-2009-01 (May 27, 2010); see also, *In the Matter of Wisconsin Public Service Corporation's JP Pulliam Power Plant*, Petition V-2009-01 (June 28, 2010).

<sup>17</sup> A number of these factors are specifically listed by USEPA in its Petition Response. USEPA also observes that the specific factors that it identifies in its Petition Response with respect to Periodic Monitoring provide "...the permitting authority with a starting point for its analysis of the adequacy of the monitoring; the permitting authority also may consider other site-specific factors." Petition Response, page 7.