

Fourteen (11) 30,000 gal Outdoor Ethyl Alcohol Storage Tanks (T-160 to T-170);
Six (4) 20,000 gal Indoor Ethyl Alcohol Storage Tanks (T-1307 to T-1310);
Three (3) Loading Stations (UAL-2 to UAL-4);
Three (3) Product Filler Lines (Line 9 (Renamed Line 11), Semi-Main (Renamed Line 1), Semi-50 (Renamed Line 2));
Four (4) 20,000 gal indoor ethyl alcohol blending tanks (T-1311 through T-1314); and
Two (2) 10,500 gal indoor ethyl alcohol bottling tanks (T-1410 and T-1411)

pursuant to the above-referenced application. This Permit is subject to standard conditions attached hereto and the following special condition(s):

- 1a. This federally enforceable state operating permit is issued:
 - i. To limit the emissions of air pollutants from the source to less than major source thresholds (i.e., 100 tons/year for Volatile Organic Material (VOM)). As a result the source is excluded from the requirements to obtain a Clean Air Act Permit Program (CAAPP) permit. The maximum emissions of this source, as limited by the conditions of this permit, are described in Attachment A.
 - ii. To establish federally enforceable Emission Reduction Market System (ERMS) provisions, including baseline emissions, allotment for each seasonal allotment period, identification of any units deemed to be insignificant activities for the purposes of the ERMS, emissions calculation methodologies, and provisions addressing all other applicable requirements of 35 Ill. Adm. Code Part 205, which are described in Attachment B.
 - iii. To establish federally enforceable production and operating limitations, which restrict the potential to emit for VOM from emission units not regulated by 35 Ill. Adm. Code 218 Subpart B to less than 25 tons/year so that the source is not subject to the requirements of 35 Ill. Adm. Code Part 218 Subpart TT (Other Emission Units).
 - b. Prior to issuance, a draft of this permit has undergone a public notice and comment period.
 - c. This permit supersedes all operating permit(s) for this location.
2. The 20.5 mmBtu/hr boiler is subject to the New Source Performance Standards (NSPS) for Small Industrial - Commercial - Institutional Steam Generating Units, 40 CFR 60, Subparts A and Dc. The Illinois EPA is administering NSPS in Illinois on behalf of the United States EPA under a delegation agreement. Pursuant to 40 CFR 60.40c(a), Except as provided in 40 CFR 60.40c(d), (e), (f), and (g), the affected facility to which 40 CFR 60 Subpart Dc applies is each steam generating unit for which construction, modification, or reconstruction is commenced after June 9, 1989 and that has a maximum design heat input capacity of 29 megawatts (MW) (100 million British thermal units per hour (mmBtu/hr)) or less, but greater than or equal to 2.9 MW (10 mmBtu/hr).

- 3a. Pursuant to 35 Ill. Adm. Code 212.123(a), no person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to 35 Ill. Adm. Code 212.122.
- b. Pursuant to 35 Ill. Adm. Code 212.123(b), the emission of smoke or other particulate matter from any such emission unit may have an opacity greater than 30 percent but not greater than 60 percent for a period or periods aggregating 8 minutes in any 60 minute period provided that such opaque emissions permitted during any 60 minute period shall occur from only one such emission unit located within a 305 m (1000 ft) radius from the center point of any other such emission unit owned or operated by such person, and provided further that such opaque emissions permitted from each such emission unit shall be limited to 3 times in any 24 hour period.
- c. Pursuant to 35 Ill. Adm. Code 212.301, no person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally toward the zenith at a point beyond the property line of the source.
4. Pursuant to 35 Ill. Adm. Code 214.301, except as further provided by 35 Ill. Adm. Code Part 214, no person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission source to exceed 2000 ppm.
5. Pursuant to 35 Ill. Adm. Code 216.121, no person shall cause or allow the emission of carbon monoxide (CO) into the atmosphere from any fuel combustion emission source with actual heat input greater than 2.9 MW (10 mmBtu/hour) to exceed 200 ppm, corrected to 50 percent excess air, pursuant to 35 Ill. Adm. Code 216.121.
- 6a. Pursuant to 35 Ill. Adm. Code 218.122(a), no person shall cause or allow the discharge of more than 3.6 kg/hr (8 lbs/hr) of organic material into the atmosphere during the loading of any organic material from the aggregate loading pipes of any loading area having through-put of greater than 151 cubic meters per day (40,000 gal/day) into any railroad tank car, tank truck or trailer unless such loading area is equipped with submerged loading pipes or a device that is equally effective in controlling emissions and is approved by the Illinois EPA according to the provisions of 35 Ill. Adm. Code 201, and further processed consistent with 35 Ill. Adm. Code 218.108.
- b. Pursuant to 35 Ill. Adm. Code 218.122(b), no person shall cause or allow the loading of any organic material into any stationary tank having a storage capacity of greater than 946 l (250 gal), unless such tank is equipped with a permanent submerged loading pipe or an equivalent device approved by the Illinois EPA according to the provisions of 35 Ill. Adm. Code 201, and further processed consistent with 35 Ill. Adm. Code 218.108, or unless such tank is a pressure tank as described in 35 Ill. Adm. Code 218.121(a) or is fitted with a recovery system as described in 35 Ill. Adm. Code 218.121(b) (2).

- c. Pursuant to 35 Ill. Adm. Code 218.301, no person shall cause or allow the discharge of more than 3.6 kg/hr (8 lbs/hr) of organic material into the atmosphere from any emission unit, except as provided in 35 Ill. Adm. Code 218.302, 218.303, or 218.304 and the following exception: If no odor nuisance exists the limitation of 35 Ill. Adm. Code 218 Subpart G shall only apply to photochemically reactive material.
7. This permit is issued based on Tanks ST-6, T-160 through T-173, T-1113 through T-1115, T-1307 through T-1314, and T-1408 through T-1411 not being subject to the New Source Performance Standard (NSPS) for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984, 40 CFR 60 Subpart Kb. Pursuant to 40 CFR 60.110b(d)(7), 40 CFR 60 Subpart Kb does not apply to vessels used to store beverage alcohol.
8. This permit is issued based on the boilers at this source not being subject to the requirements of the National Emission Standard for Hazardous Air Pollutants (NESHAP) for Industrial, Commercial, and Institutional Boilers Area Sources, 40 CFR 63 Subpart JJJJJJ. Pursuant to 40 CFR 63.11195(e), gas-fired boilers are not subject to 40 CFT 63 Subpart JJJJJJ. Pursuant to 40 CFR 63.11237, gas-fired boiler includes any boiler that burns gaseous fuels not combined with any solid fuels, burns liquid fuel only during periods of gas curtailment, gas supply emergencies, or periodic testing on liquid fuel. Periodic testing of liquid fuel shall not exceed a combined total of 48 hours during any calendar year.
9. Pursuant to 35 Ill. Adm. Code 212.314, 35 Ill. Adm. Code 212.301 shall not apply and spraying pursuant to 35 Ill. Adm. Code 212.304 through 212.310 and 35 Ill. Adm. Code 212.312 shall not be required when the wind speed is greater than 40.2 km/hr (25 mph). Determination of wind speed for the purposes of this rule shall be by a one-hour average or hourly recorded value at the nearest official station of the U.S. Weather Bureau or by wind speed instruments operated on the site. In cases where the duration of operations subject to this rule is less than one hour, wind speed may be averaged over the duration of the operations on the basis of on-site wind speed instrument measurements.
- 10a. This permit is issued based on the storage tanks at this source not being subject to 35 Ill. Adm. Code 218.120 (Control Requirements for Storage Containers for VOL). Pursuant to 35 Ill. Adm. Code 218.119(f), the limitations of 35 Ill. Adm. Code 218.120 shall apply to all storage containers of volatile organic liquid (VOL) with a maximum true vapor pressure of 0.5 psia or greater in any stationary tank, reservoir, or other container of 151 cubic meters (40,000 gal) capacity or greater, except to vessels used to store beverage alcohol.
- b. Pursuant to 35 Ill. Adm. Code 218.122(c), if no odor nuisance exists the limitations of 35 Ill. Adm. Code 218.122 shall only apply to the loading of VOL with a vapor pressure of 17.24 kPa (2.5 psia) or greater at 294.3°K (70°F).

11. Pursuant to 40 CFR 60.11(d), the 20.5 mmBtu/hr boiler and associated air pollution control equipment shall at all times, including periods of startup, shutdown, and malfunction, be maintained and operated to the extent practicable, in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the Illinois EPA or USEPA which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.
- 12a. Pursuant to 35 Ill. Adm. Code 212.306, all normal traffic pattern access areas surrounding storage piles specified in 35 Ill. Adm. Code 212.304 and all normal traffic pattern roads and parking facilities which are located on mining or manufacturing property shall be paved or treated with water, oils or chemical dust suppressants. All paved areas shall be cleaned on a regular basis. All areas treated with water, oils or chemical dust suppressants shall have the treatment applied on a regular basis, as needed, in accordance with the operating program required by 35 Ill. Adm. Code 212.309, 212.310 and 212.312.
 - b. Pursuant to 35 Ill. Adm. Code 212.309(a), the emission units described in 35 Ill. Adm. Code 212.306 and 35 Ill. Adm. Code 212.316 shall be operated under the provisions of an operating program, consistent with the requirements set forth in 35 Ill. Adm. Code 212.310 and 212.312, and prepared by the owner or operator and submitted to the Illinois EPA for its review. Such operating program shall be designed to significantly reduce fugitive particulate matter emissions.
 - c. Pursuant to 35 Ill. Adm. Code 212.310, as a minimum the operating program shall include the following:
 - i. The name and address of the source;
 - ii. The name and address of the owner or operator responsible for execution of the operating program;
 - iii. A map or diagram of the source showing approximate locations of storage piles, conveyor loading operations, normal traffic pattern access areas surrounding storage piles and all normal traffic patterns within the source;
 - iv. Location of unloading and transporting operations with pollution control equipment;
 - v. A detailed description of the best management practices utilized to achieve compliance with 35 Ill. Adm. Code 212 Subpart K, including an engineering specification of particulate collection equipment, application systems for water, oil, chemicals and dust suppressants utilized and equivalent methods utilized;
 - vi. Estimated frequency of application of dust suppressants by location of materials; and

- vii. Such other information as may be necessary to facilitate the Illinois EPA's review of the operating program.
- d. Pursuant to 35 Ill. Adm. Code 212.312, the operating program shall be amended from time to time by the owner or operator so that the operating program is current. Such amendments shall be consistent with 35 Ill. Adm. Code 212 Subpart K and shall be submitted to the Illinois EPA for its review.
- 13a. In the event that the operation of this source results in an odor nuisance, the Permittee shall take appropriate and necessary actions to minimize odors, including but not limited to, changes in raw material or installation of controls, in order to eliminate the odor nuisance.
- b. For purposes of this permit, a storage tank at this source is any tank subject to and complying with 35 Ill. Adm. Code 218.122(a) and (b).
- c. The boilers and water heater shall only be operated with natural gas as the fuel. The use of any other fuel in the boilers and water heater requires that the Permittee first obtain a construction permit from the Illinois EPA and then perform stack testing to verify compliance with all applicable requirements.
- 14a. Emissions and operation of the plant (Distilled Spirits, PAB, and Ready to Drinks) shall not exceed the following limits:
 - i. Monthly and annual VOM emissions from storage tanks:

<u>Emission Units</u>	<u>VOM Emissions</u>	
Storage Tanks	(Ton/Mo)	(Tons/Yr.)
	3.00	30.00

These limits are based on maximum tank throughput and using equations given by standard emission factors and formulas (Section 7.1, AP-42 Fifth Edition, Volume I, November 2006 or TANKS Emissions Estimation Software, Version 4.09D, October 5, 2006). Compliance with the above limit shall be determined from use of the following equation:

$$E_{ST} = \frac{V_{ST}EF_{ST} + V_{PAB}EF_{PAB}}{2,000}$$

Where:

E_{ST} = VOM Emissions from Storage Tanks (Ton);

V_{ST} = Volume of Distilled Spirits produced (1,000 WG);

EF_{ST} = Emission factor for Distilled Spirits storage tanks (0.40 lbs./1,000 WG);

V_{RTD} = Volume of Ready to Drink product produced (1,000 WG);

EF_{RTD} =Emission factor for Ready to Drink storage tanks (0.20 lbs/1,000 WG);

V_{PAB} = Volume of Progressive Adult Beverages produced (1,000 WG);

EF_{PAB} =Emission factor for Progressive Adult Beverages storage tanks (0.08 lbs/1,000 WG);

V_{BL} = Volume of bulk liquids loaded (1,000 WG); and

EF_{BL} = Emission factor for the bulk loading storage tanks (0.34 lbs/1,000 WG).

Note: WG means wine gallons (3.785 liters)

- ii. Monthly and annual VOM emissions from process tanks shall not exceed the following limits:

<u>Emission Units</u>	VOM Emissions	
	<u>(Ton/Mo)</u>	<u>(Tons/Yr.)</u>
Process Tanks	2.45	24.50

These limits are based on maximum tank throughput and using equations given by standard emission factors and formulas (Section 7.1, AP-42 Fifth Edition, Volume I, November 2006 or TANKS Emissions Estimation Software, Version 4.09D, October 5, 2006). Compliance with the above limit shall be determined from use of the following equation:

$$E_{PT} = \frac{V_{DS}EF_{DS} + V_{RTD}EF_{RTD} + V_{PAB}EF_{PAB}}{2,000}$$

Where:

E_{PT} = VOM Emissions from process tanks (Ton);

V_{DS} = Volume of Distilled Spirits produced (1,000 WG);

EF_{DS} = Emission factor for Distilled Spirits process tanks (0.72 lbs/1,000 WG);

V_{RTD} = Volume of Ready to Drink product produced (1,000 WG);

EF_{RTD} =Emission factor for Ready to Drink process tanks (0.24 lbs/1,000 WG);

V_{PAB} = Volume of Progressive Adult Beverages produced (1,000 WG); and

EF_{PAB} =Emission factor for Progressive Adult Beverages process tanks (0.10 lbs/1,000 WG).

- b. Emissions and operation of all emission units constructed between November 15, 1992 and June 15, 2005 (the period during which the Chicago area was

classified as severe nonattainment for ozone) shall not exceed the following limits:

<u>Emission Units</u>	<u>Production Rate or Throughput</u>		<u>VOM Emissions</u>		
	<u>(WG/Month)</u>	<u>(WG/Year)</u>	<u>lbs/1000 WG</u>	<u>Ton/Month</u>	<u>Tons/year</u>
Flavor Room Tanks (F-1 to F-4)	5,000,000	50,000,000	0.3653	0.91	9.13
Gin and Vodka Processing Line (Line 6)	420,000	4,200,000	1.49	0.31	3.11
Flavored Malt Beverage Line (Line 7)	5,000,000	50,000,000	0.18	0.45	4.50
RTD Line (Line 5)	1,800,000	18,000,000	0.30	0.27	2.70
Bulk Loading	300,000	3,000,000	0.34	0.05	0.51
				Total:	19.95

- i. The above limits are based on the maximum production rates and emission factors derived from the use of TANKS Emissions Estimation Software (Version 4.09D, October 3, 2005).
- ii. The above limitations contain revisions to previously issued Permits 97040115, 99040030, 02010061, and 04070080. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of the aforementioned permits. The source has requested these revisions and has addressed the applicability and compliance of Title I of the Clean Air Act, specifically 35 Ill. Adm. Code Part 203, Major Stationary Sources Construction and Modification. These limits continue to ensure that the construction and/or modification addressed in these previously-issued construction permits do not constitute a new major source or major modification pursuant to these rules. These limits are the primary enforcement mechanism for the equipment and activities permitted in these previously-issued construction permits and the information in this construction permit application contains the most current and accurate information for the source. Specifically, production and throughput have been adjusted to reflect increase production at the source with an overall reduction in the corresponding VOM emission limits for this group of emission units.
- c. Emissions and operation of one (1) 21.75 mmBtu/hour boiler, one (1) 20.50 mmBtu/hr boiler shall not exceed the following limits:
 - i. Natural Gas Usage: 117,000 Therms/month and 1,170,000 Therms/year
 - ii. Emissions from the combustion of natural gas:

Pollutant	Emission	Emissions	
	Factor (lbs/mmscf)	(Tons/Mo)	(Tons/Yr)
Carbon Monoxide (CO)	84	0.49	4.90
Nitrogen Oxides (NO _x)	100	0.59	5.90
Particulate Matter (PM)	7.6	0.04	0.40
Sulfur Dioxide (SO ₂)	0.6	0.01	0.10
Volatile Organic Material (VOM)	5.5	0.03	0.30

These limits are based on maximum fuel usage and standard AP-42 emission factors (Tables 1.4-1 and 1.4-2, AP-42, Volume I, Fifth Edition, Supplement D, March, 1998).

- d. Compliance with the annual limits of this permit shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).
- 15. This permit is issued based on the Potential to Emit (PTE) for Hazardous Air Pollutants (HAP) as listed in Section 112(b) of the Clean Air Act being less than 10 tons/year of any single HAP and 25 tons/year of any combination of such HAPs. As a result, this permit is issued based on the emissions of all HAPs from this source not triggering the requirements to obtain a Clean Air Act Permit Program (CAAPP) Permit.
- 16a. Pursuant to 35 Ill. Adm. Code 201.282, every emission source or air pollution control equipment shall be subject to the following testing requirements for the purpose of determining the nature and quantities of specified air contaminant emissions and for the purpose of determining ground level and ambient air concentrations of such air contaminants:
 - i. Testing by Owner or Operator. The Illinois EPA may require the owner or operator of the emission source or air pollution control equipment to conduct such tests in accordance with procedures adopted by the Illinois EPA, at such reasonable times as may be specified by the Illinois EPA and at the expense of the owner or operator of the emission source or air pollution control equipment. The Illinois EPA may adopt procedures detailing methods of testing and formats for reporting results of testing. Such procedures and revisions thereto, shall not become effective until filed with the Secretary of State, as required by the APA Act. All such tests shall be made by or under the direction of a person qualified by training and/or experience in the field of air pollution testing. The Illinois EPA shall have the right to observe all aspects of such tests.
 - ii. Testing by the Illinois EPA. The Illinois EPA shall have the right to conduct such tests at any time at its own expense. Upon request of the Illinois EPA, the owner or operator of the emission source or air pollution control equipment shall provide, without charge to the Illinois EPA, necessary holes in stacks or ducts and other safe and proper testing facilities, including scaffolding, but excluding instruments and sensing devices, as may be necessary.

- b. Testing required by Conditions 18 and 19 shall be performed upon a written request from the Illinois EPA by a qualified independent testing service.
17. Pursuant to 35 Ill. Adm. Code 212.110(c), upon a written notification by the Illinois EPA, the owner or operator of a particulate matter emission unit subject to 35 Ill. Adm. Code Part 212 shall conduct the applicable testing for particulate matter emissions, opacity, or visible emissions at such person's own expense, to demonstrate compliance. Such test results shall be submitted to the Illinois EPA within thirty (30) days after conducting the test unless an alternative time for submittal is agreed to by the Illinois EPA.
- 18a. Pursuant to 35 Ill. Adm. Code 218.187(g)(1), testing to demonstrate compliance with the requirements of 35 Ill. Adm. Code 218.187 shall be conducted by the owner or operator within 90 days after a request by the Illinois EPA, or as otherwise specified in 35 Ill. Adm. Code 218.187. Such testing shall be conducted at the expense of the owner or operator and the owner or operator shall notify the Illinois EPA in writing 30 days in advance of conducting the testing to allow the Illinois EPA to be present during the testing;
- b. Pursuant to 35 Ill. Adm. Code 218.187(g)(2), testing to demonstrate compliance with the VOM content limitations in 35 Ill. Adm. Code 218.187(b)(1), and to determine the VOM content of cleaning solvents and cleaning solutions, shall be conducted as follows:
 - i. The applicable test methods and procedures specified in 35 Ill. Adm. Code 218.105(a) shall be used, provided, however, Method 24 shall be used to demonstrate compliance; or
 - ii. The manufacturer's specifications for VOM content for cleaning solvents may be used if such manufacturer's specifications are based on results of tests of the VOM content conducted in accordance with methods specified in 35 Ill. Adm. Code 218.105(a), however, Method 24 shall be used to determine compliance. In the event of any inconsistency between a Method 24 test and the manufacturer's specifications, the Method 24 test shall govern;
 - c. Pursuant to 35 Ill. Adm. Code 218.187(g)(3), testing to determine the VOM composite partial vapor pressure of cleaning solvents, cleaning solvent concentrates, and as-used cleaning solutions shall be conducted in accordance with the applicable methods and procedures specified in 35 Ill. Adm. Code 218.110;
19. Pursuant to 40 CFR 63.10(b)(3), if an owner or operator determines that his or her stationary source that emits (or has the potential to emit, without considering controls) one or more hazardous air pollutants regulated by any standard established pursuant to Section 112(d) or (f) of the Clean Air Act, and that stationary source is in the source category regulated by the relevant standard, but that source is not subject to the relevant standard (or other requirement established under 40 CFR Part 63) because of limitations on the source's potential to emit or an exclusion, the owner or operator must keep a record of the applicability

determination on site at the source for a period of 5 years after the determination, or until the source changes its operations to become an affected source, whichever comes first. The record of the applicability determination must be signed by the person making the determination and include an analysis (or other information) that demonstrates why the owner or operator believes the source is unaffected (e.g., because the source is an area source). The analysis (or other information) must be sufficiently detailed to allow the USEPA and/or Illinois EPA to make a finding about the source's applicability status with regard to the relevant standard or other requirement. If relevant, the analysis must be performed in accordance with requirements established in relevant subparts of 40 CFR Part 63 for this purpose for particular categories of stationary sources. If relevant, the analysis should be performed in accordance with USEPA guidance materials published to assist sources in making applicability determinations under Section 112 of the Clean Air Act, if any. The requirements to determine applicability of a standard under 40 CFR 63.1(b)(3) and to record the results of that determination under 40 CFR 63.10(b)(3) shall not by themselves create an obligation for the owner or operator to obtain a Title V permit.

- 20a. Pursuant to 40 CFR 60.7(b), the owner or operator shall, for the 20.5 mmBtu/hr boiler and associated air pollution control equipment, maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of the boiler; any malfunction of the air pollution control equipment; or any periods during which a continuous monitoring system or monitoring device is inoperative.
- b. Pursuant to 40 CFR 60.7(f), the owner or operator shall, for the 20.5 mmBtu/hr boiler and associated air pollution control equipment, maintain a file of all measurements, including continuous monitoring system, monitoring device, and performance testing measurements; all continuous monitoring system performance evaluations; all continuous monitoring system or monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and all other information required by 40 CFR Part 60 recorded in a permanent form suitable for inspection. The file shall be retained for at least two years following the date of such measurements, maintenance, reports, and records.
- 21a. i. Pursuant to 40 CFR 60.48c(g)(1), except as provided under 40 CFR 60.48c(g)(2) and (g)(3), the owner or operator of each affected facility shall record and maintain records of the amounts of each fuel combusted during each operating day.
- ii. Pursuant to 40 CFR 60.48c(g)(2), as an alternative to meeting the requirements of 40 CFR 60.48c(g)(1), the owner or operator of an affected facility that combusts only natural gas, wood, fuels using fuel certification in 40 CFR 60.48c(f) to demonstrate compliance with the SO₂ standard, fuels not subject to an emissions standard (excluding opacity), or a mixture of these fuels may elect to record and maintain records of the amount of each fuel combusted during each calendar month.

- iii. Pursuant to 40 CFR 60.48c(g)(2), as an alternative to meeting the requirements of 40 CFR 60.48c(g)(1), the owner or operator of an affected facility or multiple affected facilities located on a contiguous property unit where the only fuels combusted in any steam generating unit (including steam generating units not subject to 40 CFR 60 Subpart Dc) at that property are natural gas, wood, distillate oil meeting the most current requirements in 40 CFR 60.42c to use fuel certification to demonstrate compliance with the SO₂ standard, and/or fuels, excluding coal and residual oil, not subject to an emissions standard (excluding opacity) may elect to record and maintain records of the total amount of each steam generating unit fuel delivered to that property during each calendar month.
- b. Pursuant to 40 CFR 60.48c(i), all records required under 40 CFR 60.48 shall be maintained by the owner or operator of the affected facility for a period of two years following the date of such record.
- 22. Pursuant to 35 Ill. Adm. Code 212.110(e), the owner or operator of an emission unit subject to 35 Ill. Adm. Code Part 212 shall retain records of all tests which are performed. These records shall be retained for at least three (3) years after the date a test is performed.
- 23a. Pursuant to 35 Ill. Adm. Code 218.129(f), the owner or operator of each storage vessel specified in 35 Ill. Adm. Code 218.119 shall maintain readily accessible records of the dimension of the storage vessel and an analysis of the capacity of the storage vessel. Each storage vessel with a design capacity less than 40,000 gallons is subject to no provisions of 35 Ill. Adm. Code Part 218 other than those required by maintaining readily accessible records of the dimensions of the storage vessel and analysis of the capacity of the storage vessel.
- b. Pursuant to 35 Ill. Adm. Code 218.187(e)(1)(B), the owner or operator of a source exempt from the limitations of 35 Ill. Adm. Code 218.187 because of the criteria in 35 Ill. Adm. Code 218.187(a)(1) shall comply with the following: On and after January 1, 2012, collect and record the following information each month for each cleaning operation, other than cleaning operations identified in 35 Ill. Adm. Code 218.187(a)(2):
 - i. The name and identification of each VOM-containing cleaning solution as applied in each cleaning operation;
 - ii. The VOM content of each cleaning solution as applied in each cleaning operation;
 - iii. The weight of VOM per volume and the volume of each as-used cleaning solution; and
 - iv. The total monthly VOM emissions from cleaning operations at the source;

- c. Pursuant to 35 Ill. Adm. Code 218.187(e)10), all records required by 35 Ill. Adm. Code 218.187(e) shall be retained by the source for at least three years and shall be made available to the Illinois EPA upon request.
- 24a. The Permittee shall maintain records of the following items so as to demonstrate compliance with the conditions of this permit:
 - i. Distilled Spirits production (gallons/month and gallons/year);
 - ii. Ready to Drink production (gallons/month and gallons/year);
 - iii. Progressive Adult Beverages production (gallons/month and gallons/year);
 - iv. Bulk loading throughput (gallons/month and gallons/year);
 - v. Flavor room tank throughput (gallons/month and gallons/year);
 - vi. Gin and Vodka processing line (Line 6) production (gallons/month and gallons/year);
 - vii. Progress Adult beverage line (Line 7) production (gallons/month and gallons/year);
 - viii. Natural gas usage (therms/month and therms/year);
 - ix. Monthly and annual VOM emissions from storage tanks (tons/month and tons/year);
 - x. Monthly and annual VOM emissions from process tanks (tons/month and tons/year);
 - xi. Monthly and annual VOM emissions from the flavor room tanks (tons/month and tons/year);
 - xii. Monthly and annual VOM emissions from the Gin and Vodka processing line (Line 6) (tons/month and tons/year);
 - xiii. Monthly and annual VOM emissions from the Progress Adult Beverage Line (Line 7) (tons/month and tons/year);
 - xiv. Monthly and annual VOM emissions from the Ready To Drink Line (Line 5) (tons/month and tons/year);
 - xv. Monthly and annual VOM emissions from Bulk Loading (tons/month and tons/year); and
 - xvi. Monthly and annual emissions of CO, NO_x, PM, SO₂, and VOM from the source, with supporting calculations (tons/month and tons/year).
- b. All records and logs required by this permit shall be retained at a readily accessible location at the source for at least five (5) years from the date of entry and shall be made available for inspection and copying

by the Illinois EPA or USEPA upon request. Any records retained in an electronic format (e.g., computer storage device) shall be capable of being retrieved and printed on paper during normal source office hours so as to be able to respond to an Illinois EPA or USEPA request for records during the course of a source inspection.

- 25a. Pursuant to 40 CFR 60.7(a), the owner or operator shall, for the 20.5 mmBtu/hr boiler, furnish the Illinois EPA or USEPA written notification or, if acceptable to both the Illinois EPA and USEPA and the owner or operator of a source, electronic notification, as follows:
- i. A notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless that change is specifically exempted under an applicable subpart or in 40 CFR 60.14(e). This notice shall be postmarked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems, productive capacity of the facility before and after the change, and the expected completion date of the change. The Illinois EPA or USEPA may request additional relevant information subsequent to this notice.
26. Pursuant to 35 Ill. Adm. Code 212.110(d), a person planning to conduct testing for particulate matter emissions to demonstrate compliance shall give written notice to the Illinois EPA of that intent. Such notification shall be given at least thirty (30) days prior to the initiation of the test unless a shorter period is agreed to by the Illinois EPA. Such notification shall state the specific test methods from 35 Ill. Adm. Code 212.110 that will be used.
- 27a. Pursuant to 35 Ill. Adm. Code 218.187(e)(1)(B), the owner or operator of a source exempt from the limitations of 35 Ill. Adm. Code 218.187 because of the criteria in 35 Ill. Adm. Code 218.187(a)(1) shall comply with the following: Notify the Illinois EPA of any record that shows that the combined emissions of VOM from cleaning operations at the source, other than cleaning operations identified in 35 Ill. Adm. Code 218.187(a)(2), ever equal or exceed 226.8 kg/month (500 lbs/month), in the absence of air pollution control equipment, within 30 days after the event occurs.
- b. Pursuant to 35 Ill. Adm. Code 218.990, upon request by the Illinois EPA, the owner or operator of an emission unit which is exempt from the requirements of 35 Ill. Adm. Code 218 Subparts PP, QQ, RR, TT or 35 Ill. Adm. Code 218.208(b) shall submit records to the Illinois EPA within 30 calendar days from the date of the request that document that the emission unit is exempt from those requirements.
- 28a. If there is an exceedance of or a deviation from the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after identifying the exceedance or deviation. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, a

description of the exceedance or deviation, and efforts to reduce emissions and future occurrences.

- b. Two (2) copies of required reports and notifications shall be sent to:

Illinois Environmental Protection Agency
Division of Air Pollution Control
Compliance Section (#40)
P.O. Box 19276
Springfield, Illinois 62794-9276

and one (1) copy shall be sent to the Illinois EPA's regional office at the following address unless otherwise indicated:

Illinois Environmental Protection Agency
Division of Air Pollution Control
9511 West Harrison
Des Plaines, Illinois 60016

It should be noted that this permit has been revised so as to include operation of the equipment described in Construction permits #11070010, 12020012, and 14030033.

If you have any questions on this permit, please call German Barria at 217/785-1705.

Raymond E. Pilapil
Acting Manager, Permit Section
Division of Air Pollution Control

Date Signed: _____

REP:GB:jws

cc: Illinois EPA, FOS Region 1
Lotus Notes

Attachment A - Emission Summary

This attachment provides a summary of the maximum emissions from the liquid blending and bottling source operating in compliance with the requirements of this federally enforceable permit. In preparing this summary, the Illinois EPA used the annual operating scenario that results in maximum emissions from such a plant. The resulting maximum emissions are below the levels, (i.e., 100 tons/year for VOM), at which this source would be considered a major source for purposes of the Clean Air Act Permit Program. Actual emissions from this source will be less than predicted in this summary to the extent that less material is handled, fewer gallons are produced, less fuel is combusted and control measures are more effective than required in this permit.

E M I S S I O N S (Tons/Year)

<u>Emission Unit</u>	<u>CO</u>	<u>NO_x</u>	<u>PM</u>	<u>SO₂</u>	<u>VOM</u>
Storage Tanks					30.00
Process Tanks					24.50
Fuel Combustion	<u>4.90</u>	<u>5.90</u>	<u>0.40</u>	<u>0.10</u>	<u>0.30</u>
Totals	<u>4.90</u>	<u>5.90</u>	<u>0.40</u>	<u>0.10</u>	<u>54.80</u>

Attachment B - Emissions Reduction Market System (ERMS)

1. Description of ERMS

The ERMS is a "cap and trade" market system for major stationary sources located in the Chicago ozone nonattainment area. It is designed to reduce VOM emissions from stationary sources to contribute to reasonable further progress toward attainment, as required by Section 182(c) of the Clean Air Act.

The ERMS addresses VOM emissions during a seasonal allotment period from May 1 through September 30. Participating sources must hold "allotment trading units" (ATUs) for their actual seasonal VOM emissions. Each year participating sources are issued ATUs based on allotments set in the sources' permits. These allotments are established from historical VOM emissions or "baseline emissions" lowered to provide the emissions reductions from stationary sources required for reasonable further progress.

By December 31 of each year, the end of the reconciliation period following the seasonal allotment period, each source shall have sufficient ATUs in its transaction account to cover its actual VOM emissions during the preceding season. A transaction account's balance as of December 31 will include any valid ATU transfer agreements entered into as of December 31 of the given year, provided such agreements are promptly submitted to the Illinois EPA for entry into the transaction account database. The Illinois EPA will then retire ATUs in sources' transaction accounts in amounts equivalent to their seasonal emissions. When a source does not appear to have sufficient ATUs in its transaction account, the Illinois EPA will issue a notice to the source to begin the process for Emissions Excursion Compensation.

In addition to receiving ATUs pursuant to their allotments, participating sources may also obtain ATUs from the market, including ATUs bought from other participating sources and general participants in the ERMS that hold ATUs (35 Ill. Adm. Code 205.630) and ATUs issued by the Illinois EPA as a consequence of VOM emissions reductions from an Emissions Reduction Generator or an Intersector Transaction (35 Ill. Adm. Code 205.500 and 35 Ill. Adm. Code 205.510). During the reconciliation period, sources may also buy ATUs from a secondary reserve of ATUs managed by the Illinois EPA, the "Alternative Compliance Market Account" (ACMA) (35 Ill. Adm. Code 205.710). Sources may also transfer or sell the ATUs that they hold to other sources or participants (35 Ill. Adm. Code 205.630).

2. Applicability

This source is considered a "participating source" for purposes of the ERMS, 35 Ill. Adm. Code Part 205.

3. Obligation to Hold Allotment Trading Units (ATUs)

- a. Pursuant to 35 Ill. Adm. Code 205.150(c)(1) and 35 Ill. Adm. Code 205.720, and as further addressed by Condition 8 of this Attachment,

as of December 31 of each year, this source shall hold ATUs in its account in an amount not less than the ATU equivalent of its VOM emissions during the preceding seasonal allotment period (May 1 - September 30), not including VOM emissions from the following, or the source shall be subject to "emissions excursion compensation," as described in Condition 5 of this Attachment.

- i. VOM emissions from emission units that the Illinois EPA determines would qualify as insignificant activities under 35 Ill. Adm. Code 201 Subpart F if the source were a CAAPP source and for which a statement to this effect is contained in the FESOP for a participating or new participating source are exempt from the requirements of 35 Ill. Adm. Code Part 205, in accordance with 35 Ill. Adm. Code 205.220(b);
 - ii. Excess VOM emissions associated with startup, malfunction, or breakdown of an emission unit for sources permitted to operate during startup, malfunction or breakdown pursuant to 35 Ill. Adm. Code 201.262, in accordance with 35 Ill. Adm. Code 205.225;
 - iii. Excess VOM emissions to the extent allowed by a Variance, Consent Order, or Compliance Schedule, in accordance with 35 Ill. Adm. Code 205.320(e)(3);
 - iv. Excess VOM emissions that are a consequence of an emergency as approved by the Illinois EPA, pursuant to 35 Ill. Adm. Code 205.750; and
 - v. VOM emissions from certain new and modified emission units as addressed by Condition 8(b) of this Attachment, if applicable, in accordance with 35 Ill. Adm. Code 205.320(f).
- b. Notwithstanding the above condition, in accordance with 35 Ill. Adm. Code 205.150(c)(2), if a source commences operation of a major modification, pursuant to 35 Ill. Adm. Code Part 203, the source shall hold ATUs in an amount not less than 1.3 times its seasonal VOM emissions attributable to such major modification during the seasonal allotment period, determined in accordance with the construction permit for such major modification or applicable provisions of this permit.

4. Market Transactions

- a. The source shall apply to the Illinois EPA for and obtain authorization for a Transaction Account prior to conducting any market transactions, as specified at 35 Ill. Adm. Code 205.610(a).
- b. The Permittee shall promptly submit to the Illinois EPA any revisions to the information submitted for its Transaction Account, pursuant to 35 Ill. Adm. Code 205.610(b).

- c. The source shall have at least one account officer designated for its Transaction Account, pursuant to 35 Ill. Adm. Code 205.620(a).
- d. Any transfer of ATUs to or from the source from another source or general participant must be authorized by a qualified Account Officer designated by the source and approved by the Illinois EPA, in accordance with 35 Ill. Adm. Code 205.620, and the transfer must be submitted to the Illinois EPA for entry into the Transaction Account database.

5. Emissions Excursion Compensation

Pursuant to 35 Ill. Adm. Code 205.720, if the source fails to hold ATUs in accordance with Condition 3 of this Attachment, it shall provide emissions excursion compensation in accordance with the following:

- a. Upon receipt of an Excursion Compensation Notice issued by the Illinois EPA, the source shall purchase ATUs from the ACMA in the amount specified by the notice, as follows:
 - i. The purchase of ATUs shall be in an amount equivalent to 1.2 times the emissions excursion; or
 - ii. If the source had an emissions excursion for the seasonal allotment period immediately before the period for the present emissions excursion, the source shall purchase ATUs in an amount equivalent to 1.5 times the emissions excursion.
- b. If requested in accordance with paragraph (c) below or in the event that the ACMA balance is not adequate to cover the total emissions excursion amount, the Illinois EPA will deduct ATUs equivalent to the specified amount or any remaining portion thereof from the ATUs to be issued to the source for the next seasonal allotment period.
- c. Pursuant to 35 Ill. Adm. Code 205.720(c), within 15 days after receipt of an Excursion Compensation Notice, the owner or operator may request that ATUs equivalent to the amount specified be deducted from the source's next seasonal allotment by the Illinois EPA, rather than purchased from the ACMA.

6. Quantification of Seasonal VOM Emissions

- a. The methods and procedures specified in this permit for determining VOM emissions and compliance with VOM emission limitations shall be used for determining seasonal VOM emissions for purposes of the ERMS, with the following exceptions [35 Ill. Adm. Code 205.315(b)]:

No exceptions

- b. The Permittee shall report emergency conditions at the source to the Illinois EPA, in accordance with 35 Ill. Adm. Code 205.750, if the Permittee intends to deduct VOM emissions in excess of the technology-based emission rates normally achieved that are

attributable to the emergency from the source's seasonal VOM emissions for purposes of the ERMS. These reports shall include the information specified by 35 Ill. Adm. Code 205.750(a), and shall be submitted in accordance with the following:

- i. An initial emergency conditions report within two days after the time when such excess emissions occurred due to the emergency; and
- ii. A final emergency conditions report, if needed to supplement the initial report, within 10 days after the conclusion of the emergency.

7. Annual Account Reporting

- a. For each year in which the source is operational, the Permittee shall submit, as a component of its Annual Emissions Report, seasonal VOM emissions information to the Illinois EPA for the seasonal allotment period. This report shall include the following information [35 Ill. Adm. Code 205.300]:
 - i. Actual seasonal emissions of VOM from the source;
 - ii. A description of the methods and practices used to determine VOM emissions, as required by this permit, including any supporting documentation and calculations;
 - iii. A detailed description of any monitoring methods that differ from the methods specified in this permit, as provided in 35 Ill. Adm. Code 205.337;
 - iv. If a source has experienced an emergency, as provided in 35 Ill. Adm. Code 205.750, the report shall reference the associated emergency conditions report that has been approved by the Illinois EPA;
 - v. If a source's baseline emissions have been adjusted due to a Variance, Consent Order, or CAAPP permit Compliance Schedule, as provided for in 35 Ill. Adm. Code 205.320(e)(3), the report shall provide documentation quantifying the excess VOM emissions during the season that were allowed by the Variance, Consent Order, or Compliance Schedule, in accordance with 35 Ill. Adm. Code 205.320(e)(3); and
 - vi. If a source is operating a new or modified emission unit for which three years of operational data is not yet available, as specified in 35 Ill. Adm. Code 205.320(f), the report shall specify seasonal VOM emissions attributable to the new emission unit or the modification of the emission unit.
- b. This report shall be submitted by November 30 of each year, for the preceding seasonal allotment period.

8. Allotment of ATUs to the Source

- a. i. The allotment of ATUs to this source is 97 ATUs per seasonal allotment period.
- ii. This allotment of ATUs reflects the Illinois EPA's determination that the source's baseline emissions were 10.92 tons per season.
- iii. The source's allotment reflects 88% of the baseline emissions (12% reduction), except for the VOM emissions from specific emission units excluded from such reduction, pursuant to 35 Ill. Adm. Code 205.405, including units complying with MACT or using BAT, as identified in Condition 10 of this Attachment of this permit.
- iv. ATUs will be issued to the source's Transaction Account by the Illinois EPA annually. These ATUs will be valid for the seasonal allotment period following issuance and, if not retired in this season, the next seasonal allotment period.
- v. Condition 3(a) of this Attachment becomes effective beginning in the seasonal allotment period following the initial issuance of ATUs by the Illinois EPA into the Transaction Account for the source.

b. Contingent Allotments for New or Modified Emission Units

None

c. Notwithstanding the above, part or all of the above ATUs will not be issued to the source in circumstances as set forth in 35 Ill. Adm. Code Part 205, including:

- i. Transfer of ATUs by the source to another participant or the ACMA, in accordance with 35 Ill. Adm. Code 205.630;
- ii. Deduction of ATUs as a consequence of emissions excursion compensation, in accordance with 35 Ill. Adm. Code 205.720; and
- iii. Transfer of ATUs to the ACMA, as a consequence of shutdown of the source, in accordance with 35 Ill. Adm. Code 205.410.

9. Recordkeeping for ERMS

The Permittee shall maintain copies of the following documents as its Compliance Master File for purposes of the ERMS [35 Ill. Adm. Code 205.700(a)]:

- a. Seasonal component of the Annual Emissions Report;

- b. Information on actual VOM emissions, as recorded and as required by Condition 25(a) of this permit and Condition 6(a) of this Attachment; and
- c. Any transfer agreements for the purchase or sale of ATUs and other documentation associated with the transfer of ATUs.

10. Exclusions from Further Reductions

- a. VOM emissions from the following emission units shall be excluded from the VOM emissions reductions requirements specified in 35 Ill. Adm. Code 205.400(c) and (e) as long as such emission units continue to satisfy the following [35 Ill. Adm. Code 205.405(a)]:
 - i. Emission units that comply with any NESHAP or MACT standard promulgated pursuant to the Clean Air Act;
 - ii. Direct combustion emission units designed and used for comfort heating purposes, fuel combustion emission units, and internal combustion engines; and
 - iii. An emission unit for which a LAER demonstration has been approved by the Illinois EPA on or after November 15, 1990.

The source has demonstrated in its ERMS application and the Illinois EPA has determined that the following emission units qualify for exclusion from further reductions because they meet the criteria as indicated above [35 Ill. Adm. Code 205.405(a) and (c)]:

Fuel Combustion Emission Units

- b. VOM emissions from emission units using BAT for controlling VOM emissions shall not be subject to the VOM emissions reductions requirement specified in 35 Ill. Adm. Code 205.400(c) or (e) as long as such emission unit continues to use such BAT [35 Ill. Adm. Code 205.405(b)].

The source has demonstrated in its ERMS application and the Illinois EPA has determined that the following emission units qualify for exclusion from further reductions because these emission units use BAT for controlling VOM emissions as indicated above [35 Ill. Adm. Code 205.405(b) and (c)]: