



TABLE OF CONTENTS

	<u>PAGE</u>
1.0 SOURCE IDENTIFICATION	4
1.1 Source	
1.2 Owner/Parent Company	
1.3 Operator	
1.4 General Source Description	
2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT	5
3.0 INSIGNIFICANT ACTIVITIES	7
3.1 Identification of Insignificant Activities	
3.2 Compliance with Applicable Requirements	
3.3 Addition of Insignificant Activities	
4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE	10
5.0 OVERALL SOURCE CONDITIONS	11
5.1 Source Description	
5.2 Applicable Regulations	
5.3 Non-Applicability of Regulations of Concern	
5.4 Source-Wide Operational and Production Limits and Work Practices	
5.5 Source-Wide Emission Limitations	
5.6 General Recordkeeping Requirements	
5.7 General Reporting Requirements	
5.8 General Operational Flexibility/Anticipated Operating Scenarios	
5.9 General Compliance Procedures	
6.0 NOT APPLICABLE TO THIS PERMIT	17
7.0 UNIT SPECIFIC CONDITIONS	18
7.1 Department 303 - Carbon Black Handling Units	
7.2 Department 303 - Intensive Mixing and Milling Areas	
7.3 Departments 306, 706, 304, and 305 - Passenger, Light, and Heavy Truck Tire Extrusion/Calendaring Areas	
7.4 Departments 312/314 and 712/714 - Passenger, Light, and Heavy Truck Tire Stock and Bead Preparation Areas	
7.5 Departments 317 and 318/718 - Passenger, Light, and Heavy	

	Truck Tire Building Machines		
7.6	Departments 324 and 326/726 - Passenger, Light, and Heavy Truck Green Tire Spraying and Curing Areas		
7.7	Departments 325 and 327 - Passenger, Light, and Heavy Truck Tire Finishing Areas		
7.8	Boilers		
			<u>PAGE</u>
8.0	GENERAL PERMIT CONDITIONS		58
8.1	Permit Shield		
8.2	Applicability of Title IV Requirements		
8.3	Emissions Trading Programs		
8.4	Operational Flexibility/Anticipated Operating Scenarios		
8.5	Testing Procedures		
8.6	Reporting Requirements		
8.7	Obligation to Comply with Title I Requirements		
9.0	STANDARD PERMIT CONDITIONS		63
9.1	Effect of Permit		
9.2	General Obligations of Permittee		
9.3	Obligation to Allow Illinois EPA Surveillance		
9.4	Obligation to Comply with Other Requirements		
9.5	Liability		
9.6	Recordkeeping		
9.7	Annual Emissions Report		
9.8	Requirements for Compliance Certification		
9.9	Certification		
9.10	Defense to Enforcement Actions		
9.11	Permanent Shutdown		
9.12	Reopening and Reissuing Permit for Cause		
9.13	Severability Clause		
9.14	Permit Expiration and Renewal		
10.0	ATTACHMENTS		
10.1	Attachment 1 - Allowable Emissions of Particulate Matter		1-1
10.2	Attachment 2 - Example Certification by a Responsible Official		2-1
10.3	Attachment 3 - Guidance on Revising this Permit		3-1
10.4	Attachment 4 - Form 199-CAAPP, Application for Construction Permit (For CAAPP Sources Only)		4-1
10.5	Attachment 5 - Guidance on Renewing this Permit		5-1

1.0 SOURCE IDENTIFICATION

1.1 Source

Continental General Tire, Inc.  
Highway 142 South  
Mount Vernon, Illinois 62864  
618/246-2450

I.D. No.: 081803AAB  
Standard Industrial Classification: 3011, Rubber Products

1.2 Owner/Parent Company

Continental General Tire, Inc.  
1800 Continental Boulevard  
Charlotte, North Carolina 28273

1.3 Operator

Continental General Tire, Inc.  
Highway 142 South  
Mount Vernon, Illinois 62864

Keith Pearson  
618/246-2450

1.4 General Source Description

Continental General Tire, Inc. is located at Highway 142 South in Mount Vernon and manufacturers rubber tires for different type of trucks. The plant operates the following significant emission units at this site: carbon black handling, carbon black mixing and milling areas, extrusion/calendaring areas, stock and bead preparation areas, tire building machines, green tire spraying and curing areas, tire finishing areas, and boilers.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Continental General Tire, Inc  
 I.D. No.: 081803AAB  
 Application No.: 95110095  
 March 27, 2002

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

ACMA	Alternative Compliance Market Account
Act	Illinois Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
ATU	Allotment Trading Unit
BAT	Best Available Technology
Btu	British thermal unit
°C	Degrees Celsius
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CAM	Compliance Assurance Monitoring
Cd	Cadmium
CEMS	Continuous Emission Monitoring System
cfm	Cubic foot per minute
CFR	Code of Federal Regulations
CO	Carbon Monoxide
dscf	Dry standard cubic foot
dscm	Dry standard cubic meter
EP	Emission Point/Process
°F	Degrees Fahrenheit
ft	Feet
G	Grams
gal	Gallons
gr	Grains
HAP	Hazardous Air Pollutant
HCl	Hydrogen Chloride
Hg	Mercury
HMIWI	Hospital/Medical/Infectious Waste Incinerator
hr	hour
IAC	Illinois Administrative Code
I.D. No.	Identification Number of Source, assigned by Illinois EPA
ILCS	Illinois Compiled Statutes
Illinois EPA	Illinois Environmental Protection Agency
kW	kilowatts
L	liter
LAER	Lowest Achievable Emission Rate
lb	pound
MACT	Maximum Achievable Control Technology
mg	milligram

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Continental General Tire, Inc  
 I.D. No.: 081803AAB  
 Application No.: 95110095  
 March 27, 2002

mmBtu	Million British thermal units
mmscf	Million standard cubic feet
mo	month
MW	Megawatts
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO <sub>x</sub>	Nitrogen Oxides
Pb	Lead
NSPS	New Source Performance Standards
PM	Particulate Matter
PM <sub>10</sub>	Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 microns as measured by applicable test or monitoring methods
ppm	parts per million
ppmv	Parts per million by volume
PSD	Prevention of Significant Deterioration
RMP	Risk Management Plan
scf	Standard cubic feet
scm	Standard cubic meters
SO <sub>2</sub>	Sulfur Dioxide
T	Ton
TEQ	Toxic equivalency
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit
T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
USEPA	United States Environmental Protection Agency
VOM	Volatile Organic Material
yr	year

### 3.0 INSIGNIFICANT ACTIVITIES

#### 3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the Illinois EPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

Boilers

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

None

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

- a. Direct combustion units designed and used for comfort heating purposes and fuel combustion emission units as follows: (A) Units with a rated heat input capacity of less than 2.5 mmBtu/hr that fire only natural gas, propane, or liquefied petroleum gas; (B) Units with a rated heat input capacity of less than 1.0 mmBtu/hr that fire only oil or oil in combination with only natural gas, propane, or liquefied petroleum gas; and (C) Units with a rated heat input capacity of less than 200,000 Btu/hr which never burn refuse, or treated or chemically contaminated wood [35 IAC 201.210(a)(4)].
- b. Extruders used for the extrusion of metals, minerals, plastics, rubber, or wood, excluding extruders used in the manufacture of polymers, provided that volatile organic materials or class I or II substances subject to the requirements of Title VI of the CAA are not used as foaming agents or release agents or were not used as foaming agents in the case of extruders processing scrap material [35 IAC 201.210(a)(5)].
- c. Equipment used for the melting or application of less

than 50,000 lbs/year of wax to which no organic solvent has been added [35 IAC 201.210(a)(7)].

Storage tanks of organic liquids with a capacity of less than 10,000 gallons and an annual throughput of less than 100,000 gallons per year, provided the storage tank is not used for the storage of gasoline or any material listed as a HAP pursuant to Section 112(b) of the CAA [35 IAC 201.210(a)(10)].

- d. Storage tanks of any size containing virgin or re-refined distillate oil, hydrocarbon condensate from natural gas pipeline or storage systems, lubricating oil, or residual fuel oils [35 IAC 201.210(a)(11)].
- e. Storage tanks of any size containing exclusively soaps, detergents, surfactants, glycerin, waxes, vegetable oils, greases, animal fats, sweeteners, corn syrup, aqueous salt solutions, or aqueous caustic solutions, provided an organic solvent has not been mixed with such materials [35 IAC 201.210(a)(17)].

3.1.4 Activities that are considered insignificant activities pursuant to 35 IAC 201.210(b).

### 3.2 Compliance with Applicable Requirements

Insignificant activities are subject to applicable requirements notwithstanding status as insignificant activities. In particular, in addition to regulations of general applicability, such as 35 IAC 212.301 and 212.123 (Condition 5.2.2), the Permittee shall comply with the following requirements, as applicable:

3.2.1 For each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, 218.182, or 219.182.

3.2.2 For each particulate matter process emission unit, the Permittee shall comply with the applicable particulate matter emission limit of 35 IAC 212.321 or 212.322. For example, the particulate matter emissions from a process emission unit shall not exceed 0.55 pounds per hour if the emission unit's process weight rate is 100 pounds per hour or less, pursuant to 35 IAC 266.110.

3.2.3 For each organic material emission unit that uses organic material, e.g., a mixer or printing line, the Permittee shall comply with the applicable VOM emission limit of 35 IAC 215.301, 218.301, or 219.301, which requires that organic material emissions not exceed 8.0 pounds per hour or do not qualify as photochemically reactive material as defined in 35 IAC 211.4690.

### 3.3 Addition of Insignificant Activities

3.3.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).

3.3.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.

3.3.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Continental General Tire, Inc  
 I.D. No.: 081803AAB  
 Application No.: 95110095  
 March 27, 2002

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

Emission Unit	Description	Date Constructed	Emission Control Equipment
Unit 1	Department 303 - Carbon Black Handling Units	1973; 1977; 1990	Dust Collectors
Unit 2	Department 303 - Intensive Mixing and Milling Areas	1973; 1975; 1979; 1990; 1995	Dust Collectors
Unit 3	Departments 306, 706, 304, and 305 - Passenger, Light, and Heavy Truck Tire Extrusion/Calendaring Areas	<u>306</u> : 1974; 1982; 1989  <u>706</u> : 1990  <u>304/305</u> : 1973; 1985	None
Unit 4	Departments 312/314 and 712/714 - Passenger, Light, and Heavy Truck Tire Stock and Bead Preparation Areas	<u>712/714</u> : 1989  <u>312/314</u> : 1982; 1994	None
Unit 5	Departments 317 and 318/718 - Passenger, Light, and Heavy Truck Tire Building Machines	<u>318/718</u> : 1974; 1995; 1996  317: 1973;1995	None
Unit 6	Departments 324 and 326/726 - Passenger, Light, and Heavy Truck Tire Spraying and Curing Areas	<u>326/726</u> : 1974; 1990  324: 1974; 1995	Wet Scrubber (EP84)
Unit 7	Departments 325 and 327 - Passenger, Light, and Heavy Truck Tire Finishing Areas	<u>327</u> : 1975; 1994  <u>325</u> : 1974; 1995	Dust Collectors and Cyclones
Unit 8	Boilers	#1-#3: 1973 #4: 1991	None

5.0 OVERALL SOURCE CONDITIONS

5.1 Source Description

5.1.1 This permit is issued based on the source requiring a CAAPP permit as a major source of VOM, NO<sub>x</sub>, SO<sub>2</sub>, PM<sub>10</sub>, and HAP emissions.

5.2 Applicable Regulations

5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7 (Unit-Specific Conditions) of this permit.

5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:

- a. No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.

- b. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to the requirements of 35 IAC 212.122, pursuant to 35 IAC 212.123(a), except as allowed by 35 IAC 212.123(b) and 212.124.

5.2.3 The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required

practices pursuant to 40 CFR 82.156.

- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

#### 5.2.4 Risk Management Plan

Should this stationary source, as defined in 40 CFR Section 68.3, become subject to the Accidental Release Prevention regulations in 40 CFR Part 68, then the owner or operator shall submit [40 CFR 68.215(a)(2)(i) and (ii)]:

- a. A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or
- b. A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan (RMP), as part of the annual compliance certification required by 40 CFR Part 70 or 71.

- 5.2.5 a. i. Should this stationary source become subject to a regulation under 40 CFR Parts 60, 61, or 63, or 35 IAC after the date issued of this permit, then the owner or operator shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by 40 CFR Part 70 or 71.
- ii. On October 18, 2000 USEPA had proposed a new National Emission Standards for Hazardous Air Pollutants, 40 CFR Part 63, Subpart XXXX, "Rubber Tire Manufacturing". The Permittee has

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

to comply with all appropriate requirements of this rule as would be established in the final version of Subpart XXXX.

- b. No later than upon the submittal for renewal of this permit, the owner or operator shall submit, as part of an application, the necessary information to address either the non-applicability of, or demonstrate compliance with all applicable requirements of any potentially applicable regulation which was promulgated after the date issued of this permit.

5.2.6 Episode Action Plan

- a. If the source is required to have an episode action plan pursuant to 35 IAC 244.142, the Permittee shall maintain at the source and have on file with the Illinois EPA a written episode action plan (plan) for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The plan shall contain the information specified in 35 IAC 244.144.
- b. The Permittee shall immediately implement the appropriate steps described in this plan should an air pollution alert or emergency be declared.
- c. If a change occurs at the source which requires a revision of the plan (e.g., operational change, change in the source contact person), a copy of the revised plan shall be submitted to the Illinois EPA for review within 30 days of the change. Such plans shall be further revised if disapproved by the Illinois EPA.
- d. For sources required to have a plan pursuant to 35 IAC 244.142, a copy of the original plan and any subsequent revisions shall be sent to:
  - i. Illinois EPA, Compliance Section; and
  - ii. For sources located in Cook County and outside of the city of Chicago: Cook County Department of Environmental Control; or
  - iii. For sources located within the city of Chicago: Chicago Department of Environmental Control.

5.2.7 CAM Plan

This stationary source has a pollutant-specific emissions unit that is subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources. The source must submit a CAM plan for each affected pollutant-specific emissions unit upon application for renewal of the initial CAAPP permit, or upon a significant modification to the CAAPP permit for the construction or modification of a large pollutant-

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

specific emissions unit which has the potential post-control device emissions of the applicable regulated air pollutant that equals or exceeds major source threshold levels.

5.2.8 Rubber Tire Manufacturing (40 CFR Part 60, Subpart BBB)

The following tire manufacturing operations involved into manufacturing of rubber tires with a bead diameter less than or equal to 0.5 meter (19.7 inches) and a cross section dimension less than or equal to 0.325 m (12.8 inches) and constructed, modified, or reconstructed after January 20, 1983 are subject to requirements of 40 CFR Part 60, Subpart BBB: each under tread cementing operation; each sidewall cementing operation; each tread end cementing operation; each bead cementing operation; and each green tire spraying operation. Specific requirements of 40 CFR Part 60, Subpart BBB are discussed further in Section 7.

5.3 Non-Applicability of Regulations of Concern

Manufacturing of rubber tires with dimensions exceeding those mentioned in Condition 5.2.7 and/or constructed prior to January 20, 1983 are exempt from requirements of 40 CFR Part 60, Subpart BBB.

5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

5.5 Source-Wide Emission Limitations

5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. These limitations (Condition 5.5.1) are set for the purpose of establishing fees and are not federally enforceable.

Permitted Emissions of Regulated Pollutants

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

Pollutant	Tons/Year
Volatile Organic Material (VOM)	462.25
Sulfur Dioxide (SO <sub>2</sub> )	956.62
Particulate Matter (PM)	175.07
Nitrogen Oxides (NO <sub>x</sub> )	388.70
HAP, not included in VOM or PM	1.62
Total	1,984.26

5.5.2 Emissions of Hazardous Air Pollutants

Source-wide emission limitations for HAPs as listed in Section 112(b) of the CAA are not set. This source is considered to be a major source of HAPs.

5.5.3 Other Source-Wide Emission Limitations

None

5.6 General Recordkeeping Requirements

5.6.1 Emission Records

The Permittee shall maintain records of the following items for the source to demonstrate compliance with Condition 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

Total annual emissions on a calendar year basis for the emission units covered by Section 7 (Unit Specific Conditions) of this permit.

5.6.2 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified by the particular recordkeeping provision herein), shall be kept at a location at the source that is readily accessible to the Illinois EPA or USEPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.
- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in response to an Illinois EPA or USEPA request for

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

records during the course of a source inspection.

## 5.7 General Reporting Requirements

### 5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the source with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken.

5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year.

5.8 General Operational Flexibility/Anticipated Operating Scenarios

N/A

5.9 General Compliance Procedures

5.9.1 General Procedures for Calculating Emissions

Compliance with the source-wide emission limits specified in Condition 5.5 shall be based on the recordkeeping and reporting requirements of Conditions 5.6 and 5.7, and compliance procedures in Section 7 (Unit Specific Conditions) of this permit.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

6.0 NOT APPLICABLE TO THIS PERMIT



particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.321 (See also Attachment 1) [35 IAC 212.321(a)].

7.1.4 Non-Applicability of Regulations of Concern

None

7.1.5 Operating Requirements and Work Practices

- a. The Permittee shall follow good operating practices for the dust collectors, including periodic inspection, routine maintenance and repair of defects.
- b. The Permittee shall operate, maintain, and replace the fabric filters in a manner that assures compliance with the conditions of this Section.

7.1.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5.1, the affected carbon black handling unit is subject to the following limits:

Unit	Production Rate (lb/hr)	PM/PM <sub>10</sub> Emissions (lb/hr)      (t/yr)
Charge Silos (Emission Points #57, #58, #169)	2,265	0.58      2.56

The above limitations were established in the Permit 96030308 above, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permits do not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

month plus the preceding 11 months (running 12 month  
total.

7.1.7 Testing Requirements

None

7.1.8 Monitoring Requirements

None

7.1.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected carbon black handling unit to demonstrate compliance with Condition 5.5.1 and Section 7 of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Amount of carbon black processed by the entire group and separately by emission points #57, #58, and #169 in ton/mo and ton/yr.
- b. Hours of operation for the entire group and separately for emission points #57, #58, and #169.
- c. Monthly and aggregate annual emissions calculated based on the procedures established in Condition 7.1.12.

7.1.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of noncompliance of affected carbon black handling unit with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

If there is an exceedance of the emission limitations of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

7.1.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.1.12 Compliance Procedures

- a. Compliance with the PM emission limits established by

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

35 IAC 212.121 is assured and achieved by the proper operation and maintenance, as required by this section and the work-practices inherent in operation of the affected carbon black handling units.

- b.  $PM_{10}$  Emissions = (Air flow, cfm) x (Estimated Dust Loading, gr/scf) x (1 lb/7,000 gr) x (60 minutes/hr) x [100 - (Efficiency, %)/100] x (Hours of Operation)

7.2 Unit 2: Department 303 - Intensive Mixing and Milling Areas

7.2.1 Description

Natural and synthetic rubber is blended with carbon black, process oils, sulfur and curing agents in enclosed high shear intensive mixers. Mixed stock is sheeted off mills for use in other processing departments.

7.2.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
Unit 2	<ul style="list-style-type: none"> <li>• <b><u>Area "A"</u></b>            Mixers #1, #2, #8, #9, and #12 (EP23, 61, 62, 102, 114)             Batch-Off Mills (EP26, 65, 66, 103, 115)             Sheetting Mills and Dip Tanks/Drying Racks (EP69, 70, 104, 116, 120)</li> <li>• <b><u>Area "B"</u></b>            Mixers #3, #4, #5, #6 (EP12, 13, 14, 24)            Batch-Off Mills (EP19, 20, 21, 25)             Sheetting Mills and Dip Tanks/Drying Racks (EP119, 121, 122, 123, 124)</li> <li>• <b><u>Area "C"</u></b>            Mixer #7 (EP30)            Screw Roller Die, Dip Tank, and Cooling Unit (EP125)</li> <li>• <b><u>Area "D"</u></b>            Mixers #10 and #11 (EP59, 60)             Twin Die Rollers, Dip Tanks, and Drying Racks (EP67,68)</li> </ul>	Dust Collectors  Dust Collectors  None  Dust Collectors  None  None  Dust Collectors  None

7.2.3 Applicability Provisions and Applicable Regulations

- a. An affected "intensive mixing and milling area" is an emission unit or group of emission units involved into mixing and milling of raw materials prior to further processing.
- b. Each affected intensive mixing and milling area is subject to 35 IAC 212.321(b)(1), which provides that:

No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.321 (See also Attachment 1) [35 IAC 212.321(a)].

- c. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lb/hr) of organic material into the atmosphere from any emission unit unless nor odor nuisance exists and non-photochemically reactive materials are used [35 IAC 215.301].

7.2.4 Non-Applicability of Regulations of Concern

None

7.2.5 Operating Requirements and Work Practices

- a. The Permittee shall follow good operating practices for the dust collectors, including periodic inspection, routine maintenance and repair of defects.
- b. The Permittee shall operate, maintain, and replace the fabric filters in a manner that assures compliance with the conditions of this Section.

7.2.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected rubber

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Continental General Tire, Inc  
 I.D. No.: 081803AAB  
 Application No.: 95110095  
 March 27, 2002

mills are subject to the following:

Emission Point	PM <sub>10</sub> Emissions		VOM Emissions	
	(lb/hr)	(t/yr)	(lb/hr)	(t/yr)
#114-116	2.26	9.63	0.5	2.2
#65-70	----	----	1.73	6.9

The above limitations were established in Permits 95010023 (for #114-116) and 89030044 (for 65-70), pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

7.2.7 Testing Requirements

None

7.2.8 Monitoring Requirements

None

7.2.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected intensive mixing and milling area to demonstrate compliance with Condition 5.5.1 and Section 7 of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Total rubber throughput on the monthly and annual basis (T/mo and T/yr).
- b. Hours of operation for the entire group and separately for emission points #114-116 and #65-70.
- c. Total monthly and aggregate annual emissions of VOM calculated based on the procedures established in

Condition 7.2.12.

- d. Total monthly and aggregate annual emissions of PM<sub>10</sub> calculated based on the procedures established in Condition 7.2.12.

#### 7.2.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of noncompliance of affected HMIWI with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

If there is an exceedance of the emission limitations of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

#### 7.2.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

#### 7.2.12 Compliance Procedures

- a. Compliance with the PM emission limits established by 35 IAC 212.121 is assured and achieved by the proper operation and maintenance, as required by this section and the work-practices inherent in operation of the affected intensive mixing and milling area.
- b. To determine compliance with Conditions 5.5.1, VOM emissions from the affected intensive mixing and milling area shall be calculated based on the emission factor equal to 0.000314 lb/VOM for each lb of rubber processed. This emission factor has been established in Table 4.12-5 of AP-42 and developed by the Rubber Manufacturing Association for rubber milling operations.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

c.  $PM_{10}$  Emissions = (Air flow, cfm) x (Estimated Dust Loading, gr/scf) x (1 lb/7,000 gr) x (60 minutes/hr) x [100 - (Efficiency, %)/100] x (Hours of Operation)

7.3 Unit 3: Departments 306, 706, 304, and 305 - Passenger, Light, and Heavy Truck Tire Extrusion/Calendaring Areas

7.3.1 Description

Polyester, nylon and steel tire cord are calendared (coated with rubber) and cut for use as polystock and breakers. Mixed rubber is extruded to form tread and sidewall components for tire assembly.

7.3.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
Unit 3:	<b><u>Departments 304/305 - Passenger and Light Truck Tire Calendaring Area</u></b>	None
	Emission Points (EP): 37, 49, 146, 147, 167	
	<b><u>Department 306 - Passenger and Light Truck Tire Extrusion Area</u></b>	None
	Emission Points (EP): 33, 39, 40, 50, 96, 97, 143, 166	
	<b><u>Department 706 - Heavy Truck Tire Extrusion and Calendaring Area</u></b>	None
	Emission Points (EP): 74-80, 109, 110, 138-142, 168, 188-190	

7.3.3 Applicability Provisions and Applicable Regulations

- a. An "affected calendar/extrusion station" is an emission unit, which shapes rubber by pressing it between rotating metal cylinders.
- b. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lb/hr) of organic material into the

atmosphere from any emission unit unless no odor nuisance exists and non-photochemically reactive materials are used [35 IAC 215.301]. This emission limitation is applied to any operation other than tread end and bead cementing.

- c. The tire manufacturing operations involved into manufacturing of rubber tires with a bead diameter less than or equal to 0.5 meter (19.7 inches) and a cross section dimension less than or equal to 0.325 m (12.8 inches) and constructed, modified, or reconstructed after January 20, 1983 are subject to the following requirements of 40 CFR Part 60, Subpart BBB:
  - i. Each tread end cementing operation performed on the calendar/extrusion stations is limited to 10 grams of VOM emissions or less per tire, pursuant to 40 CFR 60.542(a)(3).
  - ii. Each bead cementing operation performed on the calendar/extrusion stations is limited to 5 grams of VOM emissions or less per bead cemented for each month, pursuant to 40 CFR 60.542(a)(4).
- d. Compliance with emission limit in Condition 7.3.3(d) shall be deemed compliance with identical limitation of 35 IAC 215.463.
- e. Emission limitations of Condition 7.3.3(c) are applied to the cementing operations performed in the Department #306.

7.3.4 Non-Applicability of Regulations of Concern

- a. This permit is issued based on the affected calendar/extrusion stations not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM), because the affected calendar stations do not use an add-on control devices to achieve compliance with an emission limitation or standard.
- b. The tire manufacturing operations involved into manufacturing of rubber tires with dimensions and construction dates other than provided in Condition 7.3.3(d) are excluded from applicability of 40 CFR 60.542(a)(3) and (4) and 35 IAC Part 215, Subpart S

"Rubber and Miscellaneous Plastic Products".

7.3.5 Operating Requirements and Work Practices

None

7.3.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5.1, the affected calendar/extrusion stations are subject to the following:

a. EP188

Tire Treads Processed		VOM Emissions		
(Tread/mo)	(Tread/yr)	(g/Tread)	(t/mo)	(t/yr)
23,886	286,644	10.0	0.26	3.16

The above limitations were established in Permit 98050042, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

b. EP74-79

VOM Emissions	
(lb/hr)	(t/yr)
2.19	9.2

The above limitations were established in Permit 89030044, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new

major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

c. EP50

VOM Emissions		
<u>(g/tread)</u>	<u>(lb/hr)</u>	<u>(t/yr)</u>
5.5	9.17	39.9

The above limitations were established in Permit 97030030, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

7.3.7 Testing Requirements

- a. Monthly performance tests shall be conducted as follows pursuant to 40 CFR 60.543(d):
  - i. For each tread end cementing operation where water-based cements containing 1.0 percent, by weight, of VOC or more are used (inside and/or outside) that do not use a VOC emission reduction system, the owner or operator shall use the following procedure to determine compliance with the g/tire limit specified under 40 CFR 60.542(a)(3):
    - A. Determine the density and weight fraction

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

VOC as specified under 40 CFR  
60.543(c)(1).

- B. Calculate the total mass of VOC used at the affected facility for the month ( $M_o$ ) as specified under 40 CFR 60.543(c)(2).
- C. Determine the total number of tires cemented or sprayed at the affected facility for the month ( $T_o$ ) by the following procedure:

For a trend end cementing operation,  $T_o$  equals the number of tread end cement for the month.

- D. Calculate the mass of VOC used per tire cemented at the affected facility for the month ( $G$ ):

$$G = \frac{M_o}{T_o}$$

- ii. For each bead cementing operation that does not use a VOC emission reduction system, the owner or operator shall use the following procedure to determine compliance with the g/bead limit specified under 40 CFR 60.542(a)(4):
  - A. Determine the density and weight fraction VOC as specified under 40 CFR 60.543(c).
  - B. Calculate the total mass of VOC used at the affected facility for the month ( $M_o$ ) as specified under 40 CFR 60.543(c)(2).
  - C. Determine the number of beads cemented at the affected facility during the month ( $B_o$ ) using production records;  $B_o$  equals the number of beads that receive an application of cement for the month.

- D. Calculate the mass of VOC used per bead cemented at the affected facility for the month ( $G_b$ ):

$$G_b = \frac{M_o}{B_o}$$

- E. Calculate the mass of VOC emitted per bead cemented at the affected facility for the month ( $N_b$ ):

$$N_b = G_b$$

- b. In determining compliance for each tread end cementing operation and each bead cementing operation, the owner or operator shall include only those tires defined under 40 CFR 60.541(a) when determining  $T_o$  and  $B_o$ . [40 CFR 60.543(m)].

7.3.8 Monitoring Requirements

None

7.3.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for all affected calendar/extrusion stations to demonstrate compliance with Condition 5.5.1 and Section 7 of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Total rubber throughput on the monthly and annual basis (T/mo and T/yr).
- b. Tire treads processed in each department, per month and per year.
- c. Cement usage for each department and individual stations, gallons/pounds per month and gallons/pounds per year.
- d. Weight fraction of VOM in each cement used for the tread end cementing operation, wt.%.
- e. VOM emissions from each type of the cementing

operations performed subject to 40 CFR 60.542(a) and calculated based on the procedures established in Condition 7.3.12.

- f. Monthly and total aggregate emissions of VOM calculated based on the procedures established in Condition 7.3.12.
- g. Results of the monthly performance tests as specified under 40 CFR 60.543(b)(1) and required by 40 CFR 60.545(e).

#### 7.3.10 Reporting Requirements

- a. The Permittee shall promptly notify the Illinois EPA, Compliance Section, of noncompliance of affected calendar/extrusion stations with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

If there is an exceedance of the emission limitations of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

- b. The Permittee shall follow appropriate reporting requirements established in 40 CFR 60.546 (c) and (f).

#### 7.3.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

#### 7.3.12 Compliance Procedures

- a. To determine compliance with Conditions 5.5.1 and 7.3.6, VOM emissions from the affected calendar/extrusion station shall be calculated based on the emission factor equal to 0.000186 lb/VOM for

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

each lb of rubber processed. This emission factor has been established in Table 4.12-7 of AP-42 and developed by the Rubber Manufacturing Association for rubber calendaring operations.

- b. Compliance with emission limits in Condition 7.3.3(c) for cementing operations shall be demonstrated through the procedures established by 40 CFR 60.543(d) and (e) and Condition 7.3.7.

7.4 Unit 4: Departments 312/314 and 712/714 - Passenger, Light, and Heavy Truck Tire Stock and Bead Preparation Areas

7.4.1 Description

Finish rubber stocks are extruded into tire beds, tire ploys, inner liners and other tire components. Steel wire is rubber coated and formed into finished beads. Solvents utilized for these operations contribute to VOM/HAP emissions released from the affected departments.

7.4.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
Unit 4	<p style="text-align: center;"><b><u>Departments 312/314 - Passenger and Light Truck Tire Stock and Bead Preparation</u></b></p> <p>Emission Points (EP): 82</p> <p style="text-align: center;"><b><u>Departments 712/714 - Heavy Truck Tire Stock and Bead Preparation</u></b></p> <p>Emission Points (EP): 32,83</p>	None

7.4.3 Applicability Provisions and Applicable Regulations

- a. An "affected tire stock and bead preparation machine" is an emission unit, which prepares different tire components for further processing in tire building machines.
- b. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lb/hr) of organic material into the atmosphere from any emission unit unless no odor nuisance exists and non-photochemically reactive materials are used [35 IAC 215.301].

7.4.4 Non-Applicability of Regulations of Concern

This permit is issued based on the affected tire stock

and bead preparation machines not being subject to 40 CFR Part 64, Compliance Assurance Monitoring(CAM), because the affected tire stock and bead preparation machines do not use an add-on control devices to achieve compliance with an emission limitation or standard.

7.4.5 Operating Requirements and Work Practices

None

7.4.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5.1, the affected tire stock and bead preparation machines are subject to the following:

Emissions of VOM shall not exceed the following limits:

Department	VOM Emissions	
	(lb/hr)	(t/yr)
312/314 and 712/714 (Combined)	9.86	41.4

The above limitations were established in Permit 89030044, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total)

7.4.7 Testing Requirements

None

7.4.8 Monitoring Requirements

None

#### 7.4.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected tire stock and bead preparation machines to demonstrate compliance with Condition 5.5.1 and Section 7 of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Solvents used by both departments 312/314 and 712/714 (gal/month and gal/year);
- b. VOM/HAP content of each solvent applied (lb/gal);
- c. Density of each solvent (lb/gal);
- d. Total annual emissions of HAPs calculated based on the procedures established in Condition 7.4.12; and
- e. Monthly and annual emissions of VOM generated by departments 312/314 and 712/714, as established in Condition 7.4.6 and calculated based on the procedures established in Condition 7.4.12.

#### 7.4.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of noncompliance of affected tire stock and bead preparation machines with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

If there is an exceedance of the emission limitations of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

#### 7.4.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.4.12 Compliance Procedures

- a. To determine compliance with Conditions 5.5.1 and 7.4.6, VOM emissions from the affected tire stock and bead preparation machines shall be calculated based on the formula listed below:

$$\text{VOM (ton)} = \text{Gallons of Solvent Used (gal)} \times \text{VOM Content (lb/gal)} \times (1 \text{ ton}/2000 \text{ lb})$$

- b. For purposes of calculation HAP emissions from the affected tire stock and bead preparation machines such emissions shall be calculated based on the formula listed below:

$$\text{HAP (ton)} = \text{Gallons of Solvent Used (gal)} \times \text{HAP Content (lb/gal)} \times (1 \text{ ton}/2000 \text{ lb})$$

7.5 Unit 5 Departments 317 and 318/718 - Passenger, Light, and Heavy Truck Tire Building Machines

7.5.1 Description

Tire components (treads, sidewalks, belts, etc.) are assembled to form an uncured tire (green tire).

7.5.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
Unit 5	<u><b>Department 317 - Passenger and Light Truck Tire Building Machines</b></u>  Emission Points (EP): 164	None
	<u><b>Departments 318/718 - Heavy Truck Tire Building Machines</b></u>  Emission Points (EP): 165	None

7.5.3 Applicability Provisions and Applicable Regulations

- a. An "affected tire building machine" is an emission unit, which forms a green tire.
- b. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lb/hr) of organic material into the atmosphere from any emission unit unless no odor nuisance exists and non-photochemically reactive materials are used [35 IAC 215.301].
- c. The tire manufacturing operations involved into manufacturing of rubber tires with a bead diameter less than or equal to 0.5 meter (19.7 inches) and a cross section dimension less than or equal to 0.325 m (12.8 inches) and constructed, modified, or reconstructed after January 20, 1983 are subject to the following requirements of 40 CFR Part 60, Subpart BBB:
  - i. Each bead cementing operation performed on the tire building machine is limited to 5 grams of

VOM emissions or less per bead cemented for each month, pursuant to 40 CFR 60.542(a)(4).

- ii. These requirements are applied to the cementing operations performed in the Department #317.

7.5.4 Non-Applicability of Regulations of Concern

- a. This permit is issued based on the affected tire building machine not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM), because the affected tire building machine do not use an add-on control devices to achieve compliance with an emission limitation or standard.
- b. The tire manufacturing operations involved into manufacturing of rubber tires with dimensions and construction dates other than provided in Condition 7.5.3(d) are excluded from applicability of 40 CFR 60.542(a)(3) and (4).

7.5.5 Operating Requirements and Work Practices

None

7.5.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5.1, the affected tire building machines are subject to the following:

Emissions of VOM from each of three tire building machines shall not exceed the following limits:

Department	Solvent Usage		VOM Emissions	
	(lb/mo)	(t/yr)	(lb/mo)	(t/yr)
318/718 (EP165)	1,200	6.8	1,200	6.8

The above limitations were established in Permit 96040057, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of

Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total)

#### 7.5.7 Testing Requirements

Monthly performance tests shall be conducted as follows pursuant to 40 CFR 60.543(d):

- a. For each bead cementing operation that does not use a VOC emission reduction system, the owner or operator shall use the following procedure to determine compliance with the g/bead limit specified under 40 CFR 60.542(a)(4):
  - i. Determine the density and weight fraction VOC as specified under 40 CFR 60.543(c).
  - ii. Calculate the total mass of VOC used at the affected facility for the month ( $M_o$ ) as specified under 40 CFR 60.543 (c)(2).
  - iii. Determine the number of beads cemented at the affected facility during the month ( $B_o$ ) using production records;  $B_o$  equals the number of beads that receive an application of cement for the month.
  - iv. Calculate the mass of VOC used per bead cemented at the affected facility for the month ( $G_b$ ):

$$G_b = \frac{M_o}{B_o}$$

- v. Calculate the mass of VOC emitted per bead cemented at the affected facility for the month ( $N_b$ ):

$$N_b = G_b$$

- b. In determining compliance for each bead cementing

operation, the owner or operator shall include only those tires defined under 40 CFR 60.541(a) when determining B<sub>0</sub> [40 CFR 60.543(m)].

7.5.8 Monitoring Requirements

None

7.5.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected tire building machines to demonstrate compliance with Condition 5.5.1 and Section 7 of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Solvents used by both departments 317 and 318/718 (gal/month and gal/year);
- b. VOM/HAP content of each solvent applied (lb/gal);
- c. Density of each solvent (lb/gal);
- d. Number of tires/beads processed in Department 318/718;
- e. Total annual emissions of HAPs calculated based on the procedures established in Condition 7.5.12; and
- f. Monthly and annual emissions of VOM generated by departments 718 and 318, as established in Condition 7.5.6 and calculated based on the procedures established in Condition 7.5.12.

7.5.10 Reporting Requirements

- a. The Permittee shall promptly notify the Illinois EPA, Compliance Section, of noncompliance of affected tire building machine with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

If there is an exceedance of the emission limitations of this permit as determined by the records required by this permit, the Permittee shall submit a report to

the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

- b. The Permittee shall follow appropriate reporting requirements established in 40 CFR 60.546(c) and (f).

#### 7.5.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

#### 7.5.12 Compliance Procedures

- a. To determine compliance with Conditions 5.5.1 and 7.5.6, VOM emissions from the affected tire building machines shall be calculated based on the formula listed below:

$$\text{VOM (ton)} = \text{Gallons of Solvent Used (gal)} \times \text{VOM Content (lb/gal)} \times (1 \text{ ton}/2000 \text{ lb})$$

- b. For purposes of calculation HAP emissions from the affected tire building machines such emissions shall be calculated based on the formula listed below:

$$\text{HAP (ton)} = \text{Gallons of Solvent Used (gal)} \times \text{HAP Content (lb/gal)} \times (1 \text{ ton}/2000 \text{ lb})$$

- c. Compliance with emission limits in Condition 7.5.3(c) shall be demonstrated through the procedures established in and Condition 7.5.7.



FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

	Curing Presses #5-#9 (EP85, 89, 145, 156, 157)	None
--	---	------

7.6.3 Applicability Provisions and Applicable Regulations

a. An "affected spraying line" is an emission unit, which includes spraying booth and curing press used for an application of solvents on the internal and external surfaces of prefabricated tires.

b. Each affected spraying line is subject to 35 IAC 212.321(b)(1), which provides that:

No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.321 (See also Attachment 1) [35 IAC 212.321(a)].

c. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lb/hr) of organic material into the atmosphere from any emission unit unless no odor nuisance exists and non-photochemically reactive materials are used [35 IAC 215.301].

d. Each affected spraying line involved into green tire spraying operation performed on the tires that have a bed diameter less than or equal to 0.5 meter (19.7 inches) and a cross section dimension less than or equal to 0.325 m (12.8 inches) and constructed, modified, or reconstructed after January 20, 1983 are subject to the following requirements of 40 CFR Part 60, Subpart BBB:

40 CFR 60.542(a)(5)

For each green tire spraying operation where only water-based sprays are used:

i. Discharge into the atmosphere no more than 1.2 grams of VOC per tire sprayed with an inside green tire spray for each month; and

ii. Discharge into the atmosphere no more than 9.3

grams of VOC per tire sprayed with an outside green tire spray for each month.

7.6.4 Non-Applicability of Regulations of Concern

- a. Each affected spraying line involved into green tire spraying operation performed on the tires that have a bed diameter more than 0.5 meter (19.7 inches) is not subject to requirements and emission standards of 40 CFR Part 60, Subpart BBB "Standards of Performance for the Rubber Tire Manufacturing Industry", pursuant to definition of "tire" in 40 CFR 60.541(a).
- b. Each affected spraying line involved into green tire spraying operation performed on the tires that have a bed diameter exceeding 20 inches and cross section dimension exceeding 12.8 inches is not subject to the emission standards of 35 IAC 215.462(b), pursuant to definition of "pneumatic rubber tire manufacture" in 35 IAC 211.4790.
- c. Each affected spraying line involved into green tire spraying operation performed on the tires that have a bed diameter less than 20 inches and cross section dimension less than 12.8 inches is not subject to the emission standards of 35 IAC 215.462(b), because emission standards from 40 CFR 60.542(a)(5) are more stringent and supersede those established in 35 IAC 215.462(b).

7.6.5 Operating Requirements and Work Practices

The Permittee shall follow good operating practices for the wet scrubber, including periodic inspection, routine maintenance and repair of defects.

7.6.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5.1, the affected spraying lines are subject to the following:

Emission Point	VOM Emissions	
	(lb/hr)	(t/yr)
#84	2.38	10.0
#85, 89	3.05	12.3

The above limitations were established in Permit 89030044, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

#### 7.6.7 Testing Requirements

- a. Monthly performance tests shall be conducted as follows pursuant to 40 CFR 60.543(d):
  - i. For each green tire spraying operation where water-based sprays containing 1.0 percent, by weight, of VOC or more are used (inside and/or outside) that do not use a VOC emission reduction system, the owner or operator shall use the following procedure to determine compliance with the g/tire limit specified under 40 CFR 60.542(a)(5)(i) and (a)(5)(ii):
    - A. Determine the density and weight fraction VOC as specified under 40 CFR 60.543(c)(1).
    - B. Calculate the total mass of VOC used at the affected facility for the month ( $M_o$ ) as specified under 40 CFR 60.543(c)(2).
    - C. Determine the total number of tires sprayed at the affected facility for the month ( $T_o$ ) by the following procedure:
      1. For a green tire spraying operation that uses water-based inside green tire sprays,  $T_o$  equals the number of green tires that receive an application of water-based inside

green tire spray for the month.

2. For a green tire spraying operation that uses water-based outside green tire sprays,  $T_o$  equals the number of green tires that receive an application of water-based inside green tire spray for the month.

- D. Calculate the mass of VOC used per tire sprayed at the affected facility for the month (G):

$$G = \frac{M_o}{T_o}$$

- E. Calculate the mass of VOC emitted per tire sprayed at the affected facility for the month (N):

$$N = G$$

- b. The owner or operator of each green tire spraying operation using only water-based sprays (inside and/or outside) containing less than 1.0 percent, by weight, of VOC is not required to conduct a monthly performance test as described in 40 CFR 60.543(d). In lieu of conducting a monthly performance test, the owner or operator of each green tire spraying operation shall submit formulation data or the results of Method 24 analysis annually to verify the VOC content of each green tire spray material, provided the spraying formulation has not changed during the previous 12 months. If the spray material formulation changes, formulation data or Method 24 analysis of the new spray shall be conducted to determine the VOC content of the spray and reported within 30 days as required under 40 CFR 60.546(j) [40 CFR 60.543(b)(4)].
- c. In determining compliance for each green tire spraying operation, the owner or operator shall include only those tires defined under 40 CFR 60.541(a) when determining  $B_o$  [40 CFR 60.543(m)].

#### 7.6.8 Monitoring Requirements

None

#### 7.6.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected spraying lines to demonstrate compliance with Condition 5.5.1 and Section 7 of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Each owner or operator of a green tire spraying operation using water-based sprays containing less than 1.0 percent by weight of VOC, as specified under 40 CFR 60.543(b)(4), shall maintain records of formulation data or the results of Method 24 analysis conducted to verify the VOC content of the spray [40 CFR 60.545(f)].
- b. Separate solvent usage by each department and total for the entire group (gal/month and gal/year);
- c. VOM/HAP content of each solvent applied (lb/gal);
- d. Density of each solvent (lb/gal);
- e. Number of tires processed by each department, tires/month and tires/year;
- f. Total annual emissions of HAPs calculated based on the procedures established in Condition 7.6.12 for each department and for entire group; and
- g. Monthly and annual emissions of VOM generated by each department, the entire group, and emission points identified in Condition 7.6.6 and calculated based on the procedures established in Condition 7.6.12.

#### 7.6.10 Reporting Requirements

- a. Once every 6 months each owner or operator subject to the provisions of 40 CFR 60.545 shall report each monthly average VOC emission rate that exceeds the g/tire limit specified under 40 CFR 60.542(a)(5) [40 CFR 60.546(f)(1)].

- b. The owner or operator of each green tire spraying operation (inside and/or outside) using water-based sprays containing less than 1.0 percent, by weight, of VOC shall furnish the Illinois EPA, within 60 days initially and annually thereafter, formulation data or Method 24 results to verify the VOC content of the water-based sprays in use. If the spray formulation changes before the end of the 12-month period, formulation data or Method 24 results to verify the VOC content of the spray shall be reported within 30 days [40 CFR 60.546(j)].
- c. The Permittee shall promptly notify the Illinois EPA, Compliance Section, of noncompliance of affected spraying lines with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

If there is an exceedance of the emission limitations of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

#### 7.6.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

#### 7.6.12 Compliance Procedures

- a. Compliance with the PM emission limits established by 35 IAC 212.121 is assured and achieved by the proper operation and maintenance, as required by this section and the work-practices inherent in operation of the affected spraying line.
- b. To determine compliance with Conditions 5.5.1 and 7.6.6, VOM emissions from the affected spraying line shall be calculated based on the formula listed below:

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

VOM (ton) = Gallons of Solvent Used (gal) x VOM  
Content (lb/gal) x (1 ton/2000 lb)

c. For purposes of calculation HAP emissions from the affected spraying line such emissions shall be calculated based on the formula listed below:

HAP (ton) = Gallons of Solvent Used (gal) x HAP  
Content (lb/gal) x (1 ton/2000 lb)

d. Compliance with emission limits in Condition 7.6.3(d) shall be demonstrated through the procedures established in Condition 7.6.7.

7.7 Unit 7: Departments 325 and 327 - Passenger, Light, and Heavy Truck Tire Finishing Areas

7.7.1 Description

A newly manufactured tire is inspected and, if required, being sent to tire finishing department for further grinding, repair and spraying.

7.7.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
Unit 7	<p style="text-align: center;"><b><u>Department 325 - Passenger and Light Truck Tire Final Finishing</u></b></p> <p>Sidewall Buffers #1-#12 (EP04-06, EP28, EP112-113, 237-241);</p> <p>Tire Uniformity Machines #1-#7 (EP09-11, EP29, EP118, EP182-183); #9-#23 (EP07, EP31, EP117, EP172-181, EP184-187);</p> <p>Two Tire Grinders and Repair Stations with Spray Booth (EP08)</p> <p style="text-align: center;"><b><u>Department 327 - Heavy Truck Tire Final Finishing</u></b></p> <p>Hand Grinding and Repair Stations with Spray Booth (EP93)</p> <p>Tread Grinder(EP107)</p>	<p style="text-align: center;">Dust Collectors</p> <p style="text-align: center;">Dust Collectors and Cyclones</p> <p style="text-align: center;">Dust Collector</p> <p style="text-align: center;">Dust Collector</p> <p style="text-align: center;">Dust Collector</p>

7.7.3 Applicability Provisions and Applicable Regulations

- a. An "affected tire finishing area" is an emission unit, which includes repair, grinding and spraying operations of manufactured tires.

- b. No person shall cause or allow the discharge of more than 3.6 kg/hr (8 lb/hr) of organic material into the atmosphere from any emission unit unless no odor nuisance exists and non-photochemically reactive materials are used [35 IAC 215.301].

7.7.4 Non-Applicability of Regulations of Concern

- a. Each affected tire finishing area does not involved into green tire spraying operation and therefore is not subject to requirements and emission standards of 40 CFR Part 60, Subpart BBB "Standards of Performance for the Rubber Tire Manufacturing Industry".
- b. Each affected tire finishing area does not involved into green tire spraying operation and therefore is not subject to emission standards of 35 IAC 215.462(b).
- c. This permit is issued based on the affected tire finishing areas not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM), because each affected tire finishing area does not have potential pre-control device emissions of PM that equals or exceeds major source threshold levels.
- d. Grinding operations are exempt from applicability of 35 IAC 212.321 and 212.322 pursuant to 35 IAC 212.681.

7.7.5 Operating Requirements and Work Practices

- a. The Permittee shall follow good operating practices for the dust collectors, including periodic inspection, routine maintenance and repair of defects.
- b. The Permittee shall operate, maintain, and replace the fabric filters in a manner that assures compliance with the conditions of this Section.

7.7.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected tire finishing areas are subject to the following:

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Continental General Tire, Inc  
 I.D. No.: 081803AAB  
 Application No.: 95110095  
 March 27, 2002

Emission Point	PM <sub>10</sub> Emissions		VOM Emissions	
	(lb/hr)	(t/yr)	(lb/hr)	(t/yr)
#93	0.29	1.23	1.29	5.4

The above limitations were established in Permit 89030044, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

7.7.7 Testing Requirements

None

7.7.8 Monitoring Requirements

None

7.7.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected tire finishing areas to demonstrate compliance with Condition 5.5.1 and Section 7 of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Separate solvent usage by each department and total for the entire group (gal/month and gal/year);
- b. VOM/HAP content of each solvent applied (lb/gal);
- c. Density of each solvent (lb/gal);
- d. Number of tires processed by each department, tires/month and tires/year;
- e. Hours of operation of each department, hr/month and

hr/year.

- f. Total annual emissions of HAPs calculated based on the procedures established in Condition 7.6.12 for each department and for entire group; and
- g. Monthly and annual emissions of VOM generated by each department, the entire group, and emission points identified in Condition 7.7.6 and calculated based on the procedures established in Condition 7.7.12.
- h. Monthly and annual emissions of PM<sub>10</sub> generated by each department, the entire group, and emission points identified in Condition 7.7.6 and calculated based on the procedures established in Condition 7.7.12.

#### 7.7.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of noncompliance of affected tire finishing area with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

If there is an exceedance of the emission limitations of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

#### 7.7.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

#### 7.7.12 Compliance Procedures

- a. Compliance with VOM emission limit of Condition 7.7.3(b) is assured and achieved by the proper operation and maintenance, as required by this section and the work-practices inherent in operation of the

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

affected tire finishing area.

b. To determine compliance with Conditions 5.5.1 and 7.7.6, VOM emissions from the affected spraying line shall be calculated based on the formula listed below:

$$\text{VOM (ton)} = \text{Gallons of Solvent Used (gal)} \times \text{VOM Content (lb/gal)} \times (1 \text{ ton}/2000 \text{ lb})$$

c. For purposes of calculation HAP emissions from the affected spraying line such emissions shall be calculated based on the formula listed below:

$$\text{HAP (ton)} = \text{Gallons of Solvent Used (gal)} \times \text{HAP Content (lb/gal)} \times (1 \text{ ton}/2000 \text{ lb})$$

d. To determine compliance with condition 5.5.1, PM<sub>10</sub> emissions from the affected tire finishing area shall be calculated based on the following formula:

$$\text{PM}_{10} \text{ Emissions} = (\text{Air flow, cfm}) \times (\text{Estimated Dust Loading, gr/scf}) \times (1 \text{ lb}/7,000 \text{ gr}) \times (60 \text{ minutes/hr}) \times [100 - (\text{Efficiency, \%})/100] \times \text{Hours of Operation}$$

7.8 Unit 8: Boilers

7.8.1 Description

Natural gas/fuel oils #2 and #6 fired boilers used to produce heat and steam for the source needs.

7.8.2 List of Emission Units and Pollution Control Equipment

Emission Unit	Equipment	Description/Date of Construction	Emission Control Equipment
Unit 8	Boilers	Four Natural Gas fired Boilers with a Capability of Burning Fuel Oils #2 and #6  Maximum Heat Input for Each Boiler: #1-#4 - 72.2 mmBtu/hr	None

7.8.3 Applicability Provisions and Applicable Regulations

- a. An "affected boiler" for the purpose of these unit specific conditions is a natural gas-fired boiler with a fuel oils #2 or #6 as backup used for processing heat and steam for source operational needs.
- b. No person shall cause or allow the emission of carbon monoxide into the atmosphere from any fuel combustion emission source with actual heat input greater than 2.9 MW (10 mmBtu/hr) to exceed 200 ppm, corrected 50 percent excess air [35 IAC 216.121].
- c. The emissions of particulate matter into the atmosphere in any one hour period shall not exceed 0.15 kg/MW-hr (0.10 lb/mmBtu) of actual heat input from any fuel combustion unit using liquid fuel exclusively [35 IAC 212.206].
- d. All affected boilers are subject to 35 IAC 214.122(b)(2). No person shall cause or allow the emission of sulfur dioxide into the atmosphere in any one hour period from any new fuel combustion source with actual heat input smaller than, or equal to, 73.2 MW (250 mmBtu/hr), burning liquid fuel exclusively:
  - i. To exceed 0.46 kg of sulfur dioxide per MW-hr

of actual heat input when distillate fuel oil is burned (0.3 lb/mmBtu).

- ii. To exceed 1.55 kg of sulfur dioxide per MW-hr of actual heat input when residual fuel oil is burned (1.0 lb/mmBtu).
- e. The limit of Condition 7.8.3(d)(i) is more stringent than those established in 40 CFR 60.42c(d) and supercedes SO<sub>2</sub> limits of 40 CFR 60.42c(d).
- f. Affected boiler #4 is subject to 40 CFR Part 60, Subpart Dc "Standards of performance for Small Industrial-Commercial-Institutional Steam Generating Units". These requirements are discussed further in this subsection.

#### 7.8.4 Non-Applicability of Regulations of Concern

- a. Each affected boiler is not subject to 35 IAC 217.141, Emissions of Nitrogen Oxides From Existing Fuel Combustion Emission Sources in Major Metropolitan Areas, because the actual heat input of each boiler is less than 73.2 MW (250 mmBtu/hr).
- b. Pursuant to 35 IAC 215.303, any fuel combustion emission unit is not subject to 35 IAC Part 215, Subpart G: Use of Organic Material.
- c. This permit is issued based on the affected boiler not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM), because the affected boiler does not use an add-on control device to achieve compliance with an emission limitation or standard.
- d. Neither of the affected boilers #1-#3 is subject to 40 CFR Part 60, Subpart Dc "Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units" and Subpart Db "Standards of Performance for Industrial-Commercial-Institutional Steam Generating Units" because all these boilers had been constructed prior to June 9, 1989 and June 19, 1984, respectively.

#### 7.8.5 Operational and Production Limits and Work Practices

- a. Each affected boiler #1-#3 shall only be operated with natural gas or fuel oil #2 as the fuel.
- b. The affected boiler #4 shall only be operated with natural gas or fuel oil #6 as the fuel.

7.8.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5.1, the affected boiler #4 is limited to the following:

a. Natural Gas Mode

- i. Total natural gas consumption shall not exceed 60.0 mmscf/month and 600.0 mmscf/year.
- ii. Emissions shall not exceed the following limits:

<u>Pollutant</u>	<u>Tons/Month</u>	<u>Tons/Year</u>
NO <sub>x</sub>	3.0	30.0
CO	2.52	25.2
VOM	0.16	1.6
PM	0.23	2.3

b. Fuel Oil #2 Mode

- i. Total fuel oil usage shall not exceed 100,000 gal/month and 250,000 gal/year.
- ii. Emissions shall not exceed the following limits:

<u>Pollutant</u>	<u>Tons/Month</u>	<u>Tons/Year</u>
NO <sub>x</sub>	2.75	6.87
CO	0.25	0.63
SO <sub>2</sub>	3.96	9.81

- c. These limits are based on the maximum operating rate and standard emission factors established in AP-42. Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month

total).

- d. The above limitations contain revisions to previously issued Permit 91060041. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of this aforementioned permit, consistent with the information provided in the CAAPP application. The source has requested these revisions and has addressed the applicability and compliance of Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification. These limits continue to ensure that the construction and/or modification addressed in this permit does not constitute a new major source or major modification pursuant to these rules. These limits are the primary enforcement mechanism for the equipment and activities permitted in this permit and the information in the CAAPP application contains the most current and accurate information for the source. Specifically, NO<sub>x</sub> and CO emissions from the natural combustion have been increased based on the new standard emission factors [T1R].

#### 7.8.7 Testing Requirements

The performance test(s) for sulfur dioxide emissions may be met by sampling and analyzing of the initial tank of oil and demonstrating that it contains less than the required weight percent sulfur. Thereafter, the tank shall be sampled and analyzed after each new shipment of oil, as specified in 40 CFR 60.44c. Alternatively, the Permittee shall comply by meeting the fuel supplier certification requirements described in 40 CFR 60.48c.

#### 7.8.8 Monitoring Requirements

The monitoring requirements for sulfur dioxide emissions may be met by sampling and analyzing of the initial tank of oil and demonstrating that it contains less than the required weight percent sulfur. Thereafter, the tank shall be sampled and analyzed after each new shipment of oil, as specified in 40 CFR 60.44c. Alternatively, the Permittee shall comply by meeting the fuel supplier certification requirements described in 40 CFR 60.48c.

7.8.9 Recordkeeping Requirements

The Permittee shall maintain records of the following items for the affected boilers to demonstrate compliance with conditions of this permit, pursuant to Section 39.5(7)(b) of the Act:

- a. Total natural gas usage (mmscf/mo and mmscf/yr);
- b. Total fuel oil #2 usage (gal/mo and gal/yr);
- c. Daily records of the amounts of each fuel combusted in the boiler #4, pursuant to 40 CFR 60.48c(g);
- d. Fuel supplier certification records, pursuant to 40 CFR 60.48(f)(1); and
- e. Monthly and annual emissions of regulated air pollutants as calculated in accordance with compliance procedures in Condition 7.8.12.

7.8.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of noncompliance with the emission limitations as follows pursuant to Section 39.5(7)(f)(ii) of the Act:

If there is an exceedance of the emission limitations in Conditions 7.8.3 and 7.8.6, as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or violation and efforts to reduce emissions and future occurrences.

7.8.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.8.12 Compliance Procedures

Compliance with the emission limits established in

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Continental General Tire, Inc  
 I.D. No.: 081803AAB  
 Application No.: 95110095  
 March 27, 2002

Condition 5.5.1 of this permit shall be based on the recordkeeping requirements of Condition 7.8.9 and the emission factors and formulas listed below:

a. Natural Gas Mode

Pollutant	Emission Factor (lb/10 <sup>6</sup> ft <sup>3</sup> )
PM	7.6
NO <sub>x</sub>	100.0
SO <sub>2</sub>	0.6
VOM	5.5
CO	84.0

These are the emission factors for uncontrolled natural gas combustion in small boilers (< 100 mmBtu/hr), Tables 1.4-1 and 1.4-2, AP-42, March 1998.

Emissions(lb) = natural gas consumed multiplied by the appropriate emission factor.

b. Fuel Oil #2 Mode

Pollutant	Emission Factor (lb/10 <sup>3</sup> gal)
NO <sub>x</sub>	20
SO <sub>2</sub>	142S*
CO	5
VOM	0.28
PM	7.72

These are the emission factors for uncontrolled distillate fuel oil combustion, AP-42, Table 1.3-1, September 1998.

\* "S" indicates that the weight % of sulfur in the oil should be multiplied by the value given. With the fuel with 0.3% sulfur, "S" = 0.3

Emissions (lb) = fuel oil consumed multiplied by the appropriate emission factor.

c. Fuel Oil #6 Mode

	Emission Factor

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

Pollutant	(lb/10 <sup>3</sup> gal)
NO <sub>x</sub>	55
SO <sub>2</sub>	157S*
CO	5
VOM	0.28
PM	7.72

These are the emission factors for uncontrolled distillate fuel oil combustion, AP-42, Table 1.3-1, , September 1998.

\* "S" indicates that the weight % of sulfur in the oil should be multiplied by the value given. With the fuel with 0.5% sulfur, "S" = 0.5.

Emissions (lb) = fuel oil consumed multiplied by the appropriate emission factor.

## 8.0 GENERAL PERMIT CONDITIONS

### 8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after \_\_\_\_\_{insert public notice start date} (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

### 8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

### 8.3 Emissions Trading Programs

As of the date of issuance of this permit, there are no such economic incentive, marketable permit or emission trading programs that have been approved by USEPA.

### 8.4 Operational Flexibility/Anticipated Operating Scenarios

#### 8.4.1 Changes Specifically Addressed by Permit

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

#### 8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes without applying for or obtaining an

amendment to this permit, provided that the changes do not constitute a modification under Title I of the CAA, emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change, and the Permittee provides written notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change [Section 39.5(12)(a) of the Act]. This notice shall:

- a. Describe the physical or operational change;
- b. Identify the schedule for implementing the physical or operational change;
- c. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
- d. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
- e. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

#### 8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.

#### 8.6 Reporting Requirements

##### 8.6.1 Monitoring Reports

A report summarizing required monitoring as specified in the conditions of this permit shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows [Section 39.5(7)(f) of the Act]:

<u>Monitoring Period</u>	<u>Report Due Date</u>
January - June	September 1
July - December	March 1

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

#### 8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);
- b. The person(s) who will be performing sampling and analysis and their experience with similar tests;
- c. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;
- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;
- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing,

with justification; and

- g. Any proposed use of an alternative test method, with detailed justification.

#### 8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;
- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;
- g. The operating conditions at the time of the sampling or measurements; and
- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

#### 8.6.4 Reporting Addresses

- a. The following addresses should be utilized for the submittal of reports, notifications, and renewals:
  - i. Illinois EPA - Air Compliance Section  
  
Illinois Environmental Protection Agency  
Bureau of Air  
Compliance Section (MC 40)  
P.O. Box 19276

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

Springfield, Illinois 62794-9276

ii. Illinois EPA - Air Regional Field Office

Illinois Environmental Protection Agency  
Division of Air Pollution Control  
2009 Mall Street  
Collinsville, Illinois 62234

iii. Illinois EPA - Air Permit Section

Illinois Environmental Protection Agency  
Division of Air Pollution Control  
Permit Section (MC 11)  
P.O. Box 19506  
Springfield, Illinois 62794-9506

iv. USEPA Region 5 - Air Branch

USEPA (AR - 17J)  
Air & Radiation Division  
77 West Jackson Boulevard  
Chicago, Illinois 60604

- b. Unless otherwise specified in the particular provision of this permit, reports shall be sent to the Illinois EPA - Air Compliance Section with a copy sent to the Illinois EPA - Air Regional Field Office.

8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

9.0 STANDARD PERMIT CONDITIONS

9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

9.2 General Obligations of Permittee

9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or

denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(p)(ii) of the Act]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;

- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- d. Sample or monitor any substances or parameters at any location:
  - i. At reasonable times, for the purposes of assuring permit compliance; or
  - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source.

#### 9.4 Obligation to Comply with Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

#### 9.5 Liability

##### 9.5.1 Title

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

##### 9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or resulting from the construction, maintenance, or operation of the sources.

##### 9.5.3 Structural Stability

This permit does not take into consideration or attest to

the structural stability of any unit or part of the source.

9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of the source.

9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7)(o)(iv) of the Act].

9.6 Recordkeeping

9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions resulting from those changes [Section 39.5(12)(b)(iv) of the Act].

9.6.3 Retention of Records

a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7)(e)(ii) of the Act].

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a particular permit provision.

9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

#### 9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7)(p)(v) of the Act, the Permittee shall submit annual compliance certifications. The compliance certifications shall be submitted no later than May 1 or more frequently as specified in the applicable requirements or by permit condition. The compliance certifications shall be submitted to the Air Compliance Section, Air Regional Field Office, and USEPA Region 5 - Air Branch. The addresses for the submittal of the compliance certifications are provided in Condition 8.6.4 of this permit.

- a. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9.

#### 9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

#### 9.10 Defense to Enforcement Actions

##### 9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

##### 9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
  - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency. Normally, an act of God such as lightning or flood is considered an emergency;
  - ii. The permitted source was at the time being properly operated;
  - iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
  - iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

#### 9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is

removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

## 9.12 Reopening and Reissuing Permit for Cause

### 9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

### 9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15)(a) of the Act]:

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

### 9.12.3 Inaccurate Application

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15)(b) of the Act.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

#### 9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7)(o)(v) of the Act].

#### 9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force [Section 39.5(7)(i) of the Act].

#### 9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration. The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5)(l), (n), and (o) of the Act].

10.0 ATTACHMENTS

10.1 Attachment 1 - Allowable Emissions of Particulate Matter

Process Emission Units for Which Construction or Modification  
Commenced On or After April 14, 1972

- a. No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.321 [35 IAC 212.321(a)].
- b. The emissions of particulate matter into the atmosphere in any one hour period from the affected coating lines shall not exceed the allowable emission rates specified in the following equation:

$$E = A(P)^B$$

Where:

P = Process weight rate;  
E = Allowable emission rate; and,

- i. For process weight rates of 408 Mg/hr (450 T/hr):

	<u>Metric</u>	<u>English</u>
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	1.214	2.54
B	0.534	0.534

- ii. For process weight rates in excess of 408 Mg/hr (450 T/hr):

	<u>Metric</u>	<u>English</u>
P	Mg/hr	T/hr
E	kg/hr	lbs/hr

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Continental General Tire, Inc  
 I.D. No.: 081803AAB  
 Application No.: 95110095  
 March 27, 2002

A	11.42	24.8
B	0.16	0.16

Limits for Process Emission Units for which  
 Construction or Modification Commenced On or After  
 April 14, 1972 [35 IAC 212.321(c)]:

<u>Metric</u>		<u>English</u>	
<u>P</u>	<u>E</u>	<u>P</u>	<u>E</u>
<u>Mg/hr</u>	<u>kg/hr</u>	<u>T/hr</u>	<u>lb/hr</u>
0.05	0.25	0.05	0.55
0.1	0.29	0.10	0.77
0.2	0.42	0.2	1.10
0.3	0.64	0.30	1.35
0.4	0.74	0.40	1.58
0.5	0.84	0.50	1.75
0.7	1.00	0.75	2.40
0.9	1.15	1.00	2.60
1.8	1.66	2.00	3.70
2.7	2.1	3.00	4.60
3.6	2.4	4.00	5.35
4.5	2.7	5.00	6.00
9.0	3.9	10.00	8.70
13.0	4.8	15.00	10.80
18.0	5.7	20.00	12.50
23.0	6.5	25.00	14.00
27.0	7.1	30.00	15.60
32.0	7.7	35.00	17.00
36.0	8.2	40.00	18.20
41.0	8.8	45.00	19.20
45.0	9.3	50.00	20.50
90.0	13.4	100.00	29.50
140.0	17.0	150.00	37.00
180.0	19.4	200.00	43.00
230.0	22.0	250.00	48.50
270.0	24.0	300.00	53.00
320.0	26.0	350.00	58.00
360.0	28.0	400.00	62.00
408.0	30.1	450.00	66.00
454.0	30.4	500.00	67.00

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

10.2 Attachment 2 - Example Certification by a Responsible Official

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Official Title: \_\_\_\_\_

Telephone No.: \_\_\_\_\_

Date Signed: \_\_\_\_\_

10.3 Attachment 3 - Guidance on Revising This Permit

The Permittee must submit an application to the Illinois EPA using the appropriate revision classification in accordance with Sections 39.5(13) and (14) of the Act and 35 IAC 270.302. Specifically, there are currently three classifications for revisions to a CAAPP permit. These are:

1. Administrative Permit Amendment;
2. Minor Permit Modification; and
3. Significant Permit Modification.

The Permittee must determine, request, and submit the necessary information to allow the Illinois EPA to use the appropriate procedure to revise the CAAPP permit. A brief explanation of each of these classifications follows.

1. Administrative Permit Amendment
  - Corrects typographical errors;
  - Identifies a change in the name, address, or phone number of any person identified in the permit, or provides a similar minor administrative change at the source;
  - Requires more frequent monitoring or reporting by the Permittee;
  - Allows for a change in ownership or operational control of the source where no other change in the permit is necessary, provided that a written agreement containing a specific date for transfer of permit responsibility, coverage, and liability between the current and new Permittees has been submitted to the Illinois EPA. This shall be handled by completing form 272-CAAPP, REQUEST FOR OWNERSHIP CHANGE FOR CAAPP PERMIT; or
  - Incorporates into the CAAPP permit a construction permit, provided the conditions of the construction permit meet the requirements for the issuance of CAAPP permits.
2. Minor Permit Modification

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

- Do not violate any applicable requirement;
- Do not involve significant changes to existing monitoring, reporting, or recordkeeping requirements in the permit;
- Do not require a case-by-case determination of an emission limitation or other standard, or a source-specific determination of ambient impacts, or a visibility or increment analysis;
- Do not seek to establish or change a permit term or condition for which there is no corresponding underlying requirement and which avoids an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
  - A federally enforceable emissions cap assumed to avoid classification as a modification under any provision of Title I of the CAA; and
  - An alternative emissions limit approved pursuant to regulations promulgated under Section 112(i)(5) of the CAA.
- Are not modifications under any provision of Title I of the CAA;
- Are not required to be processed as a significant permit modification; and
- Modifications involving the use of economic incentives, marketable permits, emissions trading, and other similar approaches.

An application for a minor permit modification shall include the following:

- A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
- The source's suggested draft permit/conditions;

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

- Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used; and
- Information as contained on form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT for the Illinois EPA to use to notify USEPA and affected States.

3. Significant Permit Modification

- Applications that do not qualify as either minor permit modifications or as administrative permit amendments;
- Applications requesting a significant change in existing monitoring permit terms or conditions;
- Applications requesting a relaxation of reporting or recordkeeping requirements; and
- Cases in which, in the judgment of the Illinois EPA, action on an application for modification would require decisions to be made on technically complex issues.

An application for a significant permit modification shall include the following:

- A detailed description of the proposed change(s), including all physical changes to equipment, changes in the method of operation, changes in emissions of each pollutant, and any new applicable requirements which will apply as a result of the proposed change. Note that the Permittee need only submit revised forms for equipment and operations that will be modified.

The Illinois EPA requires the information on the following appropriate forms to be submitted in accordance with the proper classification:

- Form 273-CAAPP, REQUEST FOR ADMINISTRATIVE PERMIT AMENDMENT FOR CAAPP PERMIT; or
- Form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT; or
- Form 200-CAAPP, APPLICATION FOR CAAPP PERMIT (for significant modification).

Application forms can be obtained from the Illinois EPA website at <http://www.epa.state.il.us/air/forms>.

Note that the request to revise the permit must be certified for truth, accuracy, and completeness by a responsible official.

Note that failure to submit the required information may

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

require the Illinois EPA to deny the application. The Illinois EPA reserves the right to require that additional information be submitted as needed to evaluate or take final action on applications pursuant to Section 39.5(5)(g) of the Act and 35 IAC 270.305.



Illinois Environmental Protection Agency  
 Division Of Air Pollution Control -- Permit Section  
 P.O. Box 19506  
 Springfield, Illinois 62794-9506

<b>Application For Construction Permit (For CAAPP Sources Only)</b>	<b>For Illinois EPA use only</b>
	I.D. number:
	Permit number:
	Date received:

This form is to be used by CAAPP sources to supply information necessary to obtain a construction permit. Please attach other necessary information and completed CAAPP forms regarding this construction/modification project.

<b>Source Information</b>		
1. Source name:		
2. Source street address:		
3. City:	4. Zip code:	
5. Is the source located within city limits?		<input type="checkbox"/> Yes <input type="checkbox"/> No
6. Township name:	7. County:	8. I.D. number:

<b>Owner Information</b>		
9. Name:		
10. Address:		
11. City:	12. State:	13. Zip code:

<b>Operator Information (if different from owner)</b>		
14. Name		
15. Address:		
16. City:	17. State:	18. Zip code:

<b>Applicant Information</b>	
19. Who is the applicant? <input type="checkbox"/> Owner <input type="checkbox"/> Operator	20. All correspondence to: (check one) <input type="checkbox"/> Owner <input type="checkbox"/> Operator <input type="checkbox"/> Source
21. Attention name and/or title for written correspondence:	
22. Technical contact person for application:	23. Contact person's telephone number:

This Agency is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.



Illinois Environmental Protection Agency  
Division Of Air Pollution Control -- Permit Section  
P.O. Box 19506  
Springfield, Illinois 62794-9506

This Agency is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.

### Summary Of Application Contents

24.	Does the application address whether the proposed project would constitute a new major source or major modification under each of the following programs: a) Non-attainment New Source Review – 35 IAC Part 203; b) Prevention of Significant Deterioration (PSD) – 40 CFR 52.21; c) Hazardous Air Pollutants: Regulations Governing Constructed or Reconstructed Major Sources – 40 CFR Part 63?	<input type="checkbox"/> Yes <input type="checkbox"/> No
25.	Does the application identify and address all applicable emissions standards, including those found in the following: a) Board Emission Standards – 35 IAC Chapter I, Subtitle B; b) Federal New Source Performance Standards – 40 CFR Part 60; c) Federal Standards for Hazardous Air Pollutants – 40 CFR Parts 61 and 63?	<input type="checkbox"/> Yes <input type="checkbox"/> No
26.	Does the application include a process flow diagram(s) showing all emission units and control equipment, and their relationship, for which a permit is being sought?	<input type="checkbox"/> Yes <input type="checkbox"/> No
27.	Does the application include a complete process description for the emission units and control equipment for which a permit is being sought?	<input type="checkbox"/> Yes <input type="checkbox"/> No
28.	Does the application include the information as contained in completed CAAPP forms for all appropriate emission units and air pollution control equipment, listing all applicable requirements and proposed exemptions from otherwise applicable requirements, and identifying and describing any outstanding legal actions by either the USEPA or the Illinois EPA? Note: The use of "APC" application forms is not appropriate for applications for CAAPP sources. CAAPP forms should be used to supply information.	<input type="checkbox"/> Yes <input type="checkbox"/> No
29.	If the application contains TRADE SECRET information, has such information been properly marked and claimed, and have two separate copies of the application suitable for public inspection and notice been submitted, in accordance with applicable rules and regulations?	<input type="checkbox"/> Yes <input type="checkbox"/> No  <input type="checkbox"/> Not Applicable, No TRADE SECRET information in this application

Note 1: Answering "No" to any of the above may result in the application being deemed incomplete.

### Signature Block

This certification must be signed by a responsible official. Applications without a signed certification will be returned as incomplete.	
30.	I certify under penalty of law that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate and complete. Authorized Signature:  BY: _____ <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">             _____  <small>AUTHORIZED SIGNATURE</small> </div> <div style="text-align: center;">             _____  <small>TITLE OF SIGNATORY</small> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">             _____  <small>TYPED OR PRINTED NAME OF SIGNATORY</small> </div> <div style="text-align: center;">             _____ / _____ / _____  <small>DATE</small> </div> </div>

Note 2: An operating permit for the construction/modification permitted in a construction permit must be obtained by applying for the appropriate revision to the source's CAAPP permit, if necessary.

10.5 Attachment 5 - Guidance on Renewing This Permit

Timeliness - Pursuant to Section 39.5(5)(n) of the Act and 35 IAC 270.301(d), a source must submit to the Illinois EPA a complete CAAPP application for the renewal of a CAAPP permit not later than 9 months before the date of permit expiration of the existing CAAPP permit in order for the submittal to be deemed timely. Note that the Illinois EPA typically sends out renewal notices approximately 18 months prior to the expiration of the CAAPP permit.

The CAAPP application must provide all of the following information in order for the renewal CAAPP application to be deemed complete by the Illinois EPA:

1. A completed renewal application form 200-CAAPP, APPLICATION FOR CAAPP PERMIT.
2. A completed compliance plan form 293-CAAPP, COMPLIANCE PLAN/SCHEDULE OF COMPLIANCE FOR CAAPP PERMIT.
3. A completed compliance certification form 296-CAAPP, COMPLIANCE CERTIFICATION, signed by the responsible official.
4. Any applicable requirements that became effective during the term of the permit and that were not included in the permit as a reopening or permit revision.
5. If this is the first time this permit is being renewed and this source has not yet addressed CAM, the application should contain the information on form 464-CAAPP, COMPLIANCE ASSURANCE MONITORING (CAM) PLAN.
6. Information addressing any outstanding transfer agreement pursuant to the ERMS.
7. a. If operations of an emission unit or group of emission units remain unchanged and are accurately depicted in previous submittals, the application may contain a letter signed by a responsible official that requests incorporation by reference of existing information previously submitted and on file with the Illinois EPA. This letter must also include a statement that information incorporated by reference is also being certified for truth and accuracy by the responsible

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

official's signing of the form 200-CAAPP, APPLICATION FOR CAAPP PERMIT and the form 296-CAAPP, COMPLIANCE CERTIFICATION. The boxes should be marked yes on form 200-CAAPP, APPLICATION FOR CAAPP PERMIT, as existing information is being incorporated by reference.

- b. If portions of current operations are not as described in previous submittals, then in addition to the information above for operations that remain unchanged, the application must contain the necessary information on all changes, e.g., discussion of changes, new or revised CAAPP forms, and a revised fee form 292-CAAPP, FEE DETERMINATION FOR CAAPP PERMIT, if necessary.
8. Information about all off-permit changes that were not prohibited or addressed by the permit to occur without a permit revision and the information must be sufficient to identify all applicable requirements, including monitoring, recordkeeping, and reporting requirements, for such changes.
9. Information about all changes made under 40 CFR 70.4(b)(12)(i) and (ii) that require a 7-day notification prior to the change without requiring a permit revision.

The Illinois EPA will review all applications for completeness and timeliness. If the renewal application is deemed both timely and complete, the source shall continue to operate in accordance with the terms and conditions of its CAAPP permit until final action is taken on the renewal application.

Notwithstanding the completeness determination, the Illinois EPA may request additional information necessary to evaluate or take final action on the CAAPP renewal application. If such additional information affects your allowable emission limits, a revised form 292-CAAPP, FEE DETERMINATION FOR CAAPP PERMIT must be submitted with the requested information. The failure to submit to the Illinois EPA the requested information within the time frame specified by the Illinois EPA, may force the Illinois EPA to deny your CAAPP renewal application pursuant to Section 39.5 of the Act.

Application forms may be obtained from the Illinois EPA

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Continental General Tire, Inc  
I.D. No.: 081803AAB  
Application No.: 95110095  
March 27, 2002

website at <http://www.epa.state.il.us/air/forms.html>.

If you have any questions regarding this matter, please  
contact a permit analyst at 217/782-2113.

Mail renewal applications to:

Illinois Environmental Protection Agency  
Division of Air Pollution Control  
Permit Section (MC 11)  
P.O. Box 19506  
Springfield, Illinois 62794-9506