

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

217/782-2113

TITLE V - CLEAN AIR ACT PERMIT PROGRAM (CAAPP) PERMIT
and
TITLE I PERMIT¹

PERMITTEE

BP Products North America, Inc.
Attn: Mr. Al Fauley - Terminal Manager
2201 South Elmhurst Road
Des Plaines, Illinois 60018

<u>Application No.:</u> 95060056	<u>I.D. No.:</u> 031804AAT
<u>Applicant's Designation:</u>	<u>Date Received:</u> June 9, 1995
<u>Operation of:</u> Bulk Petroleum Terminal	
<u>Date Issued:</u> TO BE DETERMINED	<u>Expiration Date</u> ² : DATE
<u>Source Location:</u> 2201 South Elmhurst Road, Des Plaines, Cook County	
<u>Responsible Official:</u> Al Fauley, Terminal Manager	

This permit is hereby granted to the above-designated Permittee to OPERATE a bulk petroleum terminal, pursuant to the above referenced permit application. This permit is subject to the conditions contained herein.

If you have any questions concerning this permit, please contact Ernest Wallace at 217/782-2113.

Donald E. Sutton, P.E.
Manager, Permit Section
Division of Air Pollution Control

DES:EEW:jar

cc: Illinois EPA, FOS, Region 1
USEPA

¹ This permit may contain terms and conditions which address the applicability, and compliance if determined applicable, of Title I of the CAA and regulations promulgated thereunder, including 40 CFR 52.21 - federal PSD and 35 IAC Part 203 - Major Stationary Sources Construction and Modification. Any such terms and conditions are identified within this permit.

² Except as provided in Condition 8.7 of this permit.

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 SOURCE IDENTIFICATION	4
1.1 Source	
1.2 Owner/Parent Company	
1.3 Operator	
1.4 General Source Description	
2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT	5
3.0 INSIGNIFICANT ACTIVITIES	7
3.1 Identification of Insignificant Activities	
3.2 Compliance with Applicable Requirements	
3.3 Addition of Insignificant Activities	
4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE	10
5.0 OVERALL SOURCE CONDITIONS	11
5.1 Source Description	
5.2 Applicable Regulations	
5.3 Non-Applicability of Regulations of Concern	
5.4 Source-Wide Operational and Production Limits and Work Practices	
5.5 Source-Wide Emission Limitations	
5.6 General Recordkeeping Requirements	
5.7 General Reporting Requirements	
5.8 General Operational Flexibility/Anticipated Operating Scenarios	
5.9 General Compliance Procedures	
5.10 Special Permit Shield	
6.0 EMISSIONS REDUCTION MARKET SYSTEM	22
6.1 Description of ERMS	
6.2 Applicability	
6.3 Recordkeeping and Reporting	
6.4 Federal Enforceability	
7.0 UNIT SPECIFIC CONDITIONS	24
7.1 Unit: Group 1 Storage Tanks Existing Internal Floating Roof Storage Tanks	

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

- 7.2 Unit: Group 2 Storage Tanks
New Internal Floating Roof Storage Tanks
- 7.3 Unit: Truck Loading/Unloading Rack
Control: Vapor Combustion Unit

	<u>PAGE</u>
8.0 GENERAL PERMIT CONDITIONS	48
8.1 Permit Shield	
8.2 Applicability of Title IV Requirements	
8.3 Emissions Trading Programs	
8.4 Operational Flexibility/Anticipated Operating Scenarios	
8.5 Testing Procedures	
8.6 Reporting Requirements	
8.7 Obligation to Comply with Title I Requirements	
9.0 STANDARD PERMIT CONDITIONS	53
9.1 Effect of Permit	
9.2 General Obligations of Permittee	
9.3 Obligation to Allow Illinois EPA Surveillance	
9.4 Obligation to Comply with Other Requirements	
9.5 Liability	
9.6 Recordkeeping	
9.7 Annual Emissions Report	
9.8 Requirements for Compliance Certification	
9.9 Certification	
9.10 Defense to Enforcement Actions	
9.11 Permanent Shutdown	
9.12 Reopening And Reissuing Permit For Cause	
9.13 Severability Clause	
9.14 Permit Expiration and Renewal	
10.0 ATTACHMENTS	
10.1 Attachment 1 - Summary of Storage Tank Features and Groupings	1-1
10.2 Attachment 2 - Example Certification by a Responsible Official	2-1
10.3 Attachment 3 - Form 199-CAAPP, Application for Construction Permit	3-1
10.4 Attachment 4 - Guidance on Revising This Permit	4-1
10.5 Attachment 5 - Guidance on Renewing This Permit	5-1

1.0 SOURCE IDENTIFICATION

1.1 Source

BP Products North America, Inc.
2201 South Elmhurst Road
Des Plaines, Illinois 60018
847/824-5176

I.D. No.: 031804AAT
Standard Industrial Classification: 5171, Refined Petroleum Bulk
Storage and Distribution

1.2 Owner/Parent Company

BP P.L.C.
Britannic House
1 Finsbury Circus London
EC2M 7BA
UK

1.3 Operator

BP Products North America, Inc.
2201 South Elmhurst Road
Des Plaines, Illinois 60018

Mr. Al Fauley, Terminal Manager
847/824-5176

1.4 General Source Description

This BP Products North America, Inc., facility is located at 2201 South Elmhurst, Des Plaines, Illinois. The source is a petroleum bulk terminal for various refined intermediate and finished petroleum products. Materials are transferred to the terminal by pipe line and by truck where they may be temporarily stored at the source prior to shipment of the material to different destinations via pipe line, or distributed to petroleum bulk plants or gasoline dispensing operations located within the surrounding community by way of truck. A truck loading/unloading rack is used to transfer petroleum products from the source to and/or from the trucks.

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

acfm	Actual cubic feet per minute
ACMA	Alternative Compliance Market Account
Act	Illinois Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
API	American Petroleum Institute
ATU	Allotment Trading Unit
BAT	Best Available Technology
Btu	British thermal unit
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CAM	Compliance Assurance Monitoring
CFR	Code of Federal Regulations
ERMS	Emissions Reduction Market System
°F	degrees Fahrenheit
ft ³	cubic foot
gal	gallon
HAP	Hazardous Air Pollutant
hr	hour
IAC	Illinois Administrative Code
I.D. No.	Identification Number of Source, assigned by Illinois EPA
ILCS	Illinois Compiled Statutes
Illinois EPA	Illinois Environmental Protection Agency
°K	degrees Kelvin
kPa	Kilopascals
kW	Kilowatts
LAER	Lowest Achievable Emission Rate
l	liter
lb	pound
m	meter
m ³	cubic meters
MACT	Maximum Achievable Control Technology
mg	Milligrams
mm	Millimeter
mmBtu	Million British thermal units
mmHg	millimeter mercury
mo	month
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO _x	Nitrogen Oxides

FINAL DRAFT/PROPOSED CAAPP PERMIT
 BP Products North America, Inc
 I.D. No.: 031804AAT
 Application Number: 95060056
 March 6, 2002

NSPS	New Source Performance Standards
OM	Organic Material
PM	Particulate Matter
ppm	parts per million
PSD	Prevention of Significant Deterioration
psi	pounds per square inch
psia	pounds per square inch absolute
RMP	Risk Management Plan
SIC	Standard Industrial Classification
SO ₂	Sulfur Dioxide
TANKS	USEPA Emission Estimating Program for Storage Tanks
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit
T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
TOC	Total Organic Compounds
USEPA	United States Environmental Protection Agency
VCU	Vapor Combustion Unit
VOC	Volatile Organic Compounds
VOL	Volatile Organic Liquid
VOM	Volatile Organic Material
VPL	Volatile Petroleum Liquid
wt.	weight
yr	year

3.0 INSIGNIFICANT ACTIVITIES

3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the Illinois EPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

Stormwater Collection Tank 62
Stormwater Collection Tank 63
API Separator for Drainage Collection and Holding

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

None

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

- a. Direct combustion units designed and used for comfort heating purposes and fuel combustion emission units as follows: (A) Units with a rated heat input capacity of less than 2.5 mmBtu/hr that fire only natural gas, propane, or liquefied petroleum gas; (B) Units with a rated heat input capacity of less than 1.0 mmBtu/hr that fire only oil or oil in combination with only natural gas, propane, or liquefied petroleum gas; and (C) Units with a rated heat input capacity of less than 200,000 Btu/hr which never burn refuse, or treated or chemically contaminated wood [35 IAC 201.210(a)(4)].
- b. Storage tanks of organic liquids with a capacity of less than 10,000 gallons and an annual throughput of less than 100,000 gallons per year, provided the storage tank is not used for the storage of gasoline or any material listed as a HAP pursuant to Section 112(b) of the CAA [35 IAC 201.210(a)(10)].
- c. Storage tanks of any size containing virgin or re-

refined distillate oil, hydrocarbon condensate from natural gas pipeline or storage systems, lubricating oil, or residual fuel oils [35 IAC 201.210(a)(11)].

- d. Loading and unloading systems for railcars, tank trucks, or watercraft that handle only the following liquid materials, provided an organic solvent has not been mixed with such materials: soaps, detergents, surfactants, lubricating oils, waxes, glycerin, vegetable oils, greases, animal fats, sweetener, corn syrup, aqueous salt solutions, or aqueous caustic solutions [35 IAC 201.210(a)(18)].

3.1.4 Activities that are considered insignificant activities pursuant to 35 IAC 201.210(b).

3.2 Compliance with Applicable Requirements

Insignificant activities are subject to applicable requirements notwithstanding status as insignificant activities. In particular, in addition to regulations of general applicability, such as 35 IAC 212.301 and 212.123 (Condition 5.2.2), the Permittee shall comply with the following requirements, as applicable:

3.2.1 For each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, 218.182, or 219.182.

3.2.2 For each particulate matter process emission unit, the Permittee shall comply with the applicable particulate matter emission limit of 35 IAC 212.321 or 212.322. For example, the particulate matter emissions from a process emission unit shall not exceed 0.55 pounds per hour if the emission unit's process weight rate is 100 pounds per hour or less, pursuant to 35 IAC 266.110.

3.2.3 For each organic material emission unit that uses organic material, e.g., a mixer or printing line, the Permittee shall comply with the applicable VOM emission limit of 35 IAC 215.301, 218.301, or 219.301, which requires that organic material emissions not exceed 8.0 pounds per hour or do not qualify as photochemically reactive material as defined in 35 IAC 211.4690.

3.3 Addition of Insignificant Activities

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

- 3.3.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).
- 3.3.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

3.3.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

Emission Unit	Description	Dates of Construction	Emission Control Equipment
Group 1 Storage Tanks ¹	Existing Internal Floating Roof Storage Tanks	Prior to 1974	Floating Roof With Primary Seal or Primary/Secondary Seal and Permanent Submerged Fill
Group 2 Storage Tanks ¹	New Internal Floating Roof Storage Tanks	After 1992	Floating Roof With Primary Seal or Primary/Secondary Seal and Permanent Submerged Fill
Tank Truck Loading/Unloading Rack	Five Bay Petroleum Product Truck Loading and Unloading Rack	1995	Vapor Combustion Unit
Fugitive VOM Emissions	Piping, Valves, and Pumps Used To Transfer Materials Between Pipe Line Storage Tanks and Loading/Unloading Rack	----	None
Fugitive Emissions	Paved and Unpaved Roads	----	None

¹ See Attachment 1 for more details.

5.0 OVERALL SOURCE CONDITIONS

5.1 Source Description

5.1.1 This permit is issued based on the source requiring a CAAPP permit as a major source of VOM emissions.

5.1.2 This permit is issued based on the source not being a major source of HAPs.

5.2 Applicable Regulations

5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7.0 (Unit-Specific Conditions) of this permit.

5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:

- a. No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.

- b. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to the requirements of 35 IAC 212.122, pursuant to 35 IAC 212.123(a), except as allowed by 35 IAC 212.123(b) and 212.124.

5.2.3 Vapor Pressure Operating Requirements

Pursuant to 35 IAC 218.585(a), (b), and (c), during the regulatory control periods of May 1 to September 15 of each year, no person shall sell, offer for sale, dispense, supply, offer for supply, or transport for use in

Illinois, gasoline that exceeds the following:

- a. Reid vapor pressure of non-ethanol gasoline shall not exceed 9.0 psi (62.07 kPa); and
- b. Reid vapor pressure of ethanol blend gasoline shall not exceed 10.0 psi (69 kPa). Notwithstanding this limitation, blenders of ethanol are prohibited from adding butane or any product that will increase the Reid vapor pressure of the blended gasoline.

5.2.4 Pumps and Compressors Operating Requirements

The Permittee shall inspect pumps and any compressors in gasoline service for leaks on at least a quarterly basis to address compliance with 35 IAC 218.142. No person shall cause or allow the discharge of more than 32.8 ml (2 cu in) of VOL with vapor pressure 2.5 psia or greater at 70°F into the atmosphere from any pump or compressor in any 15 minute period at standard conditions. If a significant leak is detected by any means, including visual observation, smell or sound, the equipment shall be expeditiously repaired or taken out of service. For this purpose, action shall be considered expeditious if it occurs within 15 days.

5.2.5 Ozone Depleting Substances

The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to

40 CFR 82.161.

5.2.6 Risk Management Plan

Should this stationary source, as defined in 40 CFR Section 68.3, become subject to the Accidental Release Prevention regulations in 40 CFR Part 68, then the owner or operator shall submit [40 CFR 68.215(a)(2)(i) and (ii)]:

- a. A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or
- b. A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan, as part of the annual compliance certification required by 40 CFR Part 70 or 71.

5.2.7 a. Should this stationary source become subject to a regulation under 40 CFR Parts 60, 61, or 63, or 35 IAC after the date issued of this permit, then the owner or operator shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by 40 CFR Part 70 or 71.

- b. No later than upon the submittal for renewal of this permit, the owner or operator shall submit, as part of an application, the necessary information to address either the non-applicability of, or demonstrate compliance with all applicable requirements of any potentially applicable regulation which was promulgated after the date issued of this permit.

5.2.8 Episode Action Plan

- a. If the source is required to have an episode action plan pursuant to 35 IAC 244.142, the Permittee shall maintain at the source and have on file with the Illinois EPA a written episode action plan for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

operating procedures. The plan shall contain the information specified in 35 IAC 244.144.

- b. The Permittee shall immediately implement the appropriate steps described in this plan should an air pollution alert or emergency be declared.
- c. If a change occurs at the source which requires a revision of the plan (e.g., operational change, change in the source contact person), a copy of the revised plan shall be submitted to the Illinois EPA for review within 30 days of the change. Such plans shall be further revised if disapproved by the Illinois EPA.
- d. For sources required to have an Episode Action Plan pursuant to 35 IAC 244.142, a copy of the original plan and any subsequent revisions shall be sent to:
 - i. Illinois EPA, Compliance Section; and

- ii. For sources located in Cook County and outside of the city of Chicago: Cook County Department of Environmental Control; or
- iii. For sources located within the city of Chicago: Chicago Department of Environmental Control.

5.2.9 CAM Plan

This stationary source has a pollutant-specific emissions unit that is subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources. The source must submit a CAM plan for each affected pollutant-specific emissions unit upon application for renewal of the initial CAAPP permit, or upon a significant modification to the CAAPP permit for the construction or modification of a large pollutant-specific emissions unit which has the potential post-control device emissions of the applicable regulated air pollutant that equals or exceeds major source threshold levels.

5.3 Non-Applicability of Regulations of Concern

This permit is issued based on the source not being subject to 40 CFR 63, Subpart R because the source is not a major source of HAPs. (See also Condition 5.5)

5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

5.5 Source-Wide Emission Limitations

5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

limits shall be determined on a calendar year basis.
These limitations are set for the purpose of establishing
fees and are not federally enforceable.

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	203.58
Sulfur Dioxide (SO ₂)	----
Particulate Matter (PM)	1.01
Nitrogen Oxides (NO _x)	14.00
HAP, not included in VOM or PM	----
Total	218.59

5.5.2 Emissions of Hazardous Air Pollutants

The emissions of HAPs from the source shall be less than 10 tons/year for each individual HAP and 25 tons/year for all HAPs combined. Compliance with these limits shall be based on a running total of 12 months of data, with emissions calculated using standard USEPA methodology, e.g., by appropriately summing the product of the weight percent of each HAP in the VOM emissions for each organic liquid and the VOM emissions attributable to the storage and handling of that liquid, as determined by the current version of the TANKS program.

This condition is being imposed at the request of the Permittee so that the source is not a major source of HAP emissions and the requirements of 40 CFR 63 Subpart R - National Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations) do not apply to the source.

5.5.3 Other Source-Wide Emission Limitations

Other source-wide emission limitations are not set for this source pursuant to either the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21, Illinois EPA rules for Major Stationary Sources Construction and Modification, 35 IAC Part 203, or Section 502(b)(10) of the CAA. However, there may be unit specific emission limitations set forth in Section 7.0 of this permit pursuant to these rules.

5.6 General Recordkeeping Requirements

5.6.1 General Records for Storage Tanks

a. The Permittee shall maintain a log identifying which

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

unit-specific condition (Condition 7.1, or 7.2 of this permit) each tank is complying with, if different than shown in Attachment 1, with date and supporting explanation for change in applicable requirements, pursuant to Section 39.5(7)(1)(i)(A) of the Act.

- b. The Permittee shall maintain records of the following items for each storage tank at the source with a capacity greater than 40 m³ (approximately 10,500 gallons) [Section 39.5(7)(b) of the Act]. These records shall be kept up to date for each tank at the source and be retained until the tank is removed from the source.
 - i. The date* on which construction of the tank was commenced, with a copy of supporting documentation;
 - ii. The date(s)* on which modification or reconstruction, as defined in the NSPS, 40 CFR 60.14 and 60.15 respectively, were commenced on the tank, if applicable;
 - iii. A list of the types of VOL actually stored in the tank and anticipated to be stored in the tank, with date of each change in the list; and
 - iv. The dimensions of the tank and an analysis of capacity. [35 IAC 218.129(f) and 40 CFR 60.116b(b)]
- * If a date is prior to June 11, 1973, a specific date is not needed and documentation need only show commencement of construction prior to this date.

5.6.2 Records for Floating Roof Storage Tanks

The Permittee shall maintain records of the following items for each storage tank equipped with a floating roof to allow calculation of VOM and HAP emissions from the storage tanks at the source so as to demonstrate compliance with the annual emission limits in Condition 5.5. These records shall be updated whenever there is a change in status of a storage tank that is brought about by actions at the source, such as painting, and during periodic inspections.

- a. The color of each storage tank;
- b. The condition of each storage tank; and

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

- c. The type and number of fittings, or a statement that the default settings regarding type and number of fittings in the TANKS program are used for emission estimation.

5.6.3 Records for VOM and HAP Emissions

The Permittee shall maintain records of the following items to allow verification that the source is not a major source for HAP emissions and therefore not subject to 40 CFR 63 Subpart R and to quantify annual VOM emissions, so as to demonstrate compliance with the limits in Condition 5.5:

- a. The Permittee shall maintain the following general records:
 - i. The identification and properties of each organic liquid stored at the source, as related to emissions, i.e., vapor pressure and molecular weight;
 - ii. The vapor weight percent of each HAP in the organic material emissions for each liquid determined as the average over the annual range of storage temperature and representative data on the composition of the liquid, with identification of supporting documentation, e.g., USEPA 1992 survey;
 - iii. A copy of the supporting documentation for HAP vapor weight percent; and
 - iv. A current analysis of the tank or tanks in each group that would have the greatest emissions from storage of various liquids to the extent that the Permittee does not choose to keep throughput records by individual tank, to identify the tank that should be assumed for emission calculations.
- b. The Permittee shall maintain records of the following items on a monthly basis for the previous month:
 - i. The throughput of each organic liquid through each tank or group of tanks if based on 5.6.4;
 - ii. The VOM emissions attributable to each organic liquid stored at the source, tons/month, with supporting calculations, calculated utilizing an approved USEPA methodology, such as the

TANKS program;

- iii. For each HAP identified as present, the total emissions of the individual HAP for all emission units at the source, in tons/month, with supporting calculations; and
- iv. Total emissions of each individual HAP, and combined HAPs from the source, in tons/month, with supporting calculations.

5.6.4 Records for Operating Scenarios

If any storage tank identified in this permit as storing VPL changes to storage of materials with a vapor pressure of less than 0.5 psia at 70°F as provided for in Condition 5.8, the Permittee shall maintain a log identifying the specific tank, the liquid stored in the tank, the date such tank switched to the storage of this liquid, and if applicable, the date such tank returned to storage of VPL.

5.6.5 Records for Pumps and Compressors in Gasoline Service Inspections

The Permittee shall keep the following records to document implementation of the leak detection and repair program required by Condition 5.2.4.

- a. The performance of an inspection or other observation identifying a leaking component, including, date, the individual that performed the inspection, and the type of inspection;
- b. The condition, i.e., idle or operation, of each pump inspected;
- c. The presence of a leak, with description and the means of identification;
- d. The date the leak was repaired, or the component taken out of service; and
- e. If a corrective action, as in Condition 5.2.4, was not taken within 15 days, an explanation why corrective action could not be taken within 15 days.

5.6.6 Records for Gasoline Volatility

Pursuant to 35 IAC 218.585(h)(2), and Condition 5.2.3 of this permit, the Permittee shall maintain records of the following items for gasoline and ethanol blends leaving the source for use in Illinois:

- a. Reid vapor pressure of each gasoline or ethanol blend shipment;
- b. Quantity of each gasoline or ethanol blend shipment; and
- c. Date of delivery of each shipment.

5.6.7 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified by the particular recordkeeping provision herein), at a location at the source that is readily accessible to the Illinois EPA or USEPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.
- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in response to an Illinois EPA or USEPA request for records during the course of a source inspection.

5.7 General Reporting Requirements

5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of deviations with the permit requirements as follows pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

Annual emissions from the source in excess of the emission limits specified in Condition 5.5.1 based on the current month's records plus the preceding 11

months shall be reported within 30 days of such an occurrence.

5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year.

5.7.3 Annual Reporting of HAP Emissions

The Permittee shall submit an annual report to the Illinois EPA, Compliance Section, on HAP emissions from the source, including the following information, so as to demonstrate whether the source is being operated as a non-major source of HAP emissions. This report shall be submitted with the Annual Emissions Report (Condition 9.7).

- a. The annual emissions of individual HAPs for each month of the previous calendar year sufficient to demonstrate compliance with the 12 month running total of Condition 5.5.2, in tons/year (e.g., for the month of January, the emissions from February of the preceding year through January, for the month of February, the emissions from March of the preceding calendar year through February, 12 months in all); and
- b. The total emissions of all HAPs combined for each month of the previous calendar year sufficient to demonstrate compliance with the 12 month running total of Condition 5.5.2, in tons/year (e.g., for the month of January, the emissions from February of the preceding year through January, for the month of February, the emissions from March of the preceding calendar year through February, 12 months in all).

5.8 General Operational Flexibility/Anticipated Operating Scenarios

- a. The Permittee is authorized to store materials with a vapor pressure less than 0.5 psia at 70°F, e.g., distillate fuel oils or blend stocks, diesel fuel, and jet kerosene, in any storage tank identified in this permit as a VPL storage tank. In such instances, the unit-specific conditions in Section 7.0 of this permit, applicable to such tank based on the storage of VPL, shall no longer

apply. (See Condition 5.6.4) This condition does not affect the Permittee's obligation to properly obtain a construction permit in a timely manner for any activity constituting construction or modification of an emission unit, as defined in 35 IAC 201.102.

- b. Upon resuming storage of VPL in such a tank, the applicable unit-specific conditions of Section 7.0 of this permit shall again apply to such tank. In addition, prior to returning such a tank to storage of VPL, the Permittee shall conduct appropriate inspection of the tank for storage of VPL pursuant to applicable requirements of 35 IAC 218.123.

5.9 General Compliance Procedures

5.9.1 General Procedures for Calculating Emissions

Compliance with the source-wide emission limits specified in Condition 5.5 shall be based on the recordkeeping and reporting requirements of Conditions 5.6 and 5.7 and compliance procedures in Section 7.0 (Unit Specific Conditions) of this permit.

- a. For the purpose of estimating VOM emissions from the storage tanks, the current version of the TANKS program is acceptable.
- b. For the purpose of estimating HAP emissions from equipment at the facility, the vapor wt percent (based on a 1992 USEPA survey) of each HAP for each organic liquid times the VOM emissions contributed by that organic liquid is acceptable.

5.10 Special Permit Shield

The Permittee is hereby shielded from any obligation to measure the volume of leaking liquid from a pump or compressor for purposes of determining compliance with 35 IAC 218.142. Condition 5.2.4 establishes appropriate compliance procedures for this rule which do not rely on such measurements.

6.0 EMISSIONS REDUCTION MARKET SYSTEM (ERMS)

6.1 Description of ERMS

The ERMS is a "cap and trade" market system for major stationary sources located in the Chicago ozone nonattainment area. It is designed to reduce VOM emissions from stationary sources to contribute to reasonable further progress toward attainment, as required by Section 182(c) of the CAA.

The ERMS addresses VOM emissions during a seasonal allotment period from May 1 through September 30. Participating sources must hold "allotment trading units" (ATUs) for their actual seasonal VOM emissions. Each year participating sources are issued ATUs based on allotments set in the sources' CAAPP permits. These allotments are established from historical VOM emissions or "baseline emissions" lowered to provide the emissions reductions from stationary sources required for reasonable further progress.

By December 31 of each year, the end of the reconciliation period following the seasonal allotment period, each source should have sufficient ATUs in its transaction account to cover its actual VOM emissions during the preceding season. A transaction account's balance as of December 31 will include any valid ATU transfer agreements entered into as of December 31 of the given year, provided such agreements are promptly submitted to the Illinois EPA for entry into the transaction account database. The Illinois EPA will then retire ATUs in sources' transaction accounts in amounts equivalent to their seasonal emissions. When a source does not appear to have sufficient ATUs in its transaction account, the Illinois EPA will issue a notice to the source to begin the process for Emissions Excursion Compensation.

In addition to receiving ATUs pursuant to their allotments, participating sources may also obtain ATUs from the market, including ATUs bought from other participating sources and general participants in the ERMS that hold ATUs (35 IAC 205.630) and ATUs issued by the Illinois EPA as a consequence of VOM emissions reductions from an Emissions Reduction Generator or an Intersector Transaction (35 IAC 205.500 and 35 IAC 205.510). During the reconciliation period, sources may also buy ATUs from a secondary reserve of ATUs managed by the Illinois EPA, the "Alternative Compliance Market Account" (ACMA) (35 IAC 205.710). Sources may also transfer or sell the ATUs that they hold to other sources or participants (35 IAC 205.630).

6.2 Applicability

Emissions of VOM from the source during the seasonal allotment period from May 1 through September 30 of each year shall not exceed 15 tons, not including VOM emissions from insignificant emission units and activities as identified in Section 3 of this permit. This limitation is established at the request of the source to exempt it from the requirements of 35 IAC Part 205, Emissions Reduction Market System (ERMS), pursuant to 35 IAC 205.205.

6.3 Recordkeeping and Reporting

- a. The Permittee shall maintain the following records to determine compliance with the above limitation:
 - i. Records of operating data and other information for each individual emission unit or group of related emission units at the source, as specified in Sections 5 and 7 of this permit, as appropriate, to determine actual VOM emissions during the seasonal allotment period;
 - ii. Records of the VOM emissions, in tons, during the seasonal allotment period, with supporting calculations, for each individual emission unit or group of related emission units at the source, determined in accordance with the procedures specified in Sections 5 and 7 of this permit; and
 - iii. Total VOM emissions from the source, in tons, during each seasonal allotment period.
- b. The Permittee shall submit the seasonal emissions component of the Annual Emissions Report by October 31 of each year, reporting actual emissions of VOM during the seasonal allotment period, in accordance with 35 IAC 205.205(b) and 35 IAC 205.300.
- c. In the event that the source's VOM emissions during the seasonal allotment period exceed 15 tons, the source shall no longer be exempt from the ERMS and beginning with the following seasonal allotment period, shall comply with 35 IAC Part 205, by holding allotment trading units (ATUs) for its VOM emissions during each seasonal allotment period.

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

6.4 Federal Enforceability

Section 6.0 becomes federally enforceable upon approval of the ERMS by USEPA as part of Illinois' State Implementation Plan.

7.0 UNIT SPECIFIC CONDITIONS

7.1 Unit: Group 1 Storage Tanks
 Existing Internal Floating Roof Storage Tanks

7.1.1 Description

The Permittee operates existing internal floating roof storage tanks to store various petroleum products. (Existing, for the purpose of this section, means constructed prior to June 11, 1973.) Permanent submerged loading must be used at these tanks, minimizing turbulence and evaporation of VOM during loading.

7.1.2 List of Emission and Pollution Control Equipment¹

Group 1 Storage Tank No.	Description	Emission Control Equipment
2	Internal Floating Roof (External Floating Roof with Geodesic Dome)	Permanent Submerged Loading Pipe and Internal Floating Roof
4	Internal Floating Roof (External Floating Roof with Geodesic Dome)	Permanent Submerged Loading Pipe and Internal Floating Roof
6	Internal Floating Roof (External Floating Roof with Geodesic Dome)	Permanent Submerged Loading Pipe and Internal Floating Roof
7	Internal Floating Roof (External Floating Roof with Geodesic Dome)	Permanent Submerged Loading Pipe and Internal Floating Roof
8	Internal Floating Roof Tank	Permanent Submerged Loading Pipe and Internal Floating Roof

¹ See Attachment 1 for more details.

7.1.3 Applicability Provisions

The "affected tanks" for the purpose of these unit-specific conditions, are existing internal floating roof petroleum liquid storage tanks, used for the storage of volatile petroleum liquids with a maximum true vapor pressure equal to or greater than 10.34 kPa (1.5 psia) but less than 86.19 kPa (12.5 psia) at 294.3°K (70°F), for which construction, reconstruction, or modification

commenced prior to June 11, 1973, and with a storage capacity greater than 151.42 cubic meters (40,000 gallons). These affected tanks are subject to the requirements of 35 IAC 218.121, 218.122(b), and 218.123. The status of all affected storage tanks at this source is summarized in Attachment 1.

7.1.4 Non-Applicable Regulations

- a. The affected tanks are not subject to the requirements of 35 IAC 218.120, 218.127, 218.128, and 218.129, because the affected tanks are used solely for the storage of petroleum liquids, pursuant to 35 IAC 218.119(e).
- b. This permit is issued based on the affected tanks not being subject to 35 IAC 218.124, because the affected tanks are not equipped with external floating roofs.
- c. This permit is issued based on the affected tanks not being subject to the New Source Performance Standards (NSPS) for petroleum liquids, 40 CFR Part 60, Subpart K, Ka, or Kb, because the affected tanks were constructed prior to June 11, 1973 and have not been modified since that date.
- d. This permit is issued based on the affected tanks not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the affected tanks use a passive control measure, such as a seal, lid, or roof, that is not considered a control device because it acts to prevent the release of pollutants.

7.1.5 Control Requirements

Each affected tank shall be equipped with the following:

- a. A floating roof which rests on the surface of the VOL that is equipped with a primary seal [35 IAC 218.121(b)(1)];
- b. All openings of the floating roof deck, other than drains, shall be equipped with covers, lids or seals [35 IAC 218.123(b)(3)]; and

c. A permanent submerged loading pipe. [35 IAC 218.122(b)]

7.1.6 Emission Limitations

There are no specific emission limitations for this unit, however, there are source wide emission limitations in Conditions 5.2.2 and 5.5.1 that include this unit.

7.1.7 Operating Requirements

a. Each affected tank shall be operated so that the floating roof including the seal closure devices meet each of the following requirements:

i. There shall be no visible holes, tears, or other defects in the seal or any seal fabric or material of the floating roof [35 IAC 218.123(b)(2)];

ii. The covers, lids or seals on openings of the floating roof deck other than stub drains shall be operated such that the following requirements are met:

A. The cover, lid or seal is in the closed position at all times except when petroleum liquid is transferred to or from the tank [35 IAC 218.123(b)(3)(A)];

B. Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports [35 IAC 218.123(b)(3)(B)]; and

C. Rim vents, if provided, are set to open when the roof is being floated off the roof leg supports or at the manufacturer's recommended setting [35 IAC 218.123(b)(3)(C)].

b. No person shall cause or allow the emissions of air contaminants into the atmosphere from any gauging or sampling devices attached to an affected tank, except during sampling or maintenance operations [35 IAC 218.121 (b)(1)].

7.1.8 Inspection Requirements

- a. The Permittee shall inspect the floating roof seals through the roof hatches of each affected tank semiannually, the first inspection being prior to May 1 of each year, to insure compliance with the applicable control and operating requirements [35 IAC 218.123(b)(4)].
- b. The Permittee shall perform a complete inspection of the cover and seals of each affected tank whenever the tank is emptied for any reasons other than the transfer of liquid during the normal operation of the tank, or whenever repairs are made as a result of any semi-annual inspection or incidence of roof damage or defect [35 IAC 218.123(b)(5)].

7.1.9 Recordkeeping Requirements

- a. The Permittee shall maintain records for each affected tank of the results of each inspection or measurement required by Condition 7.1.8(a) and/or (b), pursuant to 35 IAC 218.123(b)(6). Records will include:
 - i. The affected tank identification and date the inspection was performed;
 - ii. When the inspection and/or measurement was performed;
 - iii. Who performed the inspection and/or measurement;
 - iv. The method of inspection and/or measurement;
 - v. The observed condition of each feature of the internal floating roof (seals, roof deck and fittings) with raw data recorded during the inspection and/or measurement.
- b. The Permittee shall maintain records that are sufficient to identify whenever the tank is emptied for any reason other than the transfer of liquid during normal operation or whenever repairs are made as a result of regular inspections or incident of roof damage or defect to demonstrate compliance with Condition 7.1.8(b) (Cover and Seal Inspection) [35 IAC 218.123(b)(5)]:

7.1.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of deviations of an affected tank with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. Report any storage of VPL in an affected tank that is not in compliance with the control requirements (due to absence of the features required by Condition 7.1.5, e.g., "no permanent submerged loading pipe," within 5 days of becoming aware of the non-compliance

status. This notification shall include a description of the event, the cause for the non-compliance, actions taken to correct the non-compliance, and the steps taken to avoid future non-compliance.

- b. Report any storage of VPL in an affected tank that is not in compliance with the control requirements (Condition 7.1.5) due to damage, deterioration, or other condition of the tank, within 30 days of becoming aware of the non-compliance status. This notification shall include a description of the event, the cause for the non-compliance, actions taken to correct the non-compliance, and the steps taken to avoid future non-compliance.

7.1.11 Operational Flexibility/ Anticipated Operating Scenarios

The Permittee is authorized to make the following physical or operational change with respect to an affected tank without prior notification to the Illinois EPA or revision of this permit: [This condition does not affect the Permittee's obligation to properly obtain a construction permit in a timely manner for any activity constituting construction or modification of the source, as defined in 35 IAC 201.102.]

- a. Changes in the material stored in a tank, provided the tank continues to comply with Condition 7.1.3 of this permit.
- b. Changes accounted for in Condition 5.8.

7.1.12 Compliance Procedures

Emissions from an affected tank shall be determined through the use of an approved USEPA methodology, such as the TANKS program.

7.2 Unit: Group 2 Storage Tanks
 New Internal Floating Roof Storage Tanks

7.2.1 Description

The Permittee operates new internal floating roof storage tanks to store various petroleum products. (New, for the purposes of this section, means constructed after July 23, 1984.) Permanent submerged loading must be used at these tanks, minimizing turbulence and evaporation of VOM during loading.

7.2.2 List of Emission and Pollution Control Equipment¹

Group 2 Storage Tank No.	Description	Emission Control Equipment
12	New Internal Floating Roof Tank	Permanent submerged Loading Pipe and Internal Floating Roof
16	New Internal Floating Roof Tank	Permanent Submerged Loading Pipe and Internal Floating Roof

¹ See Attachment 1 for more details.

7.2.3 Applicability Provisions

- a. The "affected tanks" for the purpose of these unit-specific conditions, are internal floating roof petroleum liquid storage tanks, used for the storage of petroleum liquids with a maximum true vapor pressure equal to or greater than 3.5 kPa (0.5 psia) but less than 76.6 kPa (11.1 psia), with a design storage capacity greater than 151 m³ (40,000 gallons), for which construction, reconstruction, or modification commenced after July 23, 1984, that are subject to the control requirements of 40 CFR Part 60, Subpart Kb, and that rely on an internal floating roof for compliance. The status of all affected storage tanks at this source is summarized in Attachment 1.
- b. All affected tanks in this section are subject to 40 CFR Part 60, Subpart Kb, and are hereby shielded from

compliance with 35 IAC 218.121. This shield is issued to streamline the applicable requirements for the source, based on the Illinois EPA's finding that compliance with 40 CFR Part 60, Subpart Kb, assures compliance with 35 IAC 218.121, following the review of requirements of 40 CFR Part 60, Subpart Kb, and 35 IAC 218.121.

7.2.4 Non-Applicable Regulations

- a. This permit is issued based on the affected tanks not being subject to 35 IAC 218.120, 218.127, 218.128, and 218.129, because the affected tanks are used solely for the storage of petroleum liquids, pursuant to 35 IAC 218.119(e).
- b. This permit is issued based on the affected tanks not being subject to 35 IAC 218.123(b), because the affected tanks are subject to new source performance standards for storage vessels of petroleum liquid, 40 CFR Part 60, Subpart Kb, pursuant to 35 IAC 218.123(a)(5).
- c. This permit is issued based on the affected tanks not being subject to 35 IAC 218.124, because the affected tanks are not equipped with external floating roofs.
- d. This permit is issued based on the affected tanks not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the affected tanks use a passive control measure, such as a seal, lid, or roof, that is not considered a control device because it acts to prevent the release of pollutants.

7.2.5 Control Requirements

- a. Each affected tank shall comply with the requirements of 40 CFR 60.112b(a)(1)(i), which requires the use of a fixed roof in combination with an internal floating roof that is equipped with one of the following closure devices:
 - i. A foam-filled or liquid-filled liquid-mounted seal; or

- ii. Two continuous seals; or
 - iii. A mechanical shoe seal.
- b. Each affected tank shall also be equipped with a permanent submerged loading pipe, pursuant to 35 IAC 218.122(b).

7.2.6 Emission Limitations

- a. VOM emissions from storage tank 12 shall not exceed 1.15 tons/year. This limitation was established in Permit 94050050, pursuant to 35 IAC Part 203. This limit ensures that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically 35 IAC Part 203 [T1].
- b. VOM emissions from storage tank 16 shall not exceed 1.0 tons/year. This limitation was established in Permit 94050050, pursuant to 35 IAC Part 203. This limit ensures that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically 35 IAC Part 203 [T1].

7.2.7 Operating Requirements

Each affected tank shall be operated in compliance with the operating requirements of 40 CFR 60.112b(a)(1) and 60.113b(a), as follows:

- a. The internal floating roof shall float on the liquid surface at all times, except during those intervals when the storage tank is being completely emptied and subsequently refilled and the roof rests on its leg supports. When the roof is resting on its leg supports, the process of emptying or refilling shall be continuous and shall be accomplished as rapidly as possible. [40 CFR 60.112b(a)(1)(i)]
- b. Each opening in a non-contact internal floating roof except for automatic bleeder vents (vacuum breaker vents) and the rim space vents shall provide a

projection below the liquid surface. [40 CFR
60.112b(a)(1)(iii)]

- c. Each opening in the internal floating roof except for leg sleeves, automatic bleeder vents, rim space vents, column wells, ladder wells, sample wells, and stub drains shall be equipped with a cover or lid which is maintained in a closed position at all times (i.e., no visible gaps) except when the device is in actual use. The cover or lid shall be equipped with a gasket. Covers on each access hatch and automatic gauge float well shall be bolted except when they are in use. [40 CFR 60.112b(a)(1)(iv)]
- d. Automatic bleeder vents shall be equipped with a gasket and be closed at all times when the roof is floating except when the roof is being floated off or is being landed on the roof leg supports. [40 CFR 60.112b(a)(1)(v)]

- e. Rim space vents shall be equipped with a gasket and be set to open only when the internal floating roof is not floating or at the manufacturer's recommended setting. [40 CFR 60.112b(a)(1)(vi)]
- f. Each penetration of the internal floating roof for the purpose of sampling shall be a sample well. The sample well shall have a slit fabric cover that covers at least 90 percent of the opening. [40 CFR 60.112b(a)(1)(vii)]
- g. Each penetration of the internal floating roof that allows for the passage of a column supporting the fixed roof shall have a flexible fabric sleeve seal or a gasketed sliding cover. [40 CFR 60.112b(a)(1)(viii)]
- h. Each penetration of the internal floating roof that allows for passage of a ladder shall have a gasketed sliding cover. [40 CFR 60.112b(a)(1)(ix)]
- i. A tank that is in-service shall be repaired or emptied upon identification in an inspection that the floating roof is not resting on the surface of the VOL, there is liquid accumulated on the roof, the seal is detached, or there are holes or tears in the seal fabric. These actions shall be completed within 45 days of the inspection unless an extension is granted. [40 CFR 60.113b(a)(2) and (a)(3)(ii)]
- j. A tank that is empty shall be repaired prior to refilling the tank upon identification in an inspection that the floating roof has defects, the primary seal has holes, tears or other openings in the seal or seal fabric, or the secondary seal has holes, tears or other openings in the seal or seal fabric, or the gaskets no longer close off. [40 CFR 60.113b(a)(3)(ii) and (a)(4)]

7.2.8 Inspection Requirements

The Permittee shall fulfill the applicable testing and procedures requirements of 40 CFR 60.113b(a) for each affected tank equipped with an internal floating roof as follows:

- a. Visually inspect the internal floating roof and the primary seal or the secondary seal (if one is in service) through manholes and roof hatches on the fixed roof at least once every 12 months (Annual Inspection) to identify any deficiency or shortcoming in the roof's features, (i.e., the internal floating roof is not resting on the surface of the VOL inside the storage tank, or there is liquid accumulated on the roof, or the seal is detached, or there are holes or tears in the seal fabric) that the Permittee must repair or otherwise remove the storage tank from service. [40 CFR 60.113b(a)(2) and (a)(3)(ii)]
- b. Visually inspect the internal floating roof, the primary seal, gaskets, slotted membranes (if any), and sleeve seals (if any) each time the storage tank is emptied and degassed (Out-of-Service Inspection) to detect if the internal floating roof has defects, the primary seal has holes, tears, or other openings in the seal or the seal fabric, or the gaskets no longer close off the liquid surfaces from the atmosphere, or the slotted membrane has more than 10 percent open area. If any of these conditions are detected during inspections, the Permittee shall repair the items prior to refilling the storage tank with petroleum liquid. These inspections shall be performed at least every 10 years [40 CFR 60.113b(a)(4)]. Prior notification for Out-of-Service Inspection(s) shall be given to the Illinois EPA as specified in Condition 7.2.10(a).

7.2.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for each affected tank to demonstrate compliance with Conditions 5.5.1 and 7.2.8, pursuant to Section 39.5(7)(b) of the Act:

- a. Keep a record of each Annual and Out-of-Service Inspection performed as required by Condition 7.2.8(a) and (b). [40 CFR 60.115b(a)(2)].

Each record shall contain:

- i. The affected tank identification and date the

inspection was performed;

- ii. Who performed the inspection;
 - iii. The method of inspection;
 - iv. The observed condition of each feature of the internal floating roof (seals, roof decks and fittings), with the raw data recorded during the inspection.
- b. The Permittee shall maintain Out-of-Service Inspection records that are sufficient to identify whenever the tank is emptied for any reason other than the transfer of liquid during normal operation or whenever repairs are made as a result of regular inspections or incident of roof damage or defect to demonstrate compliance with Condition 7.2.8(b).
- c. The Permittee shall keep the operating records for each affected tank, as follows:
- Records of the VOL stored, the period of storage, and the maximum true vapor pressure of that VOL during the respective storage period. [40 CFR 60.116b(c)]
- d. The Permittee shall maintain monthly records of the VOM emissions from affected storage tanks in accordance with the procedures outlined in Condition 5.6.3, so as to demonstrate compliance with the emission limitations of Condition 7.2.6.
- i. The identification and properties of each petroleum liquid stored in the storage tank, as related to emissions, i.e., vapor pressure and molecular weight.
 - ii. The throughput of each petroleum liquid through the affected tank on a monthly basis.
 - iii. VOM emissions attributable to each petroleum liquid stored in the storage tank, in tons/month, with supporting calculations, calculated utilizing an approved USEPA methodology, such as the TANKS program.

7.2.10 Reporting Requirements

- a. The Permittee shall submit written notifications and reports to the Illinois EPA, Compliance Section as required by the NSPS, for each affected tank, as follows:
- i. A report identifying any deficiencies or shortcomings identified in the Annual Inspection required by Condition 7.2.8(a) within 30 days of inspection. This report shall include the information specified in 40 CFR 60.115b(a)(3).
 - ii. Notification at least 30 days prior to refilling an affected tank for which an Out-of-Service inspection is required by Condition 7.2.8(b) to afford the Illinois EPA with the opportunity to have an observer present. [40 CFR 60.113b(a)(5)]

If the inspection is not planned and the owner or operator of the tank could not have known about refilling the tank 30 days in advance, a shorter notification may be accepted as provided for in 40 CFR 60.113b(a)(5).
 - iii. A report identifying any deficiencies or shortcomings identified in the Out-of-Service Inspection within 30 days of the inspection required by Condition 7.2.8(b). This report shall include the information specified in 40 CFR 60.115b(a)(4).
- b. The Permittee shall promptly notify the Illinois EPA, Compliance Section of deviations from the control and operating requirements as follows pursuant to Section 39.5(7)(f)(ii) of the Act:
- i. Report any storage of VOL in an affected tank that is not in compliance with the control requirements due to absence of the features required by Condition 7.2.5, e.g., no "secondary seal," within five days of becoming aware of the non-compliance status. This notification shall include a description of

the event, the cause for the non-compliance, actions taken to correct the non-compliance, and the steps taken to avoid future non-compliance.

- ii. Report any storage of VOL in an affected tank that is not in compliance with the control requirements of Condition 7.2.5 due to damage, deterioration, or other condition of the tank, within 30 days of becoming aware of the non-compliance status. This notification shall include a description of the event, the cause for the non-compliance, actions taken to correct the non-compliance, and the steps taken to avoid future non-compliance.

7.2.11 Operational Flexibility/Anticipated Operating Scenarios

The Permittee is authorized to make the following physical or operational change with respect to an affected tank without prior notification to the Illinois EPA or revision of this permit: [This condition does not affect the Permittee's obligation to properly obtain a construction permit in a timely manner for any activity constituting construction or modification of the source, as defined in 35 IAC 201.102.]

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

- a. Changes in the material stored in a tank, provided the tank continues to comply with the Conditions in Section 7.2 of this permit.
- b. Changes accounted for in Condition 5.8.

7.2.12 Compliance Procedures

Emissions from an affected tank shall be determined through the use of an approved USEPA methodology, such as the TANKS program.

7.3 Unit: Truck Loading/Unloading Rack
 Control: Vapor Combustion Unit

7.3.1 Description

The truck loading/unloading rack is used to load and unload various petroleum products. The Permittee operates a loading rack that consists of five bays with a total of twenty loading points which can be used in any combination without affecting total loading rack emissions. The VOM emissions from the truck loading/unloading rack occur when material is loaded into delivery vehicles. A vapor combustion unit (VCU) is used to capture and control the emissions that occur as a result of displacement of vapors in the delivery vehicles. The VOM emissions from unloading material are accounted for in the working losses of the storage tanks the material is loaded into, with the exception of fugitive emissions which are attributed to the truck loading station components, (i.e., valves, flanges, etc).

7.3.2 List of Emission Units and Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment	Date of Construction
Loading/Unloading Rack	Five Bay Loading Rack Used for Loading Various Petroleum Products Into Tank Trucks	Vapor Combustion Unit	September, 1995

7.3.3 Applicability Provisions

- a. An "affected loading rack," for the purpose of these unit-specific conditions, is a loading rack that is subject to the requirements of 40 CFR 60 Subpart XX and 35 IAC 218.582 and relies on a vapor collection/combustion unit for compliance. For purposes of 40 CFR 60 Subpart XX, a "gasoline tank truck" is a delivery tank truck used at bulk gasoline terminals which is loading gasoline or has loaded gasoline on the immediately previous load. Each loading rack used to transfer gasoline into a delivery vessel (gasoline tank truck) from any bulk gasoline terminal is subject to the requirements of 35 IAC

218.582. Loading racks constructed or modified after December 17, 1980 are subject to the requirements of 40 CFR 60 Subpart XX.

- b. There are also source wide limitations in Condition 5.2.2 that include this unit.
- c. No person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission unit to exceed 2,000 ppm, pursuant to 35 IAC 214.301.

7.3.4 Non-Applicability of Regulations of Concern

N/A

7.3.5 Control Requirements and Operational Limitations

- a. Each affected loading rack shall be equipped and operated with a vapor collection system designed to collect the total organic compounds (TOC) vapors displaced from tank trucks during product loading that limits the emissions to the atmosphere to not more than 35 milligrams of TOC per liter of gasoline loaded pursuant to 40 CFR 60.502(a), and (b) and 35 IAC 218.582(a)(2).
- b. The total organic compound emissions from the affected loading rack and associated vapor combustion unit shall not exceed 10 milligrams per liter of gasoline loaded, pursuant to Sections 9.1(d) and 39 of the Act, so that the construction and subsequent operation of this loading rack and vapor collection/combustion unit, as previously addressed in Construction Permit 94050050 is not a major modification subject to NSR. This requirement supercedes Condition 7.3.5(a) because it is more stringent. [See also Conditions 7.3.5(c) and 7.3.6(a)].
- c. Loadout of gasoline through the affected loading rack shall not exceed 53,000,000 gal/mo and 530,000,000 gal/yr pursuant to Sections 9.1(d) and 39 of the Act, so that the construction and subsequent operation of this loading rack and vapor collection/combustion unit, as previously addressed in Construction Permit 94050050 is not a major modification subject to NSR. [See also Conditions 7.3.5(b) and 7.3.6(a)]

7.3.6 Emission Limitations

- a. VOM emissions from the affected loading rack and associated vapor combustion unit attributable to the loading of petroleum products shall not exceed 2.24 tons/month and 22.5 tons/year. The above limitations were established in Permit 94050050, pursuant to 35 IAC Part 203. These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically 35 IAC Part 203 [T1]. [See also Condition 7.3.5(b) and (c)]
- b. Nitrogen oxides (NO_x) emissions from the vapor combustion unit associated with the affected loading rack shall not exceed 5 mg/l (0.000042 lb/gal), 1.4 tons/month, and 14.0 tons/year. The above limitations were established in Permit 94050050, pursuant to 35 IAC Part 203. These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically 35 IAC Part 203. [T1]

7.3.7 Operating Requirements

- a. Vapor collection systems used to control TOC emissions from affected loading racks shall be designed and operated to prevent any TOC vapors collected at one affected loading rack from passing to another affected loading rack. [40 CFR 60.502(d)]
- b. The Permittee shall act to assure that loadings of gasoline tank trucks are made only into tanks equipped with vapor collection equipment that is compatible with the terminal's vapor collection system. [40 CFR 60.502(f)]
- c. The Permittee shall act to assure that each affected loading rack and the tank truck's vapor collection systems are connected during each loading of a gasoline tank truck. [40 CFR 60.502(g)]
- d. There shall be no liquid drainage from the loading

device of an affected loading rack when it is not in use. [35 IAC 218.582(a)(3)]

- e. An affected loading rack and associated vapor collection system shall be designed and operated to prevent gauge pressure in the gasoline tank truck from exceeding 4,500 pascals (450 mm of water) during product loading. [40 CFR 60.502(h)]
- f. The Permittee shall provide a pressure tap or equivalent on the vapor collection system associated with an affected loading rack. The vapor collection system and the gasoline loading equipment shall be operated in such a manner that it prevents avoidable leaks of liquid during loading or unloading operations and prevents the gauge pressure from exceeding 18 inches of water and the vacuum from exceeding 6 inches of water and to be measured as close as possible to the vapor hose connection. [35 IAC 218.582(b)(2), 218.582(b)(1)(A) and (C)]
- g. No pressure-vacuum vent in an affected loading rack's vapor collection system shall begin to open at a system pressure less than 4,500 pascals (450 mm of water). [40 CFR 60.502(i)]
- h. All loading and vapor return lines shall be equipped with fittings which are vapor tight. [35 IAC 218.582(a)(4)]
- i. VCU pilot flames shall be present at all times when loading occurs. The temperature controller set point of the vapor collection/combustion system of an affected loading rack shall be maintained at the manufacturer's recommended temperature but not lower than 1400°F. An affected loading rack must be shut down and not allow loading if a pilot flame is not detected in the associated vapor collection/combustion system.
- j. All loading of liquid product into gasoline tank trucks at an affected loading rack shall be limited to vapor-tight tanks using the following procedures in accordance with 40 CFR 60.502:
 - i. The Permittee shall obtain the vapor tightness

documentation described in 40 CFR 60.505(b)
for each gasoline tank truck. [40 CFR
60.502(e)(1)]

- ii. The Permittee shall require the tank identification number to be recorded as each gasoline tank truck is loaded. [40 CFR 60.502(e)(2)]
- iii. The Permittee shall cross-check each tank identification number obtained above with the file of tank vapor tightness documentation within two weeks after the tank is loaded. [40 CFR 60.502(e)(3)]
- iv. The Permittee shall notify the owner or operator of each non-vapor-tight gasoline tank truck loaded at the terminal within three weeks after the loading has occurred. [40 CFR 60.502(e)(4)]
- v. The Permittee shall take steps assuring that the non-vapor-tight gasoline tank truck will not be reloaded at the terminal until vapor tightness documentation for that tank truck is obtained. [40 CFR 60.502(e)(5)]

- k. No person shall cause or allow the transfer of gasoline into a delivery vessel from an affected loading rack unless the delivery vessel displays the appropriate sticker pursuant to 35 IAC 218.584(b) or (d) or the delivery vessel has provided a current certification as required by 35 IAC 218.584(c)(3), and the delivery vessel meets the following requirements [35 IAC 218.582(a)(5) and 218.584(a)]:
- i. Includes a vapor space connection that is equipped with fitting(s) which are vapor tight;
 - ii. Has its hatches closed at all times during loading or unloading operations, unless a top loading vapor recovery system is used;
 - iii. Does not internally exceed a gauge pressure of 18 inches of water or a vacuum of 6 inches of water;
 - iv. Is designed and maintained to be vapor tight at all times during normal operations;
 - v. Is not refilled in Illinois at other than:
 - A. Bulk gasoline terminals that comply with the requirements of 35 IAC 218.582; or
 - B. Bulk gasoline plants that comply with the requirements of 35 IAC 218.581(b).
 - vi. Are tested annually in accordance with Method 27, 40 CFR 60, Appendix A. Each vessel must be repaired and retested within 15 business days after discovery of the leak by the owner, operator, or the Illinois EPA, when it fails to sustain:
 - A. A pressure drop of no more than three inches of water in five minutes; and
 - B. A vacuum drop of no more than three inches of water in five minutes.

7.3.8 Inspection and Monitoring Requirements

- a. Each calendar month, the vapor collection/combustion system and each affected loading rack handling gasoline shall be inspected during the loading of gasoline tank trucks for TOC liquid or vapor leaks. Detection methods incorporating sight, sound, or smell are acceptable. Each detection of a leak shall be recorded and the source of the leak repaired within 15 calendar days after it is detected. [40 CFR 60.502(j)]
- b. The VCU pilot flame shall be monitored using a thermocouple or equivalent device to detect the presence of a flame. As per Condition 7.3.7(i), an affected loading rack must be shut down and not allow loading if a pilot flame is not detected in the associated vapor collection/combustion system.
- c. The vapor collection/combustion system of an affected loading rack shall be equipped with a continuous temperature indicator and strip chart recorder or disk storage for the vapor control combustion collection system temperature.

7.3.9 Recordkeeping Requirements

a. General Recordkeeping

The Permittee shall maintain records of the following for each affected loading rack to demonstrate compliance with Conditions 5.5.1, 7.3.5(b) and (c), and 7.3.6(a) and (b):

- i. The identification and properties of each organic liquid distributed through each affected loading rack, as related to emissions, i.e., vapor pressure and molecular weight;
- ii. The amount of each organic liquid distributed through each affected loading rack, gal/mo and gal/yr, with annual records updated each month by totaling the throughput for that month plus the preceding 11 months;
- iii. Emissions of VOM attributable to loading of

petroleum products, tons/mo and tons/yr, with supporting calculations, calculated utilizing an approved USEPA methodology, such as Section 5.2 of the AP-42 and the control efficiency of the VCU as demonstrated in the most recent test, with annual records updated each month by totaling the throughput for that month plus the preceding 11 months; and

- iv. Emissions of NO_x, tons/mo and tons/yr, with supporting calculations, calculated utilizing the compliance procedure specified in Condition 7.3.12(c).

b. Records of Operations

The Permittee shall maintain records of the following for the affected loading rack and associated vapor combustion unit to demonstrate compliance with Conditions 7.3.5 and 7.3.7:

- i. The use of an affected loading rack for loading of any gasoline tank truck when there was no pilot flame present in the associated VCU or when the VCU was not operating at the appropriate temperature, including:
 - A. The date and time of the loading;
 - B. The specific problem with the VCU or flame monitor;
 - C. Type of material loaded; and
 - D. The reason loading occurred even though the VCU did not have a pilot flame or was not operating at the appropriate temperature.
- ii. The use of an affected loading rack for the loading of any non-vapor-tight gasoline tank (one not meeting the requirements of Condition 7.3.7(j)) or a delivery vessel that does not display the appropriate sticker or has not provided a current certification (one not meeting the requirements of Condition

7.3.7(k)), including:

- A. The date and time of the loading;
- B. The specific reason the vessel did not meet the requirements of Condition 7.3.7(j) or (k);
- C. Type of material loaded; and
- D. The reason why loading was allowed.

c. Records of Inspection

The Permittee shall keep the following records for each affected loading rack and associated vapor collection/combustion system which delivers liquid product into gasoline tank trucks:

A record of each monthly leak inspection required under 40 CFR 60.502(j) (Condition 7.3.8(a)) shall be kept on file at the terminal. Inspection records shall include, as a minimum, the following information:

- i. Date of inspection;
- ii. Findings (may indicate no leaks discovered; or location, nature, and severity of each leak);
- iii. Leak determination method;
- iv. Corrective action, when taken, including the date each leak was repaired and the reasons for any repair interval in excess of 15 days; and
- v. Name and signature of the person that performed the inspection.

d. Gasoline Tank Truck Records

The Permittee shall keep the following records for the gasoline tank trucks loaded at this terminal:

- i. The tank truck vapor tightness documentation

required under 40 CFR 60.502(e)(1) (Condition 7.3.7(j)(i));

- ii. The documentation file for each gasoline tank truck shall be updated at least once per year to reflect current test results as determined by Method 27. This documentation shall include as a minimum, the following information:
 - A. Test title: Gasoline Delivery Tank Pressure Test - EPA Reference Method 27;
 - B. Owner name and address;
 - C. Tank identification number;
 - D. Testing location;
 - E. Date of test;
 - F. Tester name and signature;
 - G. Witnessing inspector, if any: name, signature, and affiliation; and
 - H. Test results: Actual pressure change in 5 minutes, mm of water (average 2 runs).
- iii. The Permittee shall keep documentation of all notifications required under 40 CFR 60.502(e)(4) (Condition 7.3.7(j)(iv)) on file at the terminal.

7.3.10 Reporting Requirements

a. Annual Report

The Permittee shall provide an annual report, to be submitted with the source's annual emission report, which includes the following:

- i. The monthly and annual throughputs for each affected loading rack for each month of the previous calendar year sufficient to demonstrate compliance with the 12 month

running total of Condition 7.3.5(c), gal/mo and gal/yr (e.g., for the annual totals, for the month of January, the throughput from February of the preceding year through January, for the month of February, the throughput from March of the preceding calendar year though February, 12 months in all);

- ii. The monthly and annual emissions of VOM attributable to the loading of petroleum products for each affected loading rack for each month of the previous calendar year sufficient to demonstrate compliance with the 12 month running total of Condition 7.3.6(a), tons/mo and tons/yr (e.g., for the annual totals, for the month of January, the emissions from February of the preceding year through January, for the month of February, the emissions from March of the preceding calendar year though February, 12 months in all);
- iii. The monthly and annual emissions of NO_x attributable to the VCU associated with each affected loading rack for each month of the previous calendar year sufficient to demonstrate compliance with the 12 month running total of Condition 7.3.6(b), tons/mo and tons/yr (e.g., for the annual totals, for the month of January, the emissions from February of the preceding year through January, for the month of February, the emissions from March of the preceding calendar year though February, 12 months in all); and
- iv. Summarization of any use of an affected loading rack to load delivery vessels (gasoline tank trucks) that did not meet the requirements of Conditions 7.3.7(j) or (k), including:
 - A. The date and time of the loading;
 - B. The tank truck identification number and the specific reason the vessel did not

meet the requirements of Condition
7.3.7(j) or (k);

- C. Type and quantity of material loaded; and
- D. The reason why loading was allowed.

b. Semi-Annual Reports

Pursuant to Section 39.5(7)(f)(i) of the Act, the Permittee shall submit a semi-annual report for any monitoring that is required to demonstrate compliance with Conditions 7.3.8 (a), (b), and (c). These reports shall be submitted by the first of September and March of each year and shall include the following information for the preceding 6 month period:

- i. Summary of any use of an affected loading rack when there was no pilot flame present or detected in the associated VCU, or the VCU was not operating at the appropriate temperature, including:
 - A. Date and time of occurrence;
 - B. Findings, if any, (may be no problem found or describe specific problem(s) associated with the VCU or flame monitoring equipment);
 - C. Type and quantity of material being loaded; and
 - D. Reason why loading continued. Include any supporting data (i.e., strip chart or disk).
- ii. Summary of times when the continuous temperature indicator and/or strip chart recorder or disk storage was not functioning, including:
 - A. Date and time of occurrence; and
 - B. Specific problem associated with the indicator or recording equipment.

c. Reporting of Noncompliance

The Permittee shall promptly notify the Illinois EPA, Compliance Section of noncompliance with the emission limits as follows pursuant to Section 39.5(7)(f)(ii) of the Act:

Notification within 15 days of operation of the affected loading rack and/or associated vapor combustion unit in excess of the limitations of Condition 7.3.6(a), (b) or 7.3.5(b).

7.3.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.3.12 Compliance Procedures

- a. Compliance with the operational limitations of Condition 7.3.5(c), emission limitations of Condition 7.3.6(a) and (b) and the operating requirements of Condition 7.3.7 shall be demonstrated through the inspection/monitoring, recordkeeping and reporting requirements of Conditions 7.3.8, 7.3.9, and 7.3.10.
- b. Compliance with the control requirements of 7.3.5(a) and (b) shall be demonstrated by the inspection/monitoring, recordkeeping and reporting requirements of Conditions 7.3.8, 7.3.9, and 7.3.10 and the fact that compliance of the affected loading rack and associated VCU have previously been demonstrated by fulfillment of the test requirements of 40 CFR 60.8 by measurement of the total organic concentration(s) in the effluent stream of the vapor combustion system pursuant to 40 CFR 60.503.
- c. Compliance with the NO_x emission limitations of Condition 5.5.1 shall be demonstrated by the summation of the monthly NO_x emissions required by Condition 7.3.9(a)(iv). Emissions shall be calculated using the throughput of the loading rack times the VCU manufacturer's guaranteed NO_x emission rate (4 mg/l of gasoline loaded).

8.0 GENERAL PERMIT CONDITIONS

8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements as of the date the proposed permit for this source was issued. This shield is granted based on the Illinois EPA's review of the permit application for this source and its determination that all applicable requirements are specifically identified in this permit. If the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to the source, the Illinois EPA's written determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after _____ **{insert public notice start date}** (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

8.3 Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement [Section 39.5(7)(o)(vii) of the Act].

As of the date of issuance of this permit, there are no such economic incentive, marketable permit or emission trading programs that have been approved by USEPA.

8.4 Operational Flexibility/Anticipated Operating Scenarios

8.4.1 Changes Specifically Addressed by Permit

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes that contravene express permit terms without applying for or obtaining an amendment to this permit, provided that [Section 39.5(12)(a)(i) of the Act]:

- a. The changes do not violate applicable requirements;
- b. The changes do not contravene federally enforceable permit terms or conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements;
- c. The changes do not constitute a modification under Title I of the CAA;
- d. Emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change; and
- e. The Permittee provides written notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change. This notice shall:
 - i. Describe the physical or operational change;
 - ii. Identify the schedule for implementing the physical or operational change;
 - iii. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
 - iv. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
 - v. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.3.

8.6 Reporting Requirements

8.6.1 Monitoring Reports

If monitoring is required by any applicable requirements or conditions of this permit, a report summarizing the required monitoring results, as specified in the conditions of this permit, shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows [Section 39.5(7)(f) of the Act]:

<u>Monitoring Period</u>	<u>Report Due Date</u>
January - June	September 1
July - December	March 1

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);
- b. The person(s) who will be performing sampling and

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

analysis and their experience with similar tests;

- c. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;
- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;

- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with justification; and
- g. Any proposed use of an alternative test method, with detailed justification.

8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;
- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;
- g. The operating conditions at the time of the sampling or measurements; and
- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

8.6.4 Reporting Addresses

- a. The following addresses should be utilized for the submittal of reports, notifications, and renewals:

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

i. Illinois EPA - Air Compliance Section (MC 40)

Illinois Environmental Protection Agency
Bureau of Air
Compliance Section (MC 40)
P.O. Box 19276
Springfield, Illinois 62794-9276

ii. Illinois EPA - Air Regional Field Office

Illinois Environmental Protection Agency
Division of Air Pollution Control
9511 West Harrison
Des Plaines, Illinois 60016

iii. Illinois EPA - Air Permit Section (MC 11)

Illinois Environmental Protection Agency
Division of Air Pollution Control
Permit Section (MC 11)
P.O. Box 19506
Springfield, Illinois 62794-9506

iv. USEPA Region 5 - Air Branch

USEPA (AE - 17J)
Air & Radiation Division
77 West Jackson Boulevard
Chicago, Illinois 60604

- b. Unless otherwise specified in the particular provision of this permit, reports shall be sent to the Illinois EPA - Air Compliance Section with a copy sent to the Illinois EPA - Air Regional Field Office.

8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

9.0 STANDARD PERMIT CONDITIONS

9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

9.2 General Obligations of Permittee

9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or

denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(a) and (p)(ii) of the Act and 415 ILCS 5/4]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;

- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- d. Sample or monitor any substances or parameters at any location:
 - i. At reasonable times, for the purposes of assuring permit compliance; or
 - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants authorized by this permit; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source authorized by this permit.

9.4 Obligation to Comply With Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

9.5 Liability

9.5.1 Title

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or resulting from the construction, maintenance, or operation of the sources.

9.5.3 Structural Stability

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

This permit does not take into consideration or attest to
the structural stability of any unit or part of the
source.

9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of the source.

9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7)(o)(iv) of the Act].

9.6 Recordkeeping

9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions resulting from those changes [Section 39.5(12)(b)(iv) of the Act].

9.6.3 Retention of Records

- a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7)(e)(ii) of the Act].
- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a

particular permit provision.

9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7)(p)(v) of the Act, the Permittee shall submit annual compliance certifications. The compliance certifications shall be submitted no later than May 1 or more frequently as specified in the applicable requirements or by permit condition. The compliance certifications shall be submitted to the Air Compliance Section, Air Regional Field Office, and USEPA Region 5 - Air Branch. The addresses for the submittal of the compliance certifications are provided in Condition 8.6.4 of this permit.

- a. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9..

9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

9.10 Defense to Enforcement Actions

9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
 - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency. Normally, an act of God such as lightning or flood is considered an emergency;
 - ii. The permitted source was at the time being properly operated;
 - iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

9.12 Reopening and Reissuing Permit for Cause

9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15)(a) of the Act]:

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

9.12.3 Inaccurate Application

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15)(b) of the Act.

9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7)(o)(v) of the Act].

9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force [Section 39.5(7)(i) of the Act].

9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration. The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5)(l), (n), and (o) of the Act].

10.1 Attachment 1 - Summary of Storage Tank Features and Groupings

TABLE 1-1

Group/Tank No.	Working Capacity (Gallons)	Tank Type	Primary Seal	Secondary Seal	Material Stored	Expected Max. Vapor Pressure (psia at 70°F)	Date Constructed
Group 1							
2	3,234,000	Internal Floating Roof	Metallic Shoe	Shoe Mounted	Various Petroleum Products	9.8	1959
4	4,536,000	Internal Floating Roof	Metallic Shoe	Shoe Mounted	Various Petroleum Products	9.8	1959
6	2,972,970	Internal Floating Roof	Metallic Shoe	Shoe Mounted	Various Petroleum Products	9.8	1959
7	2,048,444	Internal Floating Roof	Metallic Shoe	Shoe Mounted	Various Petroleum Products	9.8	1959
8	4,437,000	Internal Floating Roof	Vapor Mounted	Rim Mounted	Various Petroleum Products	9.8	1970
Group 2							
12	352,800	Internal Floating Roof	Vapor Mounted	Rim Mounted	Various Petroleum Products	9.8	1993
16	1,596,210	Internal	Metallic	Rim	Various	9.8	1994

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

		Floating Roof	Shoe	Mounted	Petroleum Products		
--	--	------------------	------	---------	-----------------------	--	--

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

10.2 Attachment 2 - Example Certification by a Responsible Official

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: _____

Name: _____

Official Title: _____

Telephone No.: _____

Date Signed: _____



Illinois Environmental Protection Agency
 Division Of Air Pollution Control -- Permit Section
 P.O. Box 19506
 Springfield, Illinois 62794-9506

Application For Construction Permit (For CAAPP Sources Only)	For Illinois EPA use only
	I.D. number:
	Permit number:
	Date received:

This form is to be used by CAAPP sources to supply information necessary to obtain a construction permit. Please attach other necessary information and completed CAAPP forms regarding this construction/modification project.

Source Information			
1. Source name:			
2. Source street address:			
3. City:		4. Zip code:	
5. Is the source located within city limits? <input type="checkbox"/> Yes <input type="checkbox"/> No			
6. Township name:	7. County:	8. I.D. number:	

Owner Information			
9. Name:			
10. Address:			
11. City:	12. State:	13. Zip code:	

Operator Information (if different from owner)			
14. Name			
15. Address:			
16. City:	17. State:	18. Zip code:	

Applicant Information			
19. Who is the applicant? <input type="checkbox"/> Owner <input type="checkbox"/> Operator	20. All correspondence to: (check one) <input type="checkbox"/> Owner <input type="checkbox"/> Operator <input type="checkbox"/> Source		
21. Attention name and/or title for written correspondence:			
22. Technical contact person for application:		23. Contact person's telephone number:	

This Agency is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.



Illinois Environmental Protection Agency
Division Of Air Pollution Control -- Permit Section
P.O. Box 19506
Springfield, Illinois 62794-9506

This Agency is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.

Summary Of Application Contents

24.	Does the application address whether the proposed project would constitute a new major source or major modification under each of the following programs: a) Non-attainment New Source Review – 35 IAC Part 203; b) Prevention of Significant Deterioration (PSD) – 40 CFR 52.21; c) Hazardous Air Pollutants: Regulations Governing Constructed or Reconstructed Major Sources – 40 CFR Part 63?	<input type="checkbox"/> Yes <input type="checkbox"/> No
25.	Does the application identify and address all applicable emissions standards, including those found in the following: a) Board Emission Standards – 35 IAC Chapter I, Subtitle B; b) Federal New Source Performance Standards – 40 CFR Part 60; c) Federal Standards for Hazardous Air Pollutants – 40 CFR Parts 61 and 63?	<input type="checkbox"/> Yes <input type="checkbox"/> No
26.	Does the application include a process flow diagram(s) showing all emission units and control equipment, and their relationship, for which a permit is being sought?	<input type="checkbox"/> Yes <input type="checkbox"/> No
27.	Does the application include a complete process description for the emission units and control equipment for which a permit is being sought?	<input type="checkbox"/> Yes <input type="checkbox"/> No
28.	Does the application include the information as contained in completed CAAPP forms for all appropriate emission units and air pollution control equipment, listing all applicable requirements and proposed exemptions from otherwise applicable requirements, and identifying and describing any outstanding legal actions by either the USEPA or the Illinois EPA? Note: The use of "APC" application forms is not appropriate for applications for CAAPP sources. CAAPP forms should be used to supply information.	<input type="checkbox"/> Yes <input type="checkbox"/> No
29.	If the application contains TRADE SECRET information, has such information been properly marked and claimed, and have two separate copies of the application suitable for public inspection and notice been submitted, in accordance with applicable rules and regulations?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable, No TRADE SECRET information in this application

Note 1: Answering "No" to any of the above may result in the application being deemed incomplete.

Signature Block

This certification must be signed by a responsible official. Applications without a signed certification will be returned as incomplete.	
30.	I certify under penalty of law that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate and complete. Authorized Signature: BY: _____ <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;"> _____ AUTHORIZED SIGNATURE </div> <div style="text-align: center;"> _____ TITLE OF SIGNATORY </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;"> _____ TYPED OR PRINTED NAME OF SIGNATORY </div> <div style="text-align: center;"> _____ / _____ / _____ DATE </div> </div>

Note 2: An operating permit for the construction/modification permitted in a construction permit must be obtained by applying for the appropriate revision to the source's CAAPP permit, if necessary.

10.4 Attachment 4 - Guidance on Revising This Permit

The Permittee must submit an application to the Illinois EPA using the appropriate revision classification in accordance with Sections 39.5(13) and (14) of the Act and 35 IAC 270.302. Specifically, there are currently three classifications for revisions to a CAAPP permit. These are:

1. Administrative Permit Amendment;
2. Minor Permit Modification; and
3. Significant Permit Modification.

The Permittee must determine, request, and submit the necessary information to allow the Illinois EPA to use the appropriate procedure to revise the CAAPP permit. A brief explanation of each of these classifications follows.

1. Administrative Permit Amendment
 - Corrects typographical errors;
 - Identifies a change in the name, address, or phone number of any person identified in the permit, or provides a similar minor administrative change at the source;
 - Requires more frequent monitoring or reporting by the Permittee;
 - Allows for a change in ownership or operational control of the source where no other change in the permit is necessary, provided that a written agreement containing a specific date for transfer of permit responsibility, coverage, and liability between the current and new Permittees has been submitted to the Illinois EPA. This shall be handled by completing form 272-CAAPP, REQUEST FOR OWNERSHIP CHANGE FOR CAAPP PERMIT; or
 - Incorporates into the CAAPP permit a construction permit, provided the conditions of the construction permit meet the requirements for the issuance of CAAPP permits.
2. Minor Permit Modification

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

- Do not violate any applicable requirement;
- Do not involve significant changes to existing monitoring, reporting, or recordkeeping requirements in the permit;
- Do not require a case-by-case determination of an emission limitation or other standard, or a source-specific determination of ambient impacts, or a visibility or increment analysis;
- Do not seek to establish or change a permit term or condition for which there is no corresponding underlying requirement and which avoids an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
 - A federally enforceable emissions cap assumed to avoid classification as a modification under any provision of Title I of the CAA; and
 - An alternative emissions limit approved pursuant to regulations promulgated under Section 112(i)(5) of the CAA.
- Are not modifications under any provision of Title I of the CAA;
- Are not required to be processed as a significant permit modification; and
- Modifications involving the use of economic incentives, marketable permits, emissions trading, and other similar approaches.

An application for a minor permit modification shall include the following:

- A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
- The source's suggested draft permit/conditions;

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

- Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used; and
- Information as contained on form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT for the Illinois EPA to use to notify USEPA and affected States.

3. Significant Permit Modification

- Applications that do not qualify as either minor permit modifications or as administrative permit amendments;
- Applications requesting a significant change in existing monitoring permit terms or conditions;
- Applications requesting a relaxation of reporting or recordkeeping requirements; and
- Cases in which, in the judgment of the Illinois EPA, action on an application for modification would require decisions to be made on technically complex issues.

An application for a significant permit modification shall include the following:

- A detailed description of the proposed change(s), including all physical changes to equipment, changes in the method of operation, changes in emissions of each pollutant, and any new applicable requirements which will apply as a result of the proposed change. Note that the Permittee need only submit revised forms for equipment and operations that will be modified.

The Illinois EPA requires the information on the following appropriate forms to be submitted in accordance with the proper classification:

- Form 273-CAAPP, REQUEST FOR ADMINISTRATIVE PERMIT AMENDMENT FOR CAAPP PERMIT; or
- Form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT; or
- Form 200-CAAPP, APPLICATION FOR CAAPP PERMIT (for significant modification).

Application forms can be obtained from the Illinois EPA website at <http://www.epa.state.il.us/air/forms>.

Note that the request to revise the permit must be certified for truth, accuracy, and completeness by a responsible official.

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

Note that failure to submit the required information may require the Illinois EPA to deny the application. The Illinois EPA reserves the right to require that additional information be submitted as needed to evaluate or take final action on applications pursuant to Section 39.5(5)(g) of the Act and 35 IAC 270.305.

10.5 Attachment 5 - Guidance on Renewing This Permit

Timeliness - Pursuant to Section 39.5(5)(n) of the Act and 35 IAC 270.301(d), a source must submit to the Illinois EPA a complete CAAPP application for the renewal of a CAAPP permit not later than 9 months before the date of permit expiration of the existing CAAPP permit in order for the submittal to be deemed timely. Note that the Illinois EPA typically sends out renewal notices approximately 18 months prior to the expiration of the CAAPP permit.

The CAAPP application must provide all of the following information in order for the renewal CAAPP application to be deemed complete by the Illinois EPA:

1. A completed renewal application form 200-CAAPP, APPLICATION FOR CAAPP PERMIT.
2. A completed compliance plan form 293-CAAPP, COMPLIANCE PLAN/SCHEDULE OF COMPLIANCE FOR CAAPP PERMIT.
3. A completed compliance certification form 296-CAAPP, COMPLIANCE CERTIFICATION, signed by the responsible official.
4. Any applicable requirements that became effective during the term of the permit and that were not included in the permit as a reopening or permit revision.
5. If this is the first time this permit is being renewed and this source has not yet addressed CAM, the application should contain the information on form 464-CAAPP, COMPLIANCE ASSURANCE MONITORING (CAM) PLAN.
6. Information addressing any outstanding transfer agreement pursuant to the ERMS.
7. a. If operations of an emission unit or group of emission units remain unchanged and are accurately depicted in previous submittals, the application may contain a letter signed by a responsible official that requests incorporation by reference of existing information previously submitted and on file with the Illinois EPA. This letter must also include a statement that information incorporated by reference is also being certified for truth and accuracy by the responsible

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

official's signing of the form 200-CAAPP, APPLICATION FOR CAAPP PERMIT and the form 296-CAAPP, COMPLIANCE CERTIFICATION. The boxes should be marked yes on form 200-CAAPP, APPLICATION FOR CAAPP PERMIT, as existing information is being incorporated by reference.

- b. If portions of current operations are not as described in previous submittals, then in addition to the information above for operations that remain unchanged, the application must contain the necessary information on all changes, e.g., discussion of changes, new or revised CAAPP forms, and a revised fee form 292-CAAPP, FEE DETERMINATION FOR CAAPP PERMIT, if necessary.
8. Information about all off-permit changes that were not prohibited or addressed by the permit to occur without a permit revision and the information must be sufficient to identify all applicable requirements, including monitoring, recordkeeping, and reporting requirements, for such changes.
9. Information about all changes made under 40 CFR 70.4(b)(12)(i) and (ii) that require a 7-day notification prior to the change without requiring a permit revision.

The Illinois EPA will review all applications for completeness and timeliness. If the renewal application is deemed both timely and complete, the source shall continue to operate in accordance with the terms and conditions of its CAAPP permit until final action is taken on the renewal application.

Notwithstanding the completeness determination, the Illinois EPA may request additional information necessary to evaluate or take final action on the CAAPP renewal application. If such additional information affects your allowable emission limits, a revised form 292-CAAPP, FEE DETERMINATION FOR CAAPP PERMIT must be submitted with the requested information. The failure to submit to the Illinois EPA the requested information within the time frame specified by the Illinois EPA, may force the Illinois EPA to deny your CAAPP renewal application pursuant to Section 39.5 of the Act.

Application forms may be obtained from the Illinois EPA website at <http://www.epa.state.il.us/air/forms.html>.

FINAL DRAFT/PROPOSED CAAPP PERMIT
BP Products North America, Inc
I.D. No.: 031804AAT
Application Number: 95060056
March 6, 2002

If you have any questions regarding this matter, please contact a permit analyst at 217/782-2113.

Mail renewal applications to:

Illinois Environmental Protection Agency
Division of Air Pollution Control
Permit Section (MC 11)
P.O. Box 19506
Springfield, Illinois 62794-9506

I. INTRODUCTION

This source has applied for a Clean Air Act Permit Program (CAAPP) operating permit for its existing operation. The CAAPP is the program established in Illinois for the operating permits for significant stationary sources required by the federal Clean Air Act, as amended in 1990. The conditions in a CAAPP permit are enforceable by both the Illinois Environmental Protection Agency (Illinois EPA) and the USEPA.

This BP Products North America, Inc., facility is located at 2201 South Elmhurst, Des Plaines, Illinois. The source is a petroleum bulk terminal for various refined intermediate and finished petroleum products. Materials are transferred to the terminal by pipe line and by truck where they may be temporarily stored at the source prior to shipment of the material to different destinations via pipe line, or distributed to petroleum bulk plants or gasoline dispensing operations located within the surrounding community by way of truck. A truck loading/unloading rack is used to transfer petroleum products from the source to and/or from the trucks.

II. EMISSION UNITS

Significant emission units at this source are as follows:

Emission Unit	Description	Dates of Construction	Emission Control Equipment
Group 1 Storage Tanks ¹	Existing Internal Floating Roof Storage Tanks	Prior to 1974	Floating Roof With Primary Seal or Primary/Secondary Seal and Permanent Submerged Fill
Group 2 Storage Tanks ¹	New Internal Floating Roof Storage Tanks	After 1992	Floating Roof With Primary Seal or Primary/Secondary Seal and Permanent Submerged Fill
Tank Truck Loading/Unloading Rack	Five Bay Petroleum Product Truck Loading and Unloading Rack	1995	Vapor Combustion Unit
Fugitive VOM Emissions	Piping, Valves, and Pumps Used To Transfer Materials Between Pipe Line Storage Tanks and Loading/Unloading Rack	----	None
Fugitive Emissions	Paved and Unpaved Roads	----	None

III. EMISSIONS

This source is required to have a CAAPP permit since it is a major source of emissions.

For purposes of fees, the source is allowed the following emissions:

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	203.58
Sulfur Dioxide (SO ₂)	----
Particulate Matter (PM)	1.01
Nitrogen Oxides (NO _x)	14.00
HAP, not included in VOM or PM	----
Total	218.59

IV. APPLICABLE EMISSION STANDARDS

All emission sources in Illinois must comply with the Illinois Pollution Control Board's emission standards. The Board's emission standards represent the basic requirements for sources in Illinois.

All emission sources in Illinois must comply with the federal New Source Performance Standards (NSPS). The Illinois EPA is administering NSPS in Illinois on behalf of the United States EPA under a delegation agreement.

All emission sources in Illinois must comply with the federal National Emission Standards for Hazardous Air Pollutants (NESHAP). The Illinois EPA is administering NESHAP in Illinois on behalf of the United States EPA under a delegation agreement.

V. PROPOSED PERMIT

CAAPP

A CAAPP permit contains all conditions that apply to a source and a listing of the applicable state and federal air pollution control regulations that are the origin of the conditions. The permit also contains emission limits and appropriate compliance procedures. The appropriate compliance procedures may include inspections, work practices, monitoring, record keeping, and reporting to show compliance with these requirements. The Permittee must carry out these procedures on an on-going basis.

Title I

A combined Title I/CAAPP permit contains terms and conditions established by the Illinois EPA pursuant to authority found in Title I provisions, e.g., 40 CFR 52.21 - federal Prevention of Significant Deterioration (PSD) and 35 IAC Part 203 - Major Stationary Sources Construction and Modification. Notwithstanding the expiration date on the first page of the permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

VI. REQUEST FOR COMMENTS

It is the Illinois EPA's preliminary determination that this source's permit application meets the standards for issuance of a CAAPP permit. The Illinois EPA is therefore proposing to issue a CAAPP permit, subject to the conditions proposed in the draft permit.

Comments are requested on this proposed action by the Illinois EPA and the proposed conditions on the draft permit. If substantial public interest is shown in this matter, the Illinois EPA will consider holding a public hearing in accordance with 35 Ill. Adm. Code Part 166.

EEW:jar