

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 SOURCE IDENTIFICATION	4
1.1 Source	
1.2 Owner/Parent Company	
1.3 Operator	
1.4 General Source Description	
2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT	5
3.0 INSIGNIFICANT ACTIVITIES	7
3.1 Identification of Insignificant Activities	
3.2 Addition of Insignificant Activities	
4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE	9
5.0 OVERALL SOURCE CONDITIONS	10
5.1 Source Description	
5.2 Applicable Regulations	
5.3 Non-Applicability of Regulations of Concern	
5.4 Source-Wide Operational and Production Limits and Work Practices	
5.5 Source-Wide Emission Limitations	
5.6 General Recordkeeping Requirements	
5.7 General Reporting Requirements	
5.8 General Operational Flexibility/Anticipated Operating Scenarios	
5.9 General Compliance Procedures	
6.0 EMISSIONS REDUCTION MARKET SYSTEM (ERMS)	15
6.1 Description of ERMS	
6.2 Applicability	
6.3 Obligation to Hold Allotment Trading Units (ATUs)	
6.4 Market Transaction	
6.5 Emission Excursion Compensation	
6.6 Quantification of Seasonal VOM Emissions	
6.7 Annual Account Reporting	
6.8 Allotment of ATUs to the Source	
6.9 Recordkeeping for ERMS	
6.10 Federal Enforceability	
6.11 Exclusions from Further Reductions	
7.0 UNIT SPECIFIC CONDITIONS	22
7.1 Mixing Stations & Grinding Mills for Coatings Production	

1.0 SOURCE IDENTIFICATION

1.1 Source

Morton International, Inc. Morton Industrial Coatings
1500 Lathem Street
Batavia, Illinois 60510-1500
(630) 879-6800

I.D. No.: 089010ABZ
Standard Industrial Classification: 2851, Paints & Allied Products

1.2 Owner/Parent Company

Morton International, Inc.
100 North Riverside Plaza
Chicago , Illinois 60606-1598

1.3 Operator

Morton International, Inc. Morton Industrial Coatings
1500 Lathem Street
Batavia , Illinois 60510-1500

Wendell N. Ellis
(630) 879-6800

1.4 General Source Description

Morton International, Inc. Morton Industrial Coatings is located at 1500 Lathem Street, Batavia in Kane County. The source conducts operations for the manufacturing of coatings. The coatings are produced at the mixing stations. Each station contains either a fixed mixing tank, or a fixed mixer that can accommodate any one of many portable tanks. Liquid solvents and resins plus solid materials are charged to the mixing tanks in an order specific to the formula for each batch. The mixing process is actually a series of inter-twined steps of material charging, milling (or grinding) and mixing. Completed batches of coatings are pumped through filters directly to final packaging containers.

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

Act	Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
Btu	British thermal unit
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CFR	Code of Federal Regulations
cm	Centimeter
°C	Degree Centigrade
°F	Degree Fahrenheit
ft ³	cubic foot
gal	Gallon
HAP	Hazardous Air Pollutant
hr	hour
IAC	Illinois Administrative Code
I.D. No.	Identification Number of Source, assigned by Illinois EPA
Illinois EPA	Illinois Environmental Protection Agency
kg	Kilogram
kPa	Kilopascals
l	Liter
lb	pound
m	meter
mcf	Million Cubic Feet
mmBtu	Million British thermal units
mo	Month
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO _x	Nitrogen Oxides
NSPS	New Source Performance Standards
PM	Particulate Matter
ppm	parts per million
PSD	Prevention of Significant Deterioration
psi	pounds per square inch
RMP	Risk Management Plan
SIC	Standard Industrial Classification
SO ₂	Sulfur Dioxide
T	Tons
T1	Title I - identifies Title I conditions that have been carried over from an existing construction permit
T1N	Title I New - identifies Title I conditions that have been carried over from an existing construction permit and subsequently revised in this permit
USEPA	United States Environmental Protection Agency
VOC	Volatile Organic Compound
VOL	Volatile Organic Liquid

VOM	Volatile Organic Material
%	Percent
wt. %	Weight Percent
yr	year

3.0 INSIGNIFICANT ACTIVITIES

3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the Illinois EPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

Fourteen 6000 gallon capacity underground solvent storage tanks

Seven 6000 gallon capacity aboveground resin storage tanks

Four 9400 gallon capacity aboveground storage tanks

Eleven indoor storage tanks, capacity ranging between 600 to 1500 gallons

Nine mill base material storage tanks

One 6.3 mmBtu/hr natural gas fired boiler

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

None

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

Coating operations (excluding powder, architectural and industrial maintenance coating) with aggregate VOM usage that never exceeds 15 lbs/day from all coating lines at the source, including VOM from coating, dilutents, and cleaning materials [35 IAC 201.210(a)(13)].

- 3.1.3 Activities that are considered insignificant activities pursuant to 35 IAC 201.210(b).

3.2 Addition of Insignificant Activities

- 3.2.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).

- 3.2.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.
- 3.2.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

Emission Unit	Description	Date Constructed	Emission Control Equipment
16 Mixing stations	Mixing stations for 100 portable mixing tanks ranging in size from 10 gallons to 6000 gallons	1979	Baghouse (No.11)
38 Mixing stations	Mixing stations for 38 fixed mixing tanks	1979	Baghouse (No.11)
Seven Grinding Mills	Five closed mills and two open mills	1979	None
Solvent recovery	Cleanup solvent recovery equipment	1979	None

5.0 OVERALL SOURCE CONDITIONS

5.1 Source Description

5.1.1 This permit is issued based on the source requiring a CAAPP permit as a major source of VOM and HAP emissions.

5.2 Applicable Regulations

5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7 (Unit-Specific Conditions) of this permit.

5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:

- a. No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.

- b. No person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission unit to exceed 2,000 ppm [35 IAC 214.301].

5.2.3 The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an

approved technician certification program pursuant to 40 CFR 82.161.

5.2.4 Should this stationary source, as defined in 40 CFR Section 69.3, become subject to the Accidental Release Prevention regulations in Part 68, then the owner or operator shall submit a Risk Management Plan (RMP) by the date specified in Section 68.10 and shall certify compliance with the requirements of Part 68 as part of the annual compliance certification as required by 40 CFR Part 70 or 71.

5.3 Non-Applicability of Regulations of Concern

None

5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

5.5 Source-Wide Emission Limitations

5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. These limitations (Condition 5.5.1) are set for the purpose of establishing fees and are not federally enforceable.

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	30.0
Sulfur Dioxide (SO ₂)	----
Particulate Matter (PM)	----
Nitrogen Oxides (NO _x)	----
HAP, not included in VOM or PM	----
TOTAL	30.0

5.5.2 Emissions of Hazardous Air Pollutants

Source-wide emission limitations for HAPs as listed in Section 112 (b) of the CAA are not set. This source is considered to be a major source of HAPs.

5.5.3 Other Source-Wide Emission Limitations

- a. The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations:

Pollutant	Emissions (Tons/Year)	Underlying Rules
VOM	30.0	35 IAC Part 203

The limits on VOM emissions are limitations established in Construction Permit 97090112 pursuant to 35 IAC Part 203. These limits ensure that the construction/modification addressed in the aforementioned Construction Permit does not constitute a new major source or major modification pursuant to 35 IAC Part 203. See Condition 7.1.6.

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

5.6 General Recordkeeping Requirements

5.6.1 Emission Records

The Permittee shall maintain records of the following items for the source to demonstrate compliance with Condition 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

Total annual emissions on a calendar year basis for the emission units covered by Section 7 (Unit Specific Conditions) of this permit.

5.6.2 Records for Operating Scenarios

N/A

5.6.3 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified by the particular recordkeeping provision herein), shall be kept at a location at the source that is readily accessible to the Illinois EPA or USEPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.
- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in response to an Illinois EPA or USEPA request for records during the course of a source inspection.

5.7 General Reporting Requirements

5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of noncompliance with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken.

5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year.

5.8 General Operational Flexibility/Anticipated Operating Scenarios

N/A

5.9 General Compliance Procedures

5.9.1 General Procedures for Calculating Emissions

Compliance with the source-wide emission limits specified in Condition 5.5 shall be based on the recordkeeping and reporting requirements of Conditions 5.6 and 5.7, and Compliance Procedures in Section 7 (Unit Specific Conditions) of this permit.

Total VOM emissions from the source are based on the following:

- i. Emissions due to charging, mixing and drum filling are based on USEPA's February 1994 document "Control of VOC Emissions from Batch Processes- Alternate control technique information document" (document # EPA-450/R-94-020).
- ii. Emissions from milling are calculated based on the methodology discussed in Section B.8 of the Federal Emergency Management Agency (FEMA), U.S. Department of Transportation and USEPA's handbook of "Chemical Hazard Analysis Procedures".
- iii. Emissions from cleanup operations are based on the amount of solvent used minus amount of solvent reclaimed, i.e., VOM content of the solvent used minus VOM collected.

6.0 EMISSION REDUCTION MARKET SYSTEM (ERMS)

6.1 Description of ERMS

The ERMS is a "cap and trade" market system for major stationary sources located in the Chicago ozone nonattainment area. It is designed to reduce VOM emissions from stationary sources to contribute to further reasonable progress toward attainment, as required by Section 182(c) of the Clean Air Act.

The ERMS addresses VOM emissions during a seasonal allotment period from May 1 through September 30. Once the ERMS begins, participating sources must hold "allotment trading units" (ATUs) for their actual seasonal VOM emissions. Each year participating sources are issued ATUs based on allotments set during initial issuance of the sources' CAAPP permits. These allotments are established from historical VOM emissions or "baseline emissions" lowered to provide the emission reduction from stationary sources required for further progress.

By December 31 of each year, the end of the reconciliation period following the seasonal allotment period, each source shall have sufficient ATUs in its account to cover its actual VOM emissions during the preceding season. An account's balance as of December 31 will include any valid ATU transfer agreements entered into as of December 31 of the given year, provided such agreements are promptly submitted to the Illinois EPA for entry into the account database. The Illinois EPA will then retire ATUs in sources' accounts in amounts equivalent to their seasonal emissions. When a source does not appear to have sufficient ATUs in its account, the Illinois EPA will issue a notice to the source to begin the process for Emissions Excursion Compensation.

In addition to receiving ATUs pursuant to their allotments, participating sources may also obtain ATUs from the market, including ATUs bought from other participating sources and general participants in the ERMS that hold ATUs (35 IAC 205.630) and ATUs issued by the Illinois EPA as a consequence of VOM emission reductions from an Emission Reduction Generator or an Intersector Transaction (35 IAC 205.500 and 205.510). During the reconciliation period, sources may also buy ATUs from a secondary reserve of ATUs managed by the Illinois EPA, the Alternative Compliance Market Account (35 IAC 205.710). Sources may also transfer or sell the ATUs that they holds to other sources or participants (35 IAC 205.630).

6.2 Applicability

This source is considered a "participating source" for purposes of the ERMS, 35 IAC Part 205.

6.3 Obligation to Hold Allotment Trading Units (ATUs)

- a. Pursuant to 35 IAC 205.150(c)(1) and 205.720, and as further addressed by Condition 6.8, as of December 31 of each year, this source shall hold ATUs in its account in an amount not less than its VOM emissions during the preceding seasonal allotment period (May 1 - September 30) not including VOM emissions from the following, or the source shall be subject to "emissions excursion compensation," as described in Condition 6.4.
 - i. VOM emissions from insignificant units and activities as identified in Section 3 of this permit, in accordance with 35 IAC 205.220;
 - ii. Excess VOM emissions associated with startup, malfunction or breakdown of an emission unit as authorized elsewhere in this permit, in accordance with 35 IAC 205.225;
 - iii. Excess VOM emissions to the extent allowed by a Variance, Consent Order, or Compliance Schedule, in accordance with 35 IAC 205.320(e)(3);
 - iv. Excess VOM emissions that are a consequence of an emergency as approved by the Illinois EPA, pursuant to 35 IAC 205.750; and
 - v. VOM emissions from certain new and modified emission units as addressed by Section 6.7(b), if applicable, in accordance with 35 IAC 205.320(f).
- b. Notwithstanding the above condition, in accordance with 35 IAC 205.150(c)(2), if a source commences operation of a major modification, pursuant to 35 IAC Part 203, the source shall hold ATUs in an amount not less than 1.3 times its VOM emissions attributable to such major modification during the seasonal allotment period, determined in accordance with the construction permit for such major modification or applicable provisions in Section 7.0 of this permit.

6.4 Market Transaction

- a. The source shall apply to the Illinois EPA for and obtain authorization for a Transaction Account prior to conducting any market transactions, as specified at 35 IAC 205.610(a).

- b. The Permittee shall promptly submit to the Illinois EPA any revisions to the information submitted for its Transaction Account, pursuant to 35 IAC 205.610(b).
- c. The source shall have at least one account officer designated for its Transaction Account, pursuant to 35 IAC 205.620(a).
- d. Any transfer of ATUs to or from the source from another source or general participant must be authorized by a qualified Account Officer designated by the source and approved by the Illinois EPA in accordance with 35 IAC 205.620 and the transfer must be submitted to the Illinois EPA for entry into the Transaction Account database.

6.5 Emission Excursion Compensation

Pursuant to 35 IAC 205.720, if the source fails to hold ATUs in accordance with Condition 6.3, it shall provide emissions excursion compensation in accordance with the following:

- a. Upon receipt of an Excursion Compensation Notice issued by the Illinois EPA, the source shall purchase ATUs from the ACMA in the amount specified by notice, as follows:
 - i. The purchase of ATUs shall be in an amount equivalent to 1.2 times the emissions excursion; or
 - ii. If the source had an emissions excursion for the seasonal allotment period immediately before the period for the present emission excursion, the source shall purchase ATUs in an amount equivalent to 1.5 times the emissions excursion.
- b. If requested in accordance with paragraph (c) below or in the event that the ACMA balance is not adequate to cover the total emissions excursion amount, the Illinois EPA will deduct ATUs equivalent to the specified amount or any remaining portion thereof from the ATUs to be issued to the source for the next seasonal allotment period.
- c. Pursuant to 35 IAC 205.720(c), within 15 days of receipt of an Excursion Compensation Notice, the owner or operator may request that ATUs equivalent to the amount specified be deducted from the source's next seasonal allotment by the Illinois EPA, rather than purchased from the ACMA.

6.6 Quantification of Seasonal VOM Emissions

- a. The methods and procedures specified in Section 5 and 7 of this permit for determining VOM emissions and compliance

with VOM emission limitations shall be used for determining seasonal VOM emissions for purposes of the ERMS, with the following exceptions [35 IAC 205.315(b)]:

No exceptions

- b. The Permittee shall report emergency conditions at the source to the Illinois EPA in accordance with 35 IAC 205.750, if the Permittee intends to deduct VOM emissions in excess of the technology-based emission rates normally achieved that are attributable to the emergency from the source's seasonal VOM emissions for purposes of the ERMS. These reports shall include the information specified by 35 IAC 205.750(a), and shall be submitted in accordance with the following:
 - i. An initial emergency condition report within two days of the time when such excess emissions occurred due to the emergency; and
 - ii. A final emergency condition report, if needed to supplement the initial report, within 10 days after the conclusion of the emergency.

6.7 Annual Account Reporting

- a. For each year in which the source is operational, the Permittee shall submit, as a component of its Annual Emission Report, seasonal VOM emission information to the Illinois EPA for the seasonal allotment period. This report shall include the following information [35 IAC 205.300]:
 - i. Actual seasonal emissions of VOM from the source;
 - ii. A description of the methods and practices used to determine VOM emissions, as required by this permit, including any supporting documentation and calculations;
 - iii. A detailed description of any monitoring methods that differ from the methods specified in this permit, as provided in Section 205.337 of this Subpart;
 - iv. If a source has experienced an emergency, as provided in 35 IAC 205.750, the report shall reference the associated emergency conditions report that has been approved by the Agency;
 - v. If a source's baseline emissions have been adjusted due to a variance, consent order or CAAPP permit

compliance schedule, as provided for in 35 IAC 205.320(e)(3), the report shall provide documentation quantifying the excess VOM emissions during the season that were allowed by the Variance, Consent Order, or Compliance Schedule, in accordance with 35 IAC 205.320(e)(3); and

vi. If a source is operating a new or modified emission unit for which three years of operational data are not yet available, as specified in 35 IAC 205.320(f), the report shall specify seasonal VOM emissions attributable to the new emission unit or the modification of the emission unit.

b. This report shall be submitted by October 31 of each year, for the preceding seasonal allotment period.

6.8 Allotment of ATUs to the Source

a. i. The allotment of ATUs to this source is 106 ATUs per seasonal allotment period.

ii. This allotment of ATUs reflects the Illinois EPA's determination that the source's baseline emissions were 11.985 tons.

iii. The source's allotment reflects 88% of the baseline emissions (12% reduction) except for the VOM emissions from specific emission unit excluded from such reduction, pursuant to 35 IAC 205.405 including units complying with MACT or using BAT, as identified in Section 7 of this permit.

iv. ATUs will be issued to the source's Transaction Account by the Illinois EPA annually. These ATUs will be valid for the seasonal allotment period following issuance and, if not retired in this season, the next seasonal allotment period.

v. Condition 6.3(a) becomes effective beginning in the seasonal allotment period following the initial issuance of ATUs by the Illinois EPA into the Transaction Account for the source.

b. Contingent Allotments for New or Modified Emission Units

Not applicable.

c. Notwithstanding the above, part or all of the above ATUs will not be issued to the source in circumstances as set forth in 35 IAC Part 205, including:

- i. Transfer of ATUs by the source to another participant or the ACMA, in accordance with 35 IAC 205.630;
- ii. Deduction of ATUs as a consequence of emission excursion compensation, in accordance with 35 IAC 205.720; and
- iii. Transfer of ATUs to the ACMA, as a consequence of shutdown of the source, in accordance with 35 IAC 205.410.

6.9 Recordkeeping for ERMS

The Permittee shall maintain copies of the following documents as its Compliance Master File for purposes of ERMS [35 IAC 205.700(a)]:

- a. Seasonal component of the Annual Emission Report;
- b. Information on actual VOM emissions, as specified in detail in Sections 5 and 7 of this permit and Condition 6.6(a); and
- c. Any transfer agreements for the purchase or sale of ATUs and other documentation associated with the transfer of ATUs.

6.10 Federal Enforceability

Section 6 becomes federally enforceable upon approval of the ERMS by USEPA as part of Illinois' State Implementation Plan.

6.11 Exclusions from Further Reductions

- a. VOM emissions from the following emission units, if satisfying subsection (a)(1), (a)(2), or (a)(3) prior to May 1, 1999, shall be excluded from the VOM emissions reductions requirements specified in IAC 205.400(c) and (e) as long as such emission units continue to satisfy subsection (a)(1), (a)(2), or (a)(3) [35 IAC 205.405(a)]:
 - i. Emission units that comply with any NESHAP or MACT standard promulgated pursuant to the CAA;
 - ii. Direct combustion emission units designed and used for comfort heating purposes, fuel combustion emission units and internal combustion engines; and
 - iii. An emission unit for which a LAER demonstration has been approved by the Agency on or after November 15, 1990.

The source has demonstrated in their ERMS application and the Illinois EPA has determined that the following emission units qualifies for exclusion from further reductions because they meet the criteria as indicated above [35 IAC 205.400(a) and (c)]:

Boiler

- b. VOM emissions from the emission units using BAT for controlling VOM emissions, prior to May 1, 1999, shall not be subject to the VOM emissions reductions requirements specified in IAC 205.400(c) or (e) as long as such emission unit continues to use such BAT [35 IAC 205.405(b)].

The source has demonstrated in their ERMS application and the Illinois EPA has determined that the following emission units qualifies from further reductions because these emission units use BAT for controlling VOM emissions as indicated above [35 IAC 205.400(b) and (c)]:

None

7.0 UNIT SPECIFIC CONDITIONS

7.1 Mixing Stations and Grinding Mills for Coating Production

- Group 1 16 mixing stations for 100 portable mixers ranging in size from 10 gallons to 6000 gallons.
- Group 2 38 mixing stations for 38 fixed mixing tanks.
- Group 3 Seven grinding mills

7.1.1 Description

The Permittee is a manufacturer of industrial coatings (paint). The coatings are produced at the mixing stations. Liquid solvents and resins plus solid materials are charged to the mixing tanks in an order specific to the formula for each batch. The mixing process is a series of intertwined steps of material charging, milling (or grinding) and mixing. Completed batches of coatings are pumped through filters directly to final packaging containers.

7.1.2 List of Emission Units and Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
16 Mixing Stations	Mixing stations for 100 portable mixing tanks ranging in size from 10 gallons to 6000 gallons	Baghouse (No.11)
38 Mixing Stations	Mixing stations for 38 fixed mixing tanks	Baghouse (No.11)
7 Grinding Mills	Grinding mills for milling	None
Solvent Recovery	Cleanup solvent recovery equipment for reuse or to be sent off-site	None

7.1.3 Applicability Provisions and Applicable Regulations

- a. An "affected mixer" for the purpose of these unit specific conditions is a mixer used for production of coatings. As of the "date issued" as shown on page 1 of this permit, the affected mixers are identified in Condition 7.1.2.
- b. An "affected grinding mill" for the purpose of these unit specific conditions is a grinding mill used for milling in the coating production process. As of the

"date issued" as shown on page 1 of this permit, the affected grinding mills are identified in Condition 7.1.2.

- c. Each affected mixer and grinding mill is subject to the limits identified in Condition 5.2.2.
- d. Each affected mixer and grinding mill at the source is subject to 35 IAC 212.321(a), which requires that:
 - i. No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.321 [35 IAC 212.321(a)].
 - ii. The emissions of particulate matter into the atmosphere in any one hour period from an affected mixer and grinding mill shall not exceed the allowable emission rates specified in the following equation.

$$E = A(P)^B$$

where:

P = process weight rate; and,
E = allowable emission rate; and,

A. For process weight rates up to 408 MG/hr (450 T/hr):

	<u>Metric</u>	<u>English</u>
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	1.214	2.54
B	0.534	0.534

B. For process weight rates in excess of 408 MG/hr (450 T/hr):

	<u>Metric</u>	<u>English</u>
P	Mg/hr	T/hr
E	kg/hr	lbs/hr
A	11.42	24.8
B	0.16	0.16

where:

P = Process weight rate in metric or English tons per hour, and

E = Allowable emission rate in kilograms or pounds per hour [35 IAC 212.321].

- e. Pursuant to 35 IAC 218.624, the Permittee shall not operate an affected open-top grinding mill and affected mixers with a volume of more than 45 liter (12 gal) for the production of paint unless:
- i. The mill(s) and mixer(s) are equipped with a cover which completely covers the mill or mixer opening except for an opening no larger than necessary to allow for safe clearance for a mixer shaft. Such covers shall extend at least 1.27 cm (0.5 inch) beyond the outer rim of the opening or be attached to the rim.
 - ii. The cover remains closed except when production, sampling, maintenance, or inspection procedures require access.
 - iii. The cover is maintained in good condition such that, when in place, it maintains contact with the rim of the opening for at least 90 percent of the circumference of the rim.
- f. Pursuant to 35 IAC 218.625, the affected grinding mills shall comply with the following:
- i. The Permittee shall not operate a grinding mill for the production of paint which is not maintained in accordance with the manufacturer's specifications.
 - ii. The Permittee shall not operate a grinding mill which is not equipped with fully enclosed screens.
 - iii. The Permittee shall keep manufacturer's specifications for the grinding mills, and be

made available upon request during business hours.

- g. Pursuant to 35 IAC 218.626, the storage tanks (even storage tanks considered to be insignificant based on their emissions) used in line with the paint production operation shall comply with the following:
 - i. The Permittee shall equip tanks storing VOL with a vapor pressure greater than 10 kPa (1.5 psi) at 20°C (68°F) with pressure/vacuum conservation vents set as a minimum at \pm 0.2 kPa (0.029 psi). These controls shall be operated at all times.
 - ii. Stationary VOL storage containers with a capacity greater than 946 liter (250 gal) shall be equipped with a submerged-fill pipe or bottom fill. These controls shall be operated at all times.
- h. Pursuant to 35 IAC 218.628, the Permittee of a paint manufacturing source shall, for the purpose of detecting leaks, conduct an equipment monitoring program as set forth below:
 - i. Each pump shall be checked by visual inspection each calendar week for indications of leaks, that is, liquids dripping from the pump seal. If there are indications of liquids dripping from the pump seal, the pump shall be repaired as soon as practicable, but no later than 15 calendar days after the leak is detected.
 - ii. Any pump, valve, pressure relief valve, sampling connection, open-ended valve and flange or connector containing a fluid which is at least 10 percent VOM by weight which appears to be leaking on the basis of sight, smell, or sound shall be repaired as soon as practicable, but no later than 15 calendar days after the leak is detected.
 - iii. A weather proof, readily visible tag, in bright colors such as red or yellow, bearing an identification number and the date on which the leak was detected shall be attached to leaking equipment. The tag may be removed upon repair, that is, when the equipment is

adjusted or otherwise altered to allow operation without leaking.

- iv. When a leak is detected, the Permittee shall record the date of detection and repair and the record shall be retained at the source for at least two years from the date of each detection or each repair attempt. The record shall be made available to any person upon verbal or written request during business hours.
- i. Pursuant to 35 IAC 218.630, the cleanup operation of the paint manufacturing equipment shall comply with the following:
 - i. The Permittee shall not clean paint manufacturing equipment with organic solvent unless the equipment being cleaned is completely covered or enclosed except for an opening no larger than necessary to allow safe clearance for proper operation of the cleaning equipment, considering the method and materials being used.
 - ii. The Permittee shall not store organic wash solvent in other than closed containers, unless closed containers are demonstrated to be a safety hazard, or dispose of organic wash solvent in a manner such that more than 20 percent by weight is allowed to evaporate into the atmosphere.
- j. The affected mixers and grinding mills at the source are subject to 35 IAC 218.301 which requires that:

The Permittee shall not cause or allow the discharge of more than 3.6 kg/hr (8 lb/hr) of organic material into the atmosphere from any one of the affected mixer or grinding mill. If no odor nuisance exists the limitation shall apply only to photochemically reactive material as defined in 35 IAC 211.4690.

7.1.4 Non-Applicability of Regulations of Concern

None

7.1.5 Operational and Production Limits and Work Practices

- a. The amount of coatings produced at the source shall not exceed the following limits:

<u>Solvent Based Coatings</u> (10 ³ gal/mo) (10 ³ gal/yr)		<u>Water-based coatings</u> (10 ³ gal/mo) (10 ³ gal/yr)	
271.0	2500.0	43.5	400.0

- b. Cleanup solvent usage for source wide operation shall not exceed the following limits:

<u>Cleanup Solvent Usage</u>	
<u>(T/mo)</u>	<u>(T/yr)</u>
46.5	429.5

- c. The above limitations were established in Construction Permit 97090112, pursuant to 35 IAC Part 203. These limits ensure that the construction addressed in the aforementioned Construction Permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically 35 IAC Part 203 [T1].

7.1.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the coating production operation and cleanup operation are subject to the following:

- a. Emissions of VOM from the coating production process shall not exceed the following limits:

<u>VOM Emissions From Production Process</u>	
<u>(T/mo)</u>	<u>(T/yr)</u>
1.4	12.82

The emission limits are based on the maximum coating production allowed emission and using the engineering estimates indicated in Condition 5.9.1.

- b. Emissions of VOM from the cleanup usage for the source wide Cleanup operation shall not exceed the following limits:

<u>VOM Emissions From Cleanup Operation</u>	
<u>(T/mo)</u>	<u>(T/yr)</u>
1.9	17.18

The emission limits are based on the amount of solvent used minus amount of solvent reclaimed i.e., VOM content of the solvent used minus VOM collected for reuse or to be sent off-site.

The above limitations contain revisions to previously issued construction permit 97090112. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of this construction permit, consistent with the information provided in the CAAPP application. The source has requested these revisions and has addressed the applicability and compliance of Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits continue to ensure that the construction and/or modification addressed in this construction permit does not constitute a new major source or major modification pursuant to these rules. These limits are the primary enforcement mechanism for the equipment and activities permitted in this permit and the information in the CAAPP application contains the most current and accurate information for the source. Specifically, this condition establishes emission limits for the cleanup solvent not previously listed in the construction permit [T1R].

The above limitations are being established in this permit pursuant to Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The source has requested that the Illinois EPA establish emissions limitations and other appropriate terms and conditions in this permit that limit the VOM emissions from the coating production below the levels that would trigger the applicability of these rules, consistent with the information provided in the CAAPP application [T1N].

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 months total).

7.1.7 Testing Requirements

Testing for VOM emissions from an affected mixer and grinding mill shall be performed as follows [40 CFR 60, Appendix A, Method 24]

- a. Upon reasonable request by the Illinois EPA, the VOM emissions from the operation of the affected mixers and grinding mills (from representative mixer(s) and grinding mill(s) for typical production operation) shall be determined according to USEPA Reference Methods 24 of 40 CFR 60 Appendix A.
- b. Upon reasonable request by the Illinois EPA, the VOM content of the cleanup solvents used shall be determined according to USEPA Reference Methods 24 of 40 CFR 60 Appendix A and the procedures of 35 IAC 218.105(a).

7.1.8 Monitoring Requirements

The Permittee shall conduct an equipment monitoring program for equipment used in the production of coatings, as required by Condition 7.1.3(h).

7.1.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items to demonstrate compliance with Conditions 5.5.1, 7.1.5 and 7.1.6, of this section, pursuant to Section 39.5(7)(b) of the Act:

- a. Amount and type of coating(s) produced in gallons per month and gallons per year.
- b. Maximum coating production in an hour from each mixing station.
- c.
 - i. Type and amount of each cleanup solvent used in pounds per month and tons per year. This could be collected for all operations combined.
 - ii. VOM content of each cleanup solvent used.
 - iii. Amount of cleanup solvent reclaimed for reuse or sent offsite for disposal, and VOM content of the reclaimed solvent.

7.1.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of noncompliance of an affected mixer and grinding mill with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

7.1.11 Operational Flexibility/Anticipated Operating Scenarios

None

7.1.12 Compliance Procedures

- a. Compliance provisions addressing particulate matter limitations in this section are not set by this permit as compliance is assumed to be achieved by the normal work-practices and maintenance activities inherent in operation of the mixers and grinding mills.
- b. Compliance with the VOM emission limitations shall be determined from the maximum coatings produced and maximum cleanup solvent used and using engineering estimates indicated in Condition 5.9.1.

8.0 GENERAL PERMIT CONDITIONS

8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after _____ **{insert public notice start date}** (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

8.3 Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement [Section 39.5(7)(o)(vii) of the Act].

8.4 Operational Flexibility/Anticipated Operating Scenarios

8.4.1 Changes Specifically Addressed by Permit

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes without applying for or obtaining an amendment to this permit, provided that the changes do not constitute a modification under Title I of the CAA,

emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change and the Permittee provides written notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change [Section 39.5(12)(a) of the Act]. This notice shall:

- a. Describe the physical or operational change;
- b. Identify the schedule for implementing the physical or operational change;
- c. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
- d. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
- e. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.

8.6 Reporting Requirements

8.6.1 Monitoring Reports

A report summarizing required monitoring as specified in the conditions of this permit shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows [Section 39.5(7)(f) of the Act]:

<u>Monitoring Period</u>	<u>Report Due Date</u>
January - June	September 1
July - December	March 1

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);
- b. The person(s) who will be performing sampling and analysis and their experience with similar tests;
- c. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;
- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;
- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with justification; and
- g. Any proposed use of an alternative test method, with detailed justification.

8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion

of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;
- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;
- g. The operating conditions at the time of the sampling or measurements; and
- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

8.6.4 Reporting Addresses

- a. The following addresses should be utilized for the submittal of reports, notifications, and renewals:

- i. Illinois EPA - Air Compliance Section

Illinois Environmental Protection Agency
Bureau of Air
Compliance Section (MC 40)
P.O. Box 19276
Springfield, Illinois 62794-9276

- ii. Illinois EPA - Air Regional Field Office

Illinois Environmental Protection Agency
Division of Air Pollution Control
Eisenhower Tower
1701 First Avenue
Maywood, Illinois 60153

iii. Illinois EPA - Air Permit Section (MC 11)

Illinois Environmental Protection Agency
Division of Air Pollution Control
Permit Section
P.O. Box 19506
Springfield, Illinois 62794-9506

iv. USEPA Region 5 - Air Branch

USEPA (AR - 17J)
Air & Radiation Division
77 West Jackson Boulevard
Chicago, Illinois 60604

- b. Unless otherwise specified in the particular provision of this permit, reports shall be sent to the Illinois EPA - Air Compliance Section with a copy sent to the Illinois EPA - Air Regional Field Office.

8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

9.0 STANDARD PERMIT CONDITIONS

9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

9.2 General Obligations of Permittee

9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner

unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(p)(ii) of the Act]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;

- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- d. Sample or monitor any substances or parameters at any location:
 - i. At reasonable times, for the purposes of assuring permit compliance; or
 - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source.

9.4 Obligation to Comply With Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

9.5 Liability

9.5.1 Title

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or resulting from the construction, maintenance, or operation of the sources.

9.5.3 Structural Stability

This permit does not take into consideration or attest to the structural stability of any unit or part of the source.

9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of the source.

9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7)(o)(iv) of the Act].

9.6 Recordkeeping

9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions resulting from those changes [Section 39.5(12)(b)(iv) of the Act].

9.6.3 Retention of Records

- a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7)(e)(ii) of the Act].
- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a particular permit provision.

9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7)(p)(v) of the Act, the Permittee shall submit compliance certifications annually or more frequently as specified in the applicable requirement or by permit condition.

- a. The certifications shall include descriptions of means to monitor the compliance of the source including emissions limitations, standards, and work practices in accordance with applicable requirements and permit conditions. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9.

9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

9.10 Defense to Enforcement Actions

9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
 - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency. Normally, an act of God such as lightning or flood is considered an emergency;
 - ii. The permitted source was at the time being properly operated;
 - iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

9.12 Reopening and Reissuing Permit for Cause

9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15)(a) of the Act]:

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

9.12.3 Inaccurate Application

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15)(b) of the Act.

9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee

shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7)(o)(v) of the Act].

9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force [Section 39.5(7)(i) of the Act].

9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration. The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5)(1), (n), and (o) of the Act].

10.0 ATTACHMENTS

10.1 Attachment 1 Summary of Equipment

TABLE 1-1

Unit Number	Date Installed	Emission Unit(s)	Description
1	1979	16 Mixing Stations	Mixing stations for 100 portable mixing tanks ranging in size from 10 gallons to 6000 gallons all controlled by baghouse (No.11)
2	1979	38 Mixing Stations	Mixing stations for 38 fixed mixing tanks all controlled by baghouse (No.11)
3	1979	7 Grinding Mills	Five closed and two open grinding mills for milling operation

10.3 Attachment 3 - Baseline Emissions Summary

Seasonal VOM emissions from units subject to further reduction, in TPS:

<u>Emission Unit</u>	<u>Proposed</u>	<u>Illinois EPA Determination</u>	<u>Notes</u>
Batch Making	6.00	6.000	
Cleanup	11.02	2.915	1
Storage Tanks	0.06	0.000	2
Fugitives	<u>5.72</u>	<u>3.070</u>	3
Total:	22.80	11.985	

- Notes:
1. Seasonal emissions were based on actual, rather than allowed (i.e., 8 lb/hour), emissions. The applicant failed to provide 1990 emission rates to justify voluntary overcompliance.
 2. The Title V permit lists these units as insignificant activities.
 3. The fugitive emissions remain as provided from the previous ERMS application, based on the use of SOCM I factors. The applicant failed to justify the proposed revised values for fugitive emissions.

The source shall maintain records of actual seasonal VOM emissions for all emission units not considered insignificant activities in accordance with the recordkeeping and compliance procedures identified in the CAAPP permit starting with the 1998 seasonal allotment period of May 1 through September 30. The source shall submit the seasonal emissions information, as a component of the Annual Emissions Report by October 31 of each year, pursuant to 35 IAC 205.300.

TOTAL SOURCE ALLOTMENT = 0.88 x 11.985 = 10.5468 TPS

OR 106 ATU

1 ATU equals 200 lbs of VOM [35 IAC 205.130], or using standard conversion rate of 2000 lbs per ton, 10 ATUs equals 1 ton.

JRC:psj

I. INTRODUCTION

This source has applied for a Clean Air Act Permit Program (CAAPP) operating permit for its existing operation. The CAAPP is the program established in Illinois for the operating permits for significant stationary sources required by the federal Clean Air Act, as amended in 1990. Unlike this source's current state operating permit(s), the conditions in a CAAPP permit are enforceable by both the Illinois Environmental Protection Agency (Illinois EPA) and the USEPA.

General Source Description

Morton International, Inc. Morton Industrial Coatings is located at 1500 Lathem Street, Batavia in Kane County. The source conducts operations for the manufacturing of coatings. The coatings are produced at the mixing stations. Each station contains either a fixed mixing tank, or a fixed mixer that can accommodate any one of many portable tanks. Liquid solvents and resins plus solid materials are charged to the mixing tanks in an order specific to the formula for each batch. The mixing process is actually a series of inter-twined steps of material charging, milling (or grinding) and mixing. Completed batches of coatings are pumped through filters directly to final packaging containers.

II. EMISSION UNITS

Significant emission units at this source are as follows:

Emission Unit	Description	Date Constructed	Emission Control Equipment
16 Mixing stations	Mixing stations for 100 portable mixing tanks ranging in size from 10 gallons to 6000 gallons	1979	Baghouse (No.11)
38 Mixing stations	Mixing stations for 38 fixed mixing tanks	1979	Baghouse (No.11)
Seven Grinding Mills	Five closed mills and two open mills	1979	None
Solvent recovery	Cleanup solvent recovery equipment	1979	None

III. EMISSIONS

This source is required to have a CAAPP permit since it is a major source of emissions. The proposed permit limits the maximum annual emissions from significant emission units at the source. Insignificant activities at this source are not accounted for in the source limit.

For purposes of fees, the source is allowed the following emissions:

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	30.0
Sulfur Dioxide (SO ₂)	----
Particulate Matter (PM)	----
Nitrogen Oxides (NO _x)	----
HAP, not included in VOM or PM	----
TOTAL	30.0

IV. APPLICABLE EMISSION STANDARDS

All emission sources in Illinois must comply with the Illinois Pollution Control Board's emission standards. The Board's emission standards represent the basic requirements for sources in Illinois.

All emission sources in Illinois must comply with the federal New Source Performance Standards (NSPS). The Illinois EPA is administering NSPS in Illinois on behalf of the United States EPA under a delegation agreement.

All emission sources in Illinois must comply with the federal National Emission Standards for Hazardous Air Pollutants (NESHAP). The Illinois EPA is administering NESHAP in Illinois on behalf of the United States EPA under a delegation agreement.

V. PROPOSED PERMIT

A CAAPP permit contains conditions listing the applicable state and federal air pollution control regulations that apply to a source. The permit conditions also establish emission limits and appropriate compliance procedures. The appropriate compliance procedures may include inspections, work practices, monitoring, record keeping, and reporting to show compliance with these requirements. The Permittee must carry out these procedures on an on-going basis to demonstrate that the source is operating in accordance with the requirements of the permit.

Because this source is located in the Chicago ozone nonattainment area and emits volatile organic material, the permit includes conditions to implement the Emission Reduction Market System (ERMS). The ERMS is a market-based program designed to reduce emissions from stationary sources to contribute to further reasonable progress toward attainment, as further described in section 6 of the permit. The permit contains the Illinois EPA's determination of the source's baseline emissions and allotment of trading units under the ERMS. The permit also provides that the source must begin to operate under the ERMS following the initial issuance of trading units to the source. This will occur for

the 2000 seasonal allotment period (rather than the 1999 season as originally intended by the ERMS) due in part to delays in the initial issuance of CAAPP Permits. These delays, which have occurred nationally, are attributable to a variety of causes including the unforeseen complexity of processing these permits and gaps in national guidance. Even though operation under the ERMS will not officially start until the 2000 seasonal allotment period, detailed recordkeeping and reporting of seasonal emissions was required beginning in 1998, which will document emission reductions achieved by sources in 1999 in preparation for the ERMS.

VI. REQUEST FOR COMMENTS

It is the Illinois EPA's preliminary determination that this source's permit application meets the standards for issuance of a CAAPP permit. The Illinois EPA is therefore proposing to issue a CAAPP permit, subject to the conditions proposed in the draft permit.

Comments are requested on this proposed action by the Illinois EPA and the proposed conditions on the draft permit. If substantial public interest is shown in this matter, the Illinois EPA will consider holding a public hearing in accordance with 35 Ill. Adm. Code Part 164.

KLS:psj

217/782-2113

April 28, 1999

Ms. Cheryl Newton (5AR-18J)
USEPA - Region V
Air and Radiation Division
77 West Jackson Boulevard
Chicago, Illinois 60604

Re: Transmittal of Proposed CAAPP Permit for Morton International, inc. at
1500 Lathem Street, Batavia, Illinois 60510-1500
Illinois EPA Identification Number: 089010ABZ
Illinois EPA Application Number: 96030054
Operation of: Coating Manufacturing

Dear Ms. Newton:

The proposed CAAPP Permit referenced above is being provided to USEPA today by electronic mail for review pursuant to Sections 505(a)(1)(B) and (b) of the Clean Air Act. Illinois EPA will not take final action on this permit until after !DATE!, the close of the 45 day USEPA review period.

The draft of this permit has gone through public notice. no comments were received.

As part of the public notice period, a copy of the draft permit was sent to affected states. No comments were received from affected states.

As a result of the Illinois EPA's final review following the public comment period, minor changes have been made to the permit as follows:

Condition 7.1.5 has been revised to address Title I applicability. The language of Condition 7.1.5 is based on general guidance provided to the Illinois EPA by USEPA.

Condition 7.1.6 has been revised to address construction permit limit modifications made in the CAAPP. The language of Condition 7.1.6 is based on general guidance provided to the Illinois EPA by USEPA.

If you have any questions regarding this proposed permit, please contact Kevin Smith at 217/782-2113.

Sincerely,

Donald E. Sutton, P.E.
Manager, Permit Section
Division of Air Pollution Control

DES:KLS:psj