

63.820(a)(2)(i) and (ii) for purposes of establishing the facility to be an area source of HAP with respect to 40 CFR 63 Subpart KK. A facility which establishes area source status through some other mechanism, as described in 40 CFR 63.820(a)(7), is not subject to the provisions of 40 CFR 63 Subpart KK.

- i. Use less than 9.1 Mg (10 tons) per each rolling 12-month period of each HAP at the facility, including materials used for source categories or purposes other than printing and publishing, and
 - ii. Use less than 22.7 Mg (25 tons) per each rolling 12-month period of any combination of HAP at the facility, including materials used for source categories or purposes other than printing and publishing.
- c. Pursuant to 40 CFR 63.820(a)(3), each facility for which the owner or operator chooses to commit to and meets the criteria stated in 40 CFR 63.820(a)(2) shall be considered an area source, and is subject only to the provisions of 40 CFR 63.829(d) and 40 CFR 63.830(b)(1).
- d. Pursuant to 40 CFR 63.820(a)(4), each facility for which the owner or operator commits to the conditions in 40 CFR 63.820(a)(2) may exclude material used in routine janitorial or facility grounds maintenance, personal uses by employees or other persons, the use of products for the purpose of maintaining electric, propane, gasoline and diesel powered motor vehicles operated by the facility, and the use of HAP contained in intake water (used for processing or noncontact cooling) or intake air (used either as compressed air or for combustion).
- e. Pursuant to 40 CFR 63.820(a)(5), each facility for which the owner or operator commits to the conditions in 40 CFR 63.820(a)(2) to become an area source, but subsequently exceeds either of the thresholds in 40 CFR 63.820(a)(2) for any rolling 12-month period (without first obtaining and complying with other limits that keep its potential to emit HAP below major source levels), shall be considered in violation of its commitment for that 12-month period and shall be considered a major source of HAP beginning the first month after the end of the 12-month period in which either of the HAP-use thresholds was exceeded. As a major source of HAP, each such facility would be subject to the provisions of 40 CFR 63 Subpart KK as noted in 40 CFR 63.820(a)(1) and would no longer be eligible to use the provisions of 40 CFR 63.820(a)(2), even if in subsequent 12-month periods the facility uses less HAP than the thresholds in 40 CFR 63.820(a)(2).
- f. Pursuant to 40 CFR 63.820(a)(6), an owner or operator of an affected source subject to 40 CFR 63.820(a)(2) who chooses to no longer be subject to 40 CFR 63.820(a)(2) shall notify the Illinois EPA or USEPA of such change. If, by no longer being subject to 40 CFR 63.820(a)(2), the facility at which the affected source is located becomes a major source:

- i. The owner or operator of an existing source must continue to comply with the HAP usage provisions of 40 CFR 63.820(a)(2) until the source is in compliance with all relevant requirements for existing affected sources under 40 CFR 63 Subpart KK;
 - ii. The owner or operator of a new source must continue to comply with the HAP usage provisions of 40 CFR 63.820(a)(2) until the source is in compliance with all relevant requirements for new affected sources under 40 CFR 63 Subpart KK.
- 3a. Pursuant to 35 Ill. Adm. Code 212.123(a), no person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to 35 Ill. Adm. Code 212.122.
- b. Pursuant to 35 Ill. Adm. Code 212.123(b), the emission of smoke or other particulate matter from any such emission unit may have an opacity greater than 30 percent but not greater than 60 percent for a period or periods aggregating 8 minutes in any 60 minute period provided that such opaque emissions permitted during any 60 minute period shall occur from only one such emission unit located within a 305 m (1000 ft) radius from the center point of any other such emission unit owned or operated by such person, and provided further that such opaque emissions permitted from each such emission unit shall be limited to 3 times in any 24 hour period.
- c. Pursuant to 35 Ill. Adm. Code 212.321(a), no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in 35 Ill. Adm. Code 212.321(c).
- 4a. Pursuant to 35 Ill. Adm. Code 218.204(c), except as provided in 35 Ill. Adm. Code 218.205, 218.207, 218.208, 218.212, 218.215 and 218.216, no owner or operator of a coating line shall apply at any time any coating in which the VOM content exceeds the following emission limitations for Paper Coating. The following emission limitations are expressed in units of VOM per volume of coating (minus water and any compounds which are specifically exempted from the definition of VOM) as applied at each coating applicator, except where noted. Compounds which are specifically exempted from the definition of VOM should be treated as water for the purpose of calculating the "less water" part of the coating composition. Compliance with 35 Ill. Adm. Code 218 Subpart F must be demonstrated through the applicable coating analysis test methods and procedures specified in 35 Ill. Adm. Code 218.105(a) and the recordkeeping and reporting requirements specified in 35 Ill. Adm. Code 218.211(c) except where noted. (Note: The equation presented in 35 Ill. Adm. Code 218.206 shall be used to calculate emission limitations for determining compliance by add on controls, credits for

transfer efficiency, emissions trades and cross line averaging.) The emission limitations are as follows:

i. Prior to May 1, 2011:

kg/l	lb/gal
0.28	(2.3)

ii. On and after May 1, 2011:

kg VOM/kg (lb VOM/lb)	kg VOM/kg (lb VOM/lb)
solids applied	coatings applied

A. Pressure sensitive tape and label surface coatings	0.20	(0.067)
---	------	---------

B. All other paper coatings	0.40	(0.08)
-----------------------------	------	--------

iii. The paper coating limitation set forth in 35 Ill. Adm. Code 218.204(c) shall not apply to any owner or operator of any paper coating line on which flexographic or rotogravure printing is performed if the paper coating line complies with the emissions limitations in 35 Ill. Adm. Code 218.401. In addition, screen printing on paper is not regulated as paper coating, but is regulated under 35 Ill. Adm. Code 218 Subpart TT. On and after May 1, 2011, the paper coating limitation shall also not apply to coating performed on or in-line with any digital printing press, or to size presses and on-machine coaters on papermaking machines applying sizing or water-based clays.

b. Pursuant to 35 Ill. Adm. Code 218.301, no person shall cause or allow the discharge of more than 3.6 kgs/hour (8 lbs/hour) of organic material into the atmosphere from any emission unit, except as provided in 35 Ill. Adm. Code 218.302, 218.303, or 218.304 and the following exemption: If no odor nuisance exists the limitation of 35 Ill. Adm. Code 218 Subpart G shall only apply to photochemically reactive material.

5. This permit is issued based upon the source not being subject to the National Emission Standard for Hazardous Air Pollutants (NESHAP) for Paper and Other Web Coating, 40 CFR 63 Subpart JJJJ. Pursuant to 40 CFR 63.3330(b), any web coating line that is a product and packaging rotogravure or wide-web flexographic press under 40 CFR 63 Subpart KK (National Emission Standards for The Printing And Publishing Industry) which is included in the affected source under 40 CFR 63 Subpart KK are not part of the affected source of 40 CFR 63 Subpart JJJJ.

6. Pursuant to 35 Ill. Adm. Code 212.314, 35 Ill. Adm. Code 212.301 shall not apply and spraying pursuant to 35 Ill. Adm. Code 212.304 through 212.310 and 35 Ill. Adm. Code 212.312 shall not be required when the wind speed is greater than 40.2 km/hr (25 mph). Determination of wind

speed for the purposes of this rule shall be by a one-hour average or hourly recorded value at the nearest official station of the U.S. Weather Bureau or by wind speed instruments operated on the site. In cases where the duration of operations subject to this rule is less than one hour, wind speed may be averaged over the duration of the operations on the basis of on-site wind speed instrument measurements.

- 7a. Pursuant to 35 Ill. Adm. Code 218.187(a)(2)(B)(vii), notwithstanding 35 Ill. Adm. Code 218.187(a)(1) cleaning operations for emission units within the paper, film, and foil coating source category shall be exempt from the requirements of 35 Ill. Adm. Code 218.187(b), (c), (d), (f), and (g).
- b. Pursuant to 35 Ill. Adm. Code 218.209, no owner or operator of a coating line subject to the limitations of 35 Ill. Adm. Code 218.204 is required to meet the limitations of 35 Ill. Adm. Code 218 Subpart G (35 Ill. Adm. Code 218.301 or 218.302), after the date by which the coating line is required to meet 35 Ill. Adm. Code 218.204.
- c. This permit is issued based upon the flexographic presses at this source not being subject to the requirements of 35 Ill. Adm. Code 218.401 (Flexographic and Rotogravure Printing). This is a result of the federally enforceable production and operating limitations established in permit 09050007, which restrict the maximum theoretical emissions of VOM from this facility to less than 100 tons per year and the potential to emit for VOM emissions to less than 25 tons per year. Pursuant to 35 Ill. Adm. Code 218.402(a), except as otherwise provided in 35 Ill. Adm. Code 218.401, the limitations of 35 Ill. Adm. Code 218.401 apply to all flexographic and rotogravure printing lines at a subject source. Sources with flexographic and/or rotogravure printing lines are subject sources if:
 - i. Total maximum theoretical emissions of VOM from all flexographic and rotogravure printing lines (including solvents used for cleanup operations associated with flexographic and rotogravure printing lines) at the source ever exceed 90.7 Mg (100 tons) per calendar year and the flexographic and rotogravure printing lines (including solvents used for cleanup operations associated with flexographic and rotogravure printing lines) at the source are not limited to less than 90.7 Mg (100 tons) of VOM emissions per calendar year in the absence of air pollution control equipment through production or capacity limitations contained in a federally enforceable permit or a SIP revision; or
 - ii. The flexographic and rotogravure printing lines (including solvents used for cleanup operations associated with flexographic and rotogravure printing lines) at the source have a potential to emit 22.7 Mg (25 tons) or more of VOM per year.
- 8a. Pursuant to 35 Ill. Adm. Code 218.218(a), on and after May 1, 2011, every owner or operator of a source subject to the requirements of 35 Ill. Adm. Code 218.204(c) shall:

- i. Store all VOM-containing cleaning materials in closed containers;
 - ii. Ensure that mixing and storage containers used for VOM-containing materials are kept closed at all times except when depositing or removing those materials;
 - iii. Minimize spills of VOM-containing cleaning materials;
 - iv. Convey VOM-containing cleaning materials from one location to another in closed containers or pipes; and
 - v. Minimize VOM emissions from the cleaning of storage, mixing, and conveying equipment.
- b. Pursuant to 35 Ill. Adm. Code 218.402(e), any owner or operator of any flexographic or rotogravure printing line that is exempt from any of the limitations of 35 Ill. Adm. Code 218.401 because of the criteria in 35 Ill. Adm. Code 218.402 is subject to the recordkeeping and reporting requirements specified in 35 Ill. Adm. Code 218.404(b) and (f), as applicable.
8. In the event that the operation of this source results in an odor nuisance, the Permittee shall take appropriate and necessary actions to minimize odors, including but not limited to, changes in raw material or installation of controls, in order to eliminate the odor nuisance.
- 9a. Emissions from and operation of the Flexographic Printing Press 20 (BOE2) shall not exceed the following limits:

VOM Usage		VOM Emissions	
<u>Tons/Month</u>	<u>Tons/Year</u>	<u>Tons/Month</u>	<u>Tons/Year</u>
0.40	4.00	0.40	4.00

These limits are based on the maximum material usage and material balance. Note that there is a "nested" limit on the emissions of the combination of HAPs as a result of the limit on VOM emissions. The HAPs emitted at this source have been determined to be VOMs and therefore limiting VOM emissions also limits HAP emissions. The VOM and HAP emissions shall be calculated using the following equations:

$$E = \sum U \times C_i - W \times C_w$$

Where:

E = VOM or HAP emissions (tons);

U = VOM or HAP containing raw materials usage (tons);

C_i = VOM or HAP content of raw materials (weight fraction);

W = Certified amount of waste disposed (tons); and

C_w = Certified VOM or HAP content of the waste (weight fraction).

- b. This permit is issued based on negligible emissions of particulate matter (PM) from Flexographic Printing Press 20 (BOE2). For this purpose emissions of particulate matter shall not exceed nominal emissions rates of 0.1 lb/hour and 0.44 tons/year
 - c. Compliance with the annual limits of this permit shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).
- 10a. Pursuant to 35 Ill. Adm. Code 201.282, every emission source or air pollution control equipment shall be subject to the following testing requirements for the purpose of determining the nature and quantities of specified air contaminant emissions and for the purpose of determining ground level and ambient air concentrations of such air contaminants:
- i. Testing by Owner or Operator. The Illinois EPA may require the owner or operator of the emission source or air pollution control equipment to conduct such tests in accordance with procedures adopted by the Illinois EPA, at such reasonable times as may be specified by the Illinois EPA and at the expense of the owner or operator of the emission source or air pollution control equipment. The Illinois EPA may adopt procedures detailing methods of testing and formats for reporting results of testing. Such procedures and revisions thereto, shall not become effective until filed with the Secretary of State, as required by the APA Act. All such tests shall be made by or under the direction of a person qualified by training and/or experience in the field of air pollution testing. The Illinois EPA shall have the right to observe all aspects of such tests.
 - ii. Testing by the Illinois EPA. The Illinois EPA shall have the right to conduct such tests at any time at its own expense. Upon request of the Illinois EPA, the owner or operator of the emission source or air pollution control equipment shall provide, without charge to the Illinois EPA, necessary holes in stacks or ducts and other safe and proper testing facilities, including scaffolding, but excluding instruments and sensing devices, as may be necessary.
- b. Testing required by Conditions 11 and 12 shall be performed upon a written request from the Illinois EPA by a qualified independent testing service.
11. Pursuant to 35 Ill. Adm. Code 212.110(c), upon a written notification by the Illinois EPA, the owner or operator of a particulate matter emission unit subject to 35 Ill. Adm. Code Part 212 shall conduct the applicable testing for particulate matter emissions, opacity, or visible emissions at such person's own expense, to demonstrate compliance. Such test results shall be submitted to the Illinois EPA

within thirty (30) days after conducting the test unless an alternative time for submittal is agreed to by the Illinois EPA.

- 11a. Pursuant to 35 Ill. Adm. Code 218.211(a), the VOM content of each coating and the efficiency of each capture system and control device shall be determined by the applicable test methods and procedures specified in 35 Ill. Adm. Code 218.105 to establish the records required under 35 Ill. Adm. Code 218.211.
- b. Pursuant to 35 Ill. Adm. Code 218.404(a), the VOM content of each coating and ink and the efficiency of each capture system and control device shall be determined by the applicable test methods and procedures specified in 35 Ill. Adm. Code 218.105 to establish the records required under 35 Ill. Adm. Code 218.404.
12. Pursuant to 40 CFR 63.10(b)(3), if an owner or operator determines that his or her stationary source that emits (or has the potential to emit, without considering controls) one or more hazardous air pollutants regulated by any standard established pursuant to section 112(d) or (f) of the Clean Air Act, and that stationary source is in the source category regulated by the relevant standard, but that source is not subject to the relevant standard (or other requirement established under 40 CFR Part 63) because of limitations on the source's potential to emit or an exclusion, the owner or operator must keep a record of the applicability determination on site at the source for a period of 5 years after the determination, or until the source changes its operations to become an affected source, whichever comes first. The record of the applicability determination must be signed by the person making the determination and include an analysis (or other information) that demonstrates why the owner or operator believes the source is unaffected (e.g., because the source is an area source). The analysis (or other information) must be sufficiently detailed to allow the USEPA and/or Illinois EPA to make a finding about the source's applicability status with regard to the relevant standard or other requirement. If relevant, the analysis must be performed in accordance with requirements established in relevant subparts of 40 CFR Part 63 for this purpose for particular categories of stationary sources. If relevant, the analysis should be performed in accordance with USEPA guidance materials published to assist sources in making applicability determinations under Section 112 of the Clean Air Act, if any. The requirements to determine applicability of a standard under 40 CFR 63.1(b)(3) and to record the results of that determination under 40 CFR 63.10(b)(3) shall not by themselves create an obligation for the owner or operator to obtain a Title V permit.
13. Pursuant to 40 CFR 63.829(d), the owner or operator of each facility which commits to the criteria of 40 CFR 63.820(a)(2) shall maintain records of all required measurements and calculations needed to demonstrate compliance with these criteria, including the mass of all HAP containing materials used and the mass fraction of HAP present in each HAP containing material used, on a monthly basis.

- 14a. Pursuant to 35 Ill. Adm. Code 218.211(c)(2), any owner or operator of a coating line subject to the limitations of 35 Ill. Adm. Code 218.204 other than 35 Ill. Adm. Code 218.204(a)(1)(B), (a)(1)(C), (a)(2)(B), (a)(2)(C), or (a)(2)(D) and complying by means of 35 Ill. Adm. Code 218.204 on and after a date consistent with 35 Ill. Adm. Code 218.106, or on and after the initial start-up date shall collect and record all of the following information each day, unless otherwise specified, for each coating line and maintain the information at the source for a period of three years:
- i. The name and identification number of each coating as applied on each coating line;
 - ii. The weight of VOM per volume of each coating (minus water and any compounds which are specifically exempted from the definition of VOM) as applied each day on each coating line;
 - iii. For coating lines subject to the limitations of 35 Ill. Adm. Code 218.204(c)(2), the weight of VOM per weight of solids (or the weight of VOM per weight of coatings, as applicable) in each coating as applied each day on each coating line, and certified product data sheets for each coating.
- b. Pursuant to 35 Ill. Adm. Code 218.211(g)(3), on and after a date consistent with 35 Ill. Adm. Code 218.106(e), or on and after the initial startup date, whichever is later, the owner or operator of a coating line subject to the requirements of 35 Ill. Adm. Code 218.218 shall maintain at the source all records required by 35 Ill. Adm. Code 218.211(g) for a minimum of three years from the date the document was created and make those records available to the Illinois EPA upon request.
- d. Pursuant to 35 Ill. Adm. Code 218.404(b)(2), any owner or operator of a printing line which is exempted from any of the limitations of 35 Ill. Adm. Code 218.401 because of the criteria in 35 Ill. Adm. Code 218.402(a) on and after a date consistent with 35 Ill. Adm. Code 218.106, or, for flexographic or rotogravure printing lines that print flexible packaging or that print flexible packaging and non-flexible packaging on the same line, on and after January 1, 2012, the owner or operator of a flexographic and rotogravure printing line referenced in 35 Ill. Adm. Code 218.404(b) shall collect and record all of the following information each year for each printing line and maintain the information at the source:
- i. The name and identification number of each coating and ink as applied on each printing line.
 - ii. The VOM content and the volume of each coating and ink as applied each year on each printing line.
- 15a. The Permittee shall maintain records of the following items so as to demonstrate compliance with the conditions of this permit:

- i. Usage of inks, coatings, adhesives and solvents (tons/month, tons/year);
 - ii. VOM and HAP content of all VOM and HAP-containing materials (weight %);
 - iii. Certified amount of waste shipped off site (tons/month, tons/year);
 - iv. Certified VOM and HAP content of the waste (weight %); and
 - v. Monthly and annual VOM and HAP emissions from Flexographic Printing Press 20 (BOE2), with supporting calculations (and applicable retention credits) (tons/month, tons/year).
 - b. All records and logs required by this permit shall be retained at a readily accessible location at the source for at least five (5) years from the date of entry and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request. Any records retained in an electronic format (e.g., computer storage device) shall be capable of being retrieved and printed on paper during normal source office hours so as to be able to respond to an Illinois EPA or USEPA request for records during the course of a source inspection.
16. Pursuant to 40 CFR 63.830(b)(6)(ii), each owner or operator of an affected source subject to 40 CFR 63 Subpart KK shall submit to the Illinois EPA or USEPA A summary report specified in 40 CFR 63.10(e)(3) shall be submitted on a semi-annual basis (i.e., once every 6-month period). These summary reports are required even if the affected source does not have any control devices or does not take the performance of any control devices into account in demonstrating compliance with the emission limitations in 40 CFR 63.824 or 40 CFR 63.825. In addition to a report of operating parameter exceedance as required by 40 CFR 63.10(e)(3)(i), the summary report shall include exceedance of either of the criteria of 40 CFR 63.820(a)(2).
17. Pursuant to 35 Ill. Adm. Code 212.110(d), a person planning to conduct testing for particulate matter emissions to demonstrate compliance shall give written notice to the Illinois EPA of that intent. Such notification shall be given at least thirty (30) days prior to the initiation of the test unless a shorter period is agreed to by the Illinois EPA. Such notification shall state the specific test methods from 35 Ill. Adm. Code 212.110 that will be used.
- 18a. Pursuant to 35 Ill. Adm. Code 218.211(c), any owner or operator of a coating line subject to the limitations of 35 Ill. Adm. Code 218.204 other than 35 Ill. Adm. Code 218.204(a)(1)(B), (a)(1)(C), (a)(2)(B), (a)(2)(C), or (a)(2)(D) and complying by means of 35 Ill. Adm. Code 218.204 shall comply with the following:

- i. By a date consistent with 35 Ill. Adm. Code 218.106, or upon initial start-up of a new coating line, or upon changing the method of compliance from an existing subject coating line from 35 Ill. Adm. Code 218.205, 35 Ill. Adm. Code 218.207, 35 Ill. Adm. Code 218.215, or 35 Ill. Adm. Code 218.216 to 35 Ill. Adm. Code 218.204; the owner or operator of a subject coating line shall certify to the Illinois EPA that the coating line will be in compliance with 35 Ill. Adm. Code 218.204 on and after a date consistent with 35 Ill. Adm. Code 218.106, or on and after the initial start-up date. The certification shall include:
 - A. The name and identification number of each coating as applied on each coating line;
 - B. The weight of VOM per volume of each coating (minus water and any compounds that are specifically exempted from the definition of VOM) as applied each day on each coating line;
 - C. For coating lines subject to the limitations of 35 Ill. Adm. Code 218.204(c)(2), the weight of VOM per weight of solids (or the weight of VOM per weight of coatings, as applicable) in each coating as applied each day on each coating line;
 - ii. On and after a date consistent with 35 Ill. Adm. Code 218.106, the owner or operator of a subject coating line shall notify the Illinois EPA in the following instances:
 - A. Any record showing violation of 35 Ill. Adm. Code 218.204 shall be reported by sending a copy of such record to the Illinois EPA within 30 days following the occurrence of the violation.
 - B. At least 30 calendar days before changing the method of compliance from 35 Ill. Adm. Code 218.204 to 35 Ill. Adm. Code 218.205 or 35 Ill. Adm. Code 218.207, the owner or operator shall comply with all requirements of 35 Ill. Adm. Code 218.211(d)(1) or (e)(1), as applicable. Upon changing the method of compliance from 35 Ill. Adm. Code 218.204 to 35 Ill. Adm. Code 218.205 or 35 Ill. Adm. Code 218.207, the owner or operator shall comply with all requirements of 35 Ill. Adm. Code 218.211(d) or (e), as applicable.
- b. Pursuant to 35 Ill. Adm. Code 218.211(g), on and after a date consistent with 35 Ill. Adm. Code 218.106(e), or on and after the initial startup date, whichever is later, the owner or operator of a coating line subject to the requirements of 35 Ill. Adm. Code 218.218 shall comply with the following:
 - i. By May 1, 2011, or upon initial startup, whichever is later, submit a certification to the Illinois EPA that includes a

description of the practices and procedures that the source will follow to ensure compliance with the applicable requirements in 35 Ill. Adm. Code 218.218;

- ii. Notify the Illinois EPA of any violation of 35 Ill. Adm. Code 218.218 by providing a description of the violation and copies of records documenting the violation to the Illinois EPA within 30 days following the occurrence of the violation.

- c. Pursuant to 35 Ill. Adm. Code 218.404(b), any owner or operator of a printing line which is exempted from any of the limitations of 35 Ill. Adm. Code 218.401 because of the criteria in 35 Ill. Adm. Code 218.402(a) shall comply with the following:
 - i. By a date consistent with 35 Ill. Adm. Code 218.106, or for flexographic or rotogravure printing lines that print flexible packaging or that print flexible packaging and non-flexible packaging on the same line, by January 1, 2012, the owner or operator of a flexographic or rotogravure printing line to which 35 Ill. Adm. Code 218.404(b) is applicable shall certify to the Illinois EPA that the flexographic and rotogravure printing line is exempt under the provisions of 35 Ill. Adm. Code 218.402(a). Such certification shall include:
 - A. A declaration that the flexographic and rotogravure printing line is exempt from the limitations of the criteria in 35 Ill. Adm. Code 218.401 because of 35 Ill. Adm. Code 218.402(a); and
 - B. Calculations that demonstrate that the combined potential to emit of all flexographic and rotogravure printing lines at the source never equals or exceeds 22.7 Mg (25 tons) of VOM per year, and that total maximum theoretical emissions of VOM from all flexographic and rotogravure printing lines at the source never exceed 90.7 Mg (100 tons) per calendar year before the application of capture systems and control devices. Total maximum theoretical emissions of VOM for a flexographic or rotogravure printing source is the sum of maximum theoretical emissions of VOM from each flexographic and rotogravure printing line at the source. The following equation shall be used to calculate total maximum theoretical emissions of VOM per calendar year before the application of capture systems and control devices for each flexographic and rotogravure printing line at the source:

$$E_p = A \times B + 1095 (C \times D \times F)$$

where:

E_p = Total maximum theoretical emissions of VOM from one flexographic or rotogravure printing line in units of kg/year (lbs/year);

- A = Weight of VOM per volume of solids of the coating or ink with the highest VOM content as applied each year on the printing line in units of kg VOM/l (lbs VOM/gal) of coating or ink solids;
 - B = Total volume of solids for all coatings and inks that can potentially be applied each year on the printing line in units of l/year (gal/year). The method by which the owner or operator accurately calculated the volume of each coating and ink as applied and the amount that can potentially be applied each year on the printing line shall be described in the certification to the Illinois EPA;
 - C = Weight of VOM per volume of material for the cleanup material or solvent with the highest VOM content as used each year on the printing line in units of kg/l (lbs VOM/gal);
 - D = The greatest volume of cleanup material or solvent used in any 8-hour period;
 - F = The highest fraction of cleanup material or solvent which is not recycled or recovered for offsite disposal during any 8-hour period.
- ii. On and after a date consistent with 35 Ill. Adm. Code 218.106, or for flexographic or rotogravure printing lines that print flexible packaging or that print flexible packaging and non-flexible packaging on the same line, on and after January 1, 2012, the owner or operator of a flexographic and rotogravure printing line exempted from the limitations of 35 Ill. Adm. Code 218.401 because of the criteria in 35 Ill. Adm. Code 218.402(a) shall notify the Illinois EPA of any record showing that total maximum theoretical emissions of VOM from all printing lines exceed 90.7 Mg (100 tons) in any calendar year before the application of capture systems and control devices, or that the combined potential to emit of all flexographic and rotogravure printing lines at the source equals or exceeds 22.7 Mg (25 tons) of VOM in any calendar year, by sending a copy of such record to the Illinois EPA within 30 days after the exceedance occurs.
- 19a. If there is an exceedance of or a deviation from the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance or deviation. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or deviation and efforts to reduce emissions and future occurrences.
- b. Two (2) copies of required reports and notifications shall be sent to:

Illinois Environmental Protection Agency
Division of Air Pollution Control
Compliance Section (#40)
P.O. Box 19276
Springfield, Illinois 62794-9276

and one (1) copy shall be sent to the Illinois EPA's regional office at the following address unless otherwise indicated:

Illinois Environmental Protection Agency
Division of Air Pollution Control
9511 West Harrison
Des Plaines, Illinois 60016

If you have any questions on this, please call David Hulskotter at 217/782-2113.

Edwin C. Bakowski, P.E.
Manager, Permit Section
Division of Air Pollution Control

Date Signed: _____

ECB:DWH:jws

cc: Illinois EPA, FOS Region 1