

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY  
BUREAU OF AIR, PERMIT SECTION  
1021 N. GRAND AVENUE EAST  
P.O. BOX 19276  
SPRINGFIELD, ILLINOIS 62794-9276  
217/782-2113

PROJECT SUMMARY  
FOR A CONSTRUCTION PERMIT APPLICATION  
FROM  
FULTON ETHANOL, LLC  
FOR A  
ETHANOL PLANT  
IN FULTON, ILLINOIS

Site Identification No.: 195025AAU  
Application No.: 06070044  
Date Received: July 18, 2006

Schedule

Public Comment Period Begins: January 30, 2008  
Public Comment Period Closes: February 29, 2008

Illinois EPA Contacts

Permit Analyst: Minesh Patel  
Community Relations Coordinator: Brad Frost

## **I. INTRODUCTION**

Fulton Ethanol, LLC (Fulton Ethanol) has submitted an application to construct a fuel ethanol plant in Fulton. The construction of the proposed plant requires a permit from the Illinois EPA because the plant would be a source of emissions.

The Illinois EPA has reviewed the application and made a preliminary determination that the application for the proposed project meets applicable requirements. Accordingly, the Illinois EPA has prepared a draft of the construction permit that it would propose to issue for the proposed plant. However, before issuing this permit, the Illinois EPA is holding a public comment period to receive written comments on the proposed issuance of a permit and the terms and conditions of the draft permit.

## **II. PROJECT DESCRIPTION**

Fulton Ethanol has proposed to construct a plant to produce ethanol from corn. The Plant would be designed to have nominal capacity of 113.4 million gallons denatured ethanol per year. The denatured ethanol produced by the plant would be used as motor vehicle fuel. When added to gasoline, ethanol is an octane enhancer and oxygenated fuel additive, which reduces hydrocarbon and carbon monoxide emissions in vehicle exhaust. The plant would produce ethanol by batch fermentation of ground corn, followed by processing to separate out and purify the ethanol. The plant would also produce animal feed from the Stillage material remaining after the fermentation process. The plant would have facilities to receive and ship out products (grain, fuel ethanol, and feed) by trucks, rails, and barges. Natural gas would be used as the fuel for the plant.

The proposed plant would have grain elevator, at which corn would be received and stored. The first step in the production of ethanol by fermentation is to prepare the corn. Corn would be transferred from the elevator to the ethanol plant. The corn is first milled or ground, mixed with water, and heated, producing fine slurry. Enzymes are then added to convert the starch in the corn into sugar. The resulting mash is then sterilized before sent for fermentation.

In fermentation process, yeast is introduced into the mash to convert sugar in the mash into ethanol. Fermentation would be performed on a batch basis in six separate fermentation tanks. The tanks would continuously cycle through the fermentation process. At any time, one tank would normally be undergoing the steps between a batch, i.e., transfer of the tank's content to the beer well (where it is temporarily held while awaiting distillation), through cleaning of the interior of the tanks with automated equipment (to prevent buildup of undesired microorganisms), and charging of tank with fresh mash. Fermentation would normally be taking place in the other tanks, one tank is just beginning fermentation, one finishing up, and the other tanks at intermediate point in the process.

A distillation system would be used to separate the ethanol from the beer from the fermentation tanks. The ethanol would be further refined to water-free, 200 proof, ethanol using a molecular sieve. The ethanol would be denatured with natural gasoline, stored in floating roof tanks, and shipped to customers by both truck and rail.

The non-ethanol "Stillage" recovered from the distillation system would be further processed to separate and recover water, which would be reused at the plant, and feed material. First the

whole stillage would be processed by centrifuges to mechanically recover solids, with solid rich thick stillage then sent to thermal dryers. The water-laden thin stillage from centrifuges would be further processed with evaporators to separate and recover water, leaving behind nutrient-rich thick syrup. The thick syrup would also be dried with the thick stillage in the dryers to produce animal feed, i.e., dried distillers grain with solubles or DDGS.

The proposed plant would have two indirect natural gas fired dryer trains (each train consisting of three dryers), with total capacity to be able to fully dry all feed material produced by the plant. Waste heat from these dryer trains would be used by evaporators to produce thick syrup prior to exhausting to natural gas fired thermal oxidizer for controlling emissions.

The proposed plant would have three natural gas fired boilers, to provide steam to ethanol production process. These boilers would be equipped with low-NO<sub>x</sub> burners to minimize nitrogen oxide emissions.

### III. PROJECT EMISSIONS

The proposed fuel ethanol plant would use appropriate equipment for effective control of emissions from the various operations at the plant. Fabric filters would be used to control particulate matter emissions from the principle grain handling operations at the elevator and from milling of grain. A filter would be used to control particulate matter emissions from the handling and load out of the dried feed.

A scrubber would be used to control organic material emissions from the fermentation and distillation operations. The organic material laden water from these scrubbers would be reused at the plant, so that the scrubber would not be a source of wastewater.

Combustion control, with natural gas fired thermal oxidizers, would be used to control emissions of organic material, carbon monoxide and particulate matter from the dryer trains/multi-stage evaporator, which complete the conversion of wet stillage into dry feed. These oxidizers are also controlling emissions from. In addition to controlling emissions from feed drying, these oxidizers also control organic material emissions from slurry tank, centrifuges and molecular sieve/condenser operation.

As a result of this emission control equipment and other equipment and control measures that would be used at the source, the proposed plant would not be a major source subject to the Clean Air Act Permit Program (CAAPP) after the start up of the fuel ethanol plant. In particular, annual emissions from the source would be limited to no more than 98 tons of each pollutant (PM<sub>10</sub> (based on current USEPA guidance), NO<sub>x</sub>, CO, VOM, and SO<sub>2</sub>), and less than 10 tons of any single hazardous air pollutant<sup>1</sup> and 25 tons of total hazardous air pollutants.<sup>2</sup> These limits are based on data for the maximum emissions of the proposed plant and represent its permitted

---

<sup>1</sup> While most of the organic material emissions of the proposed plant would be ethanol, the plant would also have emissions of organic compounds, such as acetaldehyde, formaldehyde and methanol, which are listed as hazardous air pollutants by Section 112(b) of the federal Clean Air Act.

<sup>2</sup> The draft permit would limit emissions from the source to less than the thresholds for a major source under the Clean Air Act Permit Program (CAAPP), e.g., annual emissions of 100 tons or more of an individual criteria pollutant, with a margin of compliance to assure that the actual emissions of this source are both enforceably and practically constrained to levels below those at which it would be a major source required to have a CAAPP permit.

emissions. Actual emissions of the plant would be less than these limits to the extent that the actual performance of the equipment is better than projected and the plant does not operate at its capacity.

In addition to stack emissions, the limits on the source's emission would address organic material emissions from leaking equipment components, such as valves, flanges, pressure relief devices, pump seals, etc., involved with fermentation and the subsequent handling of product ethanol. (These emissions would be minimized with a Leak Detection and Repair Program, with regular inspections of components for leaks and timely repairs of any leaking components.) The limits for particulate matter emissions also address fugitive dust generated by vehicle traffic and wind blown dust on roadways and parking lots at the source. (These emissions would be minimized by paving of plant roads and a Fugitive Dust Control Program.)

#### **IV. APPLICABLE EMISSION STANDARDS**

All emission units in Illinois must comply with State emission standards adopted by the Illinois Pollution Control Board (35 Illinois Administrative Code, Subtitle B, Chapter I, Subchapter c). These emission standards represent the basic requirements for units in Illinois. The emission units at the proposed ethanol plant should readily comply with applicable state emission standards.

Certain emissions units at the proposed plant would also be subject to the federal New Source Performance Standards (NSPS), at 40 CFR 60, which the Illinois EPA administers for source in Illinois on behalf of the United States EPA under a delegation agreement. These units include the boilers (40 CFR 60, Subpart Dc), product ethanol storage tanks (40 CFR 60, Subpart Kb) and component leaks in the distillation area (40 CFR 60, Subpart VV). These units should also readily comply with applicable NSPS standards and requirements.

#### **V. APPLICABLE REGULATORY PROGRAMS**

This plant is not considered a new major stationary source under the federal rules for Prevention of Significant Deterioration of Air Quality (PSD), 40 CFR 52.21. This is because the potential emissions from the proposed facility, as limited by the permit, would be less than the major source thresholds for PSD.

#### **VI. PROPOSED PERMIT**

The permit that the Illinois EPA is proposing to issue for the proposed plant includes a variety of requirements to ensure that the plant is properly constructed and operated. The permit contains limitations and requirements for the various operations at the plant to help assure that the source complies with applicable regulatory requirements. The permit also identifies measures that must be used as good air pollution control practices to minimize emissions.

The permit includes enforceable limits on emissions and operation to assure that this project would not be a major project subject to the PSD rules. In addition to limiting annual emissions of different operations, the permit also includes short-term limits on hourly emissions and requirements for proper operation of control systems. The permit also includes annual and monthly operational limitations on production of ethanol and feed and usage of grain natural gas.

The permit also establishes appropriate compliance procedures for the source, including requirements for emission testing, monitoring, recordkeeping, and reporting. These measures, which would be established by the permit to specifically address the proposed plant, are being imposed to assure that the operation and emissions of the source are accurately tracked to confirm compliance with all applicable requirements.

The performance of the principal control systems would have to be tested after the plant is built. The Fulton Ethanol would have to conduct operational monitoring and recordkeeping to confirm that the plant is properly operated and maintained on a continuing basis. These activities would be overseen by the Illinois EPA, which will review the various reports that the plant must submit and periodically conduct on-site inspections of the plant.

## **VII. REQUEST FOR COMMENTS**

It is the Illinois EPA's preliminary determination that the proposed project meets all applicable state and federal air pollution control requirements. The Illinois EPA is therefore proposing to issue this permit.

Comments are requested on this proposed action by the Illinois EPA and the proposed conditions of the draft permit.