



TABLE OF CONTENTS

	<u>PAGE</u>
1.0 SOURCE IDENTIFICATION	4
1.1 Source	
1.2 Owner/Parent Company	
1.3 Operator	
1.4 General Source Description	
2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT	5
3.0 INSIGNIFICANT ACTIVITIES	6
3.1 Identification of Insignificant Activities	
3.2 Compliance with Applicable Requirements	
3.3 Addition of Insignificant Activities	
4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE	8
5.0 OVERALL SOURCE CONDITIONS	9
5.1 Source Description	
5.2 Applicable Regulations	
5.3 Non-Applicability of Regulations of Concern	
5.4 Source-Wide Operational and Production Limits and Work Practices	
5.5 Source-Wide Emission Limitations	
5.6 General Recordkeeping Requirements	
5.7 General Reporting Requirements	
5.8 General Operational Flexibility/ Anticipated Operating Scenarios	
5.9 General Compliance Procedures	
6.0 EMISSION REDUCTION MARKET SYSTEM (ERMS)	15
6.1 Description of ERMS	
6.2 Applicability	
6.3 Obligation to Hold Allotment Trading Units (ATUs)	
6.4 Market Transaction	
6.5 Emission Excursion Compensation	
6.6 Quantification of Seasonal VOM Emissions	
6.7 Annual Account Reporting	
6.8 Allotment of ATUs to the Source	
6.9 Recordkeeping for ERMS	
6.10 Federal Enforceability	
6.11 Exclusions from Further Reductions	
7.0 UNIT SPECIFIC CONDITIONS	22
7.1 Units P1, P2, and P3 Flexographic Presses #1, #2, and #3 Control CO Catalytic Oxidizer	



1.0 SOURCE IDENTIFICATION

1.1 Source

Multifilm Packaging Corp.  
1040 North McLean Boulevard  
Elgin, Illinois 60121  
847/695-7600

I.D. No.: 089438AFL  
Standard Industrial Classification: 2759, Printing - Commercial

1.2 Owner/Parent Company

Multifilm Packaging Corp.  
1040 North McLean Boulevard  
Elgin, Illinois 60121

1.3 Operator

Multifilm Packaging Corp.  
1040 North McLean Boulevard  
Elgin, Illinois 60121

David Rohrschneider  
847/695-7600

1.4 General Source Description

Multifilm Packaging Corporation is located at 1040 North McLean Boulevard in Elgin. The source prints plastic film for food packaging.

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

ACMA	Alternative Compliance Market Account
Act	Illinois Environmental Protection Act [415 ILCS 5/1 et. seq.]
AP-42	Compilation of Air Pollution Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through E), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27717
ATU	Allotment Trading Unit
BAT	Best Available Technology
Btu	British thermal units
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CFR	Code of Federal Regulations
ERMS	Emission Reduction Market System
°F	degrees Fahrenheit
gal	gallons
HAP	Hazardous Air Pollutant
hr	hour
IAC	Illinois Administrative Code
I.D. No.	Identification Number of Source, assigned by Illinois EPA
Illinois EPA	Illinois Environmental Protection Agency
kg	kilogram
LAER	Lowest Achievable Emission Rate
lb	pound
MACT	Maximum Achievable Control Technology
Mft <sup>3</sup>	Million cubic feet
Mg	Megagrams
mmBtu	million British thermal units
mo	month
NESHAP	National Emission Standard for Hazardous Air Pollutants
NO <sub>x</sub>	Nitrogen Oxides
NSPS	New Source Performance Standard
PM	Particulate Matter
ppm	parts per million
PSD	Prevention of Significant Deterioration
SO <sub>2</sub>	Sulfur Dioxide
T	Ton
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit
T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
USEPA	United States Environmental Protection Agency
VOM	Volatile Organic Material
yr	Year

### 3.0 INSIGNIFICANT ACTIVITIES

#### 3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the Illinois EPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

Heat Cleaning Oven with Thermal Oxidizer

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

Corona Film Treaters

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

Direct combustion units designed and used for comfort heating purposes and fuel combustion emission units as follows: (A) Units with a rated heat input capacity of less than 2.5 mmBtu/hr that fire only natural gas, propane, or liquefied petroleum gas; (b) Units with a rated heat input capacity of less than 1.0 mmBtu/hr that fire only oil or oil in combination with only natural gas, propane, or liquefied petroleum gas; and (C) Units with a rated heat input capacity of less than 200,000 Btu/hr which never burn refuse, or treated or chemically contaminated wood [35 IAC 201.120(a)(4)].

Extruders used for the extrusion of metals, minerals, plastics, rubber, or wood, excluding extruders used in the manufacture of polymers, provided that volatile organic materials or Class I or II substances subject to the requirements of Title VI of the CAA are not used as foaming agents or release agents or were not used as foaming agents in the case of extruders processing scrap material [35 IAC 201.210(a)(5)].

- 3.1.4 Activities that are considered insignificant activities pursuant to 35 IAC 201.210(b).

#### 3.2 Compliance with Applicable Requirements

Insignificant activities are subject to applicable requirements notwithstanding status as insignificant activities. In particular, in addition to regulations of general applicability,

such as 35 IAC 212.301 and 212.123 (Condition 5.2.2), the Permittee shall comply with the following requirements, as applicable:

- 3.2.1 For each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, 218.182, or 219.182.
- 3.2.2 For each particulate matter process emission unit, the Permittee shall comply with the applicable particulate matter emission limit of 35 IAC 212.321 or 212.322. For example, the particulate matter emissions from a process emission unit shall not exceed 0.55 pounds per hour if the emission unit's process weight rate is 100 pounds per hour or less, pursuant to 35 IAC 266.110.
- 3.2.3 For each organic material emission unit that uses organic material, e.g., a mixer or printing line, the Permittee shall comply with the applicable VOM emission limit of 35 IAC 215.301, 218.301, or 219.301, which requires that organic material emissions not exceed 8.0 pounds per hour or do not qualify as photochemically reactive material as defined in 35 IAC 211.4690.

### 3.3 Addition of Insignificant Activities

- 3.3.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).
- 3.3.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.
- 3.3.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

Emission Unit	Description	Date Constructed	Emission Control Equipment
Press #1	Kidder Model 434 (Serial Number 4480) 36" Flexographic Press	July, 1992	Catalytic Oxidizer
Press #2	Kidder Model 434 (Serial Number 4366) 45" Flexographic Press	September, 1993	Catalytic Oxidizer
Press #3	Kidder Model 660 45" Flexographic Press	December, 1997	Catalytic Oxidizer
Mark Andy	Mark Andy Mini Press Model 830 (Serial Number 6844) Flexographic Printing Press	October, 2000	Catalytic Oxidizer

## 5.0 OVERALL SOURCE CONDITIONS

### 5.1 Source Description

- 5.1.1 This permit is issued based on the source requiring a CAAPP permit as a major source of VOM emissions.
- 5.1.2 This permit is issued based on the source not being a major source of HAPs.

### 5.2 Applicable Regulations

- 5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7 (Unit-Specific Conditions) of this permit.
- 5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:
  - a. No person shall cause or allow any emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.
  - b. The emission of smoke or other particulate matter from any emission unit shall not exceed an opacity of greater than 30 percent, except that opacity of greater than 30 percent but less than 60 percent shall be allowed for a period or periods aggregating 8 minutes in any 60 minute period provided that such opaque emissions permitted during any 60 minute period shall occur from only one such emission unit located within a 305 meter (1000 feet) radius from the center point of any other such emission unit owned or operated by the Permittee, and provided further that such opaque emissions permitted from each such emission unit shall be limited to 3 times in any 24 hour period, pursuant to 35 IAC 212.123 and 212.124.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.
- 5.2.3 The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

#### 5.2.4 Risk Management Plan

Should this stationary source, as defined in 40 CFR Section 68.3, become subject to the Accidental Release Prevention regulations in 40 CFR Part 68, then the owner or operator shall submit [40 CFR 68.215(a)(2)(i) and (ii)]:

- a. A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or
- b. A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan (RMP), as part of the annual compliance certification required by 40 CFR Part 70 or 71.

- 5.2.5
  - a. Should this stationary source become subject to a regulation under 40 CFR Parts 60, 61, or 63, or 35 IAC after the date issued of this permit, then the owner or operator shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by 40 CFR Part 70 or 71.
  - b. No later than upon the submittal for renewal of this permit, the owner or operator shall submit, as part of an application, the necessary information to address either the non-applicability of, or demonstrate compliance with all applicable requirements of any potentially applicable regulation which was promulgated after the date issued of this permit.

#### 5.2.6 Episode Action Plan

- a. If the source is required to have an episode action plan pursuant to 35 IAC 244.142, the Permittee shall maintain at the source and have on file with the Illinois EPA a written episode action plan (plan) for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The plan shall contain the information specified in 35 IAC 244.144.
- b. The Permittee shall immediately implement the appropriate steps described in this plan should an air pollution alert or emergency be declared.
- c. If a change occurs at the source which requires a revision of the plan (e.g., operational change, change in the source contact person), a copy of the revised plan shall be submitted to the Illinois EPA for review within 30 days of the change. Such plans shall be further revised if disapproved by the Illinois EPA.
- d. For sources required to have a plan pursuant to 35 IAC 244.142, a copy of the original plan and any subsequent revisions shall be sent to:
  - i. Illinois EPA, Compliance Section; and
  - ii. For sources located in Cook County and outside of the city of Chicago: Cook County Department of Environmental Control; or
  - iii. For sources located within the city of Chicago: Chicago Department of Environmental Control.

#### 5.3 Non-Applicability of Regulations of Concern

- 5.3.1 This permit is issued based on the source not being subject to the National Emission Standard for Hazardous Air Pollutants (NESHAP) for the Printing and Publishing Industry, 40 CFR 63 Subpart KK because the source is not a major source of HAPs.

#### 5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

## 5.5 Source-Wide Emission Limitations

### 5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. These limitations (Condition 5.5.1) are set for the purpose of establishing fees and are not federally enforceable.

#### Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Nitrogen Oxides (NO <sub>x</sub> )	---
Particulate Matter (PM)	---
Sulfur Dioxide (SO <sub>2</sub> )	---
Volatile Organic Material (VOM)	104.7
HAP, not included in VOM or PM	---
TOTAL	104.7

### 5.5.2 Emissions of Hazardous Air Pollutants

The emissions of HAPs from the source shall be less than 10 tons/year for each individual HAP and 25 tons/year for all HAPs combined. Compliance with these limits shall be based on a running total of 12 months of data, with emissions calculated using standard USEPA methodology, e.g., by appropriately summing the product of the weight percent of each HAP in the VOM emissions for each ink and the VOM emissions attributable to the printing or coating of paper.

This condition is being imposed at the request of the Permittee so that the source is not a major source of HAP emissions and the requirements of 40 CFR 63 Subpart KK - National Emission Standards for the Printing and Publishing Industry do not apply to the source.

### 5.5.3 Other Source-Wide Emission Limitations

Other source-wide emission limitations are not set for this source pursuant to either the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21, Illinois EPA rules for Major Stationary Sources Construction and Modification, 35 IAC Part 203, or Section 502(b)(10) of the CAA. However, there may be unit specific emission limitations set forth in Section 7 of this permit pursuant to these rules.

## 5.6 General Recordkeeping Requirements

### 5.6.1 Emission Records

The Permittee shall maintain records of the following items for the source to demonstrate compliance with Condition 5.5.1 pursuant to Section 39.5(7)(b) of the Act:

Total annual emissions on a calendar year basis for the emission units covered by Section 7 (Unit Specific Conditions) of this permit.

### 5.6.2 Records for HAP Emissions

The Permittee shall maintain records of the following items to verify that the source is not a major source for HAP emissions and therefore not subject to 40 CFR 63 Subpart KK and to quantify annual VOM emissions, so as to demonstrate compliance with the limits in Condition 5.5:

- a. Records of all required measurements and calculations needed to demonstrate the source uses:
  - i. Less than 9.1 Mg (10 tons) per each rolling 12 month period of each HAP at the source, including materials used for source categories or purposes other than printing and publishing; and
  - ii. Less than 22.7 Mg (25 tons) per each rolling 12 month period of any combination of HAP at the source including materials used for source categories of purposes other than printing and publishing.
- b. Records maintained on a monthly basis for the previous month:
  - i. The mass of all HAP containing materials used on a monthly basis; and
  - ii. The mass fraction of HAP present in each HAP containing material used on a monthly basis.

### 5.6.3 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified by the particular recordkeeping provision herein), shall be kept at a location at the source that is readily accessible to the Illinois EPA or USEPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.

- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in response to an Illinois EPA or USEPA request for records during the course of a source inspection.

## 5.7 General Reporting Requirements

### 5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of noncompliance with the permit requirements as follows pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

Annual emissions from the source in excess of the emission limits specified in Condition 5.5.1 based on the current month's records plus the preceding 11 months within 30 days of such an occurrence.

### 5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year.

### 5.7.3 Annual Reporting of HAP Emissions

The Permittee shall submit an annual report to the Illinois EPA, Compliance Section, on HAP emissions from the source, including the following information, so as to demonstrate whether the source is being operated as a non-major source of HAP emissions. This report shall be submitted with the Annual Emissions Report required pursuant to Conditions 5.7.2 and 9.7.

- a. The annual emissions of individual HAPs for each month of the previous calendar year sufficient to demonstrate compliance with the 12 month running total of Condition 5.5.2, tons/year (e.g., for the month of January, the emissions from February of the preceding year through January, for the month of February, the emissions from March of the preceding calendar year through February, 12 months in all); and
- b. The total emissions of all HAPs combined for each month of the previous calendar year sufficient to demonstrate compliance with the 12 month running total of Condition 5.5.2, tons/year (e.g., for the month of January, the emissions from February of the

preceding year through January, for the month of February, the emissions from March of the preceding calendar year through February, 12 months in all).

5.8 General Operational Flexibility/Anticipated Operating Scenarios

N/A

5.9 General Compliance Procedures

N/A

## 6.0 EMISSION REDUCTION MARKET SYSTEM (ERMS)

### 6.1 Description of ERMS

The ERMS is a "cap and trade" market system for major stationary sources located in the Chicago ozone nonattainment area. It is designed to reduce VOM emissions from stationary sources to contribute to reasonable further progress toward attainment, as required by Section 182(c) of the CAA.

The ERMS addresses VOM emissions during a seasonal allotment period from May 1 through September 30. Participating sources must hold "allotment trading units" (ATUs) for their actual seasonal VOM emissions. Each year participating sources are issued ATUs based on allotments set in the sources' CAAPP permits. These allotments are established from historical VOM emissions or "baseline emissions" lowered to provide the emissions reductions from stationary sources required for reasonable further progress.

By December 31 of each year, the end of the reconciliation period following the seasonal allotment period, each source shall have sufficient ATUs in its transaction account to cover its actual VOM emissions during the preceding season. A transaction account's balance as of December 31 will include any valid ATU transfer agreements entered into as of December 31 of the given year, provided such agreements are promptly submitted to the Illinois EPA for entry into the transaction account database. The Illinois EPA will then retire ATUs in sources' transaction accounts in amounts equivalent to their seasonal emissions. When a source does not appear to have sufficient ATUs in its transaction account, the Illinois EPA will issue a notice to the source to begin the process for Emissions Excursion Compensation.

In addition to receiving ATUs pursuant to their allotments, participating sources may also obtain ATUs from the market, including ATUs bought from other participating sources and general participants in the ERMS that hold ATUs (35 IAC 205.630) and ATUs issued by the Illinois EPA as a consequence of VOM emissions reductions from an Emissions Reduction Generator or an Intersector Transaction (35 IAC 205.500 and 35 IAC 205.510). During the reconciliation period, sources may also buy ATUs from a secondary reserve of ATUs managed by the Illinois EPA, the "Alternative Compliance Market Account" (ACMA) (35 IAC 205.710). Sources may also transfer or sell the ATUs that they hold to other sources or participants (35 IAC 205.630).

### 6.2 Applicability

This source is considered a "participating source" for purposes of the ERMS, 35 IAC Part 205.

### 6.3 Obligation to Hold Allotment Trading Units (ATUs)

- a. Pursuant to 35 IAC 205.150(c)(1) and 35 IAC 205.720, and as further addressed by Condition 6.8, as of December 31 of each year, this source shall hold ATUs in its account in an amount not less than the ATU equivalent of its VOM emissions during the preceding seasonal allotment period (May 1 - September 30), not including VOM emissions from the following, or the source shall be subject to "emissions excursion compensation," as described in Condition 6.5.
  - i. VOM emissions from insignificant emission units and activities as identified in Section 3 of this permit, in accordance with 35 IAC 205.220;
  - ii. Excess VOM emissions associated with startup, malfunction, or breakdown of an emission unit as authorized in Section 7.0 of this permit, in accordance with 35 IAC 205.225;
  - iii. Excess VOM emissions to the extent allowed by a Variance, Consent Order, or Compliance Schedule, in accordance with 35 IAC 205.320(e)(3);
  - iv. Excess VOM emissions that are a consequence of an emergency as approved by the Illinois EPA, pursuant to 35 IAC 205.750; and
  - v. VOM emissions from certain new and modified emission units as addressed by Condition 6.8(b), if applicable, in accordance with 35 IAC 205.320(f).
- b. Notwithstanding the above condition, in accordance with 35 IAC 205.150(c)(2), if a source commences operation of a major modification, pursuant to 35 IAC Part 203, the source shall hold ATUs in an amount not less than 1.3 times its seasonal VOM emissions attributable to such major modification during the seasonal allotment period, determined in accordance with the construction permit for such major modification or applicable provisions in Section 7.0 of this permit.

### 6.4 Market Transaction

- a. The source shall apply to the Illinois EPA for and obtain authorization for a Transaction Account prior to conducting any market transactions, as specified at 35 IAC 205.610(a).
- b. The Permittee shall promptly submit to the Illinois EPA any revisions to the information submitted for its Transaction Account, pursuant to 35 IAC 205.610(b).

- c. The source shall have at least one account officer designated for its Transaction Account, pursuant to 35 IAC 205.620(a).
- d. Any transfer of ATUs to or from the source from another source or general participant must be authorized by a qualified Account Officer designated by the source and approved by the Illinois EPA, in accordance with 35 IAC 205.620, and the transfer must be submitted to the Illinois EPA for entry into the Transaction Account database.

#### 6.5 Emission Excursion Compensation

Pursuant to 35 IAC 205.720, if the source fails to hold ATUs in accordance with Condition 6.3, it shall provide emissions excursion compensation in accordance with the following:

- a. Upon receipt of an Excursion Compensation Notice issued by the Illinois EPA, the source shall purchase ATUs from the ACMA in the amount specified by the notice, as follows:
  - i. The purchase of ATUs shall be in an amount equivalent to 1.2 times the emissions excursion; or
  - ii. If the source had an emissions excursion for the seasonal allotment period immediately before the period for the present emissions excursion, the source shall purchase ATUs in an amount equivalent to 1.5 times the emissions excursion.
- b. If requested in accordance with paragraph (c) below or in the event that the ACMA balance is not adequate to cover the total emissions excursion amount, the Illinois EPA will deduct ATUs equivalent to the specified amount or any remaining portion thereof from the ATUs to be issued to the source for the next seasonal allotment period.
- c. Pursuant to 35 IAC 205.720(c), within 15 days after receipt of an Excursion Compensation Notice, the owner or operator may request that ATUs equivalent to the amount specified be deducted from the source's next seasonal allotment by the Illinois EPA, rather than purchased from the ACMA.

#### 6.6 Quantification of Seasonal VOM Emissions

- a. The methods and procedures specified in Sections 5 and 7 of this permit for determining VOM emissions and compliance with VOM emission limitations shall be used for determining seasonal VOM emissions for purposes of the ERMS, with the following exceptions [35 IAC 205.315(b)]:

No exceptions

- b. The Permittee shall report emergency conditions at the source to the Illinois EPA, in accordance with 35 IAC 205.750, if the Permittee intends to deduct VOM emissions in excess of the technology-based emission rates normally achieved that are attributable to the emergency from the source's seasonal VOM emissions for purposes of the ERMS. These reports shall include the information specified by 35 IAC 205.750(a), and shall be submitted in accordance with the following:
  - i. An initial emergency conditions report within two days after the time when such excess emissions occurred due to the emergency; and
  - ii. A final emergency conditions report, if needed to supplement the initial report, within 10 days after the conclusion of the emergency.

#### 6.7 Annual Account Reporting

- a. For each year in which the source is operational, the Permittee shall submit, as a component of its Annual Emissions Report, seasonal VOM emissions information to the Illinois EPA for the seasonal allotment period. This report shall include the following information [35 IAC 205.300]:
  - i. Actual seasonal emissions of VOM from the source;
  - ii. A description of the methods and practices used to determine VOM emissions, as required by this permit, including any supporting documentation and calculations;
  - iii. A detailed description of any monitoring methods that differ from the methods specified in this permit, as provided in 35 IAC 205.337;
  - iv. If a source has experienced an emergency, as provided in 35 IAC 205.750, the report shall reference the associated emergency conditions report that has been approved by the Illinois EPA;
  - v. If a source's baseline emissions have been adjusted due to a Variance, Consent Order, or CAAPP permit Compliance Schedule, as provided for in 35 IAC 205.320(e)(3), the report shall provide documentation quantifying the excess VOM emissions during the season that were allowed by the Variance, Consent Order, or Compliance Schedule, in accordance with 35 IAC 205.320(e)(3); and

vi. If a source is operating a new or modified emission unit for which three years of operational data is not yet available, as specified in 35 IAC 205.320(f), the report shall specify seasonal VOM emissions attributable to the new emission unit or the modification of the emission unit.

b. This report shall be submitted by October 31 of each year, for the preceding seasonal allotment period.

#### 6.8 Allotment of ATUs to the Source

a. i. The allotment of ATUs to this source is 69 ATUs per seasonal allotment period.

ii. This allotment of ATUs reflects the Illinois EPA's determination that the source's baseline emissions were 7.7366 tons per season.

This determination includes adjustment to actual emissions to account for non-compliance with requirements effective through 1996 that became applicable after the year selected as baseline year at the source, e.g., 35 IAC 218.401(c)(4)(C), pursuant to 35 IAC 205.320(e)(2) as further addressed in Section 7 of this permit.

iii. The source's allotment reflects 88% of the baseline emissions (12% reduction), except for the VOM emissions from specific emission units excluded from such reduction, pursuant to 35 IAC 205.405, including units complying with MACT or using BAT, as identified in Condition 6.11 of this permit.

iv. ATUs will be issued to the source's Transaction Account by the Illinois EPA annually. These ATUs will be valid for the seasonal allotment following issuance and, if not retired in this season, the next seasonal allotment period.

v. Condition 6.3(a) becomes effective beginning in the seasonal allotment period following the initial issuance of ATUs by the Illinois EPA into the Transaction Account for the source.

b. Contingent Allotments for New or Modified Emission Units

The source was issued a construction permit prior to January 1, 1998 for the following new or modified emission units for which three years of operational data is not yet available:

Emission Unit	Construction Permit No.	Date Issued	Maximum Available Allotment	Explanation of Maximum Allotment
36" and 45" Flexographic Presses	97110027	November 26, 1997	6.33 tons per season	5/12 annual permitted emissions.

In accordance with 35 IAC 205.310(h) and 35 IAC 205.320(f), the source shall submit a written request for, or an application for, a revised emissions baseline and allotment which address these emission units by December 1 of the year of the third complete seasonal allotment period in which each such newly constructed or modified emission unit is operational. Such submittal shall include information from the affected emission units on the seasonal emissions for these first three seasonal allotment periods.

- c. Notwithstanding the above, part or all of the above ATUs will not be issued to the source in circumstances as set forth in 35 IAC Part 205, including:
  - i. Transfer of ATUs by the source to another participant or the ACMA, in accordance with 35 IAC 205.630;
  - ii. Deduction of ATUs as a consequence of emissions excursion compensation, in accordance with 35 IAC 205.720; and
  - iii. Transfer of ATUs to the ACMA, as a consequence of shutdown of the source, in accordance with 35 IAC 205.410.

#### 6.9 Recordkeeping for ERMS

The Permittee shall maintain copies of the following documents as its Compliance Master File for purposes of the ERMS [35 IAC 205.700(a)]:

- a. Seasonal component of the Annual Emissions Report;
- b. Information on actual VOM emissions, as specified in detail in Sections 5 and 7 of this permit and Condition 6.6(a); and
- c. Any transfer agreements for the purchase or sale of ATUs and other documentation associated with the transfer of ATUs.

#### 6.10 Federal Enforceability

Section 6 becomes federally enforceable upon approval of the ERMS by USEPA as part of Illinois' State Implementation Plan.

## 6.11 Exclusions from Further Reductions

- a. VOM emissions from the following emission units shall be excluded from the VOM emissions reductions requirements specified in 35 IAC 205.400(c) and (e) as long as such emission units continue to satisfy the following [35 IAC 205.405(a)]:
- i. Emission units that comply with any NESHAP or MACT standard promulgated pursuant to the CAA;
  - ii. Direct combustion emission units designed and used for comfort heating purposes, fuel combustion emission units, and internal combustion engines; and
  - iii. An emission unit for which a LAER demonstration has been approved by the Illinois EPA on or after November 15, 1990.

The source has demonstrated in its ERMS application and the Illinois EPA has determined that the following emission units qualify for exclusion from further reductions because they meet the criteria as indicated above [35 IAC 205.405(a) and (c)]:

None

- b. VOM emissions from emission units using BAT for controlling VOM emissions shall not be subject to the VOM emissions reductions requirement specified in 35 IAC 205.400(c) or (e) as long as such emission unit continues to use such BAT [35 IAC 205.405(b)].

The source has demonstrated in its ERMS application and the Illinois EPA has determined that the following emission units qualify for exclusion from further reductions because these emission units use BAT for controlling VOM emissions as indicated above [35 IAC 205.405(b) and (c)]:

None

7.0 UNIT SPECIFIC CONDITIONS

7.1 Units P1, P2, and P3 Flexographic Printing Presses #1, #2, #3, and Mark Andy Control CO Catalytic Oxidizer

7.1.1 Description

Flexographic presses are used to print packaging for the food industry and other printed materials. Emissions of volatile organic material (VOM) result from the use of printing-related materials such as inks, and cleaning solvents. Exhaust fumes from printing presses will be directed to the catalytic oxidizer, through a blower to the combustion section where VOM oxidization begins resulting in the destruction of VOM. Natural gas is the fuel used in the press dryers and the catalytic oxidizer. Emissions of NO<sub>x</sub>, PM, SO<sub>2</sub>, and VOM result from the combustion of these fuels.

7.1.2 List of Emission Units and Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
Press #1	Kidder Model 434 (Serial Number 4480) 36" Flexographic Press	Catalytic Oxidizer
Press #2	Kidder Model 434 (Serial Number 4366) 45" Flexographic Press	Catalytic Oxidizer
Press #3	Kidder Model 660 45" Flexographic Press	Catalytic Oxidizer
Mark Andy	Mark Andy Mini Press Model 830 (Serial Number 6844) Flexographic Printing Press	Catalytic Oxidizer

7.1.3 Applicability Provisions and Applicable Regulations

- a. Each printing press is an "affected printing line" for purposes of these unit-specific conditions.
- b. Each affected printing lines is subject to the emission limits identified in Condition 5.2.2.
- c. The affected printing lines are subject to 35 IAC 212.321(a), which provides that:
  - i. No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises,

exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.321 (see also Attachment 1) [35 IAC 212.321(a)].

- ii. Because the expected process weight rate for each affected printing line is less than 100 pounds per hour, the allowable PM emission rate for each affected printing line set by 35 IAC 212.321 is 0.55 pounds per hour.
- d. No person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission unit to exceed 2000 ppm [35 IAC 214.301].
- e. Pursuant to 35 IAC 218.401(c), no owner or operator of a subject flexographic, packaging rotogravure or publication rotogravure printing line equipped with a capture system and control device shall operate the subject printing line unless:
  - i. An incineration system is used which reduces the captured VOM emissions by at least 90 percent by weight [35 IAC 218.401(c)(2)];
  - ii. The printing line is equipped with a capture system and control device that provides an overall reduction in VOM emissions of at least 60 percent where a flexographic printing line is employed [35 IAC 218.401(c)(4)(C)];
  - iii. The control device is equipped with the applicable monitoring equipment specified in Condition 7.1.8 (see also 35 IAC 218.105(d)(2)), the monitoring equipment is installed, calibrated, operated and maintained according to vendor specifications at all times the control device is in use [35 IAC 218.401(c)(5)]; and
  - iv. The capture system and control device are operated at all times when the subject printing line is in operation. The owner or operator shall demonstrate compliance with this condition by using the applicable capture system and control device test methods and procedures specified in Condition 7.1.7(c) (see also 35 IAC 218.105(c) through 218.105(f)) and by complying with the recordkeeping and reporting requirements specified in Conditions 7.1.9 and 7.1.10 (see also 35 IAC 218.404(e)) [35 IAC 218.401(c)(6)].

7.1.4 Non-Applicability of Regulations of Concern

- a. The affected printing lines are not subject to 35 IAC 218.301, Use of Organic Material, pursuant to 35 IAC 218.402(b), which excludes the affected printing lines from these requirements.
- b. The affected printing lines are not subject to 35 IAC 218.204(c), Coating Operations/Paper Coating, as the paper coating limitation does not apply to a line on which printing is performed which complies with the emission limitations in 35 IAC 218.401 [35 IAC 218.204(c)].

7.1.5 Operational and Production Limits and Work Practices

- a. The afterburner shall be in operation at all time when the associated emission unit(s) is in operation and emitting air contaminants
- b. The afterburner combustion chamber shall be preheated to at least the manufacturer's recommended temperature but no less than the temperature at which compliance was demonstrated in the most recent compliance test, or 1400°F in the absence of a compliance test. This temperature shall be maintained during operation of the affected printing lines.
- c. The Permittee shall follow good operating practices for the afterburner, including periodic inspection, routine maintenance and prompt repair of defects.
- d. Each affected printing line shall only be operated with natural gas as the fuel in the press dryers.

7.1.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected printing lines are subject to the following:

- a. i. Emissions and operation of the 36" Kidder Model 434 flexographic press (Press #1) and the 45" Kidder Model 434 flexographic press (Press #2) shall not exceed the following limits:

VOM Usage		Overall	VOM	
(lb/mo)	(T/yr)	Reduction	(lb/mo)	(T/yr)
31,250	175	60%	12,500	70

These limits are based on the maximum VOM usage, the maximum VOM contents of the ink and solvent, a minimum reduction of VOM from the capture and control specified by 35 IAC 218.401(c)(4)(C).

ii. The above limitations contain revisions to previously issued Permit 97110027. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of this aforementioned permit, consistent with the information provided in the CAAPP application. The source has requested these revisions and has addressed the applicability and compliance of Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits continue to ensure that the construction and/or modification addressed in this permit does not constitute a new major source or major modification pursuant to these rules. These limits are the primary enforcement mechanism for the equipment and activities permitted in this permit and the information in the CAAPP application contains the most current and accurate information for the source. Specifically, the ink and solvent usage limits have been combined into a "VOM Usage" limit for these presses [T1R].

b. i. Emissions and operation of the 45" Kidder Model 660 flexographic press (Press #3) shall not exceed the following limits:

VOM Usage		Overall	VOM	
(lb/mo)	(T/yr)	VOM Reduction	Emissions (lb/mo)	(T/yr)
6,314.8	37.89	80%	1,263	7.59

These limits are based on the maximum VOM usage, the maximum VOM contents of the ink and solvent, a minimum reduction of VOM from the capture and control system, and maximum operation of 8,760 hours per year.

ii. The above limitations contain revisions to previously issued Permit 97110027. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of this aforementioned permit, consistent with the information provided in the CAAPP application.

The source has requested these revisions and has addressed the applicability and compliance of Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits continue to ensure that the construction and/or modification addressed in this permit does not constitute a new major source or major modification pursuant to these rules. These limits are the primary enforcement mechanism for the equipment and activities permitted in this permit and the information in the CAAPP application contains the most current and accurate information for the source. Specifically, the ink and solvent usage limits have been combined into a "VOM Usage" limit for this press [T1R].

- c. i. Emissions and operation of the Mark Andy press shall not exceed the following limits:

VOM Usage		Overall	VOM Emissions	
<u>(lb/mo)</u>	<u>(ton/yr)</u>	<u>VOM Reduction</u>	<u>lb/mo</u>	<u>ton/yr</u>
1,500	7.24	60%	600	2.9

These limits are based on the maximum VOM usage, the maximum VOM contents of the ink and solvent, and the minimum reduction of VOM from the capture and control system specified by 35 IAC 218.401(c)(4)(C).

- ii. The above limitations were established in Permit 00090059, pursuant to 35 IAC Part 203. These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically 35 IAC Part 203 [T1].
- d. Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

7.1.7 Testing Requirements

Testing for VOM content of inks and other printing materials and the efficiency of each capture system and control device shall be performed as follows [35 IAC 218.105, 218.404(a), and Section 39.5(7)(b) of the Act]:

- a. The VOM content of each coating and the efficiency of each capture system and control device shall be determined by the applicable test methods and procedures specified in 35 IAC 218.105 to establish the records required under Condition 7.1.9(c) (see also 35 IAC 218.404) [35 IAC 218.404(a)].
- b. Upon reasonable request by the Illinois EPA, pursuant to Section 39.5(7)(b) of the Act, the VOM content of specific coatings and cleaning solvents used on the affected coating line shall be determined as follows:
  - i. The VOM content of representative coatings "as applied" on the affected coating line shall be determined according to USEPA Reference Methods 24 and 24A of 40 CFR 60 Appendix A and the procedures of 35 IAC 218.105(a).
  - ii. This testing may be performed by the supplier of a material provided that the supplier provides appropriate documentation for such testing to the Permittee and the Permittee's records pursuant to Condition 7.1.9(g) directly reflect the application of such material and separately account for any additions of solvent.

#### 7.1.8 Monitoring Requirements

An owner or operator that uses an afterburner to comply with any Section of 35 IAC Part 218 shall use Illinois EPA and USEPA approved continuous monitoring equipment which is installed, calibrated, maintained, and operated according to vendor specifications at all times the afterburner is in use. The continuous monitoring equipment must monitor for each afterburner which has a catalyst bed, commonly known as a catalytic afterburner, the temperature rise across each catalytic afterburner bed or VOM concentration of exhaust [35 IAC 218.105(d)(2)(A)(ii)].

#### 7.1.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for each affected printing line to demonstrate compliance with Conditions 5.5.1, 7.1.3, 7.1.5 and 7.1.6 pursuant to Section 39.5(7)(b) of the Act:

- a. Records of the testing of VOM content of coatings and cleaning solvents pursuant to Condition 7.1.7(a) or (b), which include the following [Section 39.5(7)(e) of the Act]:

- i. Identification of material tested;
  - ii. Results of analysis;
  - iii. Documentation of analysis methodology; and
  - iv. Person performing analysis.
- b. Records of the testing of the efficiency of each capture system and control device pursuant to Condition 7.1.7(c), which include the following [Section 39.5(7)(e) of the Act]:
  - i. The date, place and time of sampling or measurements;
  - ii. The date(s) analyses were performed;
  - iii. The company or entity that performed the analyses;
  - iv. The analytical techniques or methods used;
  - v. The results of such analyses; and
  - vi. The operating conditions as existing at the time of sampling or measurement.
- c. Pursuant to 35 IAC 218.404(d)(2), any owner or operator of a printing line subject to the limitations of 35 IAC 218.401 and complying by means of 35 IAC 218.401(c) shall collect and record all of the following information each day for each printing line and maintain the information at the source for a period of three years:
  - i. Control device monitoring data;
  - ii. A log of operating time for the capture system, control device, monitoring equipment and the associated printing line; and
  - iii. A maintenance log for the capture system, control device and monitoring equipment detailing all routine and non-routine maintenance performed including dates and duration of any outages.
- d. Records addressing use of good operating practices for the catalytic oxidizer:
  - i. Records for periodic inspection of the catalytic oxidizer with date, individual

performing the inspection, and nature of inspection; and

- ii. Records for prompt repair of defects, with identification and description of defect, effect on emissions, date identified, date repaired, and nature of repair.
- e. Ink usage for Press #1 and Press #2, lb/mo and ton/yr;
- f. Solvent usage for Press #1 and Press #2, lb/mo and ton/yr;
- g. Ink usage for Press #3, lb/mo and ton/yr;
- h. Solvent usage for Press #3, lb/mo and ton/yr;
- i. Ink usage for the Mark Andy press, lb/mo and ton/yr;
- j. The VOM content of the inks used on each of the affected printing lines, % by Wt;
- k. Total VOM usage for Press #1 and Press #2, lb/mo and ton/yr;
- l. Total VOM usage for Press #3, lb/mo and ton/yr;
- m. Total VOM usage for the Mark Andy press , lb/mo and ton/yr;
- n. Records of the fuel usage for the affected printing lines, Mft<sup>3</sup>/mo and Mft<sup>3</sup>/yr;
- o. The monthly and aggregate annual VOM emissions from Press #1 and Press #2 based on the VOM usage and the catalytic oxidizer efficiency, with supporting calculations;
- p. The monthly and aggregate annual VOM emissions from Press #3 based on the VOM usage and the catalytic oxidizer efficiency, with supporting calculations;
- q. The monthly and aggregate annual VOM emissions from the Mark Andy press based on the VOM usage and the catalytic oxidizer efficiency, with supporting calculations; and
- r. The monthly and aggregate annual NO<sub>x</sub>, PM, SO<sub>2</sub>, and VOM emissions from the affected printing lines shall be maintained, based on fuel usage and the applicable emission factors, with supporting calculations.

#### 7.1.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of noncompliance of an affected printing lines with the permit requirements as follows pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. Pursuant to 35 IAC 218.404(e)(3)(A), the owner or operator of a subject printing line shall notify the Illinois EPA of any record showing violation of Condition 7.1.3(d) (see also 35 IAC 218.401(c)), and shall be reported by sending a copy of such record to the Agency within 30 days following the occurrence of the violation.
- b. Continued operation of the affected printing lines with a defect in the catalytic oxidizer that may result in emissions of VOM in excess of limits in Conditions 7.1.3(d) and/or 7.1.6 within 30 days of such an occurrence.
- c. Emissions of VOM or VOM usage in excess of the limits in Condition 7.1.6 based on the current month's records plus the preceding 11 months within 30 days of such an occurrence.

#### 7.1.11 Operational Flexibility/Anticipated Operating Scenarios

The Permittee is authorized to make the following physical or operational change with respect to the affected printing lines without prior notification to the Illinois EPA or revision of this permit. This condition does not affect the Permittee's obligation to properly obtain a construction permit in a timely manner for any activity constituting construction or modification of the source, as defined in 35 IAC 201.102:

- a. Usage of inks, coatings, or cleaning solvents at this source, provided that the Permittee continues to comply with the Conditions 7.1.3(e) and 7.1.6 of this permit.
- b. Use of low VOM or water based inks or cleaning solvents.
- c. Use of ultraviolet or water-based coatings.

#### 7.1.12 Compliance Procedures

Compliance with the emission limits shall be based on the recordkeeping requirements in Condition 7.1.9 and the emission factors and formulas listed below:

- a. Compliance with Condition 7.1.3(e) is assumed by proper operation of the catalytic oxidizer, as addressed by Condition 7.1.5.
- b. Compliance with Conditions 7.1.3(c) and (d) is assured by the work-practices inherent in operation of a natural gas-fired drying oven.
- c. To determine compliance with Condition 5.5.1 and 7.1.6, VOM usage and emissions from the affected printing lines shall be calculated based on the following:

- i. VOM Usage:

$$\text{VOM (lb)} = \{(\text{Ink or Coating Usage, lb}) \times [\text{VOM Content of Ink or Coating, (\% by wt/100)}]\} + (\text{Solvent Usage, lb})$$

- ii. VOM Emissions:

$$\text{VOM (lb)} = (\text{VOM Usage, lb}) \times [1 - (\text{Catalytic Oxidizer Efficiency* (\%)/100})]$$

- \* As specified by manufacturer or vendor of catalytic oxidizer or by testing pursuant to Condition 7.1.7

- d. To determine compliance with Condition 5.5.1, natural gas combustion emissions from the dryers of affected printing lines shall be calculated based on the following emission factors and formulas:

<u>Pollutant</u>	Natural Gas Emission Factor (lb/Mft <sup>3</sup> )
NO <sub>x</sub>	100
PM	7.6
SO <sub>2</sub>	0.6
VOM	5.5

These are the emission factors for uncontrolled natural gas combustion in small boilers (< 100 mmBtu/hr), Tables 1.4-1 and 1.4-2, AP-42, Volume I, Fifth Edition, Supplement D, March, 1998.

Natural Gas Combustion Emissions (lb) = (natural gas consumed, Mft<sup>3</sup>) x (the appropriate emission factor, lb/Mft<sup>3</sup>)

## 8.0 GENERAL PERMIT CONDITIONS

### 8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after May 27, 1998 (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

### 8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

### 8.3 Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement [Section 39.5(7)(o)(vii) of the Act].

### 8.4 Operational Flexibility/Anticipated Operating Scenarios

#### 8.4.1 Changes Specifically Addressed by Permit

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

#### 8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes without applying for or obtaining an amendment to this permit, provided that the changes do not constitute a modification under Title I of the CAA, emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change and the Permittee provides written

notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change [Section 39.5(12)(a) of the Act]. This notice shall:

- a. Describe the physical or operational change;
- b. Identify the schedule for implementing the physical or operational change;
- c. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
- d. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
- e. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

#### 8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.

#### 8.6 Reporting Requirements

##### 8.6.1 Monitoring Reports

If monitoring is required by any applicable requirements or conditions of this permit, a report summarizing the required monitoring results, as specified in the conditions of this permit, shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows [Section 39.5(7)(f) of the Act]:

<u>Monitoring Period</u>	<u>Report Due Date</u>
January - June	September 1
July - December	March 1

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

#### 8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);
- b. The person(s) who will be performing sampling and analysis and their experience with similar tests;
- c. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;
- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;
- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with justification; and
- g. Any proposed use of an alternative test method, with detailed justification.

#### 8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;

- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;
- g. The operating conditions at the time of the sampling or measurements; and
- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

#### 8.6.4 Reporting Addresses

- a. The following addresses should be utilized for the submittal of reports, notifications, and renewals:
  - i. Illinois EPA - Air Compliance Section
    - Illinois Environmental Protection Agency (MC 40)
    - Bureau of Air
    - Compliance Section
    - P.O. Box 19276
    - Springfield, Illinois 62794-9276
  - ii. Illinois EPA - Air Regional Field Office
    - Illinois Environmental Protection Agency
    - Division of Air Pollution Control
    - 9511 West Harrison
    - Des Plaines, Illinois 60016
  - iii. Illinois EPA - Air Permit Section (MC 11)
    - Illinois Environmental Protection Agency
    - Division of Air Pollution Control
    - Permit Section
    - P.O. Box 19506
    - Springfield, Illinois 62794-9506
  - iv. USEPA Region 5 - Air Branch
    - USEPA (AR - 17J)
    - Air & Radiation Division
    - 77 West Jackson Boulevard
    - Chicago, Illinois 60604
- b. Unless otherwise specified in the particular provision of this permit, reports shall be sent to

the Illinois EPA - Air Compliance Section with a copy sent to the Illinois EPA - Air Regional Field Office.

8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

## 9.0 STANDARD PERMIT CONDITIONS

### 9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

### 9.2 General Obligations of Permittee

#### 9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(p)(ii) of the Act]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control

equipment), practices, or operations regulated or required under this permit;

- d. Sample or monitor any substances or parameters at any location:
  - i. At reasonable times, for the purposes of assuring permit compliance; or
  - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source.

#### 9.4 Obligation to Comply With Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

#### 9.5 Liability

##### 9.5.1 Title

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

##### 9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or resulting from the construction, maintenance, or operation of the sources.

##### 9.5.3 Structural Stability

This permit does not take into consideration or attest to the structural stability of any unit or part of the source.

##### 9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of the source.

#### 9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7)(o)(iv) of the Act].

### 9.6 Recordkeeping

#### 9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

#### 9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions resulting from those changes [Section 39.5(12)(b)(iv) of the Act].

#### 9.6.3 Retention of Records

- a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7)(e)(ii) of the Act].
- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a particular permit provision.

### 9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

### 9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7)(p)(v) of the Act, the Permittee shall submit compliance certifications annually or more frequently as specified in the applicable requirement or by permit condition.

- a. The certifications shall include descriptions of means to monitor the compliance of the source including emissions limitations, standards, and work practices in accordance with applicable requirements and permit conditions. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9.

#### 9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

#### 9.10 Defense to Enforcement Actions

##### 9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

##### 9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
  - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency. Normally, an act of God such as lightning or flood is considered an emergency;
  - ii. The permitted source was at the time being properly operated;

- iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
  - iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

#### 9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

#### 9.12 Reopening and Reissuing Permit for Cause

##### 9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

##### 9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15)(a) of the Act]:

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;

- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

#### 9.12.3 Inaccurate Application

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15)(b) of the Act.

#### 9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7)(o)(v) of the Act].

#### 9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force [Section 39.5(7)(i) of the Act].

#### 9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration.

The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5)(1), (n), and (o) of the Act].

10.0 ATTACHMENTS

10.1 Attachment 1 Emissions of Particulate Matter from New Process Emission Units

10.1.1 Process Emission Units for Which Construction or Modification Commenced On or After April 14, 1972

- a. No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.321 [35 IAC 212.321(a)].
- b. Interpolated and extrapolated values of the data in subsection (c) of 35 IAC 212.321 shall be determined by using the equation [35 IAC 212.321(b)]:

$$E = A(P)^B$$

Where:

P = Process weight rate; and  
 E = Allowable emission rate; and,

- i. Up to process weight rates of 408 Mg/hr (450 T/hr):

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lb/hr
A	1.214	2.54
B	0.534	0.534

- ii. For process weight rate greater than or equal to 408 Mg/hr (450 T/hr):

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lb/hr
A	11.42	24.8
B	0.16	0.16

- c. Limits for Process Emission Units For Which Construction or Modification Commenced On or After April 19, 1972 [35 IAC 212.321(c)]:

Metric		English	
P	E	P	E

Mg/hr	kg/hr	T/hr	lb/hr
0.05	0.25	0.05	0.55
0.1	0.29	0.10	0.77
0.2	0.42	0.2	1.10
0.3	0.64	0.30	1.35
0.4	0.74	0.40	1.58
0.5	0.84	0.50	1.75
0.7	1.00	0.75	2.40
0.9	1.15	1.00	2.60
1.8	1.66	2.00	3.70
2.7	2.1	3.00	4.60
3.6	2.4	4.00	5.35
4.5	2.7	5.00	6.00
9.0	3.9	10.00	8.70
13.0	4.8	15.00	10.80
18.0	5.7	20.00	12.50
23.0	6.5	25.00	14.00
27.0	7.1	30.00	15.60
32.0	7.7	35.00	17.00
36.0	8.2	40.00	18.20
41.0	8.8	45.00	19.20
45.0	9.3	50.00	20.50
90.0	13.4	100.00	29.50
140.0	17.0	150.00	37.00
180.0	19.4	200.00	43.00
230.0	22.0	250.00	48.50
270.0	24.0	300.00	53.00
320.0	26.0	350.00	58.00
360.0	28.0	400.00	62.00
408.0	30.1	450.00	66.00
454.0	30.4	500.00	67.00

10.2 Attachment 2 Example Certification by a Responsible Official

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Official Title: \_\_\_\_\_

Telephone No.: \_\_\_\_\_

Date Signed: \_\_\_\_\_

RWB:psj

217/782-2113

CERTIFIED MAIL

REQUEST FOR ADDITIONAL INFORMATION  
CAAPP PERMIT APPLICATION

November 29, 2000

Multifilm Packaging Corporation  
Attn: David Rohrschneider  
1040 North McLean Boulevard  
Elgin, Illinois 60123

Application No.: 95090252  
I.D. No.: 089438AFL  
Date Received: September 22, 2000  
Source Location: 1040 North McLean Boulevard, Elgin

The application for the above-referenced Clean Air Act Permit Program (CAAPP) permit lacks information necessary to evaluate the source and to take final action on the CAAPP application. Therefore, pursuant to Section 39.5(5)(g) of the Illinois Environmental Protection Act (Act) and 35 Ill. Adm. Code 270.305, the Illinois EPA requests the following information:

The application must be amended to contain the necessary information to allow the Illinois EPA to reopen the permit for revision under the appropriate revision classification in accordance with 39.5(13) and (14) of the Act and 35 IAC 270.302. The application does not specify the type of revision being requested for the CAAPP permit. Specifically, there are currently three classifications for revisions to a CAAPP permit. These are:

1. Administrative permit amendment;
2. Minor permit modification; and
3. Significant permit modification.

The applicant must determine, request, and supply the necessary information to allow the Illinois EPA to use the appropriate procedure to revise the CAAPP permit. A brief explanation of each of these classifications follows.

I. Administrative Permit Amendment

- Corrects typographical errors;
- Changes name, address, or phone number of any person identified in the permit, or similar change at the source;
- Requires more frequent monitoring or reporting;
- Changes ownership or operational control of source, provided that a written agreement containing a specific date for transfer of

permit responsibility, coverage, and liability between the current and new Permittee has been submitted to the Illinois EPA;

- Incorporates construction permits, provided conditions meet requirements of CAAPP permits;

- Incorporates economic incentives rule, marketable permits rule, or generic emissions trading rule conditions.

II. Minor Permit Modification

- Do not violate any applicable requirement;
- Do not involve significant changes to existing monitoring, reporting, or recordkeeping requirements in the permit;
- Do not require a case-by-case determination of an emission limitation or other standard, or a source-specific determination of ambient impacts, or a visibility or increment analysis;
- Do not seek to establish or change a permit term or condition for which there is no corresponding underlying requirement and which avoids an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
  1. A federally enforceable emissions cap assumed to avoid classification as a modification under any provision of Title I of the Clean Air Act; and
  2. An alternative emissions limit approved pursuant to regulations promulgated under Section 112(i)(5) of the Clean Air Act.
- Are not modifications under any provision of Title I of the Clean Air Act; and
- Are not required to be processed as a significant modification.

An application for minor permit modifications shall include the following:

- A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
- The source's suggested draft permit/conditions;
- Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used; and
- Information as contained on form 271-CAAPP for the Illinois EPA to use to notify USEPA and affected States.

III. Significant Permit Modification

- Applications not qualifying as either minor permit modifications or administrative permit amendments;

- Applications requesting significant change in existing monitoring permit conditions;
- Applications requesting relaxation of reporting or record keeping requirements; and
- Cases in which, in the judgment of the Illinois EPA, action on an application for modification would require decisions to be made on technically complex issues.

The Illinois EPA requires the information on the following appropriate form be submitted in accordance with the proper classification:

- Form 273-CAAPP, Request for Administrative Amendment for CAAPP Permit;

Applications forms can be obtained from the Illinois EPA website at [www.epa.state.il.us/air/forms](http://www.epa.state.il.us/air/forms).

A preliminary assessment by the Illinois EPA indicates that the appropriate classification is request for administrative amendment.

Note that the request to revise the permit must be certified for truth, accuracy, and completeness by a responsible official.

Failure to submit the requested information by December 21, 2000, may require the Illinois EPA to deny this application. The Illinois EPA reserves the right to require that additional information be submitted as needed to evaluate or take final action on the above-referenced application pursuant to Section 39.5(5)(g) of the Act and 35 IAC 270.305.

If you have any questions regarding this matter, please contact Robert Bernoteit at 217/782-2113.

Donald E. Sutton, P.E.  
Manager, Permits Section  
Division of Air Pollution Control

DES:RWB:FEM:jar

cc: Region 1  
Julie Armitage, DLC

Enclosure: Form 273-CAAPP, Request for Administrative Amendment for CAAPP Permit