



- iii. To limit emissions of VOM from the source during the seasonal allotment period from May 1 through September 30 of each year to less than 15 tons. This limitation is established at the request of the source to exempt it from the requirements of 35 Ill. Adm. Code Part 205, Emissions Reduction Market System (ERMS), pursuant to 35 Ill. Adm. Code 205.205, except reporting requirements of 35 Ill. Adm. Code 205.300 which are described in Attachment B.
  - b. Prior to issuance, a draft of this permit has undergone a public notice and comment period.
  - c. This permit supersedes all operating permits issued for this location.
- 2a. Pursuant to 35 Ill. Adm. Code 212.123(a), no person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to 35 Ill. Adm. Code 212.122.
- b. Pursuant to 35 Ill. Adm. Code 212.123(b), the emission of smoke or other particulate matter from any such emission unit may have an opacity greater than 30 percent but not greater than 60 percent for a period or periods aggregating 8 minutes in any 60 minute period provided that such opaque emissions permitted during any 60 minute period shall occur from only one such emission unit located within a 305 m (1000 ft) radius from the center point of any other such emission unit owned or operated by such person, and provided further that such opaque emissions permitted from each such emission unit shall be limited to 3 times in any 24 hour period.
  - c. Pursuant to 35 Ill. Adm. Code 212.301, no person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally toward the zenith at a point beyond the property line of the source.
  - d. Pursuant to 35 Ill. Adm. Code 212.321(a), no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in 35 Ill. Adm. Code 212.321(c).
3. Pursuant to 35 Ill. Adm. Code 214.301, no person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission source to exceed 2000 ppm.
- 4a. Pursuant to 35 Ill. Adm. Code 218.301, no person shall cause or allow the discharge of more than 3.6 kg/hr (8 lbs/hr) of organic material into the atmosphere from any emission unit, except as provided in 35

Ill. Adm. Code 218.302, 218.303, or 218.304 and the following exception: If no odor nuisance exists the limitation of 35 Ill. Adm. Code 218 Subpart G shall apply only to photochemically reactive material.

- b. Pursuant to 35 Ill. Adm. Code 218.401(a)(2)(B), no owner or operator of a subject flexographic or rotogravure printing line shall apply at any time any coating or ink unless the VOM content does not exceed the limitation specified in either 35 Ill. Adm. Code 218.401(a)(1) or (a)(2), as applicable. Compliance with 35 Ill. Adm. Code 218.401 must be demonstrated through the applicable coating or ink analysis test methods and procedures specified in 35 Ill. Adm. Code 218.105(a) and the recordkeeping and reporting requirements specified in 35 Ill. Adm. Code 218.404(c). As an alternative to compliance with 35 Ill. Adm. Code 218.401(a), a subject printing line may meet the requirements of 35 Ill. Adm. Code 218.401(b) or (c). On and after August 1, 2010 for owners or operators of flexographic or rotogravure printing lines that print flexible packaging, or that print flexible packaging and non-flexible packaging on the same line, either:
  - i. 0.8 kg VOM/kg (0.8 lbs VOM/lb) solids applied; or
  - ii. 0.16 kg VOM/kg (0.16 lbs VOM/lb) inks and coatings applied.
  
- c. Pursuant to 35 Ill. Adm. Code 218.401(b)(3), on and after August 1, 2010, no owner or operator of a subject flexographic or rotogravure printing line that prints flexible packaging, or that prints flexible packaging and non-flexible packaging on the same line, shall apply coatings or inks on the subject printing line unless the weighted average, by volume, VOM content of all coatings and inks as applied each day on the subject printing line does not exceed the limitation specified in either 35 Ill. Adm. Code 218.401(a)(2)(B)(i) (calculated in accordance with the equation in 35 Ill. Adm. Code 218.401(b)(3)(A)) or 35 Ill. Adm. Code 218.401(a)(2)(B)(ii) (calculated in accordance with the equation in 35 Ill. Adm. Code 218.401(b)(3)(B)). Compliance with 35 Ill. Adm. Code 218.401(b)(3) must be demonstrated through the applicable coating or ink analysis test methods and procedures specified in 35 Ill. Adm. Code 218.105(a) and the recordkeeping and reporting requirements specified in 35 Ill. Adm. Code 218.404(d).
  - i. The following equation shall be used to determine if the weighted average VOM content of all coatings and inks as applied each day on the subject printing line exceeds the limitation specified in 35 Ill. Adm. Code 218.401(a)(2)(B)(i).

$$VOM_{(A)} = \frac{\sum_{i=1}^n C_i W_i}{\sum_{i=1}^n W_i}$$

Where:

$VOM_{(A)}$  = The weighted average VOM content in units of kg VOM per kg (lbs VOM per lb) solids of all coatings and inks as applied each day;

$i$  = Subscript denoting a specific coating or ink as applied;

$n$  = The number of different coatings and/or inks as applied each day on a printing line;

$C_i$  = The VOM content in units of kg VOM per kg (lbs VOM per lb) solids of each coating or ink as applied;

$W_i$  = Weight of solids in each coating or ink as applied, in units of kg/l (lb/gal).

- ii. The following equation shall be used to determine if the weighted average VOM content of all coatings and inks as applied each day on the subject printing line exceeds the limitation specified in 35 Ill. Adm. Code 218.401(a)(2)(B)(ii).

$$VOM_{(B)} = \frac{\sum_{i=1}^n C_i L_i}{\sum_{i=1}^n L_i}$$

Where:

$VOM_{(B)}$  = The weighted average VOM content in units of kg (lbs) VOM per weight in kg (lbs) of all coatings and inks as applied each day;

$i$  = Subscript denoting a specific coating or ink as applied;

$n$  = The number of different coatings and/or ink as applied each day on each printing line;

$C_i$  = The VOM content in units of kg (lbs) VOM per weight in kg (lbs) of each coating or ink as applied;

$L_i$  = The weight of each coating or ink as applied, in units of kg/l (lb/gal).

- d. Pursuant to 35 Ill. Adm. Code 218.402(b), the limitations of 35 Ill. Adm. Code 218.401(d) shall apply to all owners or operators of flexographic or rotogravure printing lines that print flexible packaging, or that print flexible packaging and non-flexible packaging on the same line, at a source where the combined emissions of VOM from all flexographic and rotogravure printing lines total 6.8 kg/day (15

lbs/day) or more (including solvents used for cleanup operations associated with flexographic and rotogravure printing lines), in the absence of air pollution control equipment.

- 5a. This permit is issued based upon the flexographic printing presses at this source not being subject to the National Emission Standard for Hazardous Air Pollutants (NESHAP) for the Printing and Publishing Industry, 40 CFR 63 Subpart KK. This is a result of the federally enforceable limitations of this permit restricting potential HAP emissions to below major source threshold levels defined in 40 CFR 63.2.
  - b. This permit is issued based upon the source not being subject to the National Emission Standard for Hazardous Air Pollutants (NESHAP) for Paper and Other Web Coating, 40 CFR 63 Subpart JJJJ. Pursuant to 40 CFR 63.3290, the provisions of 40 CFR 63 Subpart JJJJ apply to each new and existing facility that is a major source of HAP, as defined in 40 CFR 63.2, at which web coating lines are operated.
6. Pursuant to 35 Ill. Adm. Code 212.314, 35 Ill. Adm. Code 212.301 shall not apply and spraying pursuant to 35 Ill. Adm. Code 212.304 through 212.310 and 35 Ill. Adm. Code 212.312 shall not be required when the wind speed is greater than 40.2 km/hr (25 mph). Determination of wind speed for the purposes of this rule shall be by a one-hour average or hourly recorded value at the nearest official station of the U.S. Weather Bureau or by wind speed instruments operated on the site. In cases where the duration of operations subject to this rule is less than one hour, wind speed may be averaged over the duration of the operations on the basis of on-site wind speed instrument measurements.
- 6a. This permit is issued based on the source not being subject to 35 Ill. Adm. Code 218.187 (Other Industrial Solvent Cleaning Operations). Pursuant to 35 Ill. Adm. Code 218.187(a)(2)(B)(ii), notwithstanding 35 Ill. Adm. Code 218.187(a)(1) cleaning operations for emission units within the flexible package printing source category shall be exempt from the requirements of 35 Ill. Adm. Code 218.187(b), (c), (d), (f), and (g):
    - b. Pursuant to 35 Ill. Adm. Code 218.204(c)(3), the paper coating limitation set forth in 35 Ill. Adm. Code 218.204(c) shall not apply to any owner or operator of any paper coating line on which flexographic, rotogravure, lithographic, or letterpress printing is performed if the paper coating line complies with the applicable emissions limitations in 35 Ill. Adm. Code 218 Subpart H. In addition, screen printing on paper is not regulated as paper coating, but is regulated under 35 Ill. Adm. Code 218 Subpart TT. On and after May 1, 2011, the paper coating limitation shall also not apply to coating performed on or in-line with any digital printing press, or to size presses and on-machine coaters on papermaking machines applying sizing or water-based clays.
    - c. Pursuant to 35 Ill. Adm. Code 218.402(c), upon achieving compliance with 35 Ill. Adm. Code 218 Subpart H, the flexographic and rotogravure

printing lines are not required to meet 35 Ill. Adm. Code 218 Subpart G (35 Ill. Adm. Code 218.301 or 218.302). Flexographic and rotogravure printing lines exempt from 35 Ill. Adm. Code 218 Subpart H are subject to 35 Ill. Adm. Code 218 Subpart G (35 Ill. Adm. Code 218.301 or 218.302). Rotogravure or flexographic equipment used for both roll printing and paper coating is subject to 35 Ill. Adm. Code 218 Subpart H.

- 7a. Pursuant to 35 Ill. Adm. Code 212.306, all normal traffic pattern access areas surrounding storage piles specified in 35 Ill. Adm. Code 212.304 and all normal traffic pattern roads parking facilities which are located on mining or manufacturing property shall be paved or treated with water, oils or chemical dust suppressants. All paved areas shall be cleaned on a regular basis. All areas treated with water, oils or chemical dust suppressants shall have the treatment applied on a regular basis, as needed, in accordance with the operating program required by 35 Ill. Adm. Code 212.309, 212.310 and 212.312.
- b. Pursuant to 35 Ill. Adm. Code 212.309(a), the emission units described in 35 Ill. Adm. Code 212.304 through 212.308 and 35 Ill. Adm. Code 212.316 shall be operated under the provisions of an operating program, consistent with the requirements set forth in 35 Ill. Adm. Code 212.310 and 212.312, and prepared by the owner or operator and submitted to the Illinois EPA for its review. Such operating program shall be designed to significantly reduce fugitive particulate matter emissions.
- c. Pursuant to 35 Ill. Adm. Code 212.310, as a minimum the operating program shall include the following:
  - i. The name and address of the source;
  - ii. The name and address of the owner or operator responsible for the execution of the operating program;
  - iii. A map or diagram of the source showing approximate locations of storage piles, conveyor loading operations, normal traffic pattern access areas surrounding storage piles and all normal traffic patterns within the source;
  - iv. Location of unloading and transporting operations with pollution control equipment;
  - v. A detailed description of the best management practices utilized to achieve compliance with 35 Ill. Adm. Code 212 Subpart K, including an engineering specification of particulate collection equipment, application systems for water, oil, chemicals and dust suppressants utilized and equivalent methods utilized;
  - vi. Estimated frequency of application of dust suppressants by location of materials; and

- v. Such other information as may be necessary to facilitate the Illinois EPA's review of the operating program.
- d. Pursuant to 35 Ill. Adm. Code 212.312, the operating program shall be amended from time to time by the owner or operator so that the operating program is current. Such amendments shall be consistent with 35 Ill. Adm. Code 212 Subpart K and shall be submitted to the Illinois EPA for its review.
- 8a. Pursuant to 35 Ill. Adm. Code 218.401(d), no owner or operator of subject flexographic or rotogravure printing lines that print flexible packaging or print flexible packaging and non-flexible packaging on the same line shall cause or allow VOM containing cleaning materials, including used cleaning towels, associated with the subject flexographic or rotogravure printing lines to be kept, stored, or disposed of in any manner other than in closed containers, or conveyed from one location to another in any manner other than in closed containers or pipes, except when specifically in use.
- b. Pursuant to 35 Ill. Adm. Code 218.403(e), no owner or operator of a flexographic or rotogravure printing line complying by means of 35 Ill. Adm. Code 218.401(a)(2), (b)(2), or (b)(3) or complying by means of 35 Ill. Adm. Code 218.401(c)(2), (c)(3), or (c)(4), shall operate the printing line on or after August 1, 2010, unless the owner or operator has complied with, and continues to comply with, 35 Ill. Adm. Code 218.401(a)(2), (b)(2) or (b)(3), and 35 Ill. Adm. Code 218.401(c), as applicable, and all applicable provisions in 35 Ill. Adm. Code 218.404.
- c. Pursuant to 35 Ill. Adm. Code 218.403(f), no owner or operator of a flexographic or rotogravure printing line that prints flexible packaging, or that prints flexible packaging and non-flexible packaging on the same line, shall operate the printing line on or after August 1, 2010, unless the owner or operator has complied with, and continues to comply with, 35 Ill. Adm. Code 218.401(d) and 35 Ill. Adm. Code 218.404(g).
- d. Pursuant to 35 Ill. Adm. Code 218.403(g), no owner or operator of a flexographic or rotogravure printing line that prints flexible packaging, or that prints flexible packaging and non-flexible packaging on the same line, and that is exempt from the limitations of 35 Ill. Adm. Code 218.401(d) because of the criteria in 35 Ill. Adm. Code 218.402(b) shall operate the printing line on or after August 1, 2010, unless the owner or operator has complied with, and continues to comply with, 35 Ill. Adm. Code 218.402(b) and 35 Ill. Adm. Code 218.404(f).
- 9. In the event that the operation of this emission unit results in an odor nuisance, the Permittee shall take appropriate and necessary actions to minimize odors, including but not limited to, changes in raw material or installation of controls, in order to eliminate the odor nuisance.

- 10a. Emissions of VOM from the source during the seasonal allotment period from May 1 through September 30 of each year shall not exceed 15 tons. This limitation is established at the request of the source to exempt it from the requirements of 35 Ill. Adm. Code Part 205, Emissions Reduction Market System (ERMS), pursuant to 35 Ill. Adm. Code 205.205.
- b. In the event that the source's VOM emissions during the seasonal allotment period exceed 15 tons, the source shall no longer be exempt from the ERMS and shall comply with 35 Ill. Adm. Code Part 205, by holding allotment trading units (ATUs) for its VOM emissions during each seasonal allotment period.
- 11a. Emissions and operation of Printing Line W19 shall not exceed the following limits:

VOM Usage		VOM Emissions	
<u>(lbs/Mo)</u>	<u>(Tons/Yr)</u>	<u>(lbs/Mo)</u>	<u>(Tons/Yr)</u>
1000	5.00	1000	5.00

These limits are based on the maximum actual emissions resulting from the maximum actual ink and clean-up solvent usage and the maximum VOM contents in the inks and clean-up solvent. The above limitations contain revisions to previously issued Permit 96050035. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of this aforementioned permit. The source has requested these revisions and has addressed the applicability and compliance of Title I of the Clean Air Act, specifically 35 Ill. Adm. Code Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits continue to ensure that the construction and/or modification addressed in this permit does not constitute a new major source or major modification pursuant to these rules. Specifically, the limitations on the usage on individual inks and solvents has been eliminated and the permitted VOM emissions has been decreased from 9.79 tons/year to 5.00 tons/year.

- b. Emissions and operation of Printing Line W35 shall not exceed the following limits:

<u>Material</u>	VOM Usage		VOM Emissions	
	<u>(lbs/Mo)</u>	<u>(Tons/Yr)</u>	<u>(lbs/Mo)</u>	<u>(Tons/Yr)</u>
Low VOM Ink	1000	5.00	1000	5.00

These limits are based on the maximum actual emissions resulting from the maximum actual ink usage and the maximum VOM content of the inks. The above limitations contain revisions to previously issued Permit 97010077. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of this aforementioned permit. The source has requested these revisions and has addressed the applicability and compliance of

Title I of the Clean Air Act, specifically 35 Ill. Adm. Code Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits continue to ensure that the construction and/or modification addressed in this permit does not constitute a new major source or major modification pursuant to these rules. Specifically, the limitations on the usage on individual inks has been eliminated and the permitted VOM emissions has been decreased from 5.78 tons/year to 5.00 tons/year.

- c. Emissions of VOM from the W17 6-color CI Flexo Press #3 with wax module shall not exceed the following limits:

<u>(Tons/Month)</u>	VOM Emissions	<u>(Tons/Year)</u>
1.3		12.94

These limits are based on maximum actual emissions resulting from the maximum actual ink usage and the maximum VOM contents of the inks. The above limitations contain revisions to previously issued Permit 97010077. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of this aforementioned permit. The source has requested these revisions and has addressed the applicability and compliance of Title I of the Clean Air Act, specifically 35 Ill. Adm. Code Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits continue to ensure that the construction and/or modification addressed in this permit does not constitute a new major source or major modification pursuant to these rules. Specifically, the permitted VOM emissions has been increased from 5.78 tons/year to 12.94 tons/year.

- d. Emissions and operation of Printing Lines W15 and W16 shall not exceed the following limits:

<u>Material</u>	Ink Usage		VOM Emissions	
	<u>(lbs/Month)</u>	<u>(Tons/Year)</u>	<u>(lbs/Month)</u>	<u>(Tons/Year)</u>
Ink	48,000	235	3,600	17.0

These limits are based on maximum operation and material balance.

- e. Emissions and operation of Printing Press W-18 shall not exceed the following limits:

<u>Material</u>	Material Usage		VOM Content <u>(% by Weight)</u>	VOM Emissions	
	<u>(lbs/Mo)</u>	<u>(Tons/Yr)</u>		<u>(lbs/Mo)</u>	<u>(Tons/Yr)</u>
Coatings and Inks	11,500	69.0	8.0	920	5.52
Cleanup Solvent	250	1.5	100.0	<u>250</u>	<u>1.50</u>
			Totals	<u>1170</u>	<u>7.02</u>

These limits are based on the maximum usage of inks and solvents, the maximum VOM content of these materials, and the maximum actual emission rates. The above limitations were established in Construction Permit 93120039, pursuant to 35 Ill. Adm. Code Part 203. These limits ensure that the construction/modification addressed in the aforementioned Construction Permit does not constitute a new major source or major modification pursuant to 35 Ill. Adm. Code Part 203.

- f. Emissions and Operation of Printing Press W-14 shall not exceed the following limits:

VOM Usage		VOM Emissions	
(Tons/Month)	(Tons/Year)	(Tons/Month)	(Tons/Year)
0.05	0.50	0.05	0.50

The above limitations are based on the maximum usage of inks and solvents, the maximum VOM content of these materials, and material balance. The above limitations contain revisions to previously issued Permit 02060065. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of this aforementioned permit. The source has requested these revisions and has addressed the applicability and compliance of Title I of the Clean Air Act, specifically 35 Ill. Adm. Code Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits continue to ensure that the construction and/or modification addressed in this permit does not constitute a new major source or major modification pursuant to these rules. Specifically, the limitations on the usage on inks and cleaning materials has been replaced by a VOM usage limit and the permitted VOM emissions has been decreased from 5.78 tons/year to 0.50 tons/year.

- g. This permit is issued based on negligible emissions of particulate matter from the paper slitters and trim blower system. For this purpose, emissions from this unit shall not exceed nominal emission rates of 0.44 tons/year.
- h. This permit is issued based on negligible emissions of particulate matter from the roll doctors and trim blower system. For this purpose, emissions from this unit shall not exceed nominal emission rates of 0.44 tons/year.
- i. This permit is issued based on negligible emissions of VOM from the polyglycerol coating. For this purpose, emissions from the use of this coating shall not exceed nominal emission rates of 0.44 tons/year.
- j. The VOM/HAP emissions shall be calculated using the following equations:

$$E = \sum U \times C_i - W \times C_w$$

Where:

E = VOM/HAP emissions (tons);

U = VOM/HAP-containing raw materials usage (tons);

C<sub>i</sub> = VOM/HAP content of raw materials (weight fraction);

W = Certified amount of waste disposed (tons); and

C<sub>w</sub> = Certified VOM/HAP content of the waste (weight fraction).

k. Operation and emissions of the natural gas fired combustion equipment shall not exceed the following limits:

i. Natural Gas Usage: 7.2 mmscf/month and 72 mmscf/year

ii. Emissions of nitrogen oxide (NO<sub>x</sub>), carbon monoxide (CO), particulate matter (PM), volatile organic material (VOM), and sulfur dioxide (SO<sub>2</sub>):

<u>Pollutant</u>	<u>Emission Factor</u> (lbs/mmscf)	<u>Emissions</u>	
		(Tons/Mo)	(Tons/Yr)
Carbon Monoxide (CO)	84	0.30	3.02
Nitrogen Oxides (NO <sub>x</sub> )	100	0.36	3.60
Sulfur Dioxide (SO <sub>2</sub> ) Volatile Organic Material (VOM)	5.5	0.02	0.20

These limits are based on the maximum equipment operations and standard emission factors (Tables 1.4-1 and 1.4-2 or AP-42, Volume I, Fifth Edition, Supplement D, July 1998).

- l. The emissions of Hazardous Air Pollutants (HAPs) as listed in Section 112(b) of the Clean Air Act shall not equal or exceed 0.9 tons/month and 9.0 tons/year of any single HAP and 2.25 tons/month and 22.5 tons/year of any combination of such HAPs, or such lesser quantity as USEPA may establish in rule which would require the Permittee to obtain a CAAPP permit from the Illinois EPA. As a result of this condition, this permit is issued based on the emissions of any HAP from this source not triggering the requirement to obtain a CAAPP permit from the Illinois EPA.
- m. Compliance with the annual limits of this permit shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).
- 11a. Pursuant to 35 Ill. Adm. Code 201.282, every emission source or air pollution control equipment shall be subject to the following testing requirements for the purpose of determining the nature and quantities of specified air contaminant emissions and for the purpose of

determining ground level and ambient air concentrations of such air contaminants:

- i. Testing by Owner or Operator. The Illinois EPA may require the owner or operator of the emission source or air pollution control equipment to conduct such tests in accordance with procedures adopted by the Illinois EPA, at such reasonable times as may be specified by the Illinois EPA and at the expense of the owner or operator of the emission source or air pollution control equipment. The Illinois EPA may adopt procedures detailing methods of testing and formats for reporting results of testing. Such procedures and revisions thereto, shall not become effective until filed with the Secretary of State, as required by the APA Act. All such tests shall be made by or under the direction of a person qualified by training and/or experience in the field of air pollution testing. The Illinois EPA shall have the right to observe all aspects of such tests.
    - ii. Testing by the Illinois EPA. The Illinois EPA shall have the right to conduct such tests at any time at its own expense. Upon request of the Illinois EPA, the owner or operator of the emission source or air pollution control equipment shall provide, without charge to the Illinois EPA, necessary holes in stacks or ducts and other safe and proper testing facilities, including scaffolding, but excluding instruments and sensing devices, as may be necessary.
  - b. Testing required by Conditions 12 and 13 shall be performed upon a written request from the Illinois EPA by a qualified independent testing service.
12. Pursuant to 35 Ill. Adm. Code 212.110(c), upon written notification by the Illinois EPA, the owner or operator of a particulate matter emission unit subject to 35 Ill. Adm. Code Part 212 shall conduct the applicable testing for particulate matter emissions, opacity, or visible emissions at such person's own expense, to demonstrate compliance. Such test results shall be submitted to the Illinois EPA within thirty (30) days after conducting the test unless an alternative time for submittal is agreed to by the Illinois EPA.
13. Pursuant to 35 Ill. Adm. Code 218.404(a), the VOM content of each coating and ink and the efficiency of each capture system and control device shall be determined by the applicable test methods and procedures specified in 35 Ill. Adm. Code 218.105 to establish the records required under 35 Ill. Adm. Code 218.404.
- 14a. Pursuant to 40 CFR 63.10(b)(3), if an owner or operator determines that his or her stationary source that emits (or has the potential to emit, without considering controls) one or more hazardous air pollutants regulated by any standard established pursuant to section 112(d) or (f) of the Clean Air Act, and that stationary source is in the source category regulated by the relevant standard, but that source is not

subject to the relevant standard (or other requirement established under 40 CFR Part 63) because of limitations on the source's potential to emit or an exclusion, the owner or operator must keep a record of the applicability determination on site at the source for a period of 5 years after the determination, or until the source changes its operations to become an affected source, whichever comes first. The record of the applicability determination must be signed by the person making the determination and include an analysis (or other information) that demonstrates why the owner or operator believes the source is unaffected (e.g., because the source is an area source). The analysis (or other information) must be sufficiently detailed to allow the USEPA and/or Illinois EPA to make a finding about the source's applicability status with regard to the relevant standard or other requirement. If relevant, the analysis must be performed in accordance with requirements established in relevant subparts of 40 CFR Part 63 for this purpose for particular categories of stationary sources. If relevant, the analysis should be performed in accordance with USEPA guidance materials published to assist sources in making applicability determinations under Section 112 of the Clean Air Act, if any. The requirements to determine applicability of a standard under 40 CFR 63.1(b)(3) and to record the results of that determination under 40 CFR 63.10(b)(3) shall not by themselves create an obligation for the owner or operator to obtain a Title V permit.

15. Pursuant to 35 Ill. Adm. Code 212.110(e), the owner or operator of an emission unit subject to 35 Ill. Adm. Code Part 212 shall retain records of all tests which are performed. These records shall be retained for at least three (3) years after the date a test is performed.
- 16a. Pursuant to 35 Ill. Adm. Code 218.404(c)(2), on and after a date consistent with 35 Ill. Adm. Code 218.106, or 35 Ill. Adm. Code 218.403(e), as applicable, or on and after the initial start-up date, the owner or operator of a printing line subject to the limitations of 35 Ill. Adm. Code 218.401 and complying by means of 35 Ill. Adm. Code 218.401(a) shall collect and record all of the following information each day for each coating line and maintain the information at the source for a period of three years:
  - i. The name and identification number of each coating and ink as applied on each printing line.
  - ii. The VOM content of each coating and ink as applied each day on each printing line.
- b. Pursuant to 35 Ill. Adm. Code 218.404(d)(2), on and after a date consistent with 35 Ill. Adm. Code 218.106, or 35 Ill. Adm. Code 218.403(e), as applicable, or on and after the initial start-up date, the owner or operator of a printing line subject to the limitations of 35 Ill. Adm. Code 218.401 and complying by means of 35 Ill. Adm. Code 218.401(b) shall collect and record all of the following information

each day for each printing line and maintain the information at the source for a period of three years:

- i. The name and identification number of each coating and ink as applied on each printing line.
  - ii. The VOM content and the volume, or weight of solids, as applicable, of each coating and ink as applied each day on each printing line.
  - iii. The daily-weighted average VOM content of all coatings and inks as applied on each printing line.
- c. Pursuant to 35 Ill. Adm. Code 218.404(h), all records required by 35 Ill. Adm. Code 218.404(f) and (g) shall be retained for at least three years and shall be made available to the Illinois EPA upon request.
- 17a. The Permittee shall maintain records of the following items so as to demonstrate compliance with the conditions of this permit:
- i. Total usage of each ink, coating, cleaning solvents, and any other VOM containing materials on a monthly and annual basis in terms of pounds per month and tons per year;
  - ii. The VOM content of each ink, coating, cleaning solvents, and any other VOM containing materials used in terms of % VOM by weight with basis, accompanied by a copy of the supporting information, e.g., supplier data sheet or laboratory analysis report; and
  - iii. Total VOM emissions from printing lines;
  - iv. Natural gas usage (mmscf/month, mmscf/year); and
  - v. Monthly and annual emissions of CO, NO<sub>x</sub>, PM, SO<sub>2</sub>, VOM and HAPs from the source with supporting calculations (tons/month and tons/year).
- b. The Permittee shall maintain the following records to determine compliance with the 15 tons VOM/ozone season limitation specified in Condition 10:
- i. Records of operating data and other information for each individual emission unit or group of related emission units at the source, as specified in this permit, as appropriate, to determine actual VOM emissions during the seasonal allotment period;
  - ii. Records of the VOM emissions, in tons, during the seasonal allotment period, with supporting calculations, for each individual emission unit or group of related emission units at the source, determined in accordance with the procedures specified in this permit; and

- iii. Total VOM emissions from the source, in tons, during each seasonal allotment period.
- c. All records and logs required by this permit shall be retained at a readily accessible location at the source for at least five (5) years from the date of entry and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request. Any records retained in an electronic format (e.g., computer storage device) shall be capable of being retrieved and printed on paper during normal source office hours so as to be able to respond to an Illinois EPA or USEPA request for records during the course of a source inspection.
- 18a. Pursuant to 35 Ill. Adm. Code 212.110(d), a person planning to conduct testing for particulate matter emissions to demonstrate compliance shall give written notice to the Illinois EPA of that intent. Such notification shall be given at least thirty (30) days prior to the initiation of the test unless a shorter period is agreed to by the Illinois EPA. Such notification shall state the specific test methods from 35 Ill. Adm. Code 212.110 that will be used.
- 19a. Pursuant to 35 Ill. Adm. Code 218.404(c), any owner or operator of a printing line subject to the limitations of 35 Ill. Adm. Code 218.401 and complying by means of 35 Ill. Adm. Code 218.401(a) shall comply with the following:
  - i. By a date consistent with 35 Ill. Adm. Code 218.106, or Section 218.403(e), as applicable, or upon initial start-up of a new printing line, or upon changing the method of compliance from an existing subject printing line from 35 Ill. Adm. Code 218.401(b) or 35 Ill. Adm. Code 218.401(c) of this Part to Section 218.401(a), the owner or operator of a subject printing line shall certify to the Illinois EPA that the printing line will be in compliance with 35 Ill. Adm. Code 218.401(a) on and after a date consistent with 35 Ill. Adm. Code 218.106, or 35 Ill. Adm. Code 218.403(e), as applicable, or on and after the initial start-up date. The owner or operator of a printing line subject to the requirements in 35 Ill. Adm. Code 218.401(a)(2)(B) shall certify in accordance with this 35 Ill. Adm. Code 218.404(c)(1) even if the owner or operator of such line submitted a certification prior to January 1, 2010. Such certification shall include:
    - A. The name and identification number of each coating and ink as applied on each printing line.
    - B. The VOM content of each coating and ink as applied each day on each printing line.
  - ii. On and after a date consistent with 35 Ill. Adm. Code 218.106, or 35 Ill. Adm. Code 218.403(e), as applicable, the owner or

operator of a subject printing line shall notify the Illinois EPA in the following instances:

- A. Any record showing violation of 35 Ill. Adm. Code 218.401(a) shall be reported by sending a copy of such record to the Illinois EPA within 30 days following the occurrence of the violation.
  - B. At least 30 calendar days before changing the method of compliance with 35 Ill. Adm. Code 218.401 from 35 Ill. Adm. Code 218.401(a) to 35 Ill. Adm. Code 218.401(b) or (c), the owner or operator shall comply with all requirements of 35 Ill. Adm. Code 218.404(d)(1) or (e)(1), respectively. Upon changing the method of compliance with 35 Ill. Adm. Code 218.401 from 35 Ill. Adm. Code 218.401(a) to 35 Ill. Adm. Code 218.401(b) or (c), the owner or operator shall comply with all requirements of 35 Ill. Adm. Code 218.404(d) or (e), respectively.
- b. Pursuant to 35 Ill. Adm. Code 218.404(d)(3), any owner or operator of a printing line subject to the limitations of 35 Ill. Adm. Code 218.401 and complying by means of 35 Ill. Adm. Code 218.401(b) shall comply with the following:
- i. By a date consistent with 35 Ill. Adm. Code 218.106, or 35 Ill. Adm. Code 218.403(e), as applicable, or upon initial start-up of a new printing line, or upon changing the method of compliance for an existing subject printing line from 35 Ill. Adm. Code 218.401(a) or (c) to 35 Ill. Adm. Code 218.401(b), the owner or operator of the subject printing line shall certify to the Illinois EPA that the printing line will be in compliance with 35 Ill. Adm. Code 218.401(b) on and after a date consistent with 35 Ill. Adm. Code 218.106, or 35 Ill. Adm. Code 218.403(e), as applicable, or on and after the initial start-up date. The owner or operator of a printing line subject to the requirements in 35 Ill. Adm. Code 218.401(b)(3) shall certify in accordance with 35 Ill. Adm. Code 218.404(d)(1) even if the owner or operator of such line submitted a certification prior to January 1, 2010. Such certification shall include:
    - A. The name and identification number of each printing line which will comply by means of 35 Ill. Adm. Code 218.401(b).
    - B. The name and identification number of each coating and ink available for use on each printing line.
    - C. The VOM content of each coating and ink as applied each day on each printing line.
    - D. The method by which the owner or operator will accurately calculate the volume, or weight of solids, as applicable,

of each coating and ink as applied each day on each printing line.

- E. The method by which the owner or operator will create and maintain records each day as required in 35 Ill. Adm. Code 218.404(d)(2).
  - F. An example of the format in which the records required in 35 Ill. Adm. Code 218.404(d)(2) will be kept.
- ii. On and after a date consistent with 35 Ill. Adm. Code 218.106, or 35 Ill. Adm. Code 218.403(e), as applicable, the owner or operator of a subject printing line shall notify the Illinois EPA in the following instances:
- A. Any record showing violation of 35 Ill. Adm. Code 218.401(b) shall be reported by sending a copy of such record to the Illinois EPA within 30 days following the occurrence of the violation.
  - B. At least 30 calendar days before changing the method of compliance with 35 Ill. Adm. Code 218.401 from 35 Ill. Adm. Code 218.401(b) to 35 Ill. Adm. Code 218.401(a) or (c), the owner or operator shall comply with all requirements of 35 Ill. Adm. Code 218.404(c)(1) or (e)(1), respectively. Upon changing the method of compliance with 35 Ill. Adm. Code 218.401 from 35 Ill. Adm. Code 218.401(b) to 35 Ill. Adm. Code 218.401(a) or (c), the owner or operator shall comply with the requirements of 35 Ill. Adm. Code 215.404(c) or (e), respectively.
- c. Pursuant to 35 Ill. Adm. Code 218.404(g)(2), any owner or operator of a printing line subject to the limitations of 35 Ill. Adm. Code 218.401(d) shall notify the Illinois EPA of any violation of 35 Ill. Adm. Code 218.401(d) by sending a description of the violation and copies of records documenting such violations to the Illinois EPA within 30 days following the occurrence of the violation.
- 20a. If there is an exceedance of or a deviation from the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance or deviation. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or deviation and efforts to reduce emissions and future occurrences.
- b. The Permittee shall submit the seasonal emissions component of the Annual Emissions Report by October 31 of each year, reporting actual emissions of VOM during the seasonal allotment period, in accordance with 35 Ill. Adm. Code 205.205(a) and 35 Ill. Adm. Code 205.300.

c. Two (2) copies of required reports and notifications shall be sent to:

Illinois Environmental Protection Agency  
Division of Air Pollution Control  
Compliance Section (#40)  
P.O. Box 19276  
Springfield, Illinois 62794-9276

and one (1) copy shall be sent to the Illinois EPA's regional office at the following address unless otherwise indicated:

Illinois Environmental Protection Agency  
Division of Air Pollution Control  
9511 West Harrison  
Des Plaines, Illinois 60016

It should be noted this permit has been revised to increase VOM emissions on press W17 and decrease VOM emissions on presses W19, W35, and W14 so that there was no overall increase in the permitted VOM emissions from this source.

If you have any questions on this, please call David Hulskotter at 217/782-2113.

Edwin C. Bakowski, P.E.  
Manager, Permit Section  
Division of Air Pollution Control

Date Signed: \_\_\_\_\_

ECB:DWH:

cc: Illinois EPA, FOS Region 1  
Lotus Notes

Attachment A - Emission Summary

This attachment provides a summary of the maximum emissions from the printing plant operating in compliance with the requirements of this federally enforceable permit. In preparing this summary, the Illinois EPA used the annual operating scenario which results in maximum emissions from such a plant. The resulting maximum emissions are below the levels, (e.g., 100 tons/year for VOM, 10 tons/year for any single HAP, and 25 tons/year for any combination of such HAPs) at which this source would be considered a major source for purposes of the Clean Air Act Permit Program. Actual emissions from this source will be less than predicted in this summary to the extent that less material is handled, and control measures are more effective than required in this permit.

<u>Emission Unit</u>	E M I S S I O N S (Tons/Year)						<u>Single HAP</u>	<u>Combined HAPs</u>
	<u>CO</u>	<u>NO<sub>x</sub></u>	<u>PM</u>	<u>SO<sub>2</sub></u>	<u>VOM</u>			
Flexographic Printing Press W19					5.0			
Flexographic Printing Press W18					7.02			
Flexographic Printing Press W35					5.0			
W17 6-Color CI Flexo Press #3					12.94			
Printing Presses W15 and W16					17.00			
Flexographic Printing Press W14					0.5			
Paper Slitters & Trim Blower System			0.44					
Roll Doctors and Trim Blower System			0.44					
Fuel Combustion	3.02	3.60	0.27	0.02	0.20			
Polyglycerol Coating	--	--	--	--	0.44	--	--	
Totals	3.02	3.60	1.15	0.02	48.10	9.0	22.5	

DWH:

Attachment B - Emissions Reduction Market System (ERMS)

1. Description of ERMS

The ERMS is a "cap and trade" market system for major stationary sources located in the Chicago ozone nonattainment area. It is designed to reduce VOM emissions from stationary sources to contribute to reasonable further progress toward attainment, as required by Section 182(c) of the Clean Air Act.

The ERMS addresses VOM emissions during a seasonal allotment period from May 1 through September 30. Participating sources must hold "allotment trading units" (ATUs) for their actual seasonal VOM emissions. Each year participating sources are issued ATUs based on allotments set in the sources' FESOP or CAAPP permits. These allotments are established from historical VOM emissions or "baseline emissions" lowered to provide the emissions reductions from stationary sources required for reasonable further progress.

By December 31 of each year, the end of the reconciliation period following the seasonal allotment period, each source should have sufficient ATUs in its transaction account to cover its actual VOM emissions during the preceding season. A transaction account's balance as of December 31 will include any valid ATU transfer agreements entered into as of December 31 of the given year, provided such agreements are promptly submitted to the Illinois EPA for entry into the transaction account database. The Illinois EPA will then retire ATUs in sources' transaction accounts in amounts equivalent to their seasonal emissions. When a source does not appear to have sufficient ATUs in its transaction account, the Illinois EPA will issue a notice to the source to begin the process for Emissions Excursion Compensation.

In addition to receiving ATUs pursuant to their allotments, participating sources may also obtain ATUs from the market, including ATUs bought from other participating sources and general participants in the ERMS that hold ATUs (35 Ill. Adm. Code 205.630) and ATUs issued by the Illinois EPA as a consequence of VOM emissions reductions from an Emissions Reduction Generator or an Intersector Transaction (35 Ill. Adm. Code 205.500 and 35 Ill. Adm. Code 205.510). During the reconciliation period, sources may also buy ATUs from a secondary reserve of ATUs managed by the Illinois EPA, the "Alternative Compliance Market Account" (ACMA) (35 Ill. Adm. Code 205.710). Sources may also transfer or sell the ATUs that they hold to other sources or participants (35 Ill. Adm. Code 205.630).

2. Applicability

Emissions of VOM from the source during the seasonal allotment period from May 1 through September 30 of each year shall not exceed 15 tons, not including VOM emissions from insignificant emission units and activities. This limitation is established at the request of the

source to exempt it from the requirements of 35 Ill. Adm. Code Part 205, Emissions Reduction Market System (ERMS), pursuant to 35 Ill. Adm. Code 205.205.

3. Recordkeeping and Reporting

- a. The Permittee shall maintain the following records to determine compliance with the above limitation:
  - i. Records of operating data and other information for each individual emission unit or group of related emission units at the source, as specified in this permit, as appropriate, to determine actual VOM emissions during the seasonal allotment period;
  - ii. Records of the VOM emissions, in tons, during the seasonal allotment period, with supporting calculations, for each individual emission unit or group of related emission units at the source, determined in accordance with the procedures, which may be specified in this permit; and
  - iii. Total VOM emissions from the source, in tons, during each seasonal allotment period.
- b. The Permittee shall submit the seasonal emissions component of the Annual Emissions Report by October 31 of each year, reporting actual emissions of VOM during the seasonal allotment period, in accordance with 35 Ill. Adm. Code 205.205(b) and 35 Ill. Adm. Code 205.300.
- c. In the event that the source's VOM emissions during the seasonal allotment period exceed 15 tons, the source shall no longer be exempt from the ERMS and shall immediately comply with 35 Ill. Adm. Code Part 205, including holding allotment trading units (ATUs) for its VOM emissions during the first seasonal allotment period it exceed 15 tons and each seasonal allotment period, thereafter, pursuant to 35 Ill. Adm. Code 205.150(c).

DWH: