

DRAFT/PROPOSED CAAPP PERMIT  
October 2, 2014

Attention:

Mobil Pipe Line Company-Patoka Pipeline Station  
Attn: Paul Wollerman  
8328 U.S. Highway 51  
Patoka, Illinois 62875

State of Illinois

CLEAN AIR ACT PERMIT  
PROGRAM (CAAPP) PERMIT

Source:

Mobil Pipe Line Company-Patoka Pipeline Station  
8328 U.S. Highway 51  
Patoka, Illinois 62875

I.D. No.: 121810AAK  
Permit No.: 95090128

Permitting Authority:

Illinois Environmental Protection Agency  
Bureau of Air, Permit Section  
217/785-1705

**CLEAN AIR ACT PERMIT PROGRAM (CAAPP) PERMIT**

Type of Application: Renewal  
Purpose of Application: Renew Existing CAAPP Permit for 5 Years

ID No.: 121810AAK  
Permit No.: 95090128  
Statement of Basis No.: 95090128-1408

Date Application Received: 01/28/2002  
Date Issued: TBD

Expiration Date: TBD  
Renewal Submittal Date: 9 Months Prior to TBD

Source Name: Mobil Pipe Line Company-Patoka Pipeline Station  
Address: 8328 U.S. Highway 51  
City: Patoka  
County: Marion  
ZIP Code: 62875

This permit is hereby granted to the above-designated source authorizing operation in accordance with this CAAPP permit, pursuant to the above referenced application. This source is subject to the conditions contained herein. For further information on the source see Section 1 and for further discussion on the effectiveness of this permit see Condition 2.3(g).

If you have any questions concerning this permit, please contact Rosario Johnstone at 217/785-1705.

Raymond E. Pilapil  
Acting Manager, Permit Section  
Division of Air Pollution Control

REP:MTR:RJ:psj

cc: IEPA, Permit Section  
IEPA, FOS, Region 3  
Lotus Notes Database

<u>Section</u>	<b>Table of Contents</b>	<u>Page</u>
<b>1</b>	<b>Source Information</b>	<b>3</b>
	1.1 Addresses	
	1.2 Contacts	
	1.3 Single Source	
<b>2</b>	<b>General Permit Requirements</b>	<b>4</b>
	2.1 Prohibitions	
	2.2 Emergency Provisions	
	2.3 General Provisions	
	2.4 Testing	
	2.5 Recordkeeping	
	2.6 Certification	
	2.7 Permit Shield	
	2.8 Title I Conditions	
	2.9 Reopening and Revising Permit	
	2.10 Emissions Trading Programs	
	2.11 Permit Renewal	
	2.12 Permanent Shutdown	
	2.13 Startup, Shutdown, and Malfunction	
<b>3</b>	<b>Source Requirements</b>	<b>12</b>
	3.1 Applicable Requirements	
	3.2 Applicable Plans and Programs	
	3.3 Title I Requirements	
	3.4 Synthetic Minor Limits	
	3.5 Reporting Requirements	
<b>4</b>	<b>Emission Unit Requirements</b>	<b>17</b>
	4.1 External Floating Roof Storage Tank for Volatile Petroleum Liquids	
	4.2 External Floating Roof Storage Tank for Volatile Petroleum Liquids-Crude Oil Mode	
	4.3 External Floating Roof Storage Tank for Volatile Petroleum Liquids-Crude Oil Condensate Mode	
	4.4 External Floating Roof Storage Tank for Volatile Petroleum Liquids-NSPS	
	4.5 Fixed Patoka Corrosion Inhibitor Tanks	
<b>5</b>	<b>Additional Title I Requirements</b>	<b>33</b>
	5.1 Construction Permits	
	5.2 Construction Permits - (Equipment Not Yet Built)	
<b>6</b>	<b>Insignificant Activities Requirements</b>	<b>34</b>
	6.1 Insignificant Activities Subject to Specific Regulations	
	6.2 Insignificant Activities in 35 IAC 201.210(a)	
	6.3 Insignificant Activities in 35 IAC 201.210(b)	
	6.4 Applicable Requirements	
	6.5 Compliance Method	
	6.6 Notification Requirements for Insignificant Activities	
<b>7</b>	<b>Other Requirements</b>	<b>38</b>
	7.1 Testing	
<b>8</b>	<b>State Only Requirements</b>	<b>40</b>
	8.1 Permitted Emissions for Fees	
<b>Attachment 1</b>	<b>List of Emission Units at This Source</b>	<b>41</b>
<b>Attachment 2</b>	<b>Acronyms and Abbreviations</b>	<b>42</b>
<b>Attachment 3</b>	<b>Contact and Reporting Addresses</b>	<b>44</b>
<b>Attachment 4</b>	<b>Example Certification by a Responsible Official</b>	<b>45</b>

**Section 1 - Source Information**

**1. Addresses**

**Source**

Mobil Pipe Line Company-  
Patoka Pipeline Station  
8328 U.S Highway 51  
Patoka, Illinois 62875

**Owner**

Mobil Pipe Line Company-  
Patoka Pipeline Station  
800 Bell Street  
Mail Code PL-EMB-673H  
Houston, Texas 77002

**Operator**

Mobil Pipe Line Company  
8328 U.S. Highway 51  
Patoka, Illinois 62875

**Permittee**

The Owner and Operator of the source as identified in this table.

**2. Contacts**

**Certified Officials**

The source shall submit an Administrative Permit Amendment for any change in the Certified Officials, pursuant to Section 39.5(13) of the Act.

	<i>Name</i>	<i>Title</i>
<i>Responsible Official</i>	Karen S. Tyrone	Vice President
<i>Delegated Authority</i>	Caroline Henderson	Central North Area Operations Manager

**Other Contacts**

	<i>Name</i>	<i>Phone No.</i>	<i>Email</i>
<i>Source Contact</i>	Paul Wollerman	618-432-5646	paul.o.wollerman@exxonmobil.com
<i>Technical Contact</i>	Gail Worrell	512-708-9689	gail.f.worrell@exxonmobil.com
<i>Correspondence</i>	Robert Spangenberg	618-432-5222	robert.p.spangenberg@exxonmobil.com
<i>Billing</i>	Robert Spangenberg	618-432-5222	robert.p.spangenberg@exxonmobil.com

**3. Single Source**

The source identified in Condition 1.1 above shall be defined to include all the following additional source(s):

<i>I.D. No.</i>	<i>Permit No.</i>	<i>Single Source Name and Address</i>
N/A	N/A	N/A

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

## Section 2 - General Permit Requirements

### 1. Prohibitions

- a. It shall be unlawful for any person to violate any terms or conditions of this permit issued under Section 39.5 of the Act, to operate the CAAPP source except in compliance with this permit issued by the IEPA under Section 39.5 of the Act or to violate any other applicable requirements. All terms and conditions of this permit issued under Section 39.5 of the Act are enforceable by USEPA and citizens under the Clean Air Act, except those, if any, that are specifically designated as not being federally enforceable in this permit pursuant to Section 39.5(7)(m) of the Act. [Section 39.5(6)(a) of the Act]
- b. After the applicable CAAPP permit or renewal application submittal date, as specified in Section 39.5(5) of the Act, the source shall not operate this CAAPP source without a CAAPP permit unless the complete CAAPP permit or renewal application for such source has been timely submitted to the IEPA. [Section 39.5(6)(b) of the Act]
- c. No Owner or Operator of the CAAPP source shall cause or threaten or allow the continued operation of an emission source during malfunction or breakdown of the emission source or related air pollution control equipment if such operation would cause a violation of the standards or limitations applicable to the source, unless this CAAPP permit granted to the source provides for such operation consistent with the Act and applicable Illinois Pollution Control Board regulations. [Section 39.5(6)(c) of the Act]
- d. Pursuant to Section 39.5(7)(g) of the Act, emissions from the source are not allowed to exceed any allowances that the source lawfully holds under Title IV of the Clean Air Act or the regulations promulgated thereunder, consistent with Section 39.5(17) of the Act and applicable requirements, if any.

### 2. Emergency Provisions

Pursuant to Section 39.5(7)(k) of the Act, the Owner or Operator of the CAAPP source may provide an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations under this CAAPP permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:

- a.
  - i. An emergency occurred and the source can identify the cause(s) of the emergency.
  - ii. The source was at the time being properly operated.
  - iii. The source submitted notice of the emergency to the IEPA within 2 working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
  - iv. During the period of the emergency the source took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or requirements in this permit.
- b. For purposes of Section 39.5(7)(k) of the Act, "emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the source, such as an act of God, that requires immediate corrective action to restore normal operation, and that causes the source to exceed a technology-based emission limitation under this permit, due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventive maintenance, careless or improper operation, or operation error.
- c. In any enforcement proceeding, the source seeking to establish the occurrence of an emergency has the burden of proof. This provision is in addition to any emergency or

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

upset provision contained in any applicable requirement. This provision does not relieve the source of any reporting obligations under existing federal or state laws or regulations.

**3. General Provisions**

**a. Duty to Comply**

The source must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. [Section 39.5(7)(o)(i) of the Act]

**b. Need to Halt or Reduce Activity is not a Defense**

It shall not be a defense for the source in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. [Section 39.5(7)(o)(ii) of the Act]

**c. Duty to Maintain Equipment**

The source shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements. [Section 39.5(7)(a) of the Act]

**d. Disposal Operations**

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated there under. [Section 39.5(7)(a) of the Act]

**e. Duty to Pay Fees**

- i. The source must pay fees to the IEPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto. [Section 39.5(7)(o)(vi) of the Act]
- ii. The IEPA shall assess annual fees based on the allowable emissions of all regulated air pollutants, except for those regulated air pollutants excluded in Section 39.5(18)(f) of the Act and insignificant activities in Section 6, at the source during the term of this permit. The amount of such fee shall be based on the information supplied by the applicant in its complete CAAPP permit application. [Section 39.5(18)(a)(ii)(A) of the Act]
- iii. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois EPA, P.O. Box 19276, Springfield, IL, 62794-9276. Include on the check: ID #, Permit #, and "CAAPP Operating Permit Fees". [Section 39.5(18)(e) of the Act]

**f. Obligation to Allow IEPA Surveillance**

Pursuant to Sections 4(a), 39.5(7)(a), and 39.5(7)(p)(ii) of the Act, inspection and entry requirements that necessitate that, upon presentation of credentials and other documents as may be required by law and in accordance with constitutional limitations, the source shall allow the IEPA, or an authorized representative to perform the following:

- i. Enter upon the source's premises where the emission unit(s) are located or emissions-related activity is conducted, or where records must be kept under the conditions of this permit.

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

- ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit.
- iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
- iv. Sample or monitor any substances or parameters at any location at reasonable times:
  - A. As authorized by the Clean Air Act or the Act, at reasonable times, for the purposes of assuring compliance with this CAAPP permit or applicable requirements; or
  - B. As otherwise authorized by the Act.
- v. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source authorized by this permit.

**g. Effect of Permit**

- i. Pursuant to Section 39.5(7)(j)(iv) of the Act, nothing in this CAAPP permit shall alter or affect the following:
  - A. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section.
  - B. The liability of the Owner or Operator of the source for any violation of applicable requirements prior to or at the time of permit issuance.
  - C. The applicable requirements of the acid rain program consistent with Section 408(a) of the Clean Air Act.
  - D. The ability of USEPA to obtain information from the source pursuant to Section 114 (inspections, monitoring, and entry) of the Clean Air Act.
- ii. Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, pursuant to Sections 39.5(7)(j) and (p) of the Act, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements. [35 IAC 201.122 and Section 39.5(7)(a) of the Act]

**h. Severability Clause**

The provisions of this permit are severable. In the event of a challenge to any portion of this permit, other portions of this permit may continue to be in effect. Should any portion of this permit be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected and the rights and obligations of the source shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force. [Section 39.5(7)(i) of the Act]

**4. Testing**

- a. Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods if applicable test methods are not specified by the applicable regulations or otherwise identified in the conditions of this permit. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

any tests conducted as required by this permit or as the result of a request by the IEPA shall be submitted as specified in Condition 7.1 of this permit. [35 IAC Part 201 Subpart J and Section 39.5(7)(a) of the Act]

- b. Pursuant to Section 4(b) of the Act and 35 IAC 201.282, every emission source or air pollution control equipment shall be subject to the following testing requirements for the purpose of determining the nature and quantities of specified air contaminant emissions and for the purpose of determining ground level and ambient air concentrations of such air contaminants:
  - i. **Testing by Owner or Operator:** The IEPA may require the Owner or Operator of the emission source or air pollution control equipment to conduct such tests in accordance with procedures adopted by the IEPA, at such reasonable times as may be specified by the IEPA and at the expense of the Owner or Operator of the emission source or air pollution control equipment. All such tests shall be made by or under the direction of a person qualified by training and/or experience in the field of air pollution testing. The IEPA shall have the right to observe all aspects of such tests.
  - ii. **Testing by the IEPA:** The IEPA shall have the right to conduct such tests at any time at its own expense. Upon request of the IEPA, the Owner or Operator of the emission source or air pollution control equipment shall provide, without charge to the IEPA, necessary holes in stacks or ducts and other safe and proper testing facilities, including scaffolding, but excluding instruments and sensing devices, as may be necessary.

**5. Recordkeeping**

**a. Control Equipment Maintenance Records**

Pursuant to Section 39.5(7)(b) of the Act, a maintenance record shall be kept on the premises for each item of air pollution control equipment. At a minimum, this record shall show the dates maintenance was performed and the nature of preventative maintenance activities.

**b. Retention of Records**

- i. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. [Section 39.5(7)(e)(ii) of the Act]
- ii. Pursuant to Section 39.5(7)(a) of the Act, other records required by this permit including any logs, plans, procedures, or instructions required to be kept by this permit shall be retained for a period of at least 5 years from the date of entry unless a different period is specified by a particular permit provision.

**c. Availability of Records**

- i. Pursuant to Section 39.5(7)(a) of the Act, the Permittee shall retrieve and provide paper copies, or as electronic media, any records retained in an electronic format (e.g., computer) in response to an IEPA or USEPA request during the course of a source inspection.
- ii. Pursuant to Section 39.5(7)(a) of the Act, upon written request by the IEPA for copies of records or reports required to be kept by this permit, the Permittee shall promptly submit a copy of such material to the IEPA. For this purpose, material shall be submitted to the IEPA within 30 days unless additional time is provided by the IEPA or the Permittee believes that the volume and nature of

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

requested material would make this overly burdensome, in which case, the Permittee shall respond within 30 days with the explanation and a schedule for submittal of the requested material. (See also Condition 2.9(d))

**6. Certification**

**a. Compliance Certification**

- i. Pursuant to Section 39.5(7)(p)(v)(C) of the Act, the source shall submit annual compliance certifications by May 1 unless a different date is specified by an applicable requirement or by a particular permit condition. The annual compliance certifications shall include the following:
  - A. The identification of each term or condition of this permit that is the basis of the certification.
  - B. The compliance status.
  - C. Whether compliance was continuous or intermittent.
  - D. The method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- ii. Pursuant to Section 39.5(7)(p)(v)(D) of the Act, all compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the IEPA Compliance Section. Addresses are included in Attachment 3.
- iii. Pursuant to Section 39.5(7)(p)(i) of the Act, all compliance reports required to be submitted shall include a certification in accordance with Condition 2.6(b).

**b. Certification by a Responsible Official**

Any document (including reports) required to be submitted by this permit shall contain a certification by the responsible official of the source that meets the requirements of Section 39.5(5) of the Act and applicable regulations. [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included in Attachment 4 of this permit.

**7. Permit Shield**

- a. Pursuant to Section 39.5(7)(j) of the Act, except as provided in Condition 2.7(b) below, the source has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the IEPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit. This permit shield does not extend to applicable requirements which are promulgated after **Error! Bookmark not defined.** (date USEPA notice started), unless this permit has been modified to reflect such new requirements.
- b. Pursuant to Section 39.5(7)(j) of the Act, this permit and the terms and conditions herein do not affect the Permittee's past and/or continuing obligation with respect to statutory or regulatory requirements governing major source construction or modification under Title I of the CAA. Further, neither the issuance of this permit nor any of the terms or conditions of the permit shall alter or affect the liability of the Permittee for any violation of applicable requirements prior to or at the time of permit issuance.

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

- c. Pursuant to Section 39.5(7)(a) of the Act, the issuance of this permit by the IEPA does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any currently pending or future legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the IEPA or the USEPA may have against the applicant including, but not limited to, any enforcement action authorized pursuant to the provision of applicable federal and state law.

**8. Title I Conditions**

Pursuant to Sections 39(a), 39(f), and 39.5(7)(a) of the Act, as generally identified below, this CAAPP permit may contain certain conditions that relate to requirements arising from the construction or modification of emission units at this source. These requirements derive from permitting programs authorized under Title I of the Clean Air Act (CAA) and regulations thereunder, and Title X of the Illinois Environmental Protection Act (Act) and regulations implementing the same. Such requirements, including the New Source Review programs for both major (i.e., PSD and nonattainment areas) and minor sources, are implemented by the IEPA.

- a. This permit may contain conditions that reflect requirements originally established in construction permits previously issued for this source. These conditions include requirements from preconstruction permits issued pursuant to regulations approved or promulgated by USEPA under Title I of the CAA, as well as requirements contained within construction permits issued pursuant to state law authority under Title X of the Act. Accordingly, all such conditions are incorporated into this CAAPP permit by virtue of being either an "applicable Clean Air Act requirement" or an "applicable requirement" in accordance with Section 39.5 of the Act. These conditions are identifiable herein by a designation to their origin of authority.
- b. This permit may contain conditions that reflect necessary revisions to requirements established for this source in preconstruction permits previously issued under the authority of Title I of the CAA. These conditions are specifically designated herein as "TIR".
  - i. Revisions to original Title I permit conditions are incorporated into this permit through the combined legal authority of Title I of the CAA and Title X of the Act. Public participation requirements and appeal rights shall be governed by Section 39.5 of the Act.
  - ii. Revised Title I permit conditions shall remain in effect through this CAAPP permit, and are therefore enforceable under the same, so long as such conditions do not expire as a result of a failure to timely submit a complete renewal application or are not removed at the applicant's request.
- c. This permit may contain conditions that reflect new requirements for this source that would ordinarily derive from a preconstruction permit established under the authority of Title I of the CAA. These conditions are specifically designated herein as "TIN".
  - i. The incorporation of new Title I requirements into this CAAPP permit is authorized through the combined legal authority of Title I of the CAA and Title X of the Act. Public participation requirements and appeal rights shall be governed by Section 39.5 of the Act.
  - ii. Any Title I conditions that are newly incorporated shall remain in effect through this CAAPP permit, and are therefore enforceable under the same, so long as such conditions do not expire as a result of a failure to timely submit a complete renewal application or are not removed at the applicant's request.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

## 9. Reopening and Revising Permit

### a. Permit Actions

This permit may be modified, revoked, reopened and reissued, or terminated for cause in accordance with applicable provisions of Section 39.5 of the Act. The filing of a request by the source for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition. [Section 39.5(7)(o)(iii) of the Act]

### b. Reopening and Revision

Pursuant to Section 39.5(15)(a) of the Act, this permit must be reopened and revised if any of the following occur:

- i. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- ii. Additional requirements become applicable to the source for acid deposition under the acid rain program;
- iii. The IEPA or USEPA determines that this permit contains a material mistake or that an inaccurate statement was made in establishing the emission standards or limitations, or other terms or conditions of this permit; or
- iv. The IEPA or USEPA determines that this permit must be revised or revoked to ensure compliance with the applicable requirements.

### c. Inaccurate Application

Pursuant to Sections 39.5(5)(e) and (i) of the Act, the IEPA has issued this permit based upon the information submitted by the source in the permit application referenced on page 1 of this permit. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation or reopening of this CAAPP under Section 39.5(15) of the Act.

### d. Duty to Provide Information

The source shall furnish to the IEPA, within a reasonable time specified by the IEPA any information that the IEPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the source shall also furnish to the IEPA copies of records required to be kept by this permit. [Section 39.5(7)(o)(v) of the Act]

## 10. Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement. [Section 39.5(7)(o)(vii) of the Act]

## 11. Permit Renewal

- a. Upon the expiration of this permit, if the source is operated, it shall be deemed to be operating without a permit unless a timely and complete CAAPP application has been submitted for renewal of this permit. However, if a timely and complete application to renew this CAAPP permit has been submitted, the terms and all conditions of the most recent issued CAAPP permit will remain in effect until the issuance of a renewal permit. [Sections 39.5(5)(1) and (o) of the Act]

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

- b. For purposes of permit renewal, a timely application is one that is submitted no less than 9 months prior to the date of permit expiration. [Section 39.5(5)(n) of the Act]

**12. Permanent Shutdown**

Pursuant to Section 39.5(7)(a) of the Act, this permit only covers emission units and control equipment while physically present at the source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

**13. Startup, Shutdown, and Malfunction**

Pursuant to Section 39.5(7)(a) of the Act, in the event of an action to enforce the terms or conditions of this permit, this permit does not prohibit a Permittee from invoking any affirmative defense that is provided by the applicable law or rule.

## Section 3 - Source Requirements

### 1. Applicable Requirements

Pursuant to Sections 39.5(7)(a), 39.5(7)(b), and 39.5(7)(d) of the Act, the Permittee shall comply with the following applicable requirements. These requirements are applicable to all emission units (including insignificant activities unless specified otherwise in this Section) at the source.

#### a. Fugitive Particulate Matter

- i. Pursuant to 35 IAC 212.301 and 35 IAC 212.314, no person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally toward the zenith at a point beyond the property line of the source unless the wind speed is greater than 25 mph.
- ii. Compliance Method (Fugitive Particulate Matter)

Upon request by the IEPA, the Permittee shall conduct observations at the property line of the source for visible emissions of fugitive particulate matter from the source to address compliance with 35 IAC 212.301. For this purpose, daily observations shall be conducted for a week for particular area(s) of concern at the source, as specified in the request, observations shall begin either within one day or three days of receipt of a written request from the IEPA, depending, respectively, upon whether observations will be conducted by employees of the Permittee or a third-party observer hired by the Permittee to conduct observations on its behalf. The Permittee shall keep records for these observations, including identity of the observer, the date and time of observations, the location(s) from which observations were made, and duration of any fugitive emissions event(s).

#### b. Ozone Depleting Substances

Pursuant to 40 CFR 82.150(b), the Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- i. Pursuant to 40 CFR 82.156, persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices.
- ii. Pursuant to 40 CFR 82.158, equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment.
- iii. Pursuant to 40 CFR 82.161, persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program.
- iv. Pursuant to 40 CFR 82 Subpart B, any person performing service on a motor vehicle for consideration when this service involves the refrigerant in the motor vehicle air conditioner shall comply with 40 CFR 82 Subpart B, Servicing of Motor Vehicle Air Conditioners.
- v. Pursuant to 40 CFR 82.166, all persons shall comply with the reporting and recordkeeping requirements of 40 CFR 82.166.

#### c. Asbestos Demolition and Renovation

- i. Asbestos Fees. Pursuant to Section 9.13(a) of the Act, for any site for which the Owner or Operator must file an original 10-day notice of intent to renovate or

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

demolish pursuant to Condition 3.1(c)(ii) below and 40 CFR 61.145(b), the owner or operator shall pay to the IEPA with the filing of each 10-day notice a fee of \$150.

- ii. Pursuant to 40 CFR 61 Subpart M, Standard of Asbestos, prior to any demolition or renovation at this facility, the Permittee shall fulfill applicable notification requirements of 40 CFR 61.145(b).
- iii. Pursuant to 40 CFR 61.145(c), during demolition or renovation, the Permittee shall comply with the applicable procedures for asbestos emission control established by 40 CFR 61.145(c).

**d. Future Emission Standards**

Pursuant to Section 39.5(15)(a) of the Act, this source shall comply with any new or revised applicable future standards of 40 CFR 60, 61, 62, or 63; or 35 IAC Subtitle B after the date issued of this permit. The Permittee shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by Condition 2.6(a). This permit may also have to be revised or reopened to address such new regulations in accordance to Condition 2.9.

**2. Applicable Plans and Programs**

Pursuant to Sections 39.5(7)(a), 39.5(7)(b), and 39.5(7)(d) of the Act, the Permittee shall comply with the following applicable requirements. These requirements are applicable to all emission units (including insignificant activities unless specified otherwise in this Section) at the source.

**a. Fugitive PM Operating Program**

Should this source become subject to 35 IAC 212.302, the Permittee shall prepare and operate under a Fugitive PM Operating Program consistent with 35 IAC 212.310 and submitted to the IEPA for its review. The Fugitive PM Operating Program shall be designed to significantly reduce fugitive particulate matter emissions, pursuant to 35 IAC 212.309(a). Any future Fugitive PM Operating Program made by the Permittee during the permit term is automatically incorporated by reference provided the Fugitive PM Operating Program is not expressly disapproved, in writing, by the IEPA within 30 days of receipt of the Fugitive PM Operating Program. In the event that the IEPA notifies the Permittee of a deficiency with any Fugitive PM Operating Program, the Permittee shall be required to revise and resubmit the Fugitive PM Operating Program within 30 days of receipt of notification to address the deficiency pursuant to Section 39.5(7)(a) of the Act.

**b. Episode Action Plan**

- i. Pursuant to 35 IAC 244.141, the Permittee shall have on file with the IEPA an Episode Action Plan for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The Episode Action Plan shall contain the information specified in 35 IAC 244.144.
- ii. The Permittee shall immediately implement the appropriate steps described in the Episode Action Plan should an air pollution alert or emergency be declared, as required by 35 IAC 244.169, or as may otherwise be required under 35 IAC 244, Appendix D.
- iii. Pursuant to 35 IAC 244.143(d), if an operational change occurs at the source which invalidates the Episode Action Plan, a revised Episode Action Plan shall be submitted to the IEPA for review within 30 days of the change and is automatically incorporated by reference provided the revision is not expressly disapproved, in writing, by the IEPA within 30 days of receipt of the revision. In the event that

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

the IEPA notifies the Permittee of a deficiency with any revision to the Episode Action Plan, the Permittee shall be required to revise and resubmit the Episode Action Plan within 30 days of receipt of notification to address the deficiency pursuant to Section 39.5(7) (a) of the Act.

- iv. The Episode Action Plan, as submitted by the Permittee on 04/30/2012, is incorporated herein by reference. The document constitutes the formal Episode Action Plan required by 35 IAC 244.142, addressing the actions that will be implemented to reduce SO2, PM10, NO2, CO and VOM emissions from various emissions units in the event of a yellow alert, red alert or emergency issued under 35 IAC 244.161 through 244.165.
- v. Pursuant to Section 39.5(7) (b) of the Act, the Permittee shall keep a copy of the Episode Action Plan, any amendments or revisions to the Episode Action Plan (as required by Condition 3.2(c)), and the Permittee shall also keep a record of activities completed according to the Episode Action Plan.

**c. Risk Management Plan (RMP)**

Should this stationary source, as defined in 40 CFR 68.3, become subject to the federal regulations for Chemical Accident Prevention in 40 CFR Part 68, then the Permittee shall submit a compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or submit a certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan, as part of the annual compliance certification required by Condition 2.6(a). This condition is imposed in this permit pursuant to 40 CFR 68.215(a) (2) (i) and (ii).

**3. Pump and Compressor Requirements (35 IAC 215.142)**

- a. Pursuant to 35 IAC 215.142, the Permittee shall not cause or allow the discharge of more than 32.8 ml (2 cu in) of VOL with vapor pressure of 17.24 kPa (2.5 psia) or greater at 294.3°K (70°F) into the atmosphere from any pump or compressor in any 15 minute period at standard conditions.
- b. Pursuant to Section 39.5(7) (b), (d) and (e) of the Act, compliance with the standard in 35 IAC 215.142 shall be demonstrated through one of the following options:
  - i. Option 1. Leaks are detected.

Monitoring

- A. The Permittee shall inspect pumps and compressors for leaks on at least a quarterly basis. If a significant leak is detected by any means, including visual observation, smell or sound, the pump or compressor shall be repaired or taken out not later than 15 days from the date the leak was detected.

Recordkeeping

- B. Pursuant to Section 39.5(7) (b) of the Act, the Permittee shall keep the following records to document implementation of the leak detection and repair required by Condition 3.3(b) (i) (A):
  - I. The date, the individual that performed the inspection, and the type of inspection;
  - II. The operating status, i.e., idle or operational, of each pump or compressor inspected;
  - III. Indication of whether a leak was observed (yes/no), with description and the means of identification;

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

- IV. The date the leak was repaired, or the component taken out of service;
  - v. If repairs were not completed within 15 days, an explanation why such repairs could not be taken within 15 days.
  - VI. The rate of the leak. For this purpose, in lieu of a calculation, for equipment with potential less than 0.133 in cubic/min not need to measure the leak; any equipment with a potential greater than 0.133 in cubic/min the leak must be measured.
- ii. Option 2. No Leaks are detected

Recordkeeping

- A. Pursuant to Section 39.5(7)(b) of the Act, compliance with the standard in 35 IAC 215.142 shall be achieved through demonstration that there is not potential for a leak or discharge of VOL. The Permittee shall maintain records of pump/compressor design, and justification why a leak to atmosphere cannot ever occur, historical records during this permit period demonstrating that a leak has never identified to demonstrate that the pumps/compressors are not subject to 35 IAC 215.142.

**4. Title I Requirements**

As of the date of issuance of this permit, there are no source-wide Title I requirements that need to be included in this Condition.

**5. Synthetic Minor Limits**

**a. i. HAP Requirements**

- A. Pursuant to Section 39.5(7)(a) of the Act, HAP emissions from all operations performed at the source shall not exceed the following limitations:

Pollutant	Emissions, tons/month	Emissions, tons/year
Individual HAP	0.80	8.0
Total HAP's	2.00	20.0

ii. Compliance Method (HAP Requirements)

Monitoring

- A. Pursuant to Section 39.5(7)(a) of the Act, compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

Recordkeeping

- B. Pursuant to Section 39.5(7)(b), the Permittee shall keep monthly and annual records of HAP and VOM emissions, with supporting calculations, total from the source and individually for each emission group of the tanks described in Sections 4.1 through 4.5.

**6. Reporting Requirements**

The Permittee shall submit the following information pursuant to Section 39.5(7)(f) of the Act. Addresses are included in Attachment 3.

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

**a. Prompt Reporting**

- i. A. Pursuant to Section 39.5(7)(f)(ii) of the Act, the Permittee shall promptly notify the IEPA, Air Compliance Section, within 30 days of deviations from applicable requirements as follows:
  - I. Requirements in Conditions 3.1(a) and 3.1(b).
  - II. Requirements in Conditions 3.3.
- B. All such deviations shall be summarized and reported as part of the Semiannual Monitoring Report required by Condition 3.6(b).
- ii. The Permittee shall notify the IEPA, Air Compliance Section, of all other deviations as part of the Semiannual Monitoring Report required by Condition 3.6(b).
- iii. The deviation reports shall contain at a minimum the following information:
  - A. Date and time of the deviation.
  - B. Emission unit(s) and/or operation involved.
  - C. The duration of the event.
  - D. Probable cause of the deviation.
  - E. Corrective actions or preventative measures taken.
- iv. All deviation reports required in this Permit shall be identified, summarized, and reported as part of the Semiannual Monitoring Report required by Condition 3.6(b).

**b. Semiannual Reporting**

- i. Pursuant to Section 39.5(7)(f)(i) of the Act, the Permittee shall submit Semiannual Monitoring Reports to the IEPA, Air Compliance Section, summarizing required monitoring as part of the Compliance Methods in this Permit submitted every six months as follows, unless more frequent reporting is required in other parts of this permit.

<u>Monitoring Period</u>	<u>Report Due Date</u>
January through June	July 31
July through December	January 31

- ii. The Semiannual Monitoring Report must be certified by a Responsible Official consistent with Condition 2.6(b).

**c. Annual Emissions Reporting**

Pursuant to 35 IAC Part 254, the Source shall submit an Annual Emission Report to the Air Quality Planning Section, due by May 1 of the year following the calendar year in which the emissions took place. All records and calculations upon which the verified and reported data are based must be retained by the source.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

## Section 4 - Emission Unit Requirements

### 4.1 External Floating Roof Storage Tank for Volatile Petroleum Liquids- Crude Oil

**1. Emission Units and Operations**

<i>Emission Units</i>	<i>Pollutants Being Regulated</i>	<i>Original Construction Date</i>	<i>Modification/ Reconstruction Date</i>	<i>Air Pollution Control Devices or Measures</i>	<i>Monitoring Devices</i>
126,000 Barrels External Floating Roof Storage Tank (Tank #348)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
126,000 Barrels External Floating Roof Storage Tank (Tank #352)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
125,000 Barrels External Floating Roof Storage Tank (Tank #353)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
125,000 Barrels External Floating Roof Storage Tank (Tank #355)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2504)	VOM	1939	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2514)	VOM	1948	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2516)	VOM	1948	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2517)	VOM	1957	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
120,000 Barrels External Floating Roof Storage Tank (Tank #2519)	VOM	1948	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2521)	VOM	1947	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2522)	VOM	1947	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

**Section 4 - Emission Unit Requirements**  
**4.1 - External Floating Roof Storage Tank for**  
**Volatile Petroleum Liquids-Crude Oil**

<i>Emission Units</i>	<i>Pollutants Being Regulated</i>	<i>Original Construction Date</i>	<i>Modification/ Reconstruction Date</i>	<i>Air Pollution Control Devices or Measures</i>	<i>Monitoring Devices</i>
120,000 Barrels External Floating Roof Storage Tank (Tank #2523)	VOM	1948	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
120,000 Barrels External Floating Roof Storage Tank (Tank #2684)	VOM	1953	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None
120,000 Barrels External Floating Roof Storage Tank (Tank #2685)	VOM	1953	N/A	External Floating Roof, Shoe-mounted Primary Seal, and a Permanent Submerged Loading Pipe	None

**2. Applicable Requirements**

For the emission units in Condition 4.1.1 above, the Permittee shall comply with the following applicable requirements pursuant to Sections 39.5(7)(a), 39.5(7)(b), and 39.5(7)(d) of the Act.

**a. i. Work Practices and Control Requirements**

**A. Requirements of 35 IAC Part 215 Subpart B:**

- I. Pursuant to 35 IAC 215.122(b), each tank shall be equipped with a permanent submerged loading pipe.
- II. Pursuant to 35 IAC 215.123(b), no volatile petroleum liquid is allowed to be stored in the tanks, unless each tank is equipped and operated as follows:
  - 1. The tank is equipped with external floating roof specified in 35 IAC 215.121(b)(1); a floating roof which rests on the surface of the volatile organic liquid and is equipped with a closure seal or seals between the roof edge and the tank wall. Such floating roof shall not be permitted if the volatile organic liquid has a vapor pressure of 86.19 kPa (12.5 psia) or greater at 294.3°K (70°F).
  - 2. There are no visible holes, tears or other defects in the seal or any seal fabric or material of any floating roof (35 IAC 215.123(b)(2));
  - 3. All openings of any floating roof deck, except stub drains, are equipped with covers, lids or seals such that (35 IAC 215.123(b)(3)):
    - i. The cover, lid or seal is in the closed position at all times except when petroleum liquid is transferred to or from the tank;
    - ii. Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports; and
    - iii. Rim vents, if provided, are set to open when the roof is being floated off the roof leg supports or at the manufacturer's recommended setting.

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

ii. Compliance Method (Work Practices and Control Requirements)

Monitoring

A. 35 IAC 215.123(b):

- I. Pursuant to 35 IAC 215.123(b)(4), the Permittee shall conduct the routine inspections of floating roof seals once every six months.
- II. Pursuant to 35 IAC 215.123(b)(5), a complete inspection of the cover and seal of any floating roof tank is made whenever the tank is emptied for reasons other than the transfer of petroleum liquid during the normal operation of the tank, or whenever repairs are made as a result of any semi-annual inspection or incidence of roof damage or defect.

Recordkeeping

- B. Pursuant to 35 IAC 215.123(b)(6), the Permittee shall keep the records of each inspection conducted under 35 IAC 215.123(b)(4) and (b)(5).
- C. Pursuant to Section 39.5(7)(b) of the Act, the Permittee shall maintain records showing that the only VPL stored in each tank is crude oil to demonstrate that the tanks are not subject to 35 IAC 215.124.
- D. Pursuant to Section 39.5(7)(b), the Permittee shall maintain records of the design information for each tank showing the type of seals present on each tank and presence of submerged loading pipe.

**3. Non-Applicability Determinations**

- a.
  - i. The tanks are not subject to the New Source Performance Standards (NSPS) for Volatile Organic Liquid Storage Vessels, 40 CFR Part 60 Kb, because the tanks were not constructed, reconstructed, or modified after July 23, 1984.
  - ii. The tanks are not subject to the New Source Performance Standards (NSPS) for Petroleum Liquid Storage Vessels, 40 CFR Part 60 Subpart Ka, because the tanks were not constructed, reconstructed, or modified after May 18, 1978.
  - iii. The tanks are not subject to the New Source Performance Standards (NSPS) for Petroleum Liquid Storage Vessels, 40 CFR Part 60 Subpart K, because the tanks were not constructed, reconstructed, or modified after June 11, 1973.
- b. The tanks are not subject to 35 IAC 215.120(Control Requirements for Storage Containers or VOL)) pursuant to 35 IAC 215.119(e) because the tanks store petroleum liquids.
- c. The storage tanks are not subject to 35 IAC 215.301 because the storage tanks do not use organic material.
- d. The storage tanks are not subject to 35 IAC 215.124(a) because the only VPL the tanks are used to store is crude oil. [35 IAC 215.124(b)(4)]
- e. The tanks are not subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the tanks use passive control measures, such as seals, lids, or roofs, that are not considered control devices.
- f. Pursuant to 40 CFR 63.760, the tanks are not subject to requirements of 40 CFR Part 63 Subpart HH "Oil and Natural Gas Production" since crude oil that is handled on site is after the point of custody transfer.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

**4. Other Requirements**

As of the date of issuance of this permit, there are no other requirements that need to be included in this Condition.

**5. Reporting Requirements**

The Permittee shall submit the following information pursuant to Section 39.5(7)(f) of the Act. Addresses are included in Attachment 3.

**a. Prompt Reporting**

- i. A. Pursuant to Section 39.5(7)(f)(ii) of the Act, the Permittee shall promptly notify the IEPA, Air Compliance Section, within 30 days of deviations from applicable requirements as follows unless a different period is specified by a particular permit provision, i.e., NSPS or NESHAP requirement:
  - I. Requirements in Condition 4.1.2(a)(i).
- B. All such deviations shall be summarized and reported as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- ii. The Permittee shall notify the IEPA, Air Compliance Section, of all other deviations as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- iii. The deviation reports shall contain at a minimum the following information:
  - A. Date and time of the deviation.
  - B. Emission unit(s) and/or operation involved.
  - C. The duration of the event.
  - D. Probable cause of the deviation.
  - E. Corrective actions or preventative measures taken.

**4.2 External Floating Roof Storage Tank for Volatile Petroleum Liquids-Crude Oil Mode**

**1. Emission Units and Operations**

<i>Emission Units</i>	<i>Pollutants Being Regulated</i>	<i>Original Construction Date</i>	<i>Modification/ Reconstruction Date</i>	<i>Air Pollution Control Devices or Measures</i>	<i>Monitoring Devices</i>
126,000 Barrels External Floating Roof Storage Tank (Tank #349)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2500)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal, and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2501)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2515)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2520)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None
176,000 Barrels External Floating Roof Storage Tank (Tank #2735)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None

**2. Applicable Requirements**

For the emission units in Condition 4.2.1 above, the Permittee shall comply with the following applicable requirements pursuant to Sections 39.5(7) (a), 39.5(7) (b), and 39.5(7) (d) of the Act. For the same tanks in Condensate Crude Oil mode of operation see condition 4.3.

**a. i. Work Practices and Control Requirements**

A. Requirements of 35 IAC Part 215 Subpart B:

- I. Pursuant to 35 IAC 215.122(b), each tank shall be equipped with a permanent submerged loading pipe.
- II. Pursuant to 35 IAC 215.123(b), no volatile petroleum liquid is allowed to be stored in the tanks, unless each tank is equipped and operated as follows:
  - 1. The tank is equipped with external floating roof specified in 35 IAC 215.121(b)(1); a floating roof which rests on the surface of the volatile organic liquid and is equipped with a

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

**Section 4 - Emission Unit Requirements**  
**4.2 - External Floating Roof Storage Tank for**  
**Volatile Petroleum Liquids-Crude Oil Mode**

closure seal or seals between the roof edge and the tank wall. Such floating roof shall not be permitted if the volatile organic liquid has a vapor pressure of 86.19 kPa (12.5 psia) or greater at 294.3°K (70°F).

2. There are no visible holes, tears or other defects in the seal or any seal fabric or material of any floating roof;
3. All openings of any floating roof deck, except stub drains, are equipped with covers, lids or seals such that:
  - i. The cover, lid or seal is in the closed position at all times except when petroleum liquid is transferred to or from the tank;
  - ii. Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports; and
  - iii. Rim vents, if provided, are set to open when the roof is being floated off the roof leg supports or at the manufacturer's recommended setting.

ii. Compliance Method (Work Practices and Control Requirements)

Monitoring

- A. 35 IAC 215.123(b):
  - I. Pursuant to 35 IAC 215.123(b)(4), the Permittee shall conduct the routine inspections of floating roof seals once every six months.
  - II. Pursuant to 35 IAC 215.123(b)(5), a complete inspection of the cover and seal of any floating roof tank is made whenever the tank is emptied for reasons other than the transfer of petroleum liquid during the normal operation of the tank, or whenever repairs are made as a result of any semi-annual inspection or incidence of roof damage or defect.

Recordkeeping

- B. Pursuant to 35 IAC 215.123(b)(6), the Permittee shall keep the records of each inspection conducted under 35 IAC 215.123(b)(4) and (b)(5).
- C. Pursuant to Section 39.5(7)(b) of the Act, the Permittee shall maintain records of the following to demonstrate that the tanks are not subject to 35 IAC 215.124:
  - D. Pursuant to Section 39.5(7)(b), the Permittee shall maintain records of the design information for each tank showing the type of seals present on each tank and presence of submerged loading pipe.

**3. Non-Applicability Determinations**

- a. i. The tanks are not subject to the New Source Performance Standards (NSPS) for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels), 40 CFR Part 60 Kb, because the tanks were not constructed, reconstructed, or modified after July 23, 1984.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

**Section 4 - Emission Unit Requirements**  
**4.2 - External Floating Roof Storage Tank for**  
**Volatile Petroleum Liquids-Crude Oil Mode**

- ii. The tanks are not subject to the New Source Performance Standards (NSPS) for Petroleum Liquid Storage Vessels, 40 CFR Part 60 Subpart Ka, because the tanks were not constructed, reconstructed, or modified after May 18, 1978.
- iii. The tanks are not subject to the New Source Performance Standards (NSPS) for Petroleum Liquid Storage Vessels, 40 CFR Part 60 Subpart K, because the tanks were not constructed, reconstructed, or modified after June 11, 1973.
- b. The tanks are not subject to 35 IAC 215.120(Control Requirements for Storage Containers or VOL)) pursuant to 35 IAC 215.119(e) because the tanks store petroleum liquids.
- c. The storage tanks are not subject to 35 IAC 215.301 because the storage tanks do not use organic material.
- d. The storage tanks are not subject to 35 IAC 215.124(a) when storing crude oil, pursuant to 35 IAC 215.124(b) (4).
- e. The tanks are not subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the tanks use passive control measures, such as seals, lids, or roofs, that are not considered control devices.

**4. Operational Flexibility/Anticipated operating Scenarios**

For other types of petroleum liquid stored in these tanks, see permit section 4.3.

**5. Reporting Requirements**

The Permittee shall submit the following information pursuant to Section 39.5(7)(f) of the Act. Addresses are included in Attachment 3.

**a. Prompt Reporting**

- i. A. Pursuant to Section 39.5(7)(f)(ii) of the Act, the Permittee shall promptly notify the IEPA, Air Compliance Section, within 30 days of deviations from applicable requirements as follows unless a different period is specified by a particular permit provision, i.e., NSPS or NESHAP requirement:
  - I. Requirements in Condition 4.2.2(a)(i).
- B. All such deviations shall be summarized and reported as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- ii. The Permittee shall notify the IEPA, Air Compliance Section, of all other deviations as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- iii. The deviation reports shall contain at a minimum the following information:
  - A. Date and time of the deviation.
  - B. Emission unit(s) and/or operation involved.
  - C. The duration of the event.
  - D. Probable cause of the deviation.
  - E. Corrective actions or preventative measures taken.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

**4.3 External Floating Roof Storage Tank for Volatile Petroleum Liquids-Crude Oil Condensate Mode**

**1. Emission Units and Operations**

<i>Emission Units</i>	<i>Pollutants Being Regulated</i>	<i>Original Construction Date</i>	<i>Modification/ Reconstruction Date</i>	<i>Air Pollution Control Devices or Measures</i>	<i>Monitoring Devices</i>
126,000 Barrels External Floating Roof Storage Tank (Tank #349)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2500)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal, and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2501)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2515)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None
80,000 Barrels External Floating Roof Storage Tank (Tank #2520)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None
176,000 Barrels External Floating Roof Storage Tank (Tank #2735)	VOM	1949	N/A	External Floating Roof, Shoe-mounted Primary Seal, rim mounted secondary seal and a Permanent Submerged Loading Pipe	None

**2. Applicable Requirements**

For the emission units in Condition 4.3.1 above, the Permittee shall comply with the following applicable requirements pursuant to Sections 39.5(7) (a), 39.5(7) (b), and 39.5(7) (d) of the Act. For the same tanks in Crude Oil mode of operation see condition 4.2.

**a. i. Work Practices and Control Requirements**

A. Requirements of 35 IAC Part 215 Subpart B:

- I. Pursuant to 35 IAC 215.122(b), each tank shall be equipped with a permanent submerged loading pipe.
- II. Pursuant to 35 IAC 215.123(b), no volatile petroleum liquid is allowed to be stored in the tanks, unless each tank is equipped and operated as follows:
  - 1. The tank is equipped with external floating roof specified in 35 IAC 215.121(b)(1); a floating roof which rests on the surface of the volatile organic liquid and is equipped with a

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

**Section 4 - Emission Unit Requirements**  
**4.3 - External Floating Roof Storage Tank for Volatile**  
**Petroleum Liquids-Crude Oil Condensate Mode**

closure seal or seals between the roof edge and the tank wall. Such floating roof shall not be permitted if the volatile organic liquid has a vapor pressure of 86.19 kPa (12.5 psia) or greater at 294.3°K (70°F).

2. There are no visible holes, tears or other defects in the seal or any seal fabric or material of any floating roof;
3. All openings of any floating roof deck, except stub drains, are equipped with covers, lids or seals such that:
  - i. The cover, lid or seal is in the closed position at all times except when petroleum liquid is transferred to or from the tank;
  - ii. Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports; and
  - iii. Rim vents, if provided, are set to open when the roof is being floated off the roof leg supports or at the manufacturer's recommended setting.

B. Pursuant to 35 IAC 215.124(a), no volatile petroleum liquid is allowed to be stored in the tanks, unless each tank is equipped and operated as follows:

- I. Each tank has been fitted with a continuous secondary seal extending from the floating roof to the tank way (rim-mounted secondary seal);
- II. Each seal closure device meets the requirements listed in 35 IAC 215.124(a)(2):
  1. The seal is intact and uniformly in place around the circumference of the floating roof between the floating roof and tank wall; and
  2. The accumulated area of gaps exceeding 0.32 centimeter (1/8 inch) in width between the secondary seal and the tank wall shall not exceed 21.2 square centimeters per meter of tank diameter (1.0 square inches per foot of tank diameter);
- III. Emergency roof drains are provided with slotted membrane fabric covers or equivalent covers across at least 90 percent of the area of the opening; and
- IV. Openings are equipped with projections into the tank which remain below the liquid surface at all times.

ii. Compliance Method (Work Practices and Control Requirements)

Monitoring

A. 35 IAC 215.123(b):

- I. Pursuant to 35 IAC 215.123(b)(4), the Permittee shall conduct the routine inspections of floating roof seals once every six months.
- II. Pursuant to 35 IAC 215.123(b)(5), a complete inspection of the cover and seal of any floating roof tank is made whenever the tank is emptied for reasons other than the transfer of petroleum liquid during the normal operation of the tank, or whenever repairs are made

**Section 4 - Emission Unit Requirements**  
**4.3 - External Floating Roof Storage Tank for Volatile**  
**Petroleum Liquids-Crude Oil Condensate Mode**

as a result of any semi-annual inspection or incidence of roof damage or defect.

- B. Pursuant to 35 IAC 215.124(a):
  - I. Pursuant to 35 IAC 215.124(a)(5), inspections shall be conducted prior to May 1 of each year to insure compliance with 35 IAC 215.124(a)(1-4).
  - II. Pursuant to 35 IAC 215.124(a)(6) and 35 IAC 215.128, the secondary seal gap shall be measured prior to May 1 of each year and the measurement shall be conducted in accordance with the methods and procedures specified in 40 CFR 60, Subpart Kb. The Permittee shall notify to IEPA within 30 days prior the planned performance of the measurement to demonstrate compliance with 35 IAC 215.124(a)(2)(B).

Recordkeeping

- C. Pursuant to 35 IAC 215.123(b)(6), the Permittee shall keep the records of each inspection conducted under 35 IAC 215.123(b)(4) and (b)(5).
- D. Pursuant to 35 IAC 215.124(a)(7), the Permittee shall keep records of the types of volatile petroleum liquid stored, the maximum true vapor pressure of the liquid as stored, the results of the inspections, and the results of the secondary seal gap measurements.
- E. Pursuant to Section 39.5(7)(b), the Permittee shall maintain records of the design information for each tank showing the type of seals present on each tank and presence of submerged loading pipe.

**3. Non-Applicability Determinations**

- a.
  - i. The tanks are not subject to the New Source Performance Standards (NSPS) for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels), 40 CFR Part 60 Kb, because the tanks were not constructed, reconstructed, or modified after July 23, 1984.
  - ii. The tanks are not subject to the New Source Performance Standards (NSPS) for Petroleum Liquid Storage Vessels, 40 CFR Part 60 Subpart Ka, because the tanks were not constructed, reconstructed, or modified after May 18, 1978.
  - iii. The tanks are not subject to the New Source Performance Standards (NSPS) for Petroleum Liquid Storage Vessels, 40 CFR Part 60 Subpart K, because the tanks were not constructed, reconstructed, or modified after June 11, 1973.
- b. The tanks are not subject to 35 IAC 215.120(Control Requirements for Storage Containers or VOL)) pursuant to 35 IAC 215.119(e) because the tanks store petroleum liquids.
- c. The storage tanks are not subject to 35 IAC 215.301 because the storage tanks do not use organic material.
- d. The tanks are not subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the tanks use passive control measures, such as seals, lids, or roofs, that are not considered control devices.

**4. Operational Flexibility/Anticipated Operating Scenarios**

For crude oil stored in these tanks, see permit section 4.2.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

**5. Reporting Requirements**

The Permittee shall submit the following information pursuant to Section 39.5(7)(f) of the Act. Addresses are included in Attachment 3.

**a. Prompt Reporting**

- i. A. Pursuant to Section 39.5(7)(f)(ii) of the Act, the Permittee shall promptly notify the IEPA, Air Compliance Section, within 30 days of deviations from applicable requirements as follows unless a different period is specified by a particular permit provision, i.e., NSPS or NESHAP requirement:
  - I. Requirements in Condition 4.3.2(a)(i).
- B. All such deviations shall be summarized and reported as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- ii. The Permittee shall notify the IEPA, Air Compliance Section, of all other deviations as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- iii. The deviation reports shall contain at a minimum the following information:
  - A. Date and time of the deviation.
  - B. Emission unit(s) and/or operation involved.
  - C. The duration of the event.
  - D. Probable cause of the deviation.
  - E. Corrective actions or preventative measures taken.

**4.4 External Floating Roof Storage Tank for Volatile Petroleum Liquids-NSPS-Crude Oil or Crude Oil Condensate**

**1. Emission Units and Operations**

Emission Units	Pollutants Being Regulated	Original Construction Date	Modification/ Reconstruction Date	Air Pollution Control Devices or Measures	Monitoring Devices
80,000 Barrels External Floating Roof Storage Tank (Tank #2524)	VOM	1947	2007	External Floating Roof, Shoe-mounted Primary Seal, Rim-Mounted Secondary Seal, and a Permanent Submerged Loading Pipe	None

**2. Applicable Requirements**

For the emission units in Condition 4.4.1 above, the Permittee shall comply with the following applicable requirements pursuant to Sections 39.5(7)(a), 39.5(7)(b), and 39.5(7)(d) of the Act.

**a. i. Work Practices and Control Requirements**

**A. Requirements of 40 CFR 60 Subpart Kb for Tank 2524**

Pursuant to 40 CFR 60.112b(a)(2), The Permittee shall equip the affected tank with an external floating roof. An external floating roof means a pontoon-type or double-deck type cover that rests on the liquid surface in a vessel with no fixed roof. The external floating roof must meet the following specifications:

I. Pursuant to 40 CFR 60.112b(a)(2)(i), The external floating roof shall be equipped with a closure device between the wall of the storage vessel and the roof edge. The closure device is to consist of two seals, one above the other. The lower seal is referred to as the primary seal, and the upper seal is referred to as the secondary seal.

1. Pursuant to 40 CFR 60.112b(a)(2)(i)(A), the primary seal shall be either a mechanical shoe seal or a liquid-mounted seal. Except as provided in 40 CFR 60.113b(b)(4), the seal shall completely cover the annular space between the edge of the floating roof and tank wall.

2. Pursuant to 40 CFR 60.112b(a)(2)(i)(B), The secondary seal shall completely cover the annular space between the external floating roof and the wall of the storage vessel in a continuous fashion except as allowed in 40 CFR 60.113b(b)(4).

II. Pursuant to 40 CFR 60.112b(a)(2)(ii), except for automatic bleeder vents and rim space vents, each opening in a noncontact external floating roof shall provide a projection below the liquid surface. Except for automatic bleeder vents, rim space vents, roof drains, and leg sleeves, each opening in the roof is to be equipped with a gasketed cover, seal, or lid that is to be maintained in a closed position at all times (i.e., no visible gap) except when the device is in actual use. Automatic bleeder vents are to be closed at all times when the roof is floating except when the roof is being floated off or is being landed on the roof leg supports. Rim vents are to be set to open when the roof is being floated off the roof legs supports or at the manufacturer's recommended setting. Automatic bleeder vents and rim space vents are to be gasketed. Each emergency roof

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

**Section 4 - Emission Unit Requirements**  
**4.4 - External Floating Roof Storage Tank for Volatile Petroleum**  
**Liquids-NSPS-Crude Oil or Crude Oil Condensate**

drain is to be provided with a slotted membrane fabric cover that covers at least 90 percent of the area of the opening.

III. Pursuant to 40 CFR 60.112b(a)(2)(iii), the roof shall be floating on the liquid at all times (i.e., off the roof leg supports) except during initial fill until the roof is lifted off leg supports and when the tank is completely emptied and subsequently refilled. The process of filling, emptying, or refilling when the roof is resting on the leg supports shall be continuous and shall be accomplished as rapidly as possible.

B. Requirements of 35 IAC Part 215 Subpart B:

I. Pursuant to 35 IAC 215.122(b), each tank shall be equipped with a permanent submerged loading pipe.

ii. Compliance Method (Work Practices and Control Requirements)

Monitoring

A. Monitoring of True Vapor Pressure 40 CFR 60.116b(e)

I. Pursuant to 40 CFR 60.116b(e)(1), for vessels operated at ambient temperatures, the maximum true vapor pressure can be calculated based upon the maximum local monthly average ambient temperature as reported by the National Weather Service.

II. Pursuant to 40 CFR 60.116b(e)(2), for crude oil or refined petroleum products the vapor pressure may be obtained as specified in 40 CFR 60.116b(e)(2)(i) and (ii).

Testing

B. Pursuant to 40 CFR 60.113b(b), the Permittee shall fulfill all applicable testing and procedures requirements of 40 CFR 60.113b(b) for the tank as specified in 40 CFR 60.113b(b)(1) through (b)(6).

Recordkeeping

C. I. Pursuant to 40 CFR 60.115b, the owner or operator of Tank 2524 shall keep records as required by 40 CFR 60.115b(b).

II. Pursuant to 40 CFR 60.116b, the Permittee shall maintain records as required by 40 CFR 60.116b(a) through (f).

D. Pursuant to Section 39.5(7)(b), the Permittee shall maintain records of the materials stored in each tank and presence of the submerged loading pipe.

E. Pursuant to Section 39.5(7)(b), the Permittee shall maintain records of the design information for each tank showing the type of seals present on each tank.

**3. Non-Applicability Determinations**

- a. The tank is not subject to 35 IAC 215.120(Control Requirements for Storage Containers or VOL) pursuant to 35 IAC 215.119(e) because the tanks stores petroleum liquids.
- b. The storage tank is not subject to 35 IAC 215.301 because the storage tanks does not use organic material.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

**Section 4 - Emission Unit Requirements**  
**4.4 - External Floating Roof Storage Tank for Volatile Petroleum**  
**Liquids-NSPS-Crude Oil or Crude Oil Condensate**

- c. Pursuant to 35 IAC 215.123(a)(5), the storage tank is not subject to 35 IAC 215.123(b) because it is subject to new source performance standards for storage vessels of petroleum liquid, 40 CFR 60 Subpart Kb.
- d. Pursuant to 35 IAC 215.124(b)(1), the storage tank is not subject to 35 IAC 215.124(a) because it is subject to new source performance standards for storage vessels of petroleum liquid, 40 CFR 60 Subpart Kb.
- e. The tank is not subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the tank uses passive control measures, such as seals, lids, or roofs, that are not considered control devices.

**4. Other Requirements**

As of the date of issuance of this permit, there are no other requirements that need to be included in this Condition.

**5. Reporting Requirements**

The Permittee shall submit the following information pursuant to Section 39.5(7)(f) of the Act. Addresses are included in Attachment 3.

**a. Prompt Reporting**

- i. A. Pursuant to Section 39.5(7)(f)(ii) of the Act, the Permittee shall promptly notify the IEPA, Air Compliance Section, within 30 days of deviations from applicable requirements as follows unless a different period is specified by a particular permit provision, i.e., NSPS or NESHAP requirement:
  - I. Requirements in Condition 4.4.2(a)(i).
- B. All such deviations shall be summarized and reported as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- ii. The Permittee shall notify the IEPA, Air Compliance Section, of all other deviations as part of the Semiannual Monitoring Report required by Condition 3.5(b).
- iii. The deviation reports shall contain at a minimum the following information:
  - A. Date and time of the deviation.
  - B. Emission unit(s) and/or operation involved.
  - C. The duration of the event.
  - D. Probable cause of the deviation.
  - E. Corrective actions or preventative measures taken.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

4.5 Fixed Roof Storage Tank

**1. Emission Units and Operations**

<i>Emission Units</i>	<i>Pollutants Being Regulated</i>	<i>Original Construction Date</i>	<i>Modification/ Reconstruction Date</i>	<i>Air Pollution Control Devices or Measures</i>	<i>Monitoring Devices</i>
3,500 Gallons Fixed Roof Patoka Corrosion Inhibitor Tank	VOM	1995	N/A	Submerged Loading pipe	None
1,100 Gallons Patoka Corrosion Inhibitor Tank	VOM	2007	N/A	Submerged Loading pipe	None

**2. Applicable Requirements**

For the emission units in Condition 4.5.1 above, the Permittee shall comply with the following applicable requirements pursuant to Sections 39.5(7)(a), 39.5(7)(b), and 39.5(7)(d) of the Act.

**a. i. Work Practices and Control Requirements**

Requirements of 35 IAC Part 215 Subpart B:

A. Pursuant to 35 IAC 215.122(b), no person shall cause or allow the loading of any organic material into any stationary tank having a storage capacity of greater than 250 gallons, unless such tank is equipped with a permanent submerged loading pipe or an equivalent device approved by the Illinois EPA according to the provisions of 35 IAC 201, and further processed consistent with 35 IAC 215.108.

ii. Compliance Method (Work Practice Requirements)

Monitoring

A. Pursuant to 39.5(7)(a) of the Act, routine inspections of the submerged loading pipe shall be conducted once every six months.

Recordkeeping

B. Pursuant to Section 39.5(7)(b) of the Act, the Permittee shall keep records of each inspection performed along with a maintenance and repair log. These records shall include, at a minimum: date and time inspections were performed, name(s) of inspection personnel, identification of equipment being inspected, findings of the inspections.

C. Pursuant to 35 IAC 215.129(f), the Permittee of each storage vessel specified in 35 IAC 215.119 shall maintain readily accessible records of the dimension of the storage vessel and an analysis of the capacity of the storage vessel.

**b. i. Operational and Production Requirements**

A. Pursuant to Section 39.5(7)(a) of the Act, the tank is not allowed to store gasoline.

ii. Compliance Method (Operational and Production Requirements)

Recordkeeping

A. Pursuant to Section 39.5(7)(b) of the Act, the Permittee shall maintain records of the type of materials stored in the tanks.

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

- B. Pursuant to Section 39.5(7)(b) of the Act, the Permittee shall maintain records of the presence of the submerged loading pipe.

### 3. Non-Applicability Determinations

- a. The tanks are not subject to the New Source Performance Standards (NSPS) for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels), 40 CFR Part 60 Subpart Kb, because the tanks are less than 19,812 gallon pursuant to 40 CFR 60.110b(a).
- b. Pursuant to 35 IAC 215.119(a), the control requirements of 35 IAC 215.120 are not applicable to the tanks because they have a capacity less than 40,000 gallons.
- c. The tanks are not subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the tanks use passive control measures, such as submerged fill pipe and roof which are not considered control devices.

### 4. Other Requirements

As of the date of issuance of this permit, there are no other requirements that need to be included in this Condition.

### 5. Reporting Requirements

The Permittee shall submit the following information pursuant to Section 39.5(7)(f) of the Act. Addresses are included in Attachment 3.

#### a. Prompt Reporting

- i. A. Pursuant to Section 39.5(7)(f)(ii) of the Act, the Permittee shall promptly notify the IEPA, Air Compliance Section, within 30 days of deviations from applicable requirements as follows unless a different period is specified by a particular permit provision, i.e., NSPS or NESHAP requirement:
- I. Requirements in Condition 4.5.2(a)(i) and 4.5.2(b)(i).
- B. All such deviations shall be summarized and reported as part of the Semiannual Monitoring Report required by Condition 3.7(b).
- ii. The Permittee shall notify the IEPA, Air Compliance Section, of all other deviations as part of the Semiannual Monitoring Reports required by Condition 3.7(b).
- iii. The deviation reports shall contain at a minimum the following information:
- A. Date and time of the deviation.
- B. Emission unit(s) and/or operation involved.
- C. The duration of the event.
- D. Probable cause of the deviation.
- E. Corrective actions or preventative measures taken.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

**Section 5 - Additional Title I Requirements**

This Section is reserved for Title I requirements not specified in Sections 3 or 4. As of the date of issuance of this permit, there are no Title I requirements that need to be separately addressed in this Section.

## Section 6 - Insignificant Activities Requirements

### 1. Insignificant Activities Subject to Specific Regulations

Pursuant to 35 IAC 201.146, the following activities at the source constitute insignificant activities obligated to comply with Sections 9.1(d) and Section 39.5 of the Act; Sections 165, 173, and 502 of the Clean Air Act; or any other applicable permit or registration requirements:

<i>Insignificant Activity</i>	<i>Number of Units</i>	<i>Insignificant Activity Category</i>
Gas turbines and stationary reciprocating internal combustion engines < 112 kW (150 HP). Emergency Generator	1	35 IAC 201.210(a)(15)
Gas Turbines and Engines between 112 KW and 1,118 KW (150 and 1,500 HP) that are emergency or standby units. Firewater Pump Engine	1	35 IAC 201.210(a)(16)

#### a. Applicable Requirements

Pursuant to Sections 39.5(7)(a), 39.5(7)(b), and 39.5(7)(d) of the Act, the Permittee shall comply with the following applicable requirements in addition to the applicable requirements in Condition 6.4:

#### i. New Source Performance Standard Requirements (NSPS) - Emergency Generator

- A. Standards of Performance for Stationary Compression Ignition Internal Combustion Engines (40 CFR 60 Subpart IIII)
  - I. The engines shall meet the applicable emission limitations requirements of 40 CFR 60.4205.
  - II. The engines shall meet the applicable general provisions of 40 CFR 60.4218 and Subpart A.
  - III. The engines shall meet the applicable monitoring requirements in 40 CFR 60.4209.
  - IV. The engines shall meet the applicable compliance demonstration requirements in 40 CFR 60.4211.
  - V. The engines shall meet the applicable performance testing as necessary in 40 CFR 60.4212.
  - VI. The engines shall meet the applicable recordkeeping requirements and reporting in 40 CFR 60.4214.

#### ii. National Emission Standards for Hazardous Air Pollutants (NESHAP) - Firewater Pump

- A. Standards of Performance for Stationary Reciprocating Internal Combustion Engines (40 CFR 63 Subpart ZZZZ)
  - I. The engines shall meet the applicable emission limitations requirements of 40 CFR 63.6600.
  - II. The engines shall meet the applicable monitoring, installation, collection, operation, and maintenance requirements in 40 CFR 63.6625.
  - III. The engines shall meet the applicable compliance demonstration requirements in 40 CFR 63.6640(f).

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

- IV. The engines shall meet the applicable record keeping requirements in 40 CFR 63.6655(f).

## 2. Insignificant Activities in 35 IAC 201.210(a)

In addition to any insignificant activities identified in Condition 6.1, the following additional activities at the source constitute insignificant activities pursuant to 35 IAC 201.210 and 201.211:

<i>Insignificant Activity</i>	<i>Number of Units</i>	<i>Insignificant Activity Category</i>
Miscellaneous Painting	1	35 IAC 201.210(a) (3)
Storage tanks < 10,000 gallon with annual throughput < 100,000 gallon (not storing gasoline or any material listed as a HAP). Solvent Tank	1	35 IAC 201.210(a) (10) (A)
Storage tanks of gasoline, including gasoline/ethanol blend fuels, with a capacity of less than 2000 gallons	1	35 IAC 201.210(a) (10) (B)
Storage tanks of virgin or rerefined distillate oil, hydrocarbon condensate from natural gas pipeline or storage systems, lubricating oil, or residual fuel oil.	3	35 IAC 201.210(a) (11)

## 3. Insignificant Activities in 35 IAC 201.210(b)

Pursuant to 35 IAC 201.210, the source has identified insignificant activities as listed in 35 IAC 201.210(b)(1) through (28) as being present at the source. The source is not required to individually list the activities.

## 4. Applicable Requirements

Insignificant activities in Conditions 6.1 and 6.2 are subject to the following general regulatory limits notwithstanding status as insignificant activities. The Permittee shall comply with the following requirements, as applicable:

- a. Pursuant to 35 IAC 212.123(a), no person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to 35 IAC 212.122, except as provided in 35 IAC 212.123(b).
- b. Pursuant to 35 IAC 212.321 or 212.322, no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units at a source or premises, exceed the allowable emission rates specified 35 IAC 212.321 or 212.322 and 35 IAC Part 266.
- c. Pursuant to 35 IAC 214.301, no person shall cause or allow the emission of sulfur dioxide into the atmosphere from any process emission source to exceed 2,000 ppm, except as provided in 35 IAC Part 214.
- d. Pursuant to 35 IAC 215.301, no person shall cause or allow the discharge of more than 8 lbs/hr of organic material into the atmosphere from any emission source, except as provided in 35 IAC 215.302, 215.303, 215.304 and the following exception: If no odor nuisance exists the limitation of 35 IAC 215 Subpart K shall apply only to photochemically reactive material.
- e. Pursuant to 35 IAC 215.122(b), no person shall cause or allow the loading of any organic material into any stationary tank having a storage capacity of greater than 250 gal, unless such tank is equipped with a permanent submerged loading pipe, submerged fill, or an equivalent device approved by the IEPA according to 35 IAC Part 201 or unless such tank is a pressure tank as described in 35 IAC 215.121(a) or is fitted with a recovery system as described in 35 IAC 215.121(b)(2). Exception as provided in 35 IAC 215.122(c):

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

If no odor nuisance exists the limitations of 35 IAC 215.122 shall only apply to the loading of volatile organic liquid with a vapor pressure of 2.5 psia or greater at 70°F.

- f. Pursuant to 35 IAC 215.182, for each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, except as provided in 35 IAC 215.181.

**5. Compliance Method**

Pursuant to Section 39.5(7)(b) of the Act, the source shall maintain records of the following items for the insignificant activities in Conditions 6.1 and 6.2:

- a. List of all insignificant activities, including insignificant activities added as specified in Condition 6.6, the categories the insignificant activities fall under, and supporting calculations as needed for any insignificant activities listed in 35 IAC 201.210(a)(1) through (3).
- b. Potential to emit emission calculations before any air pollution control device for any insignificant activities listed in 35 IAC 201.210(a)(1) through (3).

**6. Notification Requirements for Insignificant Activities**

The source shall notify the IEPA accordingly to the addition of insignificant activities:

**a. Notification 7 Days in Advance**

- i. Pursuant to 35 IAC 201.212(b), for the addition of an insignificant activity that would be categorized under 35 IAC 201.210(a)(1) and 201.211 and is not currently identified in Conditions 6.1 or 6.2, a notification to the IEPA Permit Section 7 days in advance of the addition of the insignificant activity is required. Addresses are included in Attachment 3. The notification shall include the following pursuant to 35 IAC 201.211(b):
  - A. A description of the emission unit including the function and expected operating schedule of the unit.
  - B. A description of any air pollution control equipment or control measures associated with the emission unit.
  - C. The emissions of regulated air pollutants in lb/hr and ton/yr.
  - D. The means by which emissions were determined or estimated.
  - E. The estimated number of such emission units at the source.
  - F. Other information upon which the applicant relies to support treatment of such emission unit as an insignificant activity.
- ii. Pursuant to 35 IAC 201.212(b), for the addition of an insignificant activity that would be categorized under 35 IAC 201.210(a)(2) through 201.210(a)(18) and is not currently identified in Conditions 6.1 or 6.2, a notification to the IEPA Permit Section 7 days in advance of the addition of the insignificant activity is required. Addresses are included in Attachment 3.
- iii. Pursuant to Sections 39.5(12)(a)(i)(b) and 39.5(12)(b)(iii) of the Act, the permit shield described in Section 39.5(7)(j) of the Act (see Condition 2.7) shall not apply to any addition of an insignificant activity noted above.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

**b. Notification Required at Renewal**

Pursuant to 35 IAC 201.212(a) and 35 IAC 201.146(kkk), for the addition of an insignificant activity that would be categorized under 35 IAC 201.210(a) and is currently identified in Conditions 6.1 or 6.2, a notification is not required until the renewal of this permit.

**c. Notification Not Required**

Pursuant to 35 IAC 201.212(c) and 35 IAC 201.146(kkk), for the addition of an insignificant activity that would be categorized under 35 IAC 201.210(b) as describe in Condition 6.3, a notification is not required.

## Section 7 - Other Requirements

### 1. Testing

- a. Pursuant to Section 39.5(7)(a) of the Act, a written test protocol shall be submitted at least sixty (60) days prior to the actual date of testing, unless it is required otherwise in applicable state or federal statutes. The IEPA may at the discretion of the Compliance Section Manager (or designee) accept protocol less than 60 days prior to testing provided it does not interfere with the IEPA's ability to review and comment on the protocol and does not deviate from the applicable state or federal statutes. The protocol shall be submitted to the IEPA, Compliance Section and IEPA, Stack Test Specialist for its review. Addresses are included in Attachment 3. This protocol shall describe the specific procedures for testing, including as a minimum:
  - i. The name and identification of the emission unit(s) being tested.
  - ii. Purpose of the test, i.e., permit condition requirement, IEPA or USEPA requesting test.
  - iii. The person(s) who will be performing sampling and analysis and their experience with similar tests.
  - iv. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the emission unit and any control equipment will be determined.
  - v. The specific determinations of emissions and operation which are intended to be made, including sampling and monitoring locations.
  - vi. The test method(s) that will be used, with the specific analysis method, if the method can be used with different analysis methods. Include if emission tests averaging of 35 IAC 283 will be used.
  - vii. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with detailed justification. This shall be included as a waiver of the test procedures. If a waiver has already been obtained by the IEPA or USEPA, then the waiver shall be submitted.
  - viii. Any proposed use of an alternative test method, with detailed justification. This shall be included as a waiver of the test procedures. If a waiver has already been obtained by the IEPA or USEPA, then the waiver shall be submitted.
  - ix. Sampling of materials, QA/QC procedures, inspections, etc.
- b. The IEPA, Compliance Section shall be notified prior to these tests to enable the IEPA to observe these tests pursuant to Section 39.5(7)(a) of the Act as follows:
  - i. Notification of the expected date of testing shall be submitted in writing a minimum of thirty (30) days prior to the expected test date, unless it is required otherwise in applicable state or federal statutes.
  - ii. Notification of the actual date and expected time of testing shall be submitted in writing a minimum of five (5) working days prior to the actual date of the test. The IEPA may at its discretion of the Compliance Section Manager (or designee) accept notifications with shorter advance notice provided such notifications will not interfere with the IEPA's ability to observe testing.
- c. Copies of the Final Report(s) for these tests shall be submitted to the IEPA, Compliance Section within fourteen (14) days after the test results are compiled and finalized but

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

no later than ninety (90) days after completion of the test, unless it is required otherwise in applicable state or federal statutes or the IEPA may at the discretion of the Compliance Section Manager (or designee) an alternative date is agreed upon in advance pursuant to Section 39.5(7)(a) of the Act. The Final Report shall include as a minimum:

- i. General information including emission unit(s) tested.
  - ii. A summary of results.
  - iii. Discussion of conditions during each test run (malfunction/breakdown, startup/shutdown, abnormal processing, etc.).
  - iv. Description of test method(s), including description of sampling points, sampling train, analysis equipment, and test schedule.
  - v. Detailed description of test conditions, including:
    - A. Process information, i.e., mode(s) of operation, process rate, e.g. fuel or raw material consumption.
    - B. Control equipment information, i.e., equipment condition and operating parameters during testing.
    - C. A discussion of any preparatory actions taken, i.e., inspections, maintenance and repair.
  - vi. Data and calculations, including copies of all raw data sheets and records of laboratory analyses, sample calculations, and data on equipment calibration.
  - vii. An explanation of any discrepancies among individual tests or anomalous data.
  - viii. Results of the sampling of materials, QA/QC procedures, inspections, etc.
  - ix. Discussion of whether protocol was followed and description of any changes to the protocol if any occurred.
  - x. Demonstration of compliance showing whether test results are in compliance with applicable state or federal statutes.
- d. Copies of all test reports and other test related documentation shall be kept on site as required by Condition 2.5(b) pursuant to Section 39.5(7)(e)(ii) of the Act.

**Section 8 - State Only Requirements**

**1. Permitted Emissions for Fees**

The annual emissions from the source for purposes of "Duties to Pay Fees" of Condition 2.3(e), not considering insignificant activities as addressed by Section 6, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. The Permittee shall maintain records with supporting calculations of how the annual emissions for fee purposes were calculated. This Condition is set for the purpose of establishing fees and is not federally enforceable. See Section 39.5(18) of the Act.

<i>Pollutant</i>		<i>Tons/Year</i>
Volatile Organic Material	(VOM)	194.45
Sulfur Dioxide	(SO <sub>2</sub> )	----
Particulate Matter	(PM)	0.77
Nitrogen Oxides	(NO <sub>x</sub> )	----
HAP, not included in VOM or PM	(HAP)	----
Total		195.22

## Attachment 1 - List of Emission Units at This Source

<i>Section</i>	<i>Emission Units</i>	<i>Description</i>
4.1	External Floating Roof Storage Tanks for Volatile Petroleum Liquids-Crude Oil Mode	The Permittee operates external floating roof storage tanks to store crude oil. The tanks are equipped with primary seals but not secondary seals. Permanent submerged loading must be used at these tanks, minimizing turbulence and evaporation of VOM during loading. Operation of the tanks includes normal operation, roof landings and tank cleaning events.
4.2	External Floating Roof Storage Tanks for Volatile Petroleum Liquids-Crude Oil Mode	The Permittee operates external floating roof storage tanks to store crude oil. The tanks are equipped with both primary seals and secondary seals. Permanent submerged loading must be used at these tanks, minimizing turbulence and evaporation of VOM during loading. Operation of the tanks includes normal operation, roof landings and tank cleaning events.
4.3	External Floating Roof Storage Tanks for Volatile Petroleum Liquids-Crude Oil Condensate Mode	Same tanks described in 4.2 in crude oil condensate mode of operation
4.4	External Floating Roof Storage Tank for Volatile Petroleum Liquids-NSPS	The Permittee operates an external floating roof storage tank that was modified after 1984 and is subject to NSPS Subpart Kb. The tank is equipped with both a primary seal and a secondary seal and can store either crude oil or crude oil condensate. Permanent submerged loading must be used at this tank, minimizing turbulence and evaporation of VOM during loading. Operation of the tank includes normal operation, roof landings and tank cleaning events.
4.5	Corrosion Inhibitor Tanks	The Permittee operates vertical fixed roof tanks to store an organic liquid that is blended into crude oil at a very low ratio to help prevent corrosion from occurring in tanks and piping. The tanks are equipped with submerged fill pipes.

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

## Attachment 2 - Acronyms and Abbreviations

acfm	Actual cubic feet per minute
ACMA	Alternative Compliance Market Account
Act	Illinois Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
ATU	Allotment trading unit
BACT	Best Available Control Technology
BAT	Best Available Technology
Btu	British Thermal Units
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CAIR	Clean Air Interstate Rule
CAM	Compliance Assurance Monitoring
CEMS	Continuous Emission Monitoring System
CFR	Code of Federal Regulations
CISWI	Commercial Industrial Solid Waste Incinerator
CO	Carbon monoxide
CO <sub>2</sub>	Carbon dioxide
COMS	Continuous Opacity Monitoring System
CPMS	Continuous Parameter Monitoring System
dscf	Dry standard cubic foot
dscm	Dry standard cubic meter
ERMS	Emissions Reduction Market System
°F	Degrees Fahrenheit
GHG	Green house gas
GACT	Generally Acceptable Control Technology
gr	Grains
HAP	Hazardous air pollutant
Hg	Mercury
HMIWI	Hospital medical infectious waste incinerator
hp	Horsepower
hr	Hour
H <sub>2</sub> S	Hydrogen sulfide
I.D. No.	Identification number of source, assigned by IEPA
IAC	Illinois Administrative Code
ILCS	Illinois Compiled Statutes
IEPA	Illinois Environmental Protection Agency
kw	Kilowatts
LAER	Lowest Achievable Emission Rate
lbs	Pound

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

m	Meter
MACT	Maximum Achievable Control Technology
M	Thousand
MM	Million
mos	Month
MSDS	Material Safety Data Sheet
MSSCAM	Major Stationary Sources Construction and Modification (Non-attainment New Source Review)
MW	Megawatts
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO <sub>x</sub>	Nitrogen oxides
NSPS	New Source Performance Standards
NSR	New Source Review
PB	Lead
PEMS	Predictive Emissions Monitoring System
PM	Particulate matter
PM <sub>10</sub>	Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 microns as measured by applicable test or monitoring methods
PM <sub>2.5</sub>	Particulate matter with an aerodynamic diameter less than or equal to a nominal 2.5 microns as measured by applicable test or monitoring methods
ppm	Parts per million
ppmv	Parts per million by volume
ppmw	Parts per million by weight
PSD	Prevention of Significant Deterioration
PSEU	Pollutant-Specific Emission Unit
psia	Pounds per square inch absolute
PTE	Potential to emit
RACT	Reasonable Available Control Technology
RMP	Risk Management Plan
scf	Standard cubic feet
SCR	Selective catalytic reduction
SIP	State Implementation Plan
SO <sub>2</sub>	Sulfur dioxide
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit
T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
USEPA	United States Environmental Protection Agency
VOM	Volatile organic material

Mobil Pipe Line Company  
 I.D. No.: 121810AAK  
 Permit No.: 95090128

Date Received: 01/28/2002  
 Date Issued: TBD

Attachment 3 - Contact and Reporting Addresses

<p style="text-align: center;">IEPA Compliance Section</p> <p style="text-align: center;">IEPA Stack Test Specialist</p> <p style="text-align: center;">IEPA Air Quality Planning Section</p> <p style="text-align: center;">IEPA Air Regional Field Operations Regional Office #3</p> <p style="text-align: center;">IEPA Permit Section</p>	<p>Illinois EPA, Bureau of Air Compliance &amp; Enforcement Section (MC 40) 1021 North Grand Avenue East P.O. Box 19276 Springfield, Illinois 62794-9276  Phone No.: 217/782-2113</p> <p>Illinois EPA, Bureau of Air Compliance Section Source Monitoring - Third Floor 9511 Harrison Street Des Plaines, Illinois 60016  Phone No.: 847/294-4000</p> <p>Illinois EPA, Bureau of Air Air Quality Planning Section (MC 39) 1021 North Grand Avenue East P.O. Box 19276 Springfield, Illinois 62794-9276  Phone No.: 217/782-2113</p> <p>Illinois EPA, Bureau of Air Regional Office #3 2009 Mall Street Collinsville, Illinois 62234  Phone No.: 618/346-5120</p> <p>Illinois EPA, Bureau of Air Permit Section (MC 11) 1021 North Grand Avenue East P.O. Box 19506 Springfield, Illinois 62794-9506  Phone No.: 217/785-1705</p>
<p style="text-align: center;">USEPA Region 5 - Air Branch</p>	<p>USEPA (AR - 17J) Air and Radiation Division 77 West Jackson Boulevard Chicago, Illinois 60604  Phone No.: 312/353-2000</p>

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD

**Attachment 4 - Example Certification by a Responsible Official**

<b>SIGNATURE BLOCK</b>	
NOTE: THIS CERTIFICATION MUST BE SIGNED BY A RESPONSIBLE OFFICIAL. APPLICATIONS WITHOUT A SIGNED CERTIFICATION WILL BE DEEMED AS INCOMPLETE.	
I CERTIFY UNDER PENALTY OF LAW THAT, BASED ON INFORMATION AND BELIEF FORMED AFTER REASONABLE INQUIRY, THE STATEMENTS AND INFORMATION CONTAINED IN THIS APPLICATION ARE TRUE, ACCURATE AND COMPLETE. ANY PERSON WHO KNOWINGLY MAKES A FALSE, FICTITIOUS, OR FRAUDULENT MATERIAL STATEMENT, ORALLY OR IN WRITING, TO THE ILLINOIS EPA COMMITS A CLASS 4 FELONY. A SECOND OR SUBSEQUENT OFFENSE AFTER CONVICTION IS A CLASS 3 FELONY. (415 ILCS 5/44(H))	
AUTHORIZED SIGNATURE:	
BY: _____	_____
AUTHORIZED SIGNATURE	TITLE OF SIGNATORY
_____	_____/_____/_____
TYPED OR PRINTED NAME OF SIGNATORY	DATE

Mobil Pipe Line Company  
I.D. No.: 121810AAK  
Permit No.: 95090128

Date Received: 01/28/2002  
Date Issued: TBD