

217/782-2113

TITLE V - CLEAN AIR ACT PERMIT PROGRAM (CAAPP) PERMIT
and
TITLE I PERMIT¹

PERMITTEE

City of Red Bud
Attn: David Diewald, Utility Superintendent
525 Power Street
Red Bud, Illinois 62278-1597

Application No.: 01070091

ID No.: 157045AAJ

Applicant's Designation:

Date Received: July 2, 2001

Operation of: Power Generating Plant

Date Issued: November 24, 2003

Expiration Date: November 24, 2008

Source Location: 525 Power Street, Red Bud, Randolph County

Responsible Official: John H. Horell, Mayor

This permit is hereby granted to the above-designated Permittee to OPERATE a power plant, pursuant to the above referenced permit application. This permit is subject to the conditions contained herein.

If you have any questions concerning this permit, please contact Kunj Patel at 217/782-2113.

Donald E. Sutton, P.E.
Manager, Permit Section
Division of Air Pollution Control

DES:KMP:psj

cc: Illinois EPA, FOS, Region 3

¹ This permit contains terms and conditions established pursuant to Title I of the Clean Air Act (CAA) that addresses the applicability, and compliance if determined applicable, of Title I of the CAA and regulations promulgated thereunder, including 40 CFR 52.21 - federal rules for Prevention of Significant Deterioration ("PSD") for Major Stationary Sources Construction and Modification. Any such terms and conditions would be specifically identified within this permit.

² Except as provided in Condition 8.7 of this permit.

TABLE OF CONTENTS

| | <u>PAGE</u> |
|--|-------------|
| 1.0 SOURCE IDENTIFICATION | 4 |
| 1.1 Source | |
| 1.2 Owner/Parent Company | |
| 1.3 Operator | |
| 1.4 General Source Description | |
| 2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT | 5 |
| 3.0 INSIGNIFICANT ACTIVITIES | 6 |
| 3.1 Identification of Insignificant Activities | |
| 3.2 Compliance with Applicable Requirements | |
| 3.3 Addition of Insignificant Activities | |
| 4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE | 8 |
| 5.0 OVERALL SOURCE CONDITIONS | 9 |
| 5.1 Source Description | |
| 5.2 Applicable Regulations | |
| 5.3 Non-Applicability of Regulations of Concern | |
| 5.4 Source-Wide Operational and Production Limits and Work Practices | |
| 5.5 Source-Wide Emission Limitations | |
| 5.6 General Recordkeeping Requirements | |
| 5.7 General Reporting Requirements | |
| 5.8 General Operational Flexibility/Anticipated Operating Scenarios | |
| 5.9 General Compliance Procedures | |
| 6.0 NOT APPLICABLE TO THIS PERMIT | 15 |
| 7.0 UNIT SPECIFIC CONDITIONS | 16 |
| 7.1 Unit 01: Distillate Oil Fired Internal combustion Engines | |
| 8.0 GENERAL PERMIT CONDITIONS | 25 |
| 8.1 Permit Shield | |
| 8.2 Applicability of Title IV Requirements | |
| 8.3 Emissions Trading Programs | |
| 8.4 Operational Flexibility/Anticipated Operating Scenarios | |
| 8.5 Testing Procedures | |
| 8.6 Reporting Requirements | |
| 8.7 Obligation to Comply with Title I Requirements | |

| | <u>PAGE</u> |
|--|-------------|
| 9.0 STANDARD PERMIT CONDITIONS | 30 |
| 9.1 Effect of Permit | |
| 9.2 General Obligations of Permittee | |
| 9.3 Obligation to Allow Illinois EPA Surveillance | |
| 9.4 Obligation to Comply with Other Requirements | |
| 9.5 Liability | |
| 9.6 Recordkeeping | |
| 9.7 Annual Emissions Report | |
| 9.8 Requirements for Compliance Certification | |
| 9.9 Certification | |
| 9.10 Defense to Enforcement Actions | |
| 9.11 Permanent Shutdown | |
| 9.12 Reopening and Reissuing Permit for Cause | |
| 9.13 Severability Clause | |
| 9.14 Permit Expiration and Renewal | |
| 10.0 ATTACHMENTS | |
| 10.1 Attachment 1 - Example Certification by a Responsible Official | 1-1 |
| 10.2 Attachment 2 - Guidance on Revising This Permit | 2-1 |
| 10.3 Attachment 3 - Guidance on Renewing This Permit | 3-1 |

1.0 SOURCE IDENTIFICATION

1.1 Source

Red Bud Municipal Power Plant
525 Power Street
Red Bud, Illinois 62278

Illinois EPA I.D. No.: 157045AAJ
Standard Industrial Classification: 4911, Electric Generation

1.2 Owner/Parent Company

City of Red Bud
200 East Market Street
Red Bud, Illinois 62278-1597

1.3 Operator

Red Bud Municipal Power Plant
525 Power Street
Red Bud, Illinois 62278

David Diewald
618/282-3339

1.4 General Source Description

The Red Bud Municipal Power Plant is located at 525 Power Street in the City of Red Bud. The source operates engine driven electric generators. The plant operates as a peaking station, generating electric power for the community and surrounding area when sufficient electric power is not available, due to planned repair and maintenance, unexpected breakdowns, or high levels of electricity demand.

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

| | |
|------------------------|--|
| Act | Illinois Environmental Protection Act [415 ILCS 5/1 et seq.] |
| AP-42 | Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711 |
| Btu | British thermal unit |
| CAA | Clean Air Act [42 U.S.C. Section 7401 et seq.] |
| CAAPP | Clean Air Act Permit Program |
| CAM | Compliance Assurance Monitoring |
| CFR | Code of Federal Regulations |
| ERMS | Emissions Reduction Market System |
| HAP | Hazardous Air Pollutant |
| Ft ³ | Cubic foot |
| hr | hour |
| IAC | Illinois Administrative Code |
| I.D. No. | Identification Number of Source, assigned by Illinois EPA |
| ILCS | Illinois Compiled Statutes |
| Illinois EPA or Agency | Illinois Environmental Protection Agency |
| kW | kilowatts |
| lb | pound |
| mmBtu | Million British thermal units |
| NESHAP | National Emission Standards for Hazardous Air Pollutants |
| NO _x | Nitrogen Oxides |
| NSPS | New Source Performance Standards |
| PM | Particulate Matter |
| PM ₁₀ | Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 microns as measured by applicable test or monitoring methods |
| ppm | parts per million |
| PSD | Prevention of Significant Deterioration |
| RMP | Risk Management Plan |
| SO ₂ | Sulfur Dioxide |
| T1 | Title I - identifies Title I conditions that have been carried over from an existing permit |
| T1N | Title I New - identifies Title I conditions that are being established in this permit |
| T1R | Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit |
| USEPA | United States Environmental Protection Agency |
| VOM | Volatile Organic Material |

3.0 INSIGNIFICANT ACTIVITIES

3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the IEPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

None

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

None

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

Storage tanks of virgin or re-refined distillate fuel oil, lubricating oil, or waste oil [35 IAC 201.210(a)(11)].

Storage tanks of organic liquids with a capacity of less than 10,000 gallons and an annual throughput of less than 100,000 gallons [35 IAC 201.210(a)(10)].

- 3.1.4 Activities that are considered insignificant activities pursuant to 35 IAC 201.211(a).

3.2 Compliance with Applicable Requirements

Insignificant activities are subject to applicable requirements notwithstanding status as insignificant activities. In particular, in addition to regulations of general applicability, such as 35 IAC 212.301 and 212.123 (Condition 5.2.2), the Permittee shall comply with the following requirements, as applicable:

- 3.2.1 For each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, 218.182, or 219.182.

- 3.2.2 For each particulate matter process emission unit, the Permittee shall comply with the applicable particulate matter emission limit of 35 IAC 212.321 or 212.322. For example, the particulate matter emissions from a process emission unit shall not exceed 0.55 pounds per hour if the emission unit's process weight rate is 100 pounds per hour or less, pursuant to 35 IAC 266.110.

3.2.3 For each organic material emission unit that uses organic material, e.g., a mixer or printing line, the Permittee shall comply with the applicable VOM emission limit of 35 IAC 215.301, which requires that organic material emissions not exceed 8.0 pounds per hour or do not qualify as photochemically reactive material as defined in 35 IAC 211.4690.

3.3 Addition of Insignificant Activities

3.3.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).

3.3.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.

3.3.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

| Emission Unit | Description | Rated Nominal Capacity (kW) | Emission Control Equipment |
|---------------|---|-----------------------------|----------------------------|
| Engine #1 | Combustion engines fired with distillate oil only | 2,412 | None |
| Engine #2 | | 1,136 | None |
| Engine #3 | | 2,412 | None |
| Engine #4 | | 3,500 | None |
| Engine #7 | | 2,800 | None |
| Engine #8 | | 2,800 | None |

5.0 OVERALL SOURCE CONDITIONS

5.1 Source Description

5.1.1 This permit is issued based on the source requiring a CAAPP permit as a major source of nitrogen oxides (NO_x) emissions.

5.1.2 This permit is issued based on the source not being a major source of HAPs.

5.2 Applicable Regulations

5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7 (Unit-Specific Conditions) of this permit.

5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:

- a. No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.

- b. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to the requirements of 35 IAC 212.122, pursuant to 35 IAC 212.123(a), except as allowed by 35 IAC 212.123(b) and 212.124.

5.2.3 Ozone Depleting Substances

The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.

- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

5.2.4 Risk Management Plan (RMP)

Should this stationary source pursuant to 40 CFR 68.215(a)(2)(i) and (ii), as defined in 40 CFR 68.3, become subject to the federal rules for Chemical Accident Prevention in 40 CFR Part 68, then the owner or operator shall submit:

- a. A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or
- b. A certification statement that the source is in compliance with all applicable requirements of 40 CFR Part 68, including the registration and submission of the RMP, as part of the annual compliance certification required by Condition 9.8.

5.2.5 Future Emission Standards For Hazardous Air Pollutants

- a. Should this source become subject to a regulation under 40 CFR Parts 60, 61, or 63, or 35 IAC Subtitle B after the date issued of this permit, then the owner or operator shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by Condition 9.8.

Note: This permit may also have to be revised or reopened to address such new regulations. (See Condition 9.12.2.)

- b. No later than upon the submittal for renewal of this permit, the owner or operator shall submit, as part of an application, the necessary information to address either the non-applicability of, or demonstrate compliance with all applicable regulations under 40 CFR Parts 60, 61, or 63, or 35 IAC Subtitle B that were promulgated after the date issued of this permit.

5.2.6 Episode Action Plan

- a. If the source is required to have an episode action plan pursuant to 35 IAC 244.142, the Permittee shall maintain at the source and have on file with the Illinois EPA a written episode action plan (plan) for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The plan shall contain the information specified in 35 IAC 244.144.
- b. The Permittee shall immediately implement the appropriate steps described in this plan should an air pollution alert or emergency be declared.
- c. If a change occurs at the source which requires a revision of the plan (e.g., operational change, change in the source contact person), a copy of the revised plan shall be submitted to the Illinois EPA for review within 30 days of the change. Such plans shall be further revised if disapproved by the Illinois EPA.
- d. For sources required to have a plan pursuant to 35 IAC 244.142, a copy of the original plan and any subsequent revisions shall be sent to the Illinois EPA, Compliance Section.

5.3 Non-Applicability of Regulations of Concern

- 5.3.1 This permit is issued based on the source not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the source does not have a pollutant-specific emissions unit that uses an add-on control device to achieve compliance with an emission limitation or standard.
- 5.3.2 This permit is issued based on the construction of the Engine units #7 and 8, in 2002 pursuant to Construction Permit 01070001 are not being subject to the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21, because the potential emissions that will result from the operation of this source will be less than major source thresholds.

5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

5.5 Source-Wide Emission Limitations

5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. These limitations (Condition 5.5.1) are set for the purpose of establishing fees and are not federally enforceable. Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).

Permitted Emissions of Regulated Pollutants

| Pollutant | Tons/Year |
|------------------------------------|-----------|
| Volatile Organic Material (VOM) | 6.9 |
| Sulfur Dioxide (SO ₂) | 3.87 |
| Particulate Matter (PM) | 5.34 |
| Nitrogen Oxides (NO _x) | 245.0 |
| HAP, not included in VOM or PM | |
| Total | 261.1 |

5.5.2 Emissions of Hazardous Air Pollutants

This permit is issued based on the emissions of HAPs as listed in Section 112(b) of the CAA not being equal to or exceeding 10 tons per year of a single HAP or 25 tons per year of any combination of such HAPs, so that this source is considered a minor source for HAPs.

5.5.3 Other Source-Wide Emission and Operating Limitations

Other source-wide emission limitations are set for this source pursuant to the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21, in Section 7 of this permit. These limitations were established because the source has been considered a minor source for purposes of PSD for new engine units #7 and 8 at the source.

5.6 General Recordkeeping Requirements

5.6.1 General Emission Records

The Permittee shall maintain records of the following items for the source as needed to demonstrate compliance with Condition 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

Total annual emissions on a calendar year basis for the emission units covered by Section 7 (Unit Specific Conditions) of this permit.

5.6.2 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified by the particular recordkeeping provision), shall be kept at a location at the source that is readily accessible to the Illinois EPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.
- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in response to an Illinois EPA or USEPA request for records during the course of a source inspection.

5.7 General Reporting Requirements

5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, of deviations of the source with the permit requirements, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken.

- a. For emissions units that are addressed by the unit-specific conditions of this permit, the timing for reporting of deviations shall be in accordance with such conditions.
- b.
 - i. For other emissions units and activities at the source, the timing for reporting of deviations shall be in accordance with the provisions of relevant regulations if such provisions address timing of deviation reports.
 - ii. Otherwise, if the relevant regulations do not address timing of deviation reports, deviation reports shall be submitted within 30 days.

5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year, including information on emissions of hazardous air pollutants, as specified by 35 IAC Part 254.120(b) (see also Condition 9.7).

5.8 General Operational Flexibility/Anticipated Operating Scenarios

None

5.9 General Compliance Procedures

5.9.1 General Procedures for Calculating Emissions

Compliance with the source-wide emission limits specified in Condition 5.5 shall be based on the recordskeeping requirements of Conditions 5.6 and 5.7, and compliance procedures in Section 7 (Unit Specific Conditions) of this permit.

6.0 NOT APPLICABLE TO THIS PERMIT

7.0 UNIT SPECIFIC CONDITIONS

7.1 Distillate Oil Fired Internal Combustion Engines

7.1.1 Description

The Permittee operates internal combustion engines that are only fired with distillate oil. The engines are used for peak electric generation or emergency electric generation. In addition to, actual operation to generate electricity, each engine may have to be periodically "exercised" to confirm that the engine will operate when needed to generate electricity.

7.1.2 List of Emission Units and Air Pollution Control Equipment

| Emission Unit | Description | Rated Nominal Capacity (kW) | Emission Control Equipment |
|---------------|---|-----------------------------|----------------------------|
| Engine #1 | Combustion Engines Fired with Distillate Oil Only | 2,412 | None |
| Engine #2 | | 1,136 | None |
| Engine #3 | | 2,412 | None |
| Engine #4 | | 3,500 | None |
| Engine #7 | | 2,800 | None |
| Engine #8 | | 2,800 | None |

7.1.3 Applicability Provisions

- a. The "affected engines" for the purpose of these unit specific conditions are engines described in Condition 7.1.1 and 7.1.2.
- b. Startup Provisions

The Permittee is authorized to operate affected engines in violation of the applicable limit of 35 IAC 212.123 (Condition 5.2.2) during startup pursuant to 35 IAC 201.262, as the Permittee has affirmatively demonstrated that all reasonable efforts have been made to minimize startup emissions, duration of individual starts, and frequency of startups. This authorization is subject to the following:

- i. This authorization only extends for a period of up to 2-hour following initial firing of fuel during each startup event.
- ii. The Permittee shall take the following measures to minimize startup emissions, the duration of startups, and minimize the frequency of startups:
 - A. Implementation of established startup procedures, including preheating an engine prior to startup when sufficient time is available;
 - B. Operating the engines in accordance with the manufacturer's instructions so as to minimize emissions during startup; and
 - C. Operating the engines as peaking units.
- iii. The Permittee shall fulfill the applicable recordkeeping requirements of Condition 7.6.9(a).

7.1.4 Applicable Emission Standards

- a. The affected engines shall comply with the standard in Condition 5.2.2(b).
- b. The emissions of sulfur dioxide into the atmosphere from the affected engines shall not exceed 2000 ppm [35 IAC 214.301].

7.1.5 Non-Applicability of Regulations of Concern

- a. This permit is issued based on affected engine not being subject to the requirements of 35 IAC 212.321 because a process weight rate weight cannot be set for the affected engines so that such rules can reasonably be applied.
- b. The affected engines are not subject to 35 IAC 216.121 or 217.141, because the affected engines are not by definition a fuel combustion unit.
- c. This permit is issued based on the affected engines not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the affected engines do not use an add-on control device to achieve compliance with an emission limitation or standard.

7.1.6 Operational and Production Limits and Work Practices, and Emission Limitations

- a. The affected engines shall only be fired with distillate oil. [T1]
- b. At all times, the Permittee shall to the extent practicable, maintain and operate the affected engines, in a manner consistent with good air pollution control practice for minimizing emissions.
- c.
 - i. Fuels with a sulfur content greater than 0.05 weight percent on an annual average as determined below, shall not be fired in the affected engine units #7 and 8, pursuant to the Permittee's representation that the units are exempt from the Acid Rain Program by meeting the new units exemption requirement of 40 CFR 72.7(a). The new engines are subject to the Acid Rain Program provisions of 40 CFR 72.2 through 72.7 and 72.10 through 72.13.
 - ii. The Permittee shall use the following equation to address compliance with the above sulfur limit pursuant to 40 CFR 72.7(d) (3):

$$\% S_{\text{annual}} = \frac{\sum_{n=1}^{\text{last}} \% S_n M_n d_n}{\sum_{n=1}^{\text{last}} M_n d_n}$$

Where:

$\% S_{\text{annual}}$ = Annual average sulfur content of the fuel burned during the year by the unit, as a percentage by weight;

$\% S_n$ = Sulfur content of the nth sample of the fuel delivered during the year to the unit, as a percentage by weight;

M_n = Mass of the nongaseous fuel in a delivery during the year to the unit of which the nth sample is taken, in lb; or for fuel delivered during the year to the unit continuously by pipeline, mass of the nongaseous fuel delivered starting from when the nth sample of such fuel is taken until the next sample of such fuel is taken, in lb;

d_n = Density of the nth sample of the fuel delivered during the year to the unit, in lb per gallon; and

n = Each sample taken of the fuel delivered during the year to the unit, taken at least once for each delivery; or, for fuel that is delivered during the year to the unit continuously by pipeline, at least once each quarter during which the fuel is delivered.

iii. The Illinois EPA shall be allowed to sample all fuels stored at the source.

d. i. Hourly emissions from the each affected engine shall not exceed the following limits.

| Pollutant | Emission Limit (Lb/hour) | | | | |
|-----------------|--------------------------|-----------|-----------|-----------|------------------|
| | Engine #1 | Engine #2 | Engine #3 | Engine #4 | Engines #7 and 8 |
| NO _x | 105.2 | 49.5 | 105.2 | 152.6 | 105.5 |
| CO | 27.9 | 13.2 | 27.9 | 40.5 | 28.0 |
| SO ₂ | 1.7 | 0.8 | 1.7 | 2.5 | 1.7 |
| VOM | 3.0 | 1.4 | 3.0 | 4.3 | 3.0 |
| PM | 2.3 | 1.1 | 2.3 | 3.3 | 2.3 |

ii. The combined total annual emissions from the affected engines shall not exceed the following limits.

| <u>Pollutant</u> | <u>Limit (Tons/Year)</u> |
|------------------|--------------------------|
| NO _x | 245.0 |
| CO | 65.1 |
| SO ₂ | 3.87 |
| VOM | 6.9 |
| PM | 5.34 |

iii. Total usage of distillate fuel oil in all affected engines (Engine #1, 2, 3, 4, 7, and 8) shall not exceed 1,117,000 gallons/year.

iv. The above limits were established in Construction Permit 01070001, based on information provided in the application, and

hourly emission limits calculated using AP-42, standard emission factors, and the maximum firing rate of each affected engine. [T1]

7.1.7 Testing Requirements

- a. Upon written request by the Illinois EPA, the Permittee shall have the opacity of an affected engine determined by a certified observer in accordance with USEPA Test Method 9 during representative operating conditions of the engine as specified by the Illinois EPA. The Illinois EPA may require such observations if, based on its observations if the engine opacity does not comply with Condition 5.2.2(b), or the affected engine is poorly maintained or operated so as to make compliance with 35 IAC 212.123 uncertain. These observations shall be performed within 45 days of the written request, or the date agreed upon by the Illinois EPA, or the date the affected engine next operates, whichever is later.
- b.
 - i. The Permittee shall notify the Illinois EPA at least 15 days in advance of the date and time of observations, in order to allow the Illinois EPA to witness the observations. This notification shall include the name and employer of the certified observer(s) and identify any concerns for successful completion of observations, i.e., lack of suitable point for proper observation or inability to conduct observations under specified conditions;
 - ii. The Permittee shall promptly notify the Illinois EPA of any changes in the date and time of observation; and
 - iii. The Permittee shall provide a copy of its observers readings to the Illinois EPA at the time of observations, if Illinois EPA personnel are present at the conclusion of observations.
- c. The Permittee shall submit a written report for these observations within 15 days of the date of observation. This report shall include:
 - i. Date, place, and time of observations;
 - ii. Name and employer of certified observer;
 - iii. Copy of current certification;

- iv. Description of observation conditions;
- v. Description of engine operating conditions;
- vi. Raw data;
- vii. Opacity determination; and
- viii. Conclusion.

7.1.8 Monitoring Requirements

None

7.1.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for each affected engine to demonstrate compliance pursuant to Section 39.5(7)(b) of the Act:

a. Records for startup

The Permittee shall maintain the following records for each affected engine subject to Condition 7.1.3(c). At a minimum the records shall include:

- i. The following information for each startup of affected engines:
 - A. Date and type of startup, i.e., exercise of engine or startup to generate electricity;
 - B. Duration of the startup, i.e., start time and time startup discontinued or normal operation achieved, i.e., stable operation at load;
 - C. Whether startup is "remote", i.e., initiated by off-site personnel or automated procedures;
 - D. Whether operating personnel for the affected engine or environmental staff are on site during startup; and
 - E. A description of startup, if operating problems are identified during the startup.

b. Fuel Records

- i. For each shipment of distillate oil received, records of the quantity and maximum sulfur content;
- ii. Records of the sulfur content of the distillate oil supplied to the affected engines, based on the weighted average of material in the storage tank, or the sulfur content of the supply shall be assumed to be the highest sulfur content in any shipment in the tank;
- iii. Total distillate oil usage for each affected engine, (gallons/month and gallons/year).
- iv. Combined total usage of distillate oil for all affected engines (gallons/month and gallons/yr)
- v. Heat content of the distillate oil fired in the affected engines, (Btu/gal).

c. Emissions Records

Monthly and annual VOM, SO₂, PM, NO_x, and CO emissions (tons/month and tons/year) based on distillate oil consumption for each affected engine and the applicable emission factors from Condition 7.1.12, and annual HAPs emissions (tons/yr) with supporting calculations.

d. Records of Excess Emissions

Following records for each occurrence of excess emissions of affected engine:

- i. Date and duration of excess emissions, including start time and time normal operation achieved;
- ii. If normal operation was not achieved within one hour, an explanation why normal operation could not be achieved in one hour;
- iii. A detailed explanation of the cause of the excess emissions and documentation that established procedures for minimizing emissions were followed;
- iv. The measures used to reduce the quantity of emissions and the duration of the event;
- v. An explanation why established procedures for minimizing excess emissions were not performed, if not performed;

- vi. The amount of release above typical emissions during startup, with supporting calculations;
- e. Records of operation of the affected engines fired with distillate fuel oil with a sulfur content in excess of the sulfur content limit specified in Condition 7.1.6(c), with date, duration, sulfur content of oil, and explanation for usage.
- f. Records of Maintenance Activities

An inspection, maintenance, and repair logs for each affected engine, listing each activity performed with date.

7.1.10 Reporting Requirements

- a. The Permittee shall promptly notify to the Illinois EPA, of deviations of affected engines with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken. Reports shall be submitted within 30 days of such an occurrence .
- b. Reporting for Startups of Engines

The Permittee shall provide an annual report, submitted with the Annual Emission Report, to the Illinois EPA, pursuant to Section 39.5(7)(b) of the Act, concerning startup of affected engines subject to Condition 7.1.3(b). At a minimum, this report shall include:

- i. For each affected engine, the total number of startups to generate electricity and the total number of such startups that may have resulted in opacity in excess of Condition 5.2.2(b) (i.e., 35 IAC 212.123); and
- ii. For each affected engine, the estimated duration of excess opacity during startup, minutes/year.

7.1.11 Operational Flexibility/Anticipated Operating Scenarios

None

7.1.12 Compliance Procedures

- a. Compliance provisions addressing Conditions 5.2.2(b) and 7.1.3(c) are not set by this permit as compliance is assumed to be achieved by proper operating conditions of the affected engines.
- b. Compliance with the emission limits specified in Conditions 5.5 and 7.1.6(d) (ii) for the affected engines shall be based on the records required by Condition 7.1.9 and an appropriate hourly emission rates, e.g., the hourly rates listed in Condition 7.1.6(d) (i) providing that the affected engine is properly operated.

8.0 GENERAL PERMIT CONDITIONS

8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after October 9, 2003 (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

8.3 Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement [Section 39.5(7)(o)(vii) of the Act].

As of the date of issuance of this permit, there are no such economic incentive, marketable permit or emission trading programs that have been approved by USEPA.

8.4 Operational Flexibility/Anticipated Operating Scenarios

8.4.1 Changes Specifically Addressed by Permit

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes that contravene express permit terms without applying for or obtaining an amendment to this

permit, provided that [Section 39.5(12) (a) (i) of the Act]:

- a. The changes do not violate applicable requirements;
- b. The changes do not contravene federally enforceable permit terms or conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements;
- c. The changes do not constitute a modification under Title I of the CAA;
- d. Emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change; and
- e. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.

8.6 Reporting Requirements

8.6.1 Monitoring Reports

If monitoring is required by any applicable requirements or conditions of this permit, a report summarizing the required monitoring results, as specified in the conditions of this permit, shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows, unless more frequent submittal of such reports is required in section 7 of this permit [Section 39.5(7) (f) of the Act]:

| <u>Monitoring Period</u> | <u>Report Due Date</u> |
|--------------------------|------------------------|
| January - June | September 1 |
| July - December | March 1 |

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);
- b. The person(s) who will be performing sampling and analysis and their experience with similar tests;
- c. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;
- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;
- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with justification; and
- g. Any proposed use of an alternative test method, with detailed justification.

8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;

- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;
- g. The operating conditions at the time of the sampling or measurements; and
- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

8.6.4 General Requirements for Reports

- a. Unless otherwise specified in the particular provision of this permit or in the written instructions distributed by the Illinois EPA for particular reports, reports and notifications shall be sent to the Illinois EPA -Air Compliance Section with a copy sent to the Illinois EPA -Air Regional Field Office.
- b. As of the date of issuance of this permit, the address of the offices that should generally be utilized for the submittal of reports and notifications are:
 - i. Illinois EPA - Air Compliance Section

Illinois Environmental Protection Agency
Bureau of Air
Compliance Section (MC 40)
P.O. Box 19276
Springfield, Illinois 62794-9276
 - ii. Illinois EPA - Air Regional Field Office

Illinois Environmental Protection Agency
Division of Air Pollution Control
2009 Mall Street
Collinsville, Illinois 62234
 - iii. USEPA Region 5 - Air Branch (if applicable)

USEPA (AE - 17J)
Air & Radiation Division
77 West Jackson Boulevard
Chicago, Illinois 60604

- c. Permit applications should be addressed to the Air Permit Section. As of the date of issuance of this permit, the address of the Air Permit Section is as follows:

Illinois EPA - Air Permit Section (MC 11)

Illinois Environmental Protection Agency
Division of Air Pollution Control
Permit Section
P.O. Box 19506
Springfield, Illinois 62794-9506

8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

9.0 STANDARD PERMIT CONDITIONS

9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

9.2 General Obligations of Permittee

9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(a) and (p)(ii) of the Act and 415 ILCS 5/4]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control

equipment), practices, or operations regulated or required under this permit;

- d. Sample or monitor any substances or parameters at any location:
 - i. At reasonable times, for the purposes of assuring permit compliance; or
 - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants authorized by this permit; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source authorized by this permit.

9.4 Obligation to Comply With Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

9.5 Liability

9.5.1 Title

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or resulting from the construction, maintenance, or operation of the sources.

9.5.3 Structural Stability

This permit does not take into consideration or attest to the structural stability of any unit or part of the source.

9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any

loss due to damage, installation, maintenance, or operation of the source.

9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7) (o) (iv) of the Act].

9.6 Recordkeeping

9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions resulting from those changes [Section 39.5(12) (b) (iv) of the Act].

9.6.3 Retention of Records

- a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7) (e) (ii) of the Act].
- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a particular permit provision.

9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7) (p) (v) of the Act, the Permittee shall submit annual compliance certifications. The compliance

certifications shall be submitted no later than May 1 or more frequently as specified in the applicable requirements or by permit condition. The compliance certifications shall be submitted to the Air Compliance Section, Air Regional Field Office, and USEPA Region 5 - Air Branch. The addresses for the submittal of the compliance certifications are provided in Condition 8.6.4 of this permit.

- a. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9.

9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

9.10 Defense to Enforcement Actions

9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
 - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency.

Note: For this purpose, emergency means a situation arising from sudden and reasonably unforeseeable events beyond the control of the source, as further defined by Section 39.5(7)(k)(iv).

- ii. The permitted source was at the time being properly operated;
 - iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

9.12 Reopening and Reissuing Permit for Cause

9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15) (a) of the Act]:

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

9.12.3 Inaccurate Application

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15) (b) of the Act.

9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7) (o) (v) of the Act].

9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements

underlying these provisions shall remain in force [Section 39.5(7) (i) of the Act].

9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration. The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5) (1), (n), and (o) of the Act].

10.0 ATTACHMENTS

10.1 Attachment 1 - Example Certification by a Responsible Official

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: _____

Name: _____

Official Title: _____

Telephone No.: _____

Date Signed: _____

10.2 Attachment 2 - Guidance on Revising This Permit

The Illinois has prepared guidance for sources on the Clean Air Act Permit Program (CAAPP) that is available on the Internet site maintained by the Illinois EPA, www.epa.state.il.us. This guidance includes instructions on applying for a revision or renewal of the CAAPP permit.

Guidance On Revising A CAAPP Permit:

www.epa.state.il.us/air/caapp/caapp-revising.pdf

Guidance On Renewing A CAAPP Permit:

www.epa.state.il.us/air/caapp/caapp-renewing.pdf

The application forms prepared by the Illinois EPA for the CAAPP are also available from the Illinois EPA's Internet site:

www.epa.state.il.us/air/caapp/index.html

These CAAPP application forms should also be used by a CAAPP source when it applies for a construction permit. For this purpose, the appropriate CAAPP application forms and other supporting information, should be accompanied by a completed Application For A Construction Permit Form (CAAPP Form-199).

Application For A Construction Permit Form (CAAPP Form-199):

www.epa.state.il.us/air/caapp/199-caapp.pdf

KMP:psj