

217/782-2113

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT -- REVISED

PERMITTEE

The Willy Wonka Candy Factory
Attn: R. J. Tikwart
1445 West Norwood Avenue
Itasca, Illinois 60143

Application No.: 73100086

I.D. No.: 043050AAG

Applicant's Designation: MAC SILO

Date Received: May 11, 2009

Subject: E-Tablet Line/Pan Lines

Date Issued:

Expiration Date: May 18, 2010

Location: 1445 Norwood Avenue, Itasca, DuPage County

This permit is hereby granted to the above-designated Permittee to OPERATE emission unit(s) and/or air pollution control equipment consisting of two bulk storage silos with baghouse, two bulk conveying systems, 4 mixing and tableting lines with one dust collector, two mixing and tableting lines consisting of a lumpbreaker, mill and mixer, serving two tableting lines with one dust collector for this system; 21 syrup kettles, 10 panning systems each with dust collection system and packaging department controlled by baghouse pursuant to the above-referenced application. This Permit is subject to standard conditions attached hereto and the following special condition(s):

- 1a. This federally enforceable state operating permit is issued:
 - i. To limit the emissions of air pollutants from the source to less than major source thresholds (i.e., 100 tons per year of particulate matter less than 10 microns (PM₁₀) and Volatile Organic Material (VOM)). As a result the source is excluded from the requirement to obtain a Clean Air Act Permit Program (CAAPP) permit. The maximum emissions of this source, as limited by the conditions of this permit, are described in Attachment A.
 - ii. To limit the potential emissions of VOM from the source to less than 25 tons/year. As a result, the source is excluded from the requirement of 35 Ill. Adm. Code Part 205, Emission Reduction Market System. The maximum emissions of this source, as limited by the conditions of this permit, are described in Attachment A.
- b. Prior to issuance, a draft of this permit has undergone a public notice and comment period.
- c. This permit supersedes all operating permits issued for this location.
- 2a. Pursuant to 35 Ill. Adm. Code 212.123(a), no person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to 35 Ill. Adm. Code 212.122.

- b. Pursuant to 35 Ill. Adm. Code 212.123(b), the emission of smoke or other particulate matter from any such emission unit may have an opacity greater than 30 percent but not greater than 60 percent for a period or periods aggregating 8 minutes in any 60 minute period provided that such opaque emissions permitted during any 60 minute period shall occur from only one such emission unit located within a 305 m (1000 ft) radius from the center point of any other such emission unit owned or operated by such person, and provided further that such opaque emissions permitted from each such emission unit shall be limited to 3 times in any 24 hour period.
- c. Pursuant to 35 Ill. Adm. Code 212.301, no person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally toward the zenith at a point beyond the property line of the source.
- d. Pursuant to 35 Ill. Adm. Code 212.321(a), no person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in 35 Ill. Adm. Code 212.321(c).
- 3. Pursuant to 35 Ill. Adm. Code 218.301, no person shall cause or allow the discharge of more than 3.6 kg/hr (8.0 lbs/hr) of organic material into the atmosphere from any emission unit, except as provided in 35 Ill. Adm. Code 218.302, 218.303, or 218.304 and the following exception: If no odor nuisance exists the limitation of 35 Ill. Adm. Code 218 Subpart G shall only apply to photochemically reactive material.
- 4a. The Permittee shall, in accordance with the manufacturer and/or vendor recommendations, perform periodic maintenance on the dust collectors such that the dust collectors are kept in proper working condition and not cause a violation of the Environmental Protection Act or regulations promulgated therein.
- b. For each fabric filter, the Permittee shall, at a minimum perform internal and external inspections, twice each year. Permittee shall inspect for leaks, holes, seals, wear, and other problems, and repair all problems found in a timely manner.
- c. In the event that the operation of this source results in an odor nuisance, the Permittee shall take appropriate and necessary actions to minimize odors, including but not limited to, changes in raw material or installation of controls, in order to eliminate the nuisance.
- 5a. Usage and emissions of VOM in the 10 panning systems shall not exceed the following limits:

Usage	Average VOM Content	Emissions
-------	------------------------	-----------

<u>Ingredients</u>	<u>(Tons/Mo)</u>	<u>(Tons/Yr)</u>	<u>(% weight)</u>	<u>(Tons/Mo)</u>	<u>(Tons/Yr)</u>
Miscellaneous				0.03	0.3
Flavors	22.7	170.3	14.38	3.30	24.0
			Total	3.33	24.3

These limits are based on the maximum usage and VOC content of colors and flavors.

- b. Emissions of particulate matter and operation of equipment shall not exceed the following limits:

<u>Emission Unit</u>	<u>Production Rate</u>		<u>PM Emissions</u>	
	<u>(Tons/Hr)</u>	<u>(Tons/Yr)</u>	<u>(lb/Hr)</u>	<u>(Tons/Yr)</u>
2 Bulk Dextrose Silos	40.00	65,700	3.2	6.0
2 Bulk Conveying Systems	11.2	65,700	1.6	7.0
Mixing and Tableting Lines	5.6	35,000	1.6	7.1
Panning Systems	2.0	17,520	1.0	4.4
			Total	24.5

These limits are based on the maximum production rate and hours of operating. Note that there is a "nested" limit on the emissions of PM₁₀ as a result of the limit on PM emissions. Limiting PM emissions also limits PM₁₀ emissions.

- c. Operation and emissions of the natural gas-fired equipment (combined) shall not exceed the following limits:

Natural Gas Usage: 10 mmscf/month, 60 mmscf/year

<u>Pollutant</u>	<u>Emission Factor</u>	<u>Emissions</u>	
	<u>(lb/mmscf)</u>	<u>(Tons/Mo)</u>	<u>(Tons/Yr)</u>
Nitrogen Oxides (NO _x)	100	0.75	4.5
Carbon Monoxide (CO)	84	0.63	3.8
Particulate Matter (PM)	7.6	0.07	0.4
Volatile Organic Material (VOM)	5.5	0.05	0.3

These limits are based on the maximum firing rates and standard AP-42 emission factors..

- d. Compliance with the annual limits of this permit shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).
6. This permit is issued based on the Potential to Emit (PTE) for Hazardous Air Pollutants (HAP) as listed in Section 112(b) of the Clean Air Act from the source being less than 10 tons/year of any single HAP and 25 tons/year of any combination of such HAPs. As a result, this permit is issued based on the emissions of all HAPs from this source not triggering the requirements to obtain a Clean Air Act Permit Program (CAAPP) Permit.
- 7a. Pursuant to 35 Ill. Adm. Code 201.282, every emission source or air pollution control equipment shall be subject to the following testing requirements for the purpose of determining the nature and quantities of

specified air contaminant emissions and for the purpose of determining ground level and ambient air concentrations of such air contaminants:

- i. Testing by Owner or Operator. The Illinois EPA may require the owner or operator of the emission source or air pollution control equipment to conduct such tests in accordance with procedures adopted by the Illinois EPA, at such reasonable times as may be specified by the Illinois EPA and at the expense of the owner or operator of the emission source or air pollution control equipment. The Illinois EPA may adopt procedures detailing methods of testing and formats for reporting results of testing. Such procedures and revisions thereto, shall not become effective until filed with the Secretary of State, as required by the APA Act. All such tests shall be made by or under the direction of a person qualified by training and/or experience in the field of air pollution testing. The Illinois EPA shall have the right to observe all aspects of such tests.
 - ii. Testing by the Illinois EPA. The Illinois EPA shall have the right to conduct such tests at any time at its own expense. Upon request of the Illinois EPA, the owner or operator of the emission source or air pollution control equipment shall provide, without charge to the Illinois EPA, necessary holes in stacks or ducts and other safe and proper testing facilities, including scaffolding, but excluding instruments and sensing devices, as may be necessary.
 - b. Testing required by Condition 8 shall be performed upon a written request from the Illinois EPA by a qualified independent testing service.
8. Pursuant to 35 Ill. Adm. Code 212.110(c), upon a written notification by the Illinois EPA, the owner or operator of a particulate matter emission unit subject to 35 Ill. Adm. Code Part 212 shall conduct the applicable testing for particulate matter emissions, opacity, or visible emissions at such person's own expense, to demonstrate compliance. Such test results shall be submitted to the Illinois EPA within thirty (30) days after conducting the test unless an alternative time for submittal is agreed to by the Illinois EPA.
 9. Pursuant to 40 CFR 63.10(b)(3), if an owner or operator determines that his or her stationary source that emits (or has the potential to emit, without considering controls) one or more hazardous air pollutants regulated by any standard established pursuant to section 112(d) or (f) of the Clean Air Act, and that stationary source is in the source category regulated by the relevant standard, but that source is not subject to the relevant standard (or other requirement established under 40 CFR Part 63) because of limitations on the source's potential to emit or an exclusion, the owner or operator must keep a record of the applicability determination on site at the source for a period of 5 years after the determination, or until the source changes its operations to become an affected source, whichever comes first. The record of the applicability determination must be signed by the person making the determination and include an analysis (or other information) that demonstrates why the owner or operator believes the source is unaffected (e.g., because the source is an area source). The analysis (or other

information) must be sufficiently detailed to allow the USEPA and/or Illinois EPA to make a finding about the source's applicability status with regard to the relevant standard or other requirement. If relevant, the analysis must be performed in accordance with requirements established in relevant subparts of 40 CFR Part 63 for this purpose for particular categories of stationary sources. If relevant, the analysis should be performed in accordance with USEPA guidance materials published to assist sources in making applicability determinations under Section 112 of the Clean Air Act, if any. The requirements to determine applicability of a standard under 40 CFR 63.1(b)(3) and to record the results of that determination under 40 CFR 63.10(b)(3) shall not by themselves create an obligation for the owner or operator to obtain a Title V permit.

10. Pursuant to 35 Ill. Adm. Code 212.110(e), the owner or operator of an emission unit subject to 35 Ill. Adm. Code Part 212 shall retain records of all tests which are performed. These records shall be retained for at least three (3) years after the date a test is performed.
- 11a. The Permittee shall maintain records of the following items so as to demonstrate compliance with the conditions of this permit:
 - i. Records addressing use of good operating practices for the dust collectors:
 - A. Records for periodic inspection of the dust collectors with date, individual performing the inspection, and nature of inspection; and
 - B. Records for prompt repair of defects, with identification and description of defect, effect on emissions, date identified, date repaired, and nature of repair.
 - ii. Production rate of dextrose silos, (tons/day and tons/year);
 - iii. Production rate of bulk conveying system, (tons/day and tons/year);
 - iv. Production rate of mixing and tableting lines, (tons/day and tons/year);
 - v. Production rate of engrossing pans, (tons/day and tons/year);
 - vi. VOM containing ingredients (colors/flavors), (pounds/day and tons/year);
 - vii. VOM content in colors/flavors (% weight);
 - viii. Natural gas usage (mmscf/month and mmscf/year); and
 - ix. Monthly and annual emissions of CO, NO_x, PM, PM₁₀, SO₂, VOM and HAPS from the source with supporting calculations (tons/month and tons/year).

- b. All records and logs required by this permit shall be retained at a readily accessible location at the source for at least five (5) years from the date of entry and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request. Any records retained in an electronic format (e.g., computer storage device) shall be capable of being retrieved and printed on paper during normal source office hours so as to be able to respond to an Illinois EPA or USEPA request for records during the course of a source inspection.
12. Pursuant to 35 Ill. Adm. Code 212.110(d), a person planning to conduct testing for particulate matter emissions to demonstrate compliance shall give written notice to the Illinois EPA of that intent. Such notification shall be given at least thirty (30) days prior to the initiation of the test unless a shorter period is agreed to by the Illinois EPA. Such notification shall state the specific test methods from 35 Ill. Adm. Code 212.110 that will be used.
- 13a. If there is an exceedance of or a deviation from the requirements of this permit as determined by the records required by this permit, the Permittee shall submit a report to the Illinois EPA's Compliance Section in Springfield, Illinois within 30 days after the exceedance or deviation. The report shall include the emissions released in accordance with the recordkeeping requirements, a copy of the relevant records, and a description of the exceedance or deviation and efforts to reduce emissions and future occurrences.
- b. Two (2) copies of required reports and notifications shall be sent to:

Illinois Environmental Protection Agency
Division of Air Pollution Control
Compliance Section (#40)
P.O. Box 19276
Springfield, Illinois 62794-9276

and one (1) copy shall be sent to the Illinois EPA's regional office at the following address unless otherwise indicated:

Illinois Environmental Protection Agency
Division of Air Pollution Control
9511 West Harrison
Des Plaines, Illinois 60016

It should be noted that this permit has been revised to include one new bulk storage silo and associated conveying system.

If you have any questions on this, please call George Kennedy at 217/782-2113.

Edwin C. Bakowski, P.E.
Manager, Permit Section

Date Signed: _____

Division of Air Pollution Control

ECB:GMK:jws

cc: Region

Attachment A - Emission Summary

This attachment provides a summary of the maximum emissions from this candy manufacturing plant operating in compliance with the requirements of this federally enforceable permit. In preparing this summary, the Illinois EPA used the annual operating scenario which results in maximum emissions from such a plant. The resulting maximum emissions are below the levels (e.g., 100 tons of per year of VOM and PM₁₀) at which this source would be considered a major source for purposes of the Clean Air Act Permit Program. Actual emissions from this source will be less than predicted in this summary to the extent that less material is handled, and control measures are more effective than required in this permit.

<u>System/Equipment</u>	<u>Emissions (Tons/Year)</u>			
	<u>PM</u>	<u>VOM</u>	<u>NO_x</u>	<u>CO</u>
Bulk Dextrose Silo	6.0			
Bulk Conveying	7.0			
Mixing and Tableting Lines	7.1			
Panning Systems	4.4	24.3		
Natural Gas Combustion	0.4	0.3	4.5	3.8
Totals:	24.9	24.6	4.5	3.8

GMK:jws