

3745-18-76

Richland County emission limits.

- (A) No owner or operator of any coal-fired steam generating unit, unless otherwise specified below, shall cause or permit the emission of sulfur dioxide from any source to exceed a maximum of 7.1 pounds of sulfur dioxide per MM Btu actual heat input.
- (B) The "General Motors Corporation, Fisher Body Division, Mansfield Plant" (OEPA premise number 0370000140) or any subsequent owner or operator of the "General Motors Corporation, Fisher Body Division, Mansfield Plant" facility located at 2525 West Fourth Street, Mansfield, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 1 through 3 (OEPA source numbers B001 through B003) to exceed a maximum of 3.1 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.
- (C) The "Mansfield Tire and Rubber Company" (OEPA premise number 0370010009) or any subsequent owner or operator of the "Mansfield Tire and Rubber Company" facility located at 515 Newman Street, Mansfield, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 1 and 4 (OEPA source numbers B001 and B003) to exceed a maximum of 7.1 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.
- (D) The "Ohio Brass Company" (OEPA premise number 0370010159) or any subsequent owner or operator of the "Ohio Brass Company" facility located at 380 North Main Street, Mansfield, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 1 and 2 (OEPA source numbers B001 and B002) to exceed a maximum of 7.1 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.
- (E) The "Mansfield Products Company" (OEPA premise numbers 0370010182) or any subsequent owner or operator of the "Mansfield Products Company" facility located at 246 East Fourth Street, Mansfield, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 1 and 4 (OEPA source numbers B001 and B004) to exceed 6.0 pounds of sulfur dioxide per MM Btu actual heat input from each boiler and shall operate said boilers such that their combined average operating rate shall not exceed 197 MM Btu per hour for any calendar day.
- (F) The "Ohio State Reformatory" (OEPA premise number 0370010282) or any subsequent owner or operator of the "Ohio State Reformatory" facility located on Olivesburg Road, Mansfield, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 118937, 92230 and 99687 (OEPA source numbers B005 through B007) to exceed a maximum of 7.1 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.

(G) The "City of Shelby Municipal Light Plant" (OEPA premise number 0370020002) or any subsequent owner or operator of the "City of Shelby Municipal Light Plant" facility located at 34 Mansfield Avenue, Shelby, Ohio shall not cause or permit the emission of sulfur dioxide from the following sources to exceed the amounts indicated:

- (1) Boiler numbers 1, 2, and 4 (OEPA source numbers ~~B001~~B006, ~~B002~~B007, and ~~B004~~B008); a maximum of 8.1 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.
- (2) Boiler number 3 (OEPA source number B003); a maximum of 0.0 pounds of sulfur dioxide per MM Btu actual heat input.

Effective: 01/23/2006

R.C. 119.032 review dates: 10/28/2005 and 01/23/2011

CERTIFIED ELECTRONICALLY

Certification

01/13/2006

Date

Promulgated Under: 119.03
Statutory Authority: 3704.03(E)
Rule Amplifies: 3704.03(A) and 3704.03(E)
Prior Effective Dates: 12/28/79