

3745-18-80                    **Seneca county emission limits.**

- (A) No owner or operator of any coal-fired steam generating unit, unless otherwise specified below, shall cause or permit the emission of sulfur dioxide from any source to exceed a maximum of 8.1 pounds of sulfur dioxide per MM Btu actual heat input.
- (B) The "~~Basic Refractories~~Carmeuse Ohio, Inc." (OEPA premise number 0374000010) or any subsequent owner or operator of the "~~Basic Refractories~~Carmeuse Ohio, Inc." facility located in ~~Fostoria~~Bettsville, Ohio shall not cause or permit the emission of sulfur dioxide from rotary kiln numbers 10, 11, 12 and 13 (OEPA source number P004) to exceed a maximum of 34.0 pounds of sulfur dioxide per ton of actual process weight input.
- (C) The "Chrysler Corporation, Fostoria Foundry" (OEPA premise number 0374010033) or any subsequent owner or operator of the "Chrysler Corporation, Fostoria Foundry" facility located in Fostoria, Ohio shall not cause or permit the emission of sulfur dioxide from the north and south cupolas (OEPA source number P029) to exceed a maximum of 0.4 pounds of sulfur dioxide per ton of metal melted.
- (D) The "~~Union Carbide Corporation, Carbon Products Division~~National Electrical Carbon" (OEPA premise number 0374010109) or any subsequent owner or operator of the "~~Union Carbide Corporation, Carbon Products Division~~National Electric Carbon" facility located at Town street, Fostoria, Ohio shall not cause or permit the emissions of sulfur dioxide to exceed:
- (1) A combined total of six hundred thirty-two pounds of sulfur dioxide from the large Herreshoff (OEPA source number P050) and small Herreshoff (OEPA source number P058) per ton of actual process weight input during simultaneous operations when the small Herreshoff is being used for calcining and the large Herreshoff for activation; and
  - (2) An individual total of seven hundred twenty pounds of sulfur dioxide from the large Herreshoff (OEPA source number P050) per ton of actual process weight input when the large Herreshoff is performing both calcining and activation.
- (E) The "~~Bendix Autolite Corporation~~Honeywell International, Inc." (OEPA premise number 0374010117) or any subsequent owner or operator of the "~~Bendix Autolite Corporation~~Honeywell International, Inc." facility located in Fostoria, Ohio shall not cause or permit the emissions of sulfur dioxide from the following sources to exceed the amounts indicated:
- (1) Boiler numbers 3 and 4 (OEPA source numbers B003 and B009) a maximum of

8.2 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.

- (2) Arkos air make-up unit (OEPA source number B004); a maximum of 8.2 pounds of sulfur dioxide per MM Btu actual heat input.
- (F) The "National Machinery Company" (OEPA premise number 0374020062) or any subsequent owner or operator of the "National Machinery Company" facility located in Tiffin, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 2 and 1 (OEPA source numbers B001 and B002) to exceed a maximum of 1.2 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.
- (G) The "Webster Manufacturing" (OEPA premise number 0374020111) or any subsequent owner or operator of the "Webster Manufacturing" facility located on Hall street, Tiffin, Ohio shall not cause or permit the emission of sulfur dioxide from the following sources to exceed the amounts indicated:
- (1) Air furnace (OEPA source number P001); a maximum of 0.7 pounds of sulfur dioxide per MM Btu actual heat input.
  - (2) Annealing oven numbers 1 and 4 (OEPA source number P002); a maximum of 0.2 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.
  - (3) Annealing oven numbers 2 and 3 (OEPA source number P003); a maximum of 0.9 pounds of sulfur dioxide per MM Btu actual heat input from each oven.
- (H) The "Tiffin State Hospital" (OEPA premise number 0374020170) or any subsequent owner or operator of the "Tiffin State Hospital" facility located in Tiffin, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 1 through 3 (OEPA source numbers B001 through B003) to exceed a maximum of 8.2 pounds of sulfur dioxide from MM Btu actual heat input from each boiler.
- ~~(I) The "A.E. Staley Manufacturing Company" (OEPA premise number 0374010102) or any subsequent owner or operator of the "A.E. Staley Manufacturing Company" facility located on state route 12, Fostoria, Ohio shall not cause or permit the emission of sulfur dioxide from boiler number 2 (OEPA source number B001) to exceed a maximum of 1.2 pounds of sulfur dioxide per MM Btu actual heat input.~~

Effective: 01/23/2006  
R.C. 119.032 review dates: 10/28/2005 and 01/23/2011

CERTIFIED ELECTRONICALLY

---

Certification

01/13/2006

---

Date

Promulgated Under: 119.03  
Statutory Authority: 3704.03(E)  
Rule Amplifies: 3704.03(A) and 3704.03(E)  
Prior Effective Dates: 12/28/79, 8/24/81