



South Coast Air Quality Management District

Form 400-A

Application For Permit To Construct and Permit To Operate

Mail Application To:
P.O. Box 4944
Diamond Bar, CA 91765

Tel: (909) 396-3385
www.aqmd.gov

APP

Section A: Operator Information

1. Business Name of Operator To Appear On The Permit:
Royal Truck Body

2. Valid AQMD Facility ID (Available on Permit or Invoice issued by AQMD): 32840

3. Owner's Business Name (only if different from Business Name of Operator):

Section B: Equipment Location

4. Equipment Location Address:
For equipment operated at various locations in AQMD's jurisdiction, provide address of initial site

14001 Garfield Avenue
Street Address

Paramount CA 90723
City State Zip Code

County: Los Angeles Orange San Bernardino Riverside

Contact Name: John Zhang

Contact Title: E5 - Consultant Phone: (714) 373-3800

Fax: (714) 373-3828 E-Mail: JZHANG@E5.COM

Section C: Permit Mailing Address

5. Permit and Correspondence Information:
 Check here if same as equipment location address

14001 Garfield Avenue
Street Address

Paramount CA 90723
City State Zip Code

Contact Name: Dudley De Zonia

Contact Title: President Phone: (562) 633-9951

Fax: (866) 397-6968 E-Mail:

Section D: Application Type

The facility is in RECLAIM Title V RECLAIM & Title V Program (please check if applicable)

6. Reason for Submitting Application (Select only ONE):

- New Construction (Permit to Construct)
- Equipment Operating Without A Permit or Expired Permit
- Administrative Change
- Equipment On-Site But Not Constructed or Operational
- Title V Application (Initial, Revisions, Modifications, etc.)
- Compliance Plan
- Facility Permit Amendment
- Registration/Certification
- Streamlined Standard Permit

Permitted Equipment Altered/ Modified Without Permit Approval*

Proposed Alteration/Modification to Permitted Equipment

Change of Condition For Permit To Operate

Change of Condition For Permit To Construct

Change of Location—Moving to New Site

Existing Or Previous Permit/Application Number:
(If you checked any of the items in this column, you MUST provide an existing Permit/ Application Number)

7. Estimated Start Date of Operation/Construction (MM/DD/YYYY):

8. Description of Equipment:
Title V Permit Renewal

9. Is this equipment portable AND will it be operated at different locations within AQMD's jurisdiction? No Yes

10. For identical equipment, how many additional applications are being submitted with this application? (Form 400-A required for each)

11. Are you a Small Business as per AQMD's Rule 102 definition? (10 employees or less and total gross receipts are \$500,000 or less, or a not-for-profit training center?) No Yes

12. Has a Notice of Violation (NOV) or a Notice To Comply (NC) been issued for this equipment?
 No Yes If yes, provide NOV/NC #:

Section E: Facility Business Information

13. What type of business is being conducted at this equipment location?
Truck and Bus Bodies, Auto Body

14. What is your business's primary NAICS Code (North American Industrial Classification System)? 336211

15. Are there other facilities in the SCAQMD jurisdiction operated by the same operator? No Yes

16. Are there any schools (K-12) within a 1000-ft. radius of the equipment physical location? No Yes

Section F: Authorization/Signature I hereby certify that all information contained herein and information submitted with this application is true and correct.

17. Signature of Responsible Official:

18. Title: President

19. Print Name: Dudley De Zonia

20. Date: 01/24/11

Check List

- Form(s) signed and dated by authorized official
- Supplemental Equipment Form (400-E-XX or 400-E-GEN)
- CEQA Form (400-CEQA) attached
- Payment for permit processing fee attached

Your application will be rejected if any of the above items are missing.

| | | | | | | |
|---------------|----------|---|--------------------------------------|---------------------------------------|------------------------------|---------------------------------|
| AQMD USE ONLY | | APPLICATION/TRACKING # <u>518052</u> | TYPE <u>1</u> | EQUIPMENT CATEGORY CODE: <u>33</u> | FEE SCHEDULE: \$ | VALIDATION <u>1/26/11 AE</u> |
| ENG. A R | ENG. A R | CLASS I III IV | ASSIGNMENT Unit <u>B</u> Engineer | CHECK/MONEY ORDER <u>6689</u> | AMOUNT \$ <u>2,935.26</u> | Tracking # <u>CT9237</u> |
| DATE | DATE | | | | | |



5
ES

11358 Knott Street, Garden Grove, CA 92841-1400
Tel (714) 373-3800 Fax (714) 373-3828 Web <http://www.E5.com>

VIA CERTIFIED MAIL

March 4, 2011

South Coast Air Quality Management District
Coating, Printing, Aerospace & Metal Finishing Operations Team
21865 East Copley Drive
Diamond Bar, CA 91765-4178
Attention: Hamed Mandilawi

File No. 3460.34

Subject: Draft Permit for Title V Renewal Application

Facility: Royal Truck Body
14001 Garfield Ave.
Orange, CA 92867
ID No. ~~096013~~
32840 JE

Dear Hamed,

Per your request, please find enclosed the resubmittal for Form 500-C1 and Form 500-A2. Also, the facility would like to request removal of applicability to Rule 1132. Based on prior Annual Emissions Reports, the facility does not use VOC-containing materials that amount to more than 40,000 pounds per year of VOC emissions. We would like to remove the Rule 1132-referenced VOC limit written on the spray booth permits which limit primers and topcoats to 0.74 and 1.22 lb/gal VOC less water and exempt compounds. If such changes are not possible during this application process, please let us know. Thank you very much.

Sincerely,
ES, Inc.


John Zhang, C.P.P.
Senior Associate

cc: Mr. Rudy Pamanes, Royal Truck Body



5^U
Z

11358 Knott Street, Garden Grove, CA 92841-1400
Tel (714) 373-3800 Fax (714) 373-3826 Web <http://www.E5.com>

VIA CERTIFIED MAIL

March 4, 2011

South Coast Air Quality Management District
Coating, Printing, Aerospace & Metal Finishing Operations Team
21865 East Copley Drive
Diamond Bar, CA 91765-4178
Attention: Hamed Mandilawi

File No. 3460.34

Subject: **Draft Permit for Title V Renewal Application**

Facility: Royal Truck Body
14001 Garfield Ave.
Orange, CA 92867
ID No. 096013

Dear Hamed,

Per your request, please find enclosed the resubmittal for Form 500-C1 and Form 500-A2. Also, the facility would like to request removal of applicability to Rule 1132. Based on prior Annual Emissions Reports, the facility does not use VOC-containing materials that amount to more than 40,000 pounds per year of VOC emissions. We would like to remove the Rule 1132-referenced VOC limit written on the spray booth permits which limit primers and topcoats to 0.74 and 1.22 lb/gal VOC less water and exempt compounds. If such changes are not possible during this application process, please let us know. Thank you very much.

Sincerely,
E5, Inc.


John Zhang, C.P.P.
Senior Associate

cc: Mr. Rudy Pamanes, Royal Truck Body



South Coast Air Quality Management District

Form 500-A2

Title V Application Certification

Mail To:
SCAQMD
P.O. Box 4944
Diamond Bar, CA 91765-0944
Tel: (909) 396-3385
www.aqmd.gov

Section I - Operator Information

1. Facility Name (Business Name of Operator That Appears On Permit): Royal Truck Body

2. Valid AQMD Facility ID (Available On Permit Or Invoice Issued By AQMD): 032840

3. This Certification is submitted with a (Check one):

a. Title V Application (Initial, Revision or Renewal)

b. Supplement/Correction to a Title V Application

c. MACT Part 1

4. Is Form 500-C2 included with this Certification? Yes No

Section II - Responsible Official Certification Statement

Read each statement carefully and check each that applies - You must check 3a or 3b.

1. For Initial, Permit Renewal, and Administrative Application Certifications:

a. The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1.

i. except for those requirements that do not specifically pertain to such devices or equipment and that have been identified as "Remove" on Section III of Form 500-C1.

ii. except for those devices or equipment that have been identified on the completed and attached Form 500-C2 that will not be operating in compliance with the specified applicable requirement(s).

b. The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.

2. For Permit Revision Application Certifications:

a. The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.

3. For MACT Hammer Certifications:

a. The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer." The following information is submitted with a Title V application to comply with the Part 1 requirements of Section 112(j).

b. The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).

Section III - Authorization/Signature

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statement and information in this document and in all attached application forms and other materials are true, accurate, and complete.

| | |
|--|--|
| 1. Signature of Responsible Official: | 2. Title of Responsible Official: President |
| 3. Print Name: Dudley De Zonia | 4. Date: 02/26/2011 |
| 5. Phone #: (562) 633-9951 | 6. Fax #: (866) 397-6968 |
| 7. Address of Responsible Official: 14001 Garfield Avenue | |
| Street # | City State Zip Paramount CA 90723 |

Acid Rain Facilities Only: Please Complete Section IV



South Coast Air Quality Management District

Form 500-C1

Title V Compliance Status Report

To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

Mail To:
SCAQMD
P.O. Box 4944
Diamond Bar, CA 91765-0944

Tel: (909) 398-3385
www.aqmd.gov

Section I - Operator Information

1. Facility Name (Business Name of Operator That Appears On Permit):

Royal Truck Body

2. Valid AQMD Facility ID (Available On Permit Or Invoice

Issued By AQMD):

032840

PROCEDURES FOR DETERMINING COMPLIANCE STATUS

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility. The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. **
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

** Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

| Section II - Applicable Requirements, Test Methods, & MRR Requirements | | | |
|---|--|---|--|
| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
| <input type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources) | <input type="checkbox"/> Rule 480 (10/07/77) | N/A | N/A |
| <input checked="" type="checkbox"/> All Coating Operations (12/15/00) | <input checked="" type="checkbox"/> Rule 442 | <input checked="" type="checkbox"/> Rule 442(f) | <input checked="" type="checkbox"/> Rule 442(g) |
| <input type="checkbox"/> All Combustion Equipment, ≥ 555 Mmbtu/Hr (except for NOx RECLAIM sources) | <input type="checkbox"/> Rule 474 (12/04/81) | <input type="checkbox"/> AQMD TM 7.1 or 100.1 | |
| <input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources) | <input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81) | <input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 | |
| <input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources) | <input checked="" type="checkbox"/> Rule 431.1 (06/12/98) | <input checked="" type="checkbox"/> Rule 431.1(f) | <input checked="" type="checkbox"/> Rule 431.1(d) & (e) |
| <input type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources) | <input type="checkbox"/> Rule 431.2 (09/15/00) | <input type="checkbox"/> Rule 431.2(g) | <input type="checkbox"/> Rule 431.2(f) |
| <input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources) | <input type="checkbox"/> Rule 431.3 (05/07/76) | | |
| <input checked="" type="checkbox"/> All Equipment | <input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention | <input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 N/A See Applicable Subpart | <input checked="" type="checkbox"/> Rule 430(b) See Applicable Subpart |
| <input type="checkbox"/> All Equipment Processing Solid Materials | <input type="checkbox"/> Rule 403 (06/03/05) | <input type="checkbox"/> Rule 403(d)(3) | <input type="checkbox"/> Rule 403(f) |
| <input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1) | <input checked="" type="checkbox"/> Rule 404 (02/07/86) | <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 | |
| <input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment | <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR63 SUBPART T | <input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> All RECLAIM Equipment (NOx & SOx) | <input type="checkbox"/> Reg. XX - RECLAIM | <input type="checkbox"/> Rule 2011, App. A (05/06/05) <input type="checkbox"/> Rule 2012, App. A (05/06/05) | <input type="checkbox"/> Rule 2011, App. A (05/06/05) <input type="checkbox"/> Rule 2012, App. A (05/06/05) |
| <input type="checkbox"/> Abrasive Blasting | <input type="checkbox"/> Rule 1140 (08/02/85) | <input type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method | |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
Rule = AQMD Rule

App. = Appendix
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|---|--|--|
| <input type="checkbox"/> Aggregate and Related Operations | <input type="checkbox"/> Rule 1157 (09/08/06) | <input type="checkbox"/> Rule 1157(f) | <input type="checkbox"/> Rule 1157(e) |
| <input type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal | <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Asphalt | See Manufacturing, Asphalt Processing & Asphalt Roofing | | |
| <input type="checkbox"/> Asphalt Concrete/Batch Plants | <input type="checkbox"/> 40 CFR60 SUBPART I | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants | <input type="checkbox"/> Rule 1173 (02/06/09) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Benzene Transfer Operations | <input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y | <input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Benzene Waste Operations | <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Beryllium Emissions | <input type="checkbox"/> 40 CFR61 SUBPART C | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing | <input type="checkbox"/> 40 CFR61 SUBPART D | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources) | <input type="checkbox"/> Rule 1146.1 (09/05/08) <input type="checkbox"/> Rule 1146.2 (05/05/06) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart | <input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart |
| <input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources) | <input type="checkbox"/> Rule 1146.1 (09/05/08) - excluding NOx requirements <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 1146.1(d) See Applicable Subpart | <input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|--|--|--|
| <input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources) | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (09/05/08) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources) | <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input type="checkbox"/> Rule 1146 (09/05/08) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (05/06/05) <input type="checkbox"/> or <input type="checkbox"/> Rule 2012 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (05/06/05) <input type="checkbox"/> or <input type="checkbox"/> Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (05/06/05) <input type="checkbox"/> or <input type="checkbox"/> Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources) | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (09/05/08) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|---|--|--|
| <input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources) | <input type="checkbox"/> Rule 1146 (09/05/08) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (05/06/05) <input type="checkbox"/> or <input type="checkbox"/> Rule 2012 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (05/06/05) <input type="checkbox"/> or <input type="checkbox"/> Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (05/06/05) <input type="checkbox"/> or <input type="checkbox"/> Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources) | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources) | <input type="checkbox"/> Rule 2012 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Bulk Loading Of Organic Liquids | <input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART BBBB <input type="checkbox"/> 40 CFR63 SUBPART EEEE | <input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Cadmium Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Calciner, Mineral Industries | <input type="checkbox"/> 40 CFR60 SUBPART UUU | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Calciner, Petroleum Coke | <input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L | <input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Charbroilers | <input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97) | <input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g) | <input type="checkbox"/> Rule 1138(d) |
| <input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation | <input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (12/05/08) | <input type="checkbox"/> Rule 1469(e) | <input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k) |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|---|---|--|
| <input type="checkbox"/> Coating Operation, Adhesive Application Operation | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1168 (01/07/05) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR60 SUBPART RR | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1168(f) & (e) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1168(d) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1124 (09/21/01) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR63 SUBPART GG | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1124(e) & (f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1124(j) & (d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.) | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJJ | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Magnet Wire Coating | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
Rule = AQMD Rule

App. = Appendix
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|---|---|---|
| <input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment) | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR63 SUBPART II | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Metal Coating | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1107 (01/06/06) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1107(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1107(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1125 (03/07/08) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART KKKK <input type="checkbox"/> 40 CFR63 SUBPART SSSS | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1125(c)(6) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input checked="" type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation | <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1132 (05/05/06) <input checked="" type="checkbox"/> Rule 1151 (12/02/05) <input checked="" type="checkbox"/> Rule 1171 (05/01/09) | <input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1151(h) <input checked="" type="checkbox"/> Rule 1171(e) | <input checked="" type="checkbox"/> Rule 109© <input checked="" type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1151(f) <input checked="" type="checkbox"/> Rule 1171(c)(6) |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|--|---|--|
| <input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/04/09) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Pleasure Craft | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR63 SUBPART II | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|---|--|--|
| <input type="checkbox"/> Coating Operation, Screen Printing | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR63 SUBPART KK | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures) | <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/13/07) <input type="checkbox"/> Rule 1132 (05/05/06) <input checked="" type="checkbox"/> Rule 1171 (05/01/09) | <input checked="" type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(e) | <input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) |
| <input type="checkbox"/> Coating Operation, Wood Flat Stock | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR63 SUBPART II | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys) | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/05/06) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR63 SUBPART JJ | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coater | See Coating Operations | | |
| <input type="checkbox"/> Columns | See Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Composting Operation | <input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03) | <input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g) | <input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h) |
| <input type="checkbox"/> Compressors | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Concrete Batch Plants | See Nonmetallic Mineral Processing Plants | | |
| <input type="checkbox"/> Consumer Product Manufacturing | See Manufacturing, Consumer Product | | |
| <input type="checkbox"/> Cooling Tower, Hexavalent Chromium | <input type="checkbox"/> 40 CFR63 SUBPART Q | See Applicable Subpart | See Applicable Subpart |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|--|--|---|
| <input type="checkbox"/> Copper Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Crude Oil Production | See Oil Well Operations | | |
| <input type="checkbox"/> Crusher | See Nonmetallic Mineral Processing Plants | | |
| <input type="checkbox"/> Dairy Farms and Related Operations | <input type="checkbox"/> Rule 1127 (08/06/04) | <input type="checkbox"/> Rule 1127(h) | <input type="checkbox"/> Rule 1127(g) |
| <input type="checkbox"/> Degreasers | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1122 (05/01/09) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR63 SUBPART T | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1122(h) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1122(i) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Dry Cleaning, Perchloroethylene | <input type="checkbox"/> Rule 1421 (12/06/02) | <input type="checkbox"/> Rule 1421(e) & (i) | <input type="checkbox"/> Rule 1421(g) & (h) |
| <input type="checkbox"/> Dry Cleaning, Petroleum Solvent | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart |
| <input type="checkbox"/> Dryers, Mineral Industries | <input type="checkbox"/> 40 CFR60 SUBPART UUU | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Ethylene Oxide Sterilizer | See Sterilizer, Ethylene Oxide | | |
| <input type="checkbox"/> Flanges | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Fluid Catalytic Cracking Unit | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03) | <input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f) | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e) |
| <input type="checkbox"/> Foundries, Iron and Steel | <input type="checkbox"/> 40 CFR63 SUBPART EEEEE | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Friction Materials Manufacturing | See Manufacturing, Friction Materials | | |
| <input type="checkbox"/> Fugitive Emissions, Benzene | <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|--|---|---|
| <input type="checkbox"/> Fugitive Emissions, Chemical Plant | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (02/06/09) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (02/06/09) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart |

KEY ABBREVIATIONS: **Reg.** = AQMD Regulation **App.** = Appendix **CFR** = Code of Federal Regulations
 Rule = AQMD Rule **AQMD TM** = AQMD Test Method **CCR** = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|---|---|---|
| <input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (02/06/09) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (02/06/09) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Furnace, Basic Oxygen Process | <input type="checkbox"/> 40 CFR60 SUBPART Na | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After August 17, 1983 | <input type="checkbox"/> 40 CFR60 SUBPART AAa | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983 | <input type="checkbox"/> 40 CFR60 SUBPART AA | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Glass Melting | <input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC | <input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries | <input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X | <input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart | See Applicable Subpart |

KEY ABBREVIATIONS:

 Reg. = AQMD Regulation
 Rule = AQMD Rule

 App. = Appendix
 AQMD TM = AQMD Test Method

 CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|---|--|---|
| <input type="checkbox"/> Gasoline Transfer & Dispensing Operation | <input type="checkbox"/> Rule 461 (06/03/05) | <input type="checkbox"/> Rule 461(f) | <input type="checkbox"/> Rule 461(e)(6) & (e)(7) |
| <input type="checkbox"/> Glass Manufacturing | See Manufacturing, Glass | | |
| <input type="checkbox"/> Grain Elevators | <input type="checkbox"/> 40 CFR60 SUBPART DD | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal | <input type="checkbox"/> 40 CFR82 SUBPART H | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Hazardous Waste Combustors | <input type="checkbox"/> 40 CFR63 SUBPART EEE | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Heater, Asphalt Pavement | <input type="checkbox"/> Rule 1120 (08/04/78) | <input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2 | <input type="checkbox"/> Rule 1120(f) |
| <input type="checkbox"/> Heaters, Petroleum Refinery Process | <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (09/05/08) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Heaters, Process | See Boilers | | |
| <input type="checkbox"/> Incinerators | <input type="checkbox"/> 40 CFR60 SUBPART E <input type="checkbox"/> 40 CFR60 SUBPART CCCC | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities | <input type="checkbox"/> 40 CFR61 SUBPART P | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Internal Combustion Engines, Reciprocating | <input type="checkbox"/> Rule 1110.2 (07/09/10) <input type="checkbox"/> 40 CFR60 SUBPART IIII and JJJJ <input type="checkbox"/> 40 CFR63 SUBPART ZZZZ | Rule 1110.2(g) See Applicable Subpart See Applicable Subpart | Rule 1110.2(f) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Kiln, Cement Plant | <input type="checkbox"/> Rule 1112 (06/06/86) <input type="checkbox"/> Rule 1112.1 (12/04/09) <input type="checkbox"/> 40 CFR60 SUBPART F | N/A N/A See Applicable Subpart | N/A N/A See Applicable Subpart |

KEY ABBREVIATIONS:

 Reg. = AQMD Regulation
 Rule = AQMD Rule

 App. = Appendix
 AQMD TM = AQMD Test Method

 CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|---|--|---|
| <input type="checkbox"/> Landfills | <input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA | <input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Lead Acid Battery Manufacturing Plants | See Manufacturing, Lead Acid Battery | | |
| <input type="checkbox"/> Lead Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing | <input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL | N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Brick & Structural Clay Products | <input type="checkbox"/> 40 CFR63 SUBPART JJJJJ | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Cement | <input type="checkbox"/> Rule 1156 (03/06/09) | <input type="checkbox"/> Rule 1156(g) | <input type="checkbox"/> Rule 1156(f) |
| <input type="checkbox"/> Manufacturing, Clay Ceramics | <input type="checkbox"/> 40 CFR63 SUBPART KKKKK | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851) | <input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH | N/A See Applicable Subpart | <input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Consumer Product | <input type="checkbox"/> Title 17 CCR 94500 | | |
| <input type="checkbox"/> Manufacturing, Food Product | <input type="checkbox"/> Rule 1131 (06/06/03) | <input type="checkbox"/> Rule 1131(e) | <input type="checkbox"/> Rule 1131(d) |
| <input type="checkbox"/> Manufacturing, Friction Materials | <input type="checkbox"/> 40 CFR63 SUBPART QQQQQ | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Glass | <input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N | <input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Hydrochloric Acid | <input type="checkbox"/> 40 CFR63 SUBPART NNNNN | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Lead-Acid Battery | <input type="checkbox"/> 40 CFR60 SUBPART KK | See Applicable Subpart | See Applicable Subpart |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|--|--|--|
| <input type="checkbox"/> Manufacturing, Lime | <input type="checkbox"/> 40 CFR63 SUBPART AAAAA | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Magnetic Tape Industry | <input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical | <input type="checkbox"/> 40 CFR63 SUBPART FFFF | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Nitric Acid | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G | <input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products | <input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD | N/A See Applicable Subpart | <input type="checkbox"/> Rule 1137(e) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Polymer Industry | <input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J | See Applicable Subpart See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Polymeric Cellular Foam | <input type="checkbox"/> Rule 1175 (09/07/07) <input type="checkbox"/> 40 CFR63 SUBPART UUUU | <input type="checkbox"/> Rule 1175(f) See Applicable Subpart | <input type="checkbox"/> Rule 1175(e) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Products Containing Halon Blends | <input type="checkbox"/> 40 CFR82 SUBPART H | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Products Containing Organic Solvents | <input type="checkbox"/> Rule 443.1 (12/05/86) | N/A | N/A |
| <input type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS) | <input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Reinforced Plastic Composites | <input type="checkbox"/> 40 CFR63 SUBPART WWWW | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Refractory Products | <input type="checkbox"/> 40 CFR63 SUBPART SSSSS | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Resin | <input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W | <input type="checkbox"/> Rule 1141(d) See Applicable Subpart | <input type="checkbox"/> Rule 1141(c) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Rubber Tire | <input type="checkbox"/> 40 CFR63 SUBPART XXXX | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Semiconductors | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (05/01/09) <input type="checkbox"/> 40 CFR63 SUBPART BBBB | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(e) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Solvent | <input type="checkbox"/> Rule 443 (05/07/76) | N/A | N/A |

KEY ABBREVIATIONS:

 Reg. = AQMD Regulation
 Rule = AQMD Rule

 App. = Appendix
 AQMD TM = AQMD Test Method

 CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|---|--|--|
| <input type="checkbox"/> Manufacturing, Sulfuric Acid | <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd | <input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Surfactant | <input type="checkbox"/> Rule 1141.2 (01/11/02) | <input type="checkbox"/> Rule 1141.2(e) <input type="checkbox"/> AQMD TM 25.1 | |
| <input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes | <input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes | <input type="checkbox"/> 40 CFR60 SUBPART RRR | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Vinyl Chloride | <input type="checkbox"/> 40 CFR61 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Water Heaters | <input type="checkbox"/> Rule 1121 (09/03/04) | N/A | N/A |
| <input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation | <input type="checkbox"/> 40 CFR60 SUBPART PPP | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manure Processing Operations | <input type="checkbox"/> Rule 1127 (08/06/04) | <input type="checkbox"/> Rule 1127(h) | <input type="checkbox"/> Rule 1127(g) |
| <input type="checkbox"/> Marine Tank Vessel Operations | <input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> Rule 1173 (02/06/09) <input type="checkbox"/> 40 CFR63 SUBPART Y | <input type="checkbox"/> Rule 1142(e) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart | <input type="checkbox"/> Rule 1142(h) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart |
| <input type="checkbox"/> Mercury Emissions | <input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal | <input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Municipal Waste Combustors | <input type="checkbox"/> 40 CFR60 SUBPART Cb <input type="checkbox"/> 40 CFR60 SUBPART Ea <input type="checkbox"/> 40 CFR60 SUBPART Eb | See Applicable Subpart See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Negative Air Machines/HEPA, Asbestos | <input type="checkbox"/> 40 CFR61 SUBPART M | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Nickel Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Nonmetallic Mineral Processing Plants | <input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO | <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Off-site Waste and Recovery Operation | <input type="checkbox"/> 40 CFR63 SUBPART DD | See Applicable Subpart | See Applicable Subpart |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
Rule = AQMD Rule

App. = Appendix
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|---|---|---|
| <input type="checkbox"/> Oil and Gas Well Operation | <input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04) | <input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g) | <input type="checkbox"/> Rule 1148.1 (f) |
| <input type="checkbox"/> Onshore Natural Gas Processing, SO2 Emissions | <input type="checkbox"/> 40 CFR60 SUBPART LLL | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Open Fires | <input type="checkbox"/> Rule 444 (11/07/08) | | |
| <input type="checkbox"/> Open Storage, Petroleum Coke | <input type="checkbox"/> Rule 403 (06/03/05) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99) | <input type="checkbox"/> Rule 403(d)(4) <input type="checkbox"/> Rule 1158(h) | <input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(h) <input type="checkbox"/> Rule 1158(j) |
| <input type="checkbox"/> Open Storage | <input type="checkbox"/> Rule 403 (06/03/05) <input type="checkbox"/> Rule 403.1 (04/02/04) | <input type="checkbox"/> Rule 403(d)(4) | <input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(h) |
| <input type="checkbox"/> Outer Continental Shelf Platform | <input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55 | <input type="checkbox"/> 40 CFR55 See Applicable Subpart | <input type="checkbox"/> 40 CFR55 See Applicable Subpart |
| <input type="checkbox"/> Oven, Commercial Bakery | <input type="checkbox"/> Rule 1153 (01/13/95) | <input type="checkbox"/> Rule 1153(h) | <input type="checkbox"/> Rule 1153(g) |
| <input type="checkbox"/> Oven, Petroleum Coke | <input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> 40 CFR63 SUBPART L <input type="checkbox"/> 40 CFR63 SUBPART CCCCC | <input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use | <input type="checkbox"/> 40 CFR82 Subpart G | See Applicable Subpart | See Applicable Subpart |

KEY ABBREVIATIONS: **Reg.** = AQMD Regulation **App.** = Appendix **CFR** = Code of Federal Regulations
 Rule = AQMD Rule **AQMD TM** = AQMD Test Method **CCR** = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|---|---|--|
| <input type="checkbox"/> Petroleum Refineries | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1118 (11/04/05) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250 | <input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> Rule 1118(j) N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1118(f), (g), (h), & (i) <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Petroleum Refineries, Fugitive Emissions | <input type="checkbox"/> Rule 1173 (02/06/09) <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart |

KEY ABBREVIATIONS: **Reg.** = AQMD Regulation **App.** = Appendix **CFR** = Code of Federal Regulations
 Rule = AQMD Rule **AQMD TM** = AQMD Test Method **CCR** = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|---|---|--|
| <input type="checkbox"/> Petroleum Refineries, Storage Tanks | <input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (04/07/06) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE | <input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Petroleum Refineries, Wastewater Systems | <input type="checkbox"/> Rule 1178 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing | <input type="checkbox"/> Rule 1103 (03/12/99) <input type="checkbox"/> 40 CFR63 SUBPART GGG | <input type="checkbox"/> Rule 1103(f) See Applicable Subpart | <input type="checkbox"/> Rule 1103(e) See Applicable Subpart |
| <input type="checkbox"/> Polyester Resin Operation | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1162 (07/08/05) <input type="checkbox"/> Rule 1171 (05/01/09) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1162(f) <input type="checkbox"/> Rule 1171(e) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1162(e) <input type="checkbox"/> Rule 1171(c)(6) |
| <input type="checkbox"/> Primary Magnesium Refining | <input type="checkbox"/> 40 CFR63 SUBPART TTTT | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Printing Press | See Coating Operations | | |
| <input type="checkbox"/> Publicly Owned Treatment Works Operations | <input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O | <input type="checkbox"/> Rule 1179(e) See Applicable Subpart | <input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart |
| <input type="checkbox"/> Pumps | See Fugitive Emissions of Petroleum Refineries, Fugitive Emissions | | |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|---|--|---|---|
| <input type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS), | <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS) | <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Rendering Plant | <input type="checkbox"/> Rule 472 (05/07/76) | N/A | <input type="checkbox"/> Rule 472(b) |
| <input type="checkbox"/> Rock Crushing | See Nonmetallic Mineral Processing Plants | | |
| <input type="checkbox"/> Secondary Aluminum Production | <input type="checkbox"/> 40 CFR63 SUBPART LL | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Semiconductor Manufacturing | See Manufacturing, Semiconductors | | |
| <input type="checkbox"/> Sewage Treatment Plants | See Publicly Owned Treatment Works Operation | | |
| <input type="checkbox"/> Site Remediation | <input type="checkbox"/> 40 CFR63 SUBPART GGGGG | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Smelting, Primary Copper | <input type="checkbox"/> 40 CFR63 SUBPART QQQ | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Smelting, Secondary Lead | <input type="checkbox"/> 40 CFR60 SUBPART L <input type="checkbox"/> 40 CFR63 SUBPART X | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Soil Decontamination / Excavation | <input type="checkbox"/> Rule 1166 (05/11/01) <input type="checkbox"/> 40 CFR63 SUBPART GGGGG | <input type="checkbox"/> Rule 1166(e) See Applicable Subpart | <input type="checkbox"/> Rule 1166(c)(1)(C) See Applicable Subpart |
| <input checked="" type="checkbox"/> Spray Booth | See Coating Operations | | |
| <input type="checkbox"/> Sterilizer, Ethylene Oxide | <input type="checkbox"/> 40 CFR63 SUBPART O | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Storage Tank, Degassing Operation | <input type="checkbox"/> Rule 1149 (07/14/95) <input type="checkbox"/> 40 CFR63 SUBPART CC | See Applicable Subpart | See Applicable Subpart |

KEY ABBREVIATIONS:

 Reg. = AQMD Regulation
 Rule = AQMD Rule

 App. = Appendix
 AQMD TM = AQMD Test Method

 CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|--|---|--|
| <input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity | <input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (04/07/06) <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40CFR63 SUBPART BBBB <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(h) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Synthetic Fiber Production Facilities | <input type="checkbox"/> 40 CFR60 SUBPART HHH | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Taconite Iron Ore Processing Facilities | <input type="checkbox"/> 40 CFR63 SUBPART RRRRR | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Turbine, Stationary Gas-Fired | <input type="checkbox"/> Rule 1134 (08/08/97) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> 40 CFR60 SUBPART GG <input type="checkbox"/> 40 CFR60 SUBPART KKKK <input type="checkbox"/> 40 CFR63 SUBPART YYYY | <input type="checkbox"/> Rule 1134(e) & (g) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1134(d) & (f) See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Turbine, Stationary Oil-Fired | <input type="checkbox"/> 40 CFR63 SUBPART YYYY | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Valves | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Vessel, Refinery Process | <input type="checkbox"/> Rule 1123 (12/07/90) | N/A | <input type="checkbox"/> Rule 1123(c) |
| <input type="checkbox"/> Vessels | See Petroleum Refineries, Fugitive Emissions | | |

KEY ABBREVIATIONS:

 Reg. = AQMD Regulation
 Rule = AQMD Rule

 App. = Appendix
 AQMD TM = AQMD Test Method

 CFR = Code of Federal Regulations
 CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| Equipment/Process | Applicable Requirement | Test Method | MRR Requirement |
|--|---|--|---|
| <input type="checkbox"/> Wastewater, Chemical Plant | <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC | N/A <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Wastewater Treatment, Other | <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> Rule 1176 (09/13/96) | N/A <input type="checkbox"/> Rule 1176(h) | <input type="checkbox"/> Rule 1176(f) & (g) |
| <input type="checkbox"/> Woodworking Operations | <input type="checkbox"/> Rule 1137 (02/01/02) | N/A | <input type="checkbox"/> Rule 1137(e) |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
Rule = AQMD Rule

App. = Appendix
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
CCR = California Code of Regulations

Section IV - SIP-Approved Rules That Are Not The Most Current AQMD Rules

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

| SIP - Approved Rule | Adoption/ Amendment Date | Check (✓) If Applies | SIP - Approved Rule | Adoption/ Amendment Date | Check (✓) If Applies |
|---------------------|--------------------------------|-------------------------------------|---------------------|--------------------------------|--------------------------|
| 401 | 03/02/84 | <input checked="" type="checkbox"/> | | | <input type="checkbox"/> |
| 431.2 | 05/04/90 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 461 | 6/3/05 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 466.1 | 05/02/80 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 469 | 04/07/76 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 475 | 10/08/76 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1112 | 01/06/84 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1112.1 | 2/7/86 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1113 | 11/08/96 | <input checked="" type="checkbox"/> | | | <input type="checkbox"/> |
| 1117 | 1/6/83 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1122 | 07/11/97 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1132 | 03/05/04 | <input checked="" type="checkbox"/> | | | <input type="checkbox"/> |
| 1140 | 02/01/80 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1146 | 11/17/00 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1146.1 | 5/13/94 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1151 | 12/11/98 | <input checked="" type="checkbox"/> | | | <input type="checkbox"/> |
| 1158 | 6/11/99 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1162 | 11/17/00 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1166 | 07/14/95 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1171 | 11/07/03 | <input checked="" type="checkbox"/> | | | <input type="checkbox"/> |
| 1175 | 05/13/94 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1186 | 09/10/99 | <input type="checkbox"/> | | | <input type="checkbox"/> |

Section V - AQMD Rules That Are Not SIP-Approved (Continued on Following Page)

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

| Non SIP - Approved Rule | Adoption/ Amendment Date | Check (✓) If Applies | Non SIP - Approved Rule | Adoption/ Amendment Date | Check (✓) If Applies |
|-------------------------|--------------------------------|-------------------------------------|-------------------------|--------------------------------|-------------------------------------|
| 53 Los Angeles Co. | N/A | <input checked="" type="checkbox"/> | 1192 | 06/16/00 | <input type="checkbox"/> |
| 53 Orange Co. | N/A | <input type="checkbox"/> | 1193 | 07/09/10 | <input type="checkbox"/> |
| 53 Riverside Co. | N/A | <input type="checkbox"/> | 1194 | 10/20/00 | <input type="checkbox"/> |
| 53 San Bernardino Co. | N/A | <input type="checkbox"/> | 1195 | 05/05/06 | <input type="checkbox"/> |
| 53A San Bernardino Co. | N/A | <input type="checkbox"/> | 1196 | 06/06/08 | <input type="checkbox"/> |
| 402 | 05/07/76 | <input checked="" type="checkbox"/> | 1401 | 09/10/10 | <input checked="" type="checkbox"/> |
| 429 | 12/21/90 | <input type="checkbox"/> | 1401.1 | 11/04/05 | <input type="checkbox"/> |
| 430 | 07/12/96 | <input checked="" type="checkbox"/> | 1402 | 03/04/05 | <input type="checkbox"/> |
| 441 | 05/07/76 | <input type="checkbox"/> | 1403 | 10/05/07 | <input type="checkbox"/> |
| 473 | 05/07/76 | <input type="checkbox"/> | 1404 | 04/06/90 | <input type="checkbox"/> |
| 477 | 04/03/81 | <input type="checkbox"/> | 1405 | 01/04/91 | <input type="checkbox"/> |
| 480 | 10/07/77 | <input type="checkbox"/> | 1406 | 07/08/94 | <input type="checkbox"/> |
| 1109 | 08/05/88 | <input type="checkbox"/> | 1407 | 07/08/94 | <input type="checkbox"/> |
| 1110.2 | 07/09/10 | <input type="checkbox"/> | 1411 | 03/01/91 | <input type="checkbox"/> |
| 1116.1 | 10/20/78 | <input type="checkbox"/> | 1414 | 05/03/91 | <input type="checkbox"/> |
| 1127 | 08/06/04 | <input type="checkbox"/> | 1415 | 10/14/94 | <input type="checkbox"/> |
| 1143 | 07/09/10 | <input type="checkbox"/> | 1418 | 09/10/99 | <input type="checkbox"/> |
| 1147 | 12/05/08 | <input checked="" type="checkbox"/> | 1420 | 09/11/92 | <input type="checkbox"/> |
| 1148.1 | 03/05/04 | <input type="checkbox"/> | 1420.1 | 11/05/10 | <input type="checkbox"/> |
| 1150 | 10/15/82 | <input type="checkbox"/> | 1421 | 12/06/02 | <input type="checkbox"/> |
| 1155 | 12/04/09 | <input type="checkbox"/> | 1425 | 03/16/01 | <input type="checkbox"/> |
| 1156 | 03/06/09 | <input type="checkbox"/> | 1426 | 05/02/03 | <input type="checkbox"/> |
| 1157 | 09/08/06 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1163 | 06/07/85 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1170 | 05/06/88 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1183 | 03/12/93 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1186.1 | 01/09/09 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| 1191 | 06/16/00 | <input type="checkbox"/> | | | <input type="checkbox"/> |



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

February 9, 2011

Dudley De Zonia
President
Royal Truck Body, Inc. (Facility ID # 32840)
14001 Garfield Avenue
Paramount, CA 90723

Reference: DRAFT PERMIT FOR TITLE V RENEWAL APPLICATION

Dear Mr. De Zonia:

The South Coast Air Quality Management District (AQMD) has completed the preliminary work on your Application No. 518052 for the renewal of your Title V permit for your facility located at 14001 Garfield Avenue, Paramount, CA 90723. Enclosed for your review is a copy of the statement of basis, permit summary, and draft permit for your facility under the Title V permit renewal application (Application No. 518052). This draft permit has incorporated the updates of all facility information that are provided in your Title V permit renewal application and all rules and regulations that are currently applicable to your facility. We are planning to release the proposed Title V permit for concurrent United States Environmental Protection Agency (USEPA) and public review in March 2011. Please take this opportunity to review these updates and submit your comments by **March 2, 2011** in order to be considered for incorporation into the proposed permit.

The AQMD has also reviewed the Compliance Status Report Form 500-C1 that you prepared for the permit renewal application package. Enclosed you will find a copy of this report if the information that you originally sent was incomplete or the requirements that were checked do not apply to your facility. If this is the case, please note our corrections to the report. We are also enclosing a new Form 500-C1 (2010.12), updated to current regulatory requirements, and a new Form 500-A2 that you must fill out and resubmit. Please incorporate any corrections into the new form. Since the new form has changed, please review it carefully to ensure that your submittal is complete and accurate.

When your review is complete, please prepare the following and return to us:


Comments on the statement of basis, permit summary, and draft permit
Compliance Status Report, Form 500-C1
Application Certification, Form 500-A2
Non-Compliant Operations Report and Compliance Plan, Form 500-C2 (if applicable)

Please return the above documents by March 2, 2011 to:

South Coast Air Quality Management District
Coating, Printing, Plating, Military & Entertainment Operations Team
21865 Copley Drive
Diamond Bar, CA 91765-4178
Attention: Hamed Mandilawi

If you have any questions regarding your Title V permit renewal, please contact Hamed Mandilawi at (909) 396-3275.

Sincerely,



Fred Lettice
Senior Manager
Coating, Printing, Plating, Military
& Entertainment Operations

FL:Batch R3_Draft_Royal Truck Cover Letter

Enclosures:

Statement of Basis
Permit Summary
Draft Title V renewal permit
Form 500-C1 (2010.12)
Form 500-A2
Corrected Form 500-C1

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

| | | | | | | | | | | | | | | | | | |
|--|--|--|-----------------------|---------|---------------------|---------|------|--------------|-------|--------------------|-------|-------------|-----|-------|-------|--|-------|
| AQMD Facility ID: | 32840 | Company Name: | Royal Truck Body Inc. | | | | | | | | | | | | | | |
| Equipment Location: | 14001 Garfield Avenue, Paramount, CA 90723 | | SIC Code: 3713 | | | | | | | | | | | | | | |
| Permit Revision #: | Revision Date: | Facility Permit Section(s) Affected: | | | | | | | | | | | | | | | |
| Application #(s): | 518052 | Application Submittal Date(s): | 1/26/2011 | | | | | | | | | | | | | | |
| AQMD Contact Person: | Hamed Mandilawi | Phone #: | (909) 396-3275 | | | | | | | | | | | | | | |
| | | E-Mail Address: | hmandilawi@aqmd.gov | | | | | | | | | | | | | | |
| Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the business of manufacturing truck and bus bodies. This facility operates six spray booths, four ovens, and other supporting equipment. | | | | | | | | | | | | | | | | | |
| Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal | | | | | | | | | | | | | | | | | |
| Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance | | | | | | | | | | | | | | | | | |
| Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009 | | <input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported: <table style="margin-left: 20px; border: none;"> <tr> <td>Ammonia</td> <td style="text-align: right;">Emissions (lbs/yr):</td> </tr> <tr> <td>Benzene</td> <td style="text-align: right;">4.81</td> </tr> <tr> <td>Formaldehyde</td> <td style="text-align: right;">0.009</td> </tr> <tr> <td>Methylene Chloride</td> <td style="text-align: right;">0.019</td> </tr> <tr> <td>Naphthalene</td> <td style="text-align: right;">322</td> </tr> <tr> <td>PAH's</td> <td style="text-align: right;">0.001</td> </tr> <tr> <td></td> <td style="text-align: right;">0.001</td> </tr> </table> | | Ammonia | Emissions (lbs/yr): | Benzene | 4.81 | Formaldehyde | 0.009 | Methylene Chloride | 0.019 | Naphthalene | 322 | PAH's | 0.001 | | 0.001 |
| Ammonia | Emissions (lbs/yr): | | | | | | | | | | | | | | | | |
| Benzene | 4.81 | | | | | | | | | | | | | | | | |
| Formaldehyde | 0.009 | | | | | | | | | | | | | | | | |
| Methylene Chloride | 0.019 | | | | | | | | | | | | | | | | |
| Naphthalene | 322 | | | | | | | | | | | | | | | | |
| PAH's | 0.001 | | | | | | | | | | | | | | | | |
| | 0.001 | | | | | | | | | | | | | | | | |
| Health Risk From Toxic Air Contaminants: | | <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____ | | | | | | | | | | | | | | | |
| Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009 | | <input checked="" type="checkbox"/> NOx 0.073 <input checked="" type="checkbox"/> PM 0.38 <input checked="" type="checkbox"/> CO 0.019 <input checked="" type="checkbox"/> SOx 0.001 <input checked="" type="checkbox"/> VOC 1.802 <input type="checkbox"/> Other: _____ | | | | | | | | | | | | | | | |
| Compliance History: | | <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 2) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0) | | | | | | | | | | | | | | | |
| Comments: | | | | | | | | | | | | | | | | | |

South Coast Air Quality Management District

Statement of Basis

Proposed Title V Renewal Permit

Facility Name: Royal Truck Body, Inc.
Facility ID: 032840
SIC Code: 3713
Equipment Location: 14001 Garfield Avenue
Paramount, CA 90723

Application #(s): 518052
Application Submittal Date(s): 1/26/11

AQMD Contact Person: Hamed Mandilawi, Senior Engineer
Phone Number: (909) 396-3275
E-Mail Address: hmandilawi@aqmd.gov

1. Introduction and Scope of Permit

Title V is a national operating permit program for air pollution sources. Facilities subject to Title V must obtain a Title V permit and comply with specific Title V procedures to modify the permit. This permit replaces the facility's other existing permits. Title V does not necessarily include any new requirements for reducing emissions. It does, however, include new permitting, noticing, recordkeeping, and reporting requirements.

Pursuant to Title V of the federal Clean Air Act and AQMD Rule 3004(f), a Title V permit shall expire five years from the date of issuance unless such permit has been renewed. Accordingly, each facility is required to submit a Title V renewal application and requested the AQMD to renew their Title V permit. The proposed permit incorporates updates to the facility information provided in the facility's Title V renewal application and all rules and regulations that are currently applicable to the facility.

The AQMD implements Title V through Regulation XXX – Title V Permits, adopted by the AQMD Governing Board in order to comply with EPA's requirement that local air permitting authorities develop a Title V program. Regulation XXX was developed with the participation of the public and affected facilities through a series of public workshops, working group meetings, public hearings and other meetings.

The Title V major source threshold for a particular pollutant depends on the attainment status of the pollutant. NO₂, SO₂, CO, and lead are in attainment with federal standards. The status for PM-10 is serious nonattainment. The status for ozone is currently extreme nonattainment.

A Title V renewal permit is proposed to be issued to cover the operations of Royal Truck Body, Inc. located at 14001 Garfield Avenue, Paramount, CA 90723. This facility is subject to Title V requirements because it is a major source.

2. Facility Description

This is an existing facility applying for a Title V permit renewal that is engaged in the business of manufacturing truck and bus bodies. The facility has six spray booths, four ovens, and other supporting equipment.

3. Construction and Permitting History

The facility has been in constant operation with a Title V permit at this location since 2001. Numerous permits to construct and or permits to operate have been issued to the facility since March 2001. A Title V renewal permit was issued to the facility on March 26, 2006.

4. Regulatory Applicability Determinations

Applicable legal requirements for which this facility is required to comply are required to be identified in the Title V permit (for example, Section D, E, and H of the proposed Title V permit). Applicability determinations (i.e., determinations made by the District with respect to what legal requirements apply to a specific piece of equipment, process, or operation) can be found in the Engineering Evaluations. This facility is not subject to any NSPS or NESHAP requirements. To ensure that the facility is exempt from the requirements of 40CFR63 Subpart III-National Emission Standards for Hazardous Air Pollutants: Surface Coating of Automobiles and Light-Duty Trucks, facility wide permit conditions are specified in the Title V permit limiting the quantity of a volatile hazardous air pollutant emissions (VHAP) from the facility to less than 10 tons per year and a combination of VHAPs to less than 25 tons per year.

5. Monitoring and Operational Requirements

Applicable monitoring and operational requirements for which the facility is required to comply are identified in the Title V permit (for example, Section D, F, and J and Appendix B of the proposed Title V permit). Discussion of any applicable operational requirements can be found in the Engineering Evaluations. All periodic monitoring requirements were developed using strict adherence to the following applicable guidance documents: SCAQMD Periodic Monitoring Guidelines for Title V Facilities (November 1997); CAPCOA/CARB/EPA Region IX Periodic Monitoring Recommendations for Generally Applicable Requirements in SIP (June 1999); and CAPCOA/CARB/EPA Region IX Recommended Periodic Monitoring for Generally Applicable Grain Loading Standards in the SIP: Combustion Sources (July 2001).

Since the facility complies with applicable rules requirements and emission limits without the use of air pollution control equipment, the Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64 are not applicable to this facility.

6. Permit Features

Permit Shield

A permit shield is an optional part of a Title V permit that gives the facility an explicit protection from requirements that do not apply to the facility. A permit shield is a provision in a permit that states that compliance with the conditions of the permit shall be deemed compliance with all identified regulatory requirements. To incorporate a permit shield into the Title V permit involves submission of applications for change of conditions for each equipment affected by the permit shield. Permit shields are addressed in Rule 3004 (c). This facility has not applied for a permit shield.

Streamlining Requirements

Some emission units may be subject to multiple requirements which are closely related or redundant. The conditions may be streamlined to simplify the permit conditions and compliance. Emission limits, work practice standards, and monitoring, recordkeeping, and reporting requirements may be streamlined. Compliance with a streamlined condition will be deemed compliance with the underlying requirements whether or not the emission unit is actually in compliance with the specific underlying requirement. This facility has not applied for any streamlined conditions.

7. Summary of Emissions and Health Risks

Criteria Pollutant Emissions (tons/year) Annual Reported Emissions for Reporting Period 2009

| Pollutant | Emissions (tons/year) |
|-----------------|-----------------------|
| NO _x | 0.073 |
| CO | 0.019 |
| VOC | 1.802 |
| PM | 0.38 |
| SO _x | 0.001 |

Toxic Air Contaminants Emissions (TAC) Annual Reported Emissions for Reporting Period 2009

| The Following TACs Were Reported | Emissions (lbs/yr) |
|----------------------------------|--------------------|
| Ammonia | 4.813 |
| Benzene | 0.009 |
| Formaldehyde | 0.019 |
| Methylene Chloride | 322 |
| Naphthalene | 0.001 |
| PAH's | 0.001 |

Health Risk from Toxic Air Contaminants

The facility is subject to review by the Air Toxics Information and Assessment Act (AB2588). The AQMD is tracking the status of the facility under AB2588.

8. Compliance History

As noted, the facility has been in constant operation with a Title V permit since 2001. The facility has been subject to both self-reporting requirements and AQMD inspections. The facility has had no citizen complaints, or Notices of Violation issued in the last two years. However, the facility was issued two Notices to Comply on 9/8/09 and 11/19/10 requiring the applicant to provide VOC emissions and monitoring inspection records. The facility provided the requested information and is currently operating in compliance with all applicable rules and permit conditions.

9. Compliance Certification

By virtue of the Title V permit application and issuance of this Title V renewal permit, the reporting frequency for compliance certification for the facility shall be annual.

FACILITY PERMIT TO OPERATE

**ROYAL TRUCK BODY INC
14001 S GARFIELD AVE
PARAMOUNT, CA 90723**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER

By _____
Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

TABLE OF CONTENTS

| Section | Description | Revision # | Date Issued |
|----------|--|-----------------|-------------|
| A | Facility Information | DRAFT | 02/09/2011 |
| B | RECLAIM Annual Emission Allocation | DRAFT | 02/09/2011 |
| C | Facility Plot Plan | TO BE DEVELOPED | |
| D | Facility Description and Equipment Specific Conditions | DRAFT | 02/09/2011 |
| E | Administrative Conditions | DRAFT | 02/09/2011 |
| F | RECLAIM Monitoring and Source Testing Requirements | DRAFT | 02/09/2011 |
| G | Recordkeeping and Reporting Requirements for RECLAIM Sources | DRAFT | 02/09/2011 |
| H | Permit To Construct and Temporary Permit to Operate | DRAFT | 02/09/2011 |
| I | Compliance Plans & Schedules | DRAFT | 02/09/2011 |
| J | Air Toxics | DRAFT | 02/09/2011 |
| K | Title V Administration | DRAFT | 02/09/2011 |
| Appendix | | | |
| A | NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219 | DRAFT | 02/09/2011 |
| B | Rule Emission Limits | DRAFT | 02/09/2011 |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION A: FACILITY INFORMATION

LEGAL OWNER &/OR OPERATOR: ROYAL TRUCK BODY INC

LEGAL OPERATOR (if different than owner):

EQUIPMENT LOCATION: 14001 S GARFIELD AVE
 PARAMOUNT, CA 90723-2194

MAILING ADDRESS: 14001 S GARFIELD AVE
 PARAMOUNT, CA 90723-2194

RESPONSIBLE OFFICIAL: DUDLEY DE ZONIA

TITLE: PRESIDENT

TELEPHONE NUMBER: (562) 633-9951

CONTACT PERSON: DUDLEY DE ZONIA

TITLE: PRESIDENT

TELEPHONE NUMBER: (562) 633-9951

TITLE V PERMIT ISSUED: March 26, 2006

TITLE V PERMIT EXPIRATION DATE: March 25, 2011

| TITLE V | RECLAIM |
|---------|---|
| YES | NOx: NO SOx: NO CYCLE: 0 ZONE: COASTAL |

**FACILITY PERMIT TO OPERATE
ROYAL TRUCK BODY INC**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

NOT APPLICABLE

**FACILITY PERMIT TO OPERATE
ROYAL TRUCK BODY INC**

SECTION C: FACILITY PLOT PLAN

(TO BE DEVELOPED)

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

Facility Equipment and Requirements (Section D)

This section consists of a table listing all permitted equipment at the facility, facility wide requirements, all individual Permits to Construct and Permits to Operate issued to various equipment at the facility, and Rule 219-exempt equipment subject to source-specific requirements. Each permit and Rule 219-exempt equipment will list operating conditions including periodic monitoring requirements, and applicable emission limits and requirements that the equipment is subject to. Also included is the rule origin and authority of each emission limit and permit condition.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMITTED EQUIPMENT LIST

THE FOLLOWING IS A LIST OF ALL PERMITS TO CONSTRUCT AND PERMITS TO OPERATE AT THIS FACILITY:

| Application number | Permit to Operate number | Equipment description |
|---------------------------|---------------------------------|-------------------------------|
| 411809 | F64095 | SPRAY BOOTH PAINT AND SOLVENT |
| 411811 | F64096 | SPRAY BOOTH PAINT AND SOLVENT |
| 449204 | F79843 | SPRAY BOOTH PAINT AND SOLVENT |
| 449205 | F79844 | SPRAY BOOTH PAINT AND SOLVENT |
| 449206 | F79845 | OVEN, DRYING |
| 449207 | F79846 | OVEN, DRYING |
| 449208 | F79847 | OVEN, DRYING |
| 449209 | F79848 | OVEN, DRYING |
| 449210 | F79849 | SPRAY BOOTH PAINT AND SOLVENT |
| 449211 | F79850 | SPRAY BOOTH PAINT AND SOLVENT |

NOTE: EQUIPMENT LISTED ABOVE THAT HAVE NO CORRESPONDING PERMITS TO OPERATE NUMBER ARE ISSUED PERMITS TO CONSTRUCT. THE ISSUANCE OR DENIAL OF THEIR PERMITS TO OPERATE IS SUBJECT TO ENGINEERING FINAL REVIEW. ANY OTHER APPLICATIONS THAT ARE STILL BEING PROCESSED AND HAVE NOT BEEN ISSUED PERMITS TO CONSTRUCT OR PERMITS TO OPERATE WILL NOT BE FOUND IN THIS TITLE V PERMIT.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

FACILITY WIDE CONDITION(S)

Condition(s):

1. EXCEPT FOR OPEN ABRASIVE BLASTING OPERATIONS, THE OPERATOR SHALL NOT DISCHARGE INTO THE ATMOSPHERE FROM ANY SINGLE SOURCE OF EMISSIONS WHATSOEVER ANY AIR CONTAMINANT FOR A PERIOD OR PERIODS AGGREGATING MORE THAN THREE MINUTES IN ANY ONE HOUR WHICH IS:
 - A. AS DARK OR DARKER IN SHADE AS THAT DESIGNATED NO. 1 ON THE RINGELMANN CHART, AS PUBLISHED BY THE UNITED STATES BUREAU OF MINES; OR
 - B. OF SUCH OPACITY AS TO OBSCURE AN OBSERVER'S VIEW TO A DEGREE EQUAL TO OR GREATER THAN DOES SMOKE DESCRIBED IN SUBPARAGRAPH (A) OF THIS CONDITION.
[RULE 401]
2. MATERIAL SAFETY DATA SHEETS FOR ALL MATERIALS USED AT THIS FACILITY SHALL BE KEPT CURRENT AND MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 109, 1303(b)(2)-OFFSET]
3. ALL RECORDS REQUIRED BY THIS PERMIT SHALL BE PREPARED IN A FORMAT WHICH IS ACCEPTABLE TO THE DISTRICT, SHALL BE RETAINED AT THE FACILITY FOR FIVE YEARS, AND SHALL BE MADE AVAILABLE TO ANY DISTRICT REPRESENTATIVE UPON REQUEST.
[RULE 109, 1303(b)(2)-OFFSET]
4. TO MAINTAIN EXMPTION FROM THE NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS (NESHAP) REQUIREMENTS, THE TOTAL QUANTITY OF HAZARDOUS AIR POLLUTANT (HAP) EMISSIONS FROM THIS FACILITY SHALL NOT EXCEED 10 TONS (20,000 POUNDS) OF A SINGLE HAP OR 25 TONS (50,000 POUNDS) OF A COMBINATION OF HAPS IN ANY TWELVE CALENDAR MONTH PERIOD.
[40 CRF63 SUBPART III]
5. TO ENSURE COMPLIANCE WITH THE HAP(S) MONTHLY EMISSION CAPS, THE FACILITY OPERATOR SHALL:
 - (A) IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT AND THIS FACILITY TO VERIFY THE MONTHLY HAP EMISSIONS IN POUNDS AND THE HAP CONTENT OF EACH MATERIAL AS APPLIED (INCLUDING WATER AND EXEMPT COMPOUNDS). THE RECORDS SHALL BE PREPARED IN A FORMAT WHICH IS ACCEPTABLE TO THE DISTRICT.
 - (B) WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH MONTH, TOTAL AND RECORD HAP EMISSIONS FOR THE MONTH FROM ALL EQUIPMENT AND OPERATIONS THAT ARE REQUIRED TO HAVE WRITTEN PERMITS OR ARE EXEMPT FROM WRITTEN PERMITS PURSUANT TO RULE 219. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
 - (C) MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED HAP-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.

**FACILITY PERMIT TO OPERATE
ROYAL TRUCK BODY INC**

- (D) RETAIN ALL PURCHASE INVOICES FOR ALL HAP-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE HAP-CONTAINING MATERIAL REMOVED FROM THE FACILITY, FOR FIVE YEARS.
[40 CRF63 SUBPART III]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

Permit No. F64095
A/N 411809

Equipment Description:

SPRAY BOOTH NO. 4, AUTOMOTIVE FILTER TYPE, 20'-0" W. X 40'-0" L. X 13'-6" H., WITH TWENTY-FIVE 20" X 20" EXHAUST FILTERS AND ONE 5 H.P. EXHAUST FAN.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS SPRAY BOOTH SHALL NOT BE OPERATED UNLESS ALL EXHAUST AIR PASSES THROUGH FILTER MEDIA AT LEAST 2 INCHES THICK.
[RULE 1303(a)(1)-BACT]
4. A GAUGE SHALL BE INSTALLED TO INDICATE, IN INCHES OF WATER, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE EXHAUST FILTERS. IN OPERATION, THE PRESSURE DIFFERENTIAL SHALL NOT EXCEED 0.25 INCH OF WATER.
[RULE 1303(a)(1)-BACT]
5. THE VOLATILE ORGANIC COMPOUND (VOC) CONTENT FOR THE COATINGS USED IN THIS SPRAY BOOTH SHALL NOT EXCEED THE FOLLOWING LIMITS:

| <i>COATING</i> | <i>VOC LIMITS LESS WATER AND EXEMPT COMPOUNDS LB/GAL</i> |
|----------------|--|
| PRIMERS | 0.74 |
| TOPCOATS | 1.22 |

[RULE 1132]

Periodic Monitoring:

6. THE OPERATOR SHALL PERFORM A WEEKLY INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

- B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
- C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.

[RULE 3004(a)(4)]

- 7. THE OPERATOR SHALL DETERMINE AND RECORD THE PRESSURE DROP ACROSS THE FILTER ONCE EVERY WEEK.

[RULE 3004(a)(4)]

Emissions And Requirements:

- 8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 109

VOC: RULE 1132

VOC: RULE 1151, SEE APPENDIX B FOR EMISSION LIMITS

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

PM: RULE 481

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

**Permit No. F64096
A/N 411811**

Equipment Description:

SPRAY BOOTH, BINKS, 16'-0" W. X 40'-0" L. X 14'-0" H., WITH THIRTY-FIVE 20" X 20" EXHAUST FILTERS AND ONE 5 HP EXHAUST FAN.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OPERATOR SHALL NOT USE THIS EQUIPMENT UNLESS ALL EXHAUST AIR PASSES THROUGH FILTER MEDIA AT LEAST 2 INCHES THICK.
[RULE 1303(a)(1)-BACT]
4. A GAUGE SHALL BE INSTALLED TO INDICATE, IN INCHES OF WATER, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE EXHAUST FILTERS. IN OPERATION, THE PRESSURE DIFFERENTIAL SHALL NOT EXCEED 0.25 INCH OF WATER.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL AMOUNT OF VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS DISCHARGED TO THE ATMOSPHERE FROM THIS EQUIPMENT SHALL NOT EXCEED 30 POUNDS IN ANY ONE DAY AND 900 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 1303(b)(2)-OFFSET]
6. IN ADDITION TO THE RECORD KEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS TO VERIFY THE DAILY USAGE, VOLATILE ORGANIC COMPOUND (VOC) CONTENT AND DAILY AND MONTHLY VOC EMISSIONS FOR EACH COATING AND SOLVENT USED IN THIS EQUIPMENT.
[RULE 109, 1303(b)(2)-OFFSET]
7. COATINGS, REDUCERS, THINNERS AND WASH SOLVENTS USED IN THIS EQUIPMENT SHALL NOT CONTAIN COMPOUNDS IDENTIFIED AS CARCINOGENIC AIR CONTAMINANTS IN RULE 1401 AS AMENDED DECEMBER 7, 1990.
[RULE 1401]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

8. THE VOC CONTENT FOR THE COATINGS USED IN THIS SPRAY BOOTH SHALL NOT EXCEED THE FOLLOWING LIMITS:

| <i>COATING</i> | <i>VOC LIMITS LESS WATER AND EXEMPT COMPOUNDS LB/GAL</i> |
|-------------------------|--|
| PRIMERS | 0.74 |
| TOPCOATS [RULE 1132] | 1.22 |

9. THE OPERATOR SHALL KEEP RECORDS IN ACCORDANCE WITH THE REQUIREMENTS OF RULE 109 (RECORDKEEPING FOR VOC EMISSIONS). SUCH RECORDS SHALL BE RETAINED FOR A PERIOD OF FIVE YEARS AND SHALL BE MADE AVAILABLE TO ANY DISTRICT REPRESENTATIVE UPON REQUEST.
[RULE 109, 1303(b)(2)-OFFSET]
10. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH MONTH, THE OPERATOR SHALL TOTAL AND RECORD VOC EMISSIONS FOR THE MONTH FROM ALL EQUIPMENT AND OPERATIONS COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR OPERATION OF EQUIPMENT SUBJECT TO THE PERMIT.
[RULE 109, 1303(b)(2)-OFFSET]
11. THE OPERATOR SHALL MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
[RULE 109, 1303(b)(2)-OFFSET]
12. THE OPERATOR SHALL RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY FOR FIVE YEARS.
[RULE 109, 1303(b)(2)-OFFSET]

Periodic Monitoring:

13. THE OPERATOR SHALL PERFORM A WEEKLY INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
- A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.
- [RULE 3004(a)(4)]
14. THE OPERATOR SHALL DETERMINE AND RECORD THE PRESSURE DROP ACROSS THE FILTER

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

ONCE EVERY WEEK.
[RULE 3004(a)(4)]

Emissions And Requirements:

15. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 109
VOC: RULE1132
VOC: RULE 1151, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS
PM: RULE 481
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

Permit No. F79843
A/N 449204

Equipment Description:

SPRAY BOOTH NO. 3, AUTOMOTIVE FILTER TYPE, 15'-0" W. X 30'-0" L. X 12'-0" H., WITH THIRTY 20" X 20" EXHAUST FILTERS AND ONE 3 H.P. EXHAUST FAN.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS SPRAY BOOTH SHALL NOT BE OPERATED UNLESS ALL EXHAUST AIR PASSES THROUGH FILTER MEDIA AT LEAST 2 INCHES THICK.
[RULE 1303(a)(1)-BACT]
4. A GAUGE SHALL BE INSTALLED TO INDICATE, IN INCHES OF WATER, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE EXHAUST FILTERS. IN OPERATION, THE PRESSURE DIFFERENTIAL SHALL NOT EXCEED 0.25 INCHES OF WATER.
[RULE 1303(a)(1)-BACT]
5. THE VOLATILE ORGANIC COMPOUND (VOC) CONTENT FOR THE COATINGS USED IN THIS SPRAY BOOTH SHALL NOT EXCEED THE FOLLOWING LIMITS:

| <i>COATING</i> | <i>VOC LIMITS LESS WATER AND EXEMPT COMPOUNDS LB/GAL</i> |
|----------------|--|
| PRIMERS | 0.74 |
| TOPCOATS | 1.22 |

[RULE 1132]

6. THE TOTAL QUANTITY OF VOC EMISSIONS FROM THE EQUIPMENT UNDER APPLICATION NUMBERS 449204, 449205, 449206, 449207, 449208, 449209, 449210, AND 449211 SHALL NOT EXCEED 2811 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 1303(b)(2)-OFFSET]
7. TO ENSURE COMPLIANCE WITH THE MONTHLY VOC EMISSION LIMIT, THE OPERATOR SHALL:
 - A. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS.

- B. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT AND OPERATIONS COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
- C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
- D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.
[RULE 109, 1303(b)(2)-OFFSET]

Periodic Monitoring:

- 8. THE OPERATOR SHALL PERFORM A WEEKLY INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.[RULE 3004(a)(4)]
- 9. THE OPERATOR SHALL DETERMINE AND RECORD THE PRESSURE DROP ACROSS THE FILTER ONCE EVERY WEEK.
[RULE 3004(a)(4)]

Emissions And Requirements:

- 10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:
 - VOC: RULE 109
 - VOC: RULE 1132
 - VOC: RULE 1151, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS
 - PM: RULE 481
 - PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

Permit No. F79844
A/N 449205

Equipment Description:

SPRAY BOOTH NO. 2, AUTOMOTIVE FILTER TYPE, 12'-0" W. X 25'-0" L. X 12'-0" H., WITH THIRTY 20" X 20" EXHAUST FILTERS AND ONE 3 H.P. EXHAUST FAN.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS SPRAY BOOTH SHALL NOT BE OPERATED UNLESS ALL EXHAUST AIR PASSES THROUGH FILTER MEDIA AT LEAST 2 INCHES THICK.
[RULE 1303(a)(1)-BACT]
4. A GAUGE SHALL BE INSTALLED TO INDICATE, IN INCHES OF WATER, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE EXHAUST FILTERS. IN OPERATION, THE PRESSURE DIFFERENTIAL SHALL NOT EXCEED 0.25 INCH OF WATER.
[RULE 1303(a)(1)-BACT]
5. THE VOLATILE ORGANIC COMPOUND (VOC) CONTENT FOR THE COATINGS USED IN THIS SPRAY BOOTH SHALL NOT EXCEED THE FOLLOWING LIMITS:

| <i>COATING</i> | <i>VOC LIMITS LESS WATER AND EXEMPT COMPOUNDS LB/GAL</i> |
|----------------|--|
| PRIMERS | 0.74 |
| TOPCOATS | 1.22 |

[RULE 1132]

6. THE TOTAL QUANTITY OF VOC EMISSIONS FROM THE EQUIPMENT UNDER APPLICATION NUMBERS 449204, 449205, 449206, 449207, 449208, 449209, 449210, AND 449211 SHALL NOT EXCEED 2811 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 1303(b)(2)-OFFSET]
7. TO ENSURE COMPLIANCE WITH THE MONTHLY VOC EMISSION LIMIT, THE OPERATOR SHALL:
 - A. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS.

- B. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT AND OPERATIONS COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
- C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
- D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.
[RULE 109, 1303(b)(2)-OFFSET]

Periodic Monitoring:

- 8. THE OPERATOR SHALL PERFORM A WEEKLY INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.[RULE 3004(a)(4)]
- 9. THE OPERATOR SHALL DETERMINE AND RECORD THE PRESSURE DROP ACROSS THE FILTER ONCE EVERY WEEK.
[RULE 3004(a)(4)]

Emissions And Requirements:

- 10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:
 - VOC: RULE 109
 - VOC: RULE 1132
 - VOC: RULE 1151, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS
 - PM: RULE 481
 - PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

Permit No. F79845
A/N 449206

Equipment Description:

OVEN NO. 1, INFRATECH CORP, MODEL SP 71518, ELECTRICALLY HEATED, 18'-0" L. X 15'-0" W. X 10'-0" H., WITH TEN LAMPS, 3 KW EACH, AND ONE 1/3-HP EXHAUST BLOWER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS OVEN SHALL NOT BE OPERATED AT A TEMPERATURE GREATER THAN 180 DEGREE FAHRENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS IDENTIFIED IN RULE 1401 AMENDED AUGUST 13, 1999.
[RULE 1401]
6. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM THE EQUIPMENT UNDER APPLICATION NUMBERS 449204, 449205, 449206, 449207, 449208, 449209, 449210, AND 449211 SHALL NOT EXCEED 2811 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 1303(b)(2)-OFFSET]
7. TO ENSURE COMPLIANCE WITH THE MONTHLY VOC EMISSION LIMIT, THE OPERATOR SHALL:
 - A. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS.
 - B. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

AND OPERATIONS COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.

- C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
- D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.

[RULE 109, 1303(b)(2)-OFFSET]

Periodic Monitoring:

- 8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE OF THE OVEN ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

- 9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

Permit No. F79846
A/N 449207

Equipment Description:

OVEN NO. 2, INFRATECH CORP., MODEL SP 71518, ELECTRICALLY HEATED, 18'-0" L. X 15'-0" W. X 10'- 0" H., WITH TEN LAMPS, 3 KW EACH, AND ONE 1/3-HP EXHAUST BLOWER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS OVEN SHALL NOT BE OPERATED AT A TEMPERATURE GREATER THAN 180 DEGREE FAHRENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS IDENTIFIED IN RULE 1401 AMENDED AUGUST 13, 1999.
[RULE 1401]
6. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM THE EQUIPMENT UNDER APPLICATION NUMBERS 449204, 449205, 449206, 449207, 449208, 449209, 449210, AND 449211 SHALL NOT EXCEED 2811 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 1303(b)(2)-OFFSET]
7. TO ENSURE COMPLIANCE WITH THE MONTHLY VOC EMISSION LIMIT, THE OPERATOR SHALL:
 - A. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS.
 - B. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

AND OPERATIONS COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.

- C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
- D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.

[RULE 109, 1303(b)(2)-OFFSET]

Periodic Monitoring:

- 8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE OF THE OVEN ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

- 9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

Permit No. F79847
A/N 449208

Equipment Description:

OVEN, TOPCOAT, GLOBAL FINISHING SOLUTIONS, MODEL 121020, 21'-0" L. X 15'-10" W. X 15'-4" H., WITH ONE 500,000 BTU PER HOUR NATURAL GAS-FIRED BURNER, 15 H.P. CIRCULATION FAN AND ONE 1 H.P. EXHAUST FAN.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS OVEN SHALL NOT BE OPERATED AT A TEMPERATURE GREATER THAN 220 DEGREE FAHRENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. COATING MATERIALS USED ON THE ARTICLES PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS IDENTIFIED IN RULE 1401 TABLE 1, WITH A DATE OF LISTING OF MAY 2, 2003.
[RULE 1401]
6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY THE AMOUNT OF NATURAL GAS USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
8. THE OPERATOR SHALL MAINTAIN A FUEL USAGE LOG TO DEMINSTRATE COMPLIANCE WITH CONDITION NUMBER SIX(6) ABOVE. THE LOG SHALL INCLUDE, AT A MINIMUM, THE METER READING AND THE DAILY FUEL USAGE.
[RULE 1303(a)(1)-BACT]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

9. COATINGS USED ON THE ARTICLES PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN MORE THAN 5 % BY WEIGHT VOLATILE ORGANIC COMPOUND (VOC).
[RULE 1303(a)(1) BACT]
10. THE TOTAL QUANTITY OF VOC EMISSIONS FROM THE EQUIPMENT UNDER APPLICATION NUMBERS 449204, 449205, 449206, 449207, 449208, 449209, 449210, AND 449211 SHALL NOT EXCEED 2811 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 1303(b)(2)-OFFSET]
11. TO ENSURE COMPLIANCE WITH THE MONTHLY VOC EMISSION LIMIT, THE OPERATOR SHALL:
- A. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS.
 - B. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT AND OPERATIONS COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
 - C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
 - D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.
[RULE 109, 1303(b)(2)-OFFSET]

Periodic Monitoring:

12. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE OF THE OVEN ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

13. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:
- PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
 - PM: 0.1 gr/scf, RULE 409
 - CO: 2000 PPMV, RULE 407
 - NOx: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

Permit No. F79848
A/N 449209

Equipment Description:

OVEN, PRIMER, GLOBAL FINISHING SOLUTIONS, MODEL 121020, 21'-0" L. X 15'-10" W. X 15'-4" H., WITH ONE 500,000 BTU PER HOUR NATURAL GAS-FIRED BURNER, 15 H.P. CIRCULATION FAN AND ONE 1 H.P. EXHAUST FAN.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS OVEN SHALL NOT BE OPERATED AT A TEMPERATURE GREATER THAN 220 DEGREE FAHRENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. COATING MATERIALS USED ON THE ARTICLES PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS IDENTIFIED IN RULE 1401 TABLE 1, WITH A DATE OF LISTING OF MAY 2, 2003.
[RULE 1401]
6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY THE AMOUNT OF NATURAL GAS USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
8. THE OPERATOR SHALL MAINTAIN A FUEL USAGE LOG TO DEMONSTRATE COMPLIANCE WITH CONDITION NUMBER SIX(6) ABOVE. THE LOG SHALL INCLUDE, AT A MINIMUM, THE METER READING AND THE DAILY FUEL USAGE.
[RULE 1303(a)(1)-BACT]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

9. COATINGS USED ON THE ARTICLES PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN MORE THAN 5 % BY WEIGHT VOLATILE ORGANIC COMPOUND (VOC).
[RULE 1303(a)(1)-BACT]
10. THE TOTAL QUANTITY OF VOC EMISSIONS FROM THE EQUIPMENT UNDER APPLICATION NUMBERS 449204, 449205, 449206, 449207, 449208, 449209, 449210, AND 449211 SHALL NOT EXCEED 2811 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 1303(b)(2)-OFFSET]
11. TO ENSURE COMPLIANCE WITH THE MONTHLY VOC EMISSION LIMIT, THE OPERATOR SHALL:
 - A. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS.
 - B. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT AND OPERATIONS COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
 - C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
 - D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.
[RULE 109, 1303(b)(2)-OFFSET]

Periodic Monitoring:

12. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE OF THE OVEN ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

13. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
PM: 0.1 gr/scf, RULE 409

**FACILITY PERMIT TO OPERATE
ROYAL TRUCK BODY INC**

CO: 2000 PPMV, RULE 407
NOx: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

Permit No. F79849
A/N 449210

Equipment Description:

SPRAY BOOTH, TOPCOAT, GLOBAL FINISHING SOLUTIONS, MODEL DD-24-DT-S, DOWN-DRAFT AUTOMOTIVE TYPE, 14'-0" W. X 24'-0" L. X 12'-0" H., WITH ONE 3'-6" W. X 18'-0" L., EXHAUST FILTER, SEVENTY-TWO 20" X 20" INTAKE FILTERS, ONE 7.5 H.P. EXHAUST FAN AND ONE 907,000 BTU PER HOUR NATURAL GAS-FIRED BURNER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS SPRAY BOOTH SHALL NOT BE OPERATED UNLESS ALL EXHAUST AIR PASSES THROUGH FILTER MEDIA AT LEAST 2 INCHES THICK.
[RULE 1303(a)(1)-BACT]
4. A GAUGE SHALL BE INSTALLED TO INDICATE, IN INCHES OF WATER, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE EXHAUST FILTERS. IN OPERATION, THE PRESSURE DIFFERENTIAL SHALL NOT EXCEED 0.25 INCH OF WATER.
[RULE 1303(a)(1)-BACT]
5. THE VOLATILE ORGANIC COMPOUND (VOC) CONTENT FOR THE COATINGS USED IN THIS SPRAY BOOTH SHALL NOT EXCEED THE FOLLOWING LIMITS:

| <i>COATING</i> | <i>VOC LIMITS LESS WATER AND EXEMPT COMPOUNDS LB/GAL</i> |
|----------------|--|
| PRIMERS | 0.74 |
| TOPCOATS | 1.22 |

[RULE 1132]

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE DAY.
[RULE 1303 (a)(1)-BACT]
7. A NON-RESETABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY THE AMOUNT OF NATURAL GAS USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

8. THE OPERATOR SHALL MAINTAIN A FUEL USAGE LOG TO DEMONSTRATE COMPLIANCE WITH CONDITION NUMBER SIX(6) ABOVE. THE LOG SHALL INCLUDE, AT A MINIMUM, THE METER READING AND THE DAILY FUEL USAGE.
[RULE 1303(a)(1)- BACT]
9. COATING MATERIALS USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS IDENTIFIED IN RULE 1401 TABLE 1, WITH A DATE OF LISTING OF MAY 2, 2003.
[RULE 1401]
10. COATINGS USED IN THIS EQUIPMENT SHALL NOT CONTAIN MORE THAN 5 % BY WEIGHT VOC.
[RULE 1303(a)(1) BACT]
11. THE TOTAL QUANTITY OF VOC EMISSIONS FROM THE EQUIPMENT UNDER APPLICATION NUMBERS 449204, 449205, 449206, 449207, 449208, 449209, 449210, AND 449211 SHALL NOT EXCEED 2811 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 1303(b)(2)-OFFSET]
12. TO ENSURE COMPLIANCE WITH THE MONTHLY VOC EMISSION LIMIT, THE OPERATOR SHALL:
 - A. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS.
 - B. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT AND OPERATIONS COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
 - C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
 - D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.
[RULE 109, 1303 (b)(2)-OFFSET]

Periodic Monitoring:

13. THE OPERATOR SHALL PERFORM A WEEKLY INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

FILTER MEDIA;
B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.
[RULE 3004(a)(4)]

14. THE OPERATOR SHALL DETERMINE AND RECORD THE PRESSURE DROP ACROSS THE FILTER ONCE EVERY WEEK.
[RULE 3004(a)(4)]
15. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM ALL STACKS AND OTHER EMISSION POINTS OF THIS EQUIPMENT WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS.

IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED THAT LAST MORE THAN THREE MINUTES IN ANY ONE-HOUR, THE OPERATOR SHALL VERIFY AND CERTIFY WITHIN 24 HOURS THAT THE EQUIPMENT CAUSING THE EMISSION AND ANY ASSOCIATED AIR POLLUTION CONTROL EQUIPMENT ARE OPERATING NORMALLY ACCORDING TO THEIR DESIGN AND STANDARD PROCEDURES AND UNDER THE SAME CONDITIONS UNDER WHICH COMPLIANCE WAS ACHIEVED IN THE PAST, AND EITHER:

- A. TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT; OR
B. HAVE A CARB-CERTIFIED SMOKE READER DETERMINE COMPLIANCE WITH THE OPACITY STANDARD, USING EPA METHOD 9 OR THE PROCEDURES IN THE CARB MANUAL "VISIBLE EMISSION EVALUATION", WITHIN THREE BUSINESS DAYS AND REPORT ANY DEVIATIONS TO AQMD.

THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORDKEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:

- A. STACK OR EMISSION POINT IDENTIFICATION;
B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS;
C. DATE AND TIME VISIBLE EMISSION WAS ABATED; AND
D. VISIBLE EMISSION OBSERVATION RECORDED BY A CERTIFIED SMOKE READER.
[RULE 3004 (a)(4)]

Emissions And Requirements:

16. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 109
VOC: RULE 1132
VOC: RULE 1151, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PM: RULE 481
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
PM: 0.1 gr/scf, RULE 409
CO: 2000 PPMV, RULE 407
NOx: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PERMIT TO OPERATE

Permit No. F79850
A/N 449211

Equipment Description:

SPRAY BOOTH, PRIMER, GLOBAL FINISHING SOLUTIONS, MODEL DD-24-DT-S, DOWN-DRAFT AUTOMOTIVE TYPE, 14'-0" W. X 24'-0" L. X 12'-0" H., WITH ONE 3'-6" W. X 18'-0" L., EXHAUST FILTER, SEVENTY-TWO 20" X 20" INTAKE FILTERS, ONE 7.5 H.P. EXHAUST FAN AND ONE 907,000 BTU PER HOUR NATURAL GAS-FIRED BURNER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THIS SPRAY BOOTH SHALL NOT BE OPERATED UNLESS ALL EXHAUST AIR PASSES THROUGH FILTER MEDIA AT LEAST 2 INCHES THICK.
[RULE 1303(a)(1)-BACT]
4. A GAUGE SHALL BE INSTALLED TO INDICATE, IN INCHES OF WATER, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE EXHAUST FILTERS. IN OPERATION, THE PRESSURE DIFFERENTIAL SHALL NOT EXCEED 0.25 INCH OF WATER.
[RULE 1303(a)(1)-BACT]
5. THE VOLATILE ORGANIC COMPOUND (VOC) CONTENT FOR THE COATINGS USED IN THIS SPRAY BOOTH SHALL NOT EXCEED THE FOLLOWING LIMITS:

| <i>COATING</i> | <i>VOC LIMITS LESS WATER AND EXEMPT COMPOUNDS LB/GAL</i> |
|----------------|--|
| PRIMERS | 0.74 |
| TOPCOATS | 1.22 |

[RULE 1132]

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY THE AMOUNT OF NATURAL GAS USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

8. THE OPERATOR SHALL MAINTAIN A FUEL USAGE LOG TO DEMINSTRATE COMPLIANCE WITH CONDITION NUMBER SIX(6) ABOVE. THE LOG SHALL INCLUDE, AT A MINIMUM, THE METER READING AND THE DAILY FUEL USAGE.
[RULE 1303(a)(1)-BACT]
9. COATING MATERIALS USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS IDENTIFIED IN RULE 1401 TABLE 1, WITH A DATE OF LISTING OF MAY 2, 2003.
[RULE 1401]
10. COATINGS USED IN THIS EQUIPMENT SHALL NOT CONTAIN MORE THAN 5 % BY WEIGHT VOC.
[RULE 1303(a)(1) BACT]
11. THE TOTAL QUANTITY OF VOC EMISSIONS FROM THE EQUIPMENT UNDER APPLICATION NUMBERS 449204, 449205, 449206, 449207, 449208, 449209, 449210, AND 449211 SHALL NOT EXCEED 2811 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 1303(b)(2)-OFFSET]
12. TO ENSURE COMPLIANCE WITH THE MONTHLY VOC EMISSION LIMIT, THE OPERATOR SHALL:
 - A. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, KEEP ADEQUATE RECORDS TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS.
 - B. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT AND OPERATIONS COVERED BY THE MONTHLY LIMIT. THE RECORD SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
 - C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
 - D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.
[RULE 109, 1303 (b)(2)-OFFSET]

Periodic Monitoring:

13. THE OPERATOR SHALL PERFORM A WEEKLY INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

FILTER MEDIA;
B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.
[RULE 3004(a)(4)]

14. THE OPERATOR SHALL DETERMINE AND RECORD THE PRESSURE DROP ACROSS THE FILTER ONCE EVERY WEEK.
[RULE 3004(a)(4)]
15. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM ALL STACKS AND OTHER EMISSION POINTS OF THIS EQUIPMENT WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS.

IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED THAT LAST MORE THAN THREE MINUTES IN ANY ONE-HOUR, THE OPERATOR SHALL VERIFY AND CERTIFY WITHIN 24 HOURS THAT THE EQUIPMENT CAUSING THE EMISSION AND ANY ASSOCIATED AIR POLLUTION CONTROL EQUIPMENT ARE OPERATING NORMALLY ACCORDING TO THEIR DESIGN AND STANDARD PROCEDURES AND UNDER THE SAME CONDITIONS UNDER WHICH COMPLIANCE WAS ACHIEVED IN THE PAST, AND EITHER:

- A. TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT; OR
B. HAVE A CARB-CERTIFIED SMOKE READER DETERMINE COMPLIANCE WITH THE OPACITY STANDARD, USING EPA METHOD 9 OR THE PROCEDURES IN THE CARB MANUAL "VISIBLE EMISSION EVALUATION", WITHIN THREE BUSINESS DAYS AND REPORT ANY DEVIATIONS TO AQMD.

THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORDKEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:

- A. STACK OR EMISSION POINT IDENTIFICATION;
B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS;
C. DATE AND TIME VISIBLE EMISSION WAS ABATED; AND
D. VISIBLE EMISSION OBSERVATION RECORDED BY A CERTIFIED SMOKE READER.
[RULE 3004 (a)(4)]

Emissions And Requirements:

16. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 109
VOC: RULE 1132
VOC: RULE 1151, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

PM: RULE 481
PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
PM: 0.1 gr/scf, RULE 409
CO: 2000 PPMV, RULE 407
NOX: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS.

Periodic Monitoring:

1. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):

FOR ARCHITECTURAL APPLICATIONS WHERE NO THINNERS, REDUCERS, OR OTHER VOLATILE ORGANIC COMPOUND (VOC) CONTAINING MATERIALS ARE ADDED, MAINTAIN SEMI-ANNUAL RECORDS OF ALL COATINGS CONSISTING OF (a) COATING TYPE, (b) VOC CONTENT AS SUPPLIED IN GRAMS PER LITER (g/l) OF MATERIALS FOR LOW-SOLIDS COATINGS, (c) VOC CONTENT AS SUPPLIED IN g/l OF COATING, LESS WATER AND EXEMPT SOLVENT, FOR OTHER COATING.

FOR OTHER ARCHITECTURAL APPLICATIONS WHERE THINNERS, REDUCERS, OR OTHER VOC CONTAINING MATERIALS ARE ADDED, MAINTAIN DAILY RECORDS FOR EACH COATING CONSISTING OF (a) COATING TYPE, (b) VOC CONTENT AS APPLIED IN g/l OF MATERIALS USED FOR LOW-SOLIDS COATINGS, (c) VOC CONTENT AS APPLIED IN g/l OF COATING, LESS WATER AND EXEMPT SOLVENT, FOR OTHER COATING.

[RULE 3004(a)(4)]

Emissions And Requirements:

2. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 1113, SEE APPENDIX B FOR EMISSION LIMITS

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, HAND WIPING OPERATIONS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 109
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, CLEANING EQUIPMENT, SMALL UNHEATED, NON-CONVEYORIZED

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

VOC: RULE 109

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, LOW USE OR EMISSIONS

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1151, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 109

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION E: ADMINISTRATIVE CONDITIONS

The operating conditions in this section shall apply to all permitted equipment at this facility unless superseded by condition(s) listed elsewhere in this permit.

1. The permit shall remain effective unless this permit is suspended, revoked, modified, reissued, denied, or it is expired for nonpayment of permit processing or annual operating fees. [201, 203, 209, 301]
 - a. The permit must be renewed annually by paying annual operating fees, and the permit shall expire if annual operating fees are not paid pursuant to requirements of Rule 301(d). [301(d)]
 - b. The Permit to Construct listed in Section H shall expire one year from the Permit to Construct issuance date, unless a Permit to Construct extension has been granted by the Executive Officer or unless the equipment has been constructed and the operator has notified the Executive Officer prior to the operation of the equipment, in which case the Permit to Construct serves as a temporary Permit to Operate. [202, 205]
 - c. The Title V permit shall expire as specified under Section K of the Title V permit. The permit expiration date of the Title V facility permit does not supercede the requirements of Rule 205. [205, 3004]
2. The operator shall maintain all equipment in such a manner that ensures proper operation of the equipment. [204]
3. This permit does not authorize the emissions of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules and Regulations of the AQMD. This permit cannot be considered as permission to violate existing laws, ordinances, regulations, or statues of other governmental agencies. [204]
4. The operator shall not use equipment identified in this facility permit as being connected to air pollution control equipment unless they are so vented to the identified air pollution control equipment which is in full use and which has been included in this permit. [204]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION E: ADMINISTRATIVE CONDITIONS

5. The operator shall not use any equipment having air pollution control device(s) incorporated within the equipment unless the air pollution control device is in full operation. [204]
6. The operator shall maintain records to demonstrate compliance with rules or permit conditions that limit equipment operating parameters, or the type or quantity of material processed. These records shall be made available to AQMD personnel upon request and be maintained for at least five years. [204]
7. The operator shall maintain and operate all equipment to ensure compliance with all emission limits as specified in this facility permit. Compliance with emission limits shall be determined according to the following specifications, unless otherwise specified by AQMD rules or permit conditions: [204]
 - a. For internal combustion engines and gas turbines, measured concentrations shall be corrected to 15 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1110.2, 1134]
 - b. For other combustion devices, measured concentrations shall be corrected to 3 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1146, 1146.1, 204]
 - c. For non-combustion sources, compliance with emission limits shall be determined and averaged over a period of 60 minutes; [204]
 - d. For the purpose of determining compliance with Rule 407, carbon monoxide (CO) shall be measured on a dry basis and be averaged over 15 consecutive minutes, and sulfur compounds which would exist as liquid or gas at standard conditions shall be calculated as sulfur dioxide (SO₂) and be averaged over 15 consecutive minutes; [407]
 - e. For the purpose of determining compliance with Rule 409, combustion contaminant emission measurements shall be corrected to 12 percent of carbon dioxide (CO₂) at standard conditions and averaged over a minimum of 15 consecutive minutes. [409]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION E: ADMINISTRATIVE CONDITIONS

- f. For the purpose of determining compliance with Rule 475, combustion contaminant emission measurements shall be corrected to 3 percent of oxygen (O₂) at standard conditions and averaged over 15 consecutive minutes or any other averaging time specified by the Executive Officer. [475]
8. The operator shall, when a source test is required by AQMD, provide a source test protocol to AQMD no later than 60 days before the proposed test date. The test shall not commence until the protocol is approved by AQMD. The test protocol shall contain the following information: [204, 304]
- a. Brief description of the equipment tested.
 - b. Brief process description, including maximum and normal operating temperatures, pressures, throughput, etc.
 - c. Operating conditions under which the test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts and stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Brief description of sampling and analytical methods used to measure each pollutant, temperature, flow rates, and moisture.
 - f. Description of calibration and quality assurance procedures.
 - g. Determination that the testing laboratory qualifies as an "independent testing laboratory" under Rule 304 (conflict of interest).
9. The operator shall submit a report no later than 60 days after conducting a source test, unless otherwise required by AQMD rules or equipment-specific conditions. The report shall contain the following information: [204]
- a. The results of the source test.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION E: ADMINISTRATIVE CONDITIONS

- b. Brief description of the equipment tested.
 - c. Operating conditions under which the test was performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts and stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Field and laboratory data forms, strip charts and analyses.
 - f. Calculations for volumetric flow rates, emission rates, control efficiency, and overall control efficiency.
10. The operator shall, when a source test is required, provide and maintain facilities for sampling and testing. These facilities shall comply with the requirements of AQMD Source Test Method 1.1 and 1.2. [217]
 11. Whenever required to submit a written report, notification or other submittal to the Executive Officer, AQMD, or the District, the operator shall mail or deliver the material to: Deputy Executive Officer, Engineering and Compliance, AQMD, 21865 E. Copley Drive, Diamond Bar, CA 91765-4182. [204]

**FACILITY PERMIT TO OPERATE
ROYAL TRUCK BODY INC**

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

NOT APPLICABLE

**FACILITY PERMIT TO OPERATE
ROYAL TRUCK BODY INC**

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR
RECLAIM SOURCES**

NOT APPLICABLE

**FACILITY PERMIT TO OPERATE
ROYAL TRUCK BODY INC**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

See Section D of this permit for any Permit to Construct issued to this facility.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION I: PLANS AND SCHEDULES

This section lists all plans approved by AQMD for the purposes of meeting the requirements of applicable AQMD rules.

NONE

NOTE: This section does not list compliance schedules pursuant to the requirements of Regulation XXX - Title V Permits; Rule 3004(a)(10)(C). For equipment subject to a variance, order for abatement, or alternative operating condition granted pursuant to Rule 518.2, equipment specific conditions are added to the equipment in Section D or H of the permit.

**FACILITY PERMIT TO OPERATE
ROYAL TRUCK BODY INC**

SECTION J: AIR TOXICS

NOT APPLICABLE

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration

GENERAL PROVISIONS

1. This permit may be revised, revoked, reopened and reissued, or terminated for cause, or for failure to comply with regulatory requirements, permit terms, or conditions. [3004(a)(7)(C)]
2. This permit does not convey any property rights of any sort or any exclusive privilege. [3004(a)(7)(E)]

Permit Renewal and Expiration

3. (A) Except for solid waste incineration facilities subject to standards under section 129(e) of the Clean Air Act, this permit shall expire five years from the date that this Title V permit is issued. The operator's right to operate under this permit terminates at midnight on this date, unless the facility is protected by an application shield in accordance with Rule 3002(b), due to the filing of a timely and complete application for a Title V permit renewal, consistent with Rule 3003. [3004(a)(2), 3004(f)]

(B) A Title V permit for a solid waste incineration facility combusting municipal waste subject to standards under Section 129(e) of the Clean Air Act shall expire 12 years from the date of issuance unless such permit has been renewed pursuant to this regulation. These permits shall be reviewed by the Executive Officer at least every five years from the date of issuance. [3004(f)(2)]
4. To renew this permit, the operator shall submit to the Executive Officer an application for renewal at least 180 days, but not more than 545 days, prior to the expiration date of this permit. [3003(a)(6)]

Duty to Provide Information

5. The applicant for, or holder of, a Title V permit shall furnish, pursuant to Rule 3002(d) and (e), timely information and records to the Executive Officer or designee within a reasonable time as specified in writing by the Executive Officer or designee. [3004(a)(7)(F)]

Payment of Fees

6. The operator shall pay all required fees specified in Regulation III - Fees. [3004(a)(7)(G)]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration

Reopening for Cause

7. The Executive Officer will reopen and revise this permit if any of the following circumstances occur:
- (A) Additional regulatory requirements become applicable with a remaining permit term of three or more years. Reopening is not required if the effective date of the requirement is later than the expiration date of this permit, unless the permit or any of its terms and conditions has been extended pursuant to paragraph (f)(4) of Rule 3004.
 - (B) The Executive Officer or EPA Administrator determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.
 - (C) The Executive Officer or EPA Administrator determines that the permit must be revised or revoked to assure compliance with the applicable requirements. [3005(g)(1)]

COMPLIANCE PROVISIONS

8. The operator shall comply with all regulatory requirements, and all permit terms and conditions, except:
- (A) As provided for by the emergency provisions of condition no. 17 or condition no. 18, or
 - (B) As provided by an alternative operating condition granted pursuant to a federally approved (SIP-approved) Rule 518.2.

Any non-compliance with any federally enforceable permit condition constitutes a violation of the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or denial of a permit renewal application. Non-compliance may also be grounds for civil or criminal penalties under the California State Health and Safety Code. [3004(a)(7)(A)]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration

9. The operator shall allow the Executive Officer or authorized representative, upon presentation of appropriate credentials to:
 - (A) Enter the operator's premises where emission-related activities are conducted, or records are kept under the conditions of this permit;
 - (B) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
 - (C) Inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
 - (D) Sample or monitor at reasonable times, substances or parameters for the purpose of assuring compliance with the facility permit or regulatory requirements. [3004(a)(10)(B)]

10. All terms and conditions in this permit, including any provisions designed to limit a facility's potential to emit, are enforceable by the EPA Administrator and citizens under the federal Clean Air Act, unless the term or condition is designated as not federally enforceable. Each day during any portion of which a violation occurs is a separate offense. [3004(g)]

11. A challenge to any permit condition or requirement raised by EPA, the operator, or any other person, shall not invalidate or otherwise affect the remaining portions of this permit. [3007(b)]

12. The filing of any application for a permit revision, revocation, or termination, or a notification of planned changes or anticipated non-compliance does not stay any permit condition. [3004(a)(7)(D)]

13. It shall not be a defense for a person in an enforcement action, including those listed in Rule 3002(c)(2), that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit, except as provided for in "Emergency Provisions" of this section. [3004(a)(7)(H)]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration

14. The operator shall not build, erect, install, or use any equipment, the use of which, without resulting in a reduction in the total release of air contaminants to atmosphere, reduces or conceals an emission which would otherwise constitute a violation of Chapter 3 (commencing with Section 41700) of Part 4, of Division 26 of the California Health and Safety Code or of AQMD rules. This rule shall not apply to cases in which the only violation involved is of Section 41700 of the California Health and Safety Code, or Rule 402 of AQMD Rules. [408]

15. Nothing in this permit or in any permit shield can alter or affect:
 - (A) Under Section 303 of the federal Clean Air Act, the provisions for emergency orders;
 - (B) The liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance;
 - (C) The applicable requirements of the Acid Rain Program, Regulation XXXI;
 - (D) The ability of EPA to obtain information from the operator pursuant to Section 114 of the federal Clean Air Act;
 - (E) The applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do apply to the facility, such as toxics requirements unique to the State; and
 - (F) The applicability of regulatory requirements with compliance dates after the permit issuance date. [3004(c)(3)]

16. For any portable equipment that requires an AQMD or state permit or registration, excluding a) portable engines, b) military tactical support equipment and c) AQMD-permitted portable equipment that are not a major source, are not located at the facility for more than 12 consecutive months after commencing operation, and whose operation does not conflict with the terms or conditions of this Title V permit: 1) the facility operator shall keep a copy of the AQMD or state permit or registration; 2) the equipment operator shall comply with the conditions on the permit or registration and all other regulatory requirements; and 3) the facility operator shall treat the permit or registration as a part of its Title V permit, subject to recordkeeping, reporting and certification requirements. [3004(a)(1)]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration EMERGENCY PROVISIONS

17. An emergency¹ constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limit only if:
- (A) Properly signed, contemporaneous operating records or other credible evidence demonstrate that:
 - (1) An emergency occurred and the operator can identify the cause(s) of the emergency;
 - (2) The facility was operated properly (i.e. operated and maintained in accordance with the manufacturer's specifications, and in compliance with all regulatory requirements or a compliance plan), before the emergency occurred;
 - (3) The operator took all reasonable steps to minimize levels of emissions that exceeded emissions standard, or other requirements in the permit; and,
 - (4) The operator submitted a written notice of the emergency to the AQMD within two working days of the time when the emissions limitations were exceeded due to the emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - (B) The operator complies with the breakdown provisions of Rule 430 – Breakdown Provisions, or subdivision (i) of Rule 2004 – Requirements, whichever is applicable. [3002(g), 430, 2004(i)]
18. The operator is excused from complying with any regulatory requirement that is suspended by the Executive Officer during a state of emergency or state of war emergency, in accordance with Rule 118 - Emergencies. [118]

¹ "Emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the operator, including acts of God, which: (A) requires immediate corrective action to restore normal operation; and (B) causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency; and (C) is not caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration RECORDKEEPING PROVISIONS

19. In addition to any other recordkeeping requirements specified elsewhere in this permit, the operator shall keep records of required monitoring information, where applicable, that include:
- (A) The date, place as defined in the Title V permit, and time of sampling or measurements;
 - (B) The date(s) analyses were performed;
 - (C) The company or entity that performed the analyses;
 - (D) The analytical techniques or methods used;
 - (E) The results of such analyses; and
 - (F) The operating conditions as existing at the time of sampling or measurement. [3004(a)(4)(B)]
20. The operator shall maintain records pursuant to Rule 109 and any applicable material safety data sheet (MSDS) for any equipment claimed to be exempt from a written permit by Rule 219 based on the information in those records. [219(t)]
21. The operator shall keep all records of monitoring data required by this permit or by regulatory requirements for a period of at least five years from the date of the monitoring sample, measurement, report, or application. [3004(a)(4)(E)]

REPORTING PROVISIONS

22. The operator shall comply with the following requirements for prompt reporting of deviations:
- (A) Breakdowns shall be reported as required by Rule 430 – Breakdown Provisions or subdivision (i) of Rule 2004 - Requirements, whichever is applicable.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration

- (B) Other deviations from permit or applicable rule emission limitations, equipment operating conditions, or work practice standards, determined by observation or by any monitoring or testing required by the permit or applicable rules that result in emissions greater than those allowed by the permit or applicable rules shall be reported within 72 hours (unless a shorter reporting period is specified in an applicable State or Federal Regulation) of discovery of the deviation by contacting AQMD enforcement personnel assigned to this facility or otherwise calling (800) CUT-SMOG.
 - (C) A written report of such deviations reported pursuant to (B), and any corrective actions or preventative measures taken, shall be submitted to AQMD, in an AQMD approved format, within 14 days of discovery of the deviation.
 - (D) All other deviations shall be reported with the monitoring report required by condition no. 23. [3004(a)(5)]
23. Unless more frequent reporting of monitoring results are specified in other permit conditions or in regulatory requirements, the operator shall submit reports of any required monitoring to the AQMD at least twice per year. The report shall include a) a statement whether all monitoring required by the permit was conducted; and b) identification of all instances of deviations from permit or regulatory requirements. A report for the first six calendar months of the year is due by August 31 and a report for the last six calendar months of the year is due by February 28. [3004(a)(4)(F)]
24. The operator shall submit to the Executive Officer and to the Environmental Protection Agency (EPA), an annual compliance certification. For RECLAIM facilities, the certification is due when the Annual Permit Emissions Program (APEP) report is due and shall cover the same reporting period. For other facilities, the certification is due on March 1 for the previous calendar year. The certification need not include the period preceding the date the initial Title V permit was issued. Each compliance certification shall include:
- (A) Identification of each permit term or condition that is the basis of the certification;

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration

- (B) The compliance status during the reporting period;
- (C) Whether compliance was continuous or intermittent;
- (D) The method(s) used to determine compliance over the reporting period and currently, and
- (E) Any other facts specifically required by the Executive Officer to determine compliance.

The EPA copy of the certification shall be sent to: Director of the Air Division Attn:
Air-3 USEPA, Region IX 75 Hawthorne St. San Francisco, CA 94105 [3004(a)(10)(E)]

25. All records, reports, and documents required to be submitted by a Title V operator to AQMD or EPA shall contain a certification of accuracy consistent with Rule 3003(c)(7) by a responsible official (as defined in Rule 3000). [3004(a)(12)]

PERIODIC MONITORING

26. All periodic monitoring required by this permit pursuant to Rule 3004(a)(4)(c) is based on the requirements and justifications in the AQMD document "Periodic Monitoring Guidelines for Title V Facilities" or in case-by-case determinations documented in the TitleV application file. [3004(a)(4)]

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration

FACILITY RULES

This facility is subject to the following rules and regulations

With the exception of Rule 402, 473, 477, 1118 and Rules 1401 through 1420, the following rules that are designated as non-federally enforceable are pending EPA approval as part of the state implementation plan. Upon the effective date of that approval, the approved rule(s) will become federally enforceable, and any earlier versions of those rules will no longer be federally enforceable.

| RULE SOURCE | Adopted/Amended Date | FEDERAL Enforceability |
|------------------------|-----------------------------|-------------------------------|
| RULE 109 | 5-2-2003 | Federally enforceable |
| RULE 1113 | 11-8-1996 | Federally enforceable |
| RULE 1113 | 7-13-2007 | Non federally enforceable |
| RULE 1132 | 3-5-2004 | Federally enforceable |
| RULE 1132 | 5-7-2004 | Non federally enforceable |
| RULE 1147 | 12-5-2008 | Non federally enforceable |
| RULE 1151 | 12-11-1998 | Federally enforceable |
| RULE 1151 | 12-2-2005 | Non federally enforceable |
| RULE 1171 | 11-7-2003 | Federally enforceable |
| RULE 1171 | 5-1-2009 | Non federally enforceable |
| RULE 118 | 12-7-1995 | Non federally enforceable |
| RULE 1303(a)(1)-BACT | 12-6-2002 | Non federally enforceable |
| RULE 1303(a)(1)-BACT | 5-10-1996 | Federally enforceable |
| RULE 1303(b)(2)-Offset | 12-6-2002 | Non federally enforceable |
| RULE 1303(b)(2)-Offset | 5-10-1996 | Federally enforceable |
| RULE 1401 | 12-7-1990 | Non federally enforceable |
| RULE 1401 | 5-2-2003 | Non federally enforceable |
| RULE 1401 | 8-13-1999 | Non federally enforceable |
| RULE 204 | 10-8-1993 | Federally enforceable |
| RULE 217 | 1-5-1990 | Federally enforceable |
| RULE 219 | 6-1-2007 | Non federally enforceable |
| RULE 219 | 9-4-1981 | Federally enforceable |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

SECTION K: TITLE V Administration

| RULE SOURCE | Adopted/Amended Date | FEDERAL Enforceability |
|-------------------------------------|-----------------------------|-------------------------------|
| RULE 3002 | 11-14-1997 | Federally enforceable |
| RULE 3003 | 11-14-1997 | Federally enforceable |
| RULE 3003 | 3-16-2001 | Non federally enforceable |
| RULE 3004 | 12-12-1997 | Federally enforceable |
| RULE 3004(a)(4)-Periodic Monitoring | 12-12-1997 | Federally enforceable |
| RULE 3005 | 11-14-1997 | Federally enforceable |
| RULE 3005 | 3-16-2001 | Non federally enforceable |
| RULE 3007 | 10-8-1993 | Federally enforceable |
| RULE 304 | 5-7-2010 | Non federally enforceable |
| RULE 401 | 11-9-2001 | Non federally enforceable |
| RULE 401 | 3-2-1984 | Federally enforceable |
| RULE 402 | 5-7-1976 | Non federally enforceable |
| RULE 404 | 2-7-1986 | Federally enforceable |
| RULE 407 | 4-2-1982 | Federally enforceable |
| RULE 408 | 5-7-1976 | Federally enforceable |
| RULE 409 | 8-7-1981 | Federally enforceable |
| RULE 430 | 7-12-1996 | Non federally enforceable |
| RULE 442 | 12-15-2000 | Federally enforceable |
| RULE 443 | 5-7-1976 | Federally enforceable |
| RULE 481 | 1-11-2002 | Federally enforceable |
| RULE 63Subpart IIII | 4-24-2007 | Federally enforceable |
| RULE 701 | 6-13-1997 | Federally enforceable |

**FACILITY PERMIT TO OPERATE
ROYAL TRUCK BODY INC**

APPENDIX A: NOX AND SOX EMITTING EQUIPMENT EXEMPT FROM WRITTEN
PERMIT PURSUANT TO RULE 219

NONE

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 11-08-1996]

- (1) Except as provided in paragraphs (c)(2), (c)(3), and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, or solicit the application of, any architectural coating which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, or manufacture, blend, or repackage such a coating for use within the District.
- (2) Except as provided in paragraphs (c)(3) and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, solicit the application of, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified.

TABLE OF STANDARDS

VOC LIMITS

Grams of VOC Per Liter of Coating, Less Water And Less Exempt Compounds

| COATING | Limit* | Effective Date of Adoption | Effective 1/1/1998 | Effective 1/1/1999 | Effective 7/1/2001 | Effective 1/1/2005 | Effective 7/1/2008 |
|------------------------------------|--------|----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Bond Breakers | 350 | | | | | | |
| Clear Wood Finishes | | | | | | | |
| Varnish | 350 | | | | | | |
| Sanding Sealers | 350 | | | | | | |
| Lacquer | 680 | | 550 | | | 275 | |
| Concrete-Curing Compounds | 350 | | | | | | |
| Dry-Fog Coatings | 400 | | | | | | |
| Fire-proofing Exterior Coatings | 350 | 450 | | 350 | | | |
| Fire-Retardant Coatings | | | | | | | |
| Clear | 650 | | | | | | |
| Pigmented | 350 | | | | | | |
| Flats | 250 | | | | 100 | | 50 |
| Graphic Arts (Sign) Coatings | 500 | | | | | | |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 11-08-1996]

| | | | | | | |
|-----------------------------|-----|-----|-----|-----|-----|--|
| Industrial Maintenance | | | | | | |
| Primers and Topcoats | | | | | | |
| Alkyds | 420 | | | | | |
| Catalyzed Epoxy | 420 | | | | | |
| Bituminous Coatings | 420 | | | | | |
| Materials | | | | | | |
| Inorganic Polymers | 420 | | | | | |
| Vinyl Chloride Polymers | 420 | | | | | |
| Chlorinated Rubber | 420 | | | | | |
| Acrylic Polymers | 420 | | | | | |
| Urethane Polymers | 420 | | | | | |
| Silicones | 420 | | | | | |
| Unique Vehicles | 420 | | | | | |
| Japans/Faux Finishing | 350 | 700 | | 350 | | |
| Coatings | | | | | | |
| Magnesite Cement Coatings | 600 | | | 450 | | |
| Mastic Coatings | 300 | | | | | |
| Metallic Pigmented Coatings | 500 | | | | | |
| Multi-Color Coatings | 420 | | 250 | | | |
| Pigmented Lacquer | 680 | | 550 | | 275 | |
| Pre-Treatment Wash Primers | 780 | | | | | |
| Primers, Sealers, and | 350 | | | | | |
| Undercoaters | | | | | | |
| Quick-Dry Enamels | 400 | | | | | |
| Roof Coatings | 300 | | | | | |
| Shellac | | | | | | |
| Clear | 730 | | | | | |
| Pigmented | 550 | | | | | |
| Stains | 350 | | | | | |
| Swimming Pool Coatings | | | | | | |
| Repair | 650 | | | | | |
| Other | 340 | | | | | |
| Traffic Coatings | 250 | | 150 | | | |
| Waterproofing Sealers | 400 | | | | | |
| Wood Preservatives | | | | | | |
| Below-Ground | 350 | | | | | |
| Other | 350 | | | | | |

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards

TABLE OF STANDARDS (cont.)

VOC LIMITS

Grams of VOC Per Liter of Material

| COATING | Limit |
|--------------------|-------|
| Low-Solids Coating | 120 |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 07-13-2007]

- (1) Except as provided in paragraphs (c)(2), (c)(3), (c)(4), and specified coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage any architectural coating for use in the District which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, and no person shall apply or solicit the application of any architectural coating within the District that exceeds 250 grams of VOC per liter of coating as calculated in this paragraph.
- (2) Except as provided in paragraphs (c)(3), (c)(4), and designated coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified, and no person shall apply or solicit the application of any architectural coating within the District that exceeds the VOC limit as specified in this paragraph. No person shall apply or solicit the application within the District of any industrial maintenance coatings, except anti-graffiti coatings, for residential use or for use in areas such as office space and meeting rooms of industrial, commercial or institutional facilities not exposed to such extreme environmental conditions described in the definition of industrial maintenance coatings; or of any rust-preventative coating for industrial use, unless such a rust preventative coating complies with the Industrial Maintenance Coating VOC limit specified in the Table of Standards.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 07-13-2007] TABLE OF STANDARDS VOC LIMITS

**Grams of VOC Per Liter of Coating,
 Less Water and Less Exempt Compounds**

| COATING CATEGORY | Ceiling Limit* | Current Limit | Effective Date | | | | | |
|--|----------------|---------------|----------------|--------|--------|--------|--------|--------|
| | | | 1/1/03 | 1/1/04 | 1/1/05 | 7/1/06 | 7/1/07 | 7/1/08 |
| Bond Breakers | 350 | | | | | | | |
| Clear Wood Finishes | 350 | | | | | 275 | | |
| Varnish | 350 | | | | | 275 | | |
| Sanding Sealers | 350 | | | | | 275 | | |
| Lacquer | 680 | 550 | | | 275 | | | |
| Clear Brushing Lacquer | 680 | | | | 275 | | | |
| Concrete-Curing Compounds | 350 | | | | | | 100 | |
| Concrete-Curing Compounds For Roadways and Bridges** | 350 | | | | | | | |
| Dry-Fog Coatings | 400 | | | | | | 150 | |
| Fire-Proofing Exterior Coatings | 450 | 350 | | | | | | |
| Fire-Retardant Coatings*** | | | | | | | | |
| Clear | 650 | | | | | | | |
| Pigmented | 350 | | | | | | | |
| Flats | 250 | 100 | | | | | | 50 |
| Floor Coatings | 420 | | 100 | | | 50 | | |
| Graphic Arts (Sign) Coatings | 500 | | | | | | | |
| Industrial Maintenance (IM) Coatings | 420 | | | 250 | | 100 | | |
| High Temperature IM Coatings | | | 420 | | | | | |
| Zinc-Rich IM Primers | 420 | | 340 | | | 100 | | |
| Japans/Faux Finishing Coatings | 700 | 350 | | | | | | |
| Magnesite Cement Coatings | 600 | 450 | | | | | | |
| Mastic Coatings | 300 | | | | | | | |
| Metallic Pigmented Coatings | 500 | | | | | | | |
| Multi-Color Coatings | 420 | 250 | | | | | | |
| Nonflat Coatings | 250 | | 150 | | | 50 | | |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 07-13-2007]

| COATING CATEGORY | Ceiling Limit* | Current Limit | Effective Date | | | | | |
|--|----------------|---------------|----------------|--------|--------|--------|--------|--------|
| | | | 1/1/03 | 1/1/04 | 1/1/05 | 7/1/06 | 7/1/07 | 7/1/08 |
| Nonflat High Gloss | 250 | | 150 | | | | 50 | |
| Pigmented Lacquer | 680 | 550 | | | 275 | | | |
| Pre-Treatment Wash Primers | 780 | | 420 | | | | | |
| Primers, Sealers, and Undercoaters | 350 | | 200 | | | 100 | | |
| Quick-Dry Enamels | 400 | | 250 | | | 150 | 50 | |
| Quick-Dry Primers, Sealers, and Undercoaters | 350 | | 200 | | | 100 | | |
| Recycled Coatings | | | 250 | | | | | |
| Roof Coatings | 300 | | 250 | | 50 | | | |
| Roof Coatings, Aluminum | 500 | | | | 100 | | | |
| Roof Primers, Bituminous | 350 | | 350 | | | | | |
| Rust Preventative Coatings | 420 | | 400 | | | 100 | | |
| Shellac | | | | | | | | |
| Clear | 730 | | | | | | | |
| Pigmented | 550 | | | | | | | |
| Specialty Primers | 350 | | | | | 250 | 100 | |
| Stains | 350 | | 250 | | | | 100 | |
| Stains, Interior | 250 | | | | | | | |
| Swimming Pool Coatings | | | | | | | | |
| Repair | 650 | | 340 | | | | | |
| Other | 340 | | | | | | | |
| Traffic Coatings | 250 | 150 | | | | | 100 | |
| Waterproofing Sealers | 400 | | 250 | | | 100 | | |
| Waterproofing | 400 | | | | | 100 | | |
| Concrete/Masonry Sealers | | | | | | | | |
| Wood Preservatives | | | | | | | | |
| Below-Ground | 350 | | | | | | | |
| Other | 350 | | | | | | | |

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards.

** Does not include compounds used for curbs and gutters, sidewalks, islands, driveways and other miscellaneous concrete areas.

*** The Fire-Retardant Coating category will be eliminated on January 1, 2007 and subsumed by the coating category for which they are formulated.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 07-13-2007]

TABLE OF STANDARDS (cont.) VOC LIMITS

Grams of VOC Per Liter of Material

| COATING | Limit |
|--------------------|-------|
| Low-Solids Coating | 120 |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1151 12-11-1998]

Except as otherwise provided in Rule 1151

(1) VOC Content of Coatings

A person shall not apply a coating to Group I vehicles and equipment, and Group II vehicles, or their parts and components, which has a VOC content which exceeds the limits contained in subparagraphs (1)(A) and (1)(B). Compliance with the VOC limits shall be based on VOC content, including any VOC material added to the original coating supplied by the manufacturer, less water and exempt compounds, as applied to the vehicle, mobile equipment, or parts and components.

(A) Group I Vehicles and Equipment

The operator who applies coatings to Group I vehicles and equipment, or their parts or components, shall not apply a coating which has a VOC content in excess of the limits in Table 1.

TABLE 1

VOC LIMITS
 Grams Per Liter of Coating,
Less Water and Exempt Compounds

| <u>COATING</u> | <u>On and After December 12, 1998</u> | |
|--|---|---------------|
| | <u>g/L</u> | <u>lb/gal</u> |
| Pretreatment | 780 | 6.5 |
| Primer/Primer Surfacer/ Primer Sealer | 250 | 2.1 |
| Topcoats | | |
| General | 340 | 2.8 |
| Metallic/Iridescent | 340* | 2.8* |
| Multi-Colored | 685 | 5.7 |
| Multistage | 340* | 2.8* |
| Specialty Coating | 840 | 7.0 |

*The VOC limits for Metallic/Iridescent and Multistage topcoats for spot repairs on Group I vehicles and mobil equipment will be 3.5 lb/gal (less water and exempt compounds).

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1151 12-11-1998]

(B) Group II Vehicles

The operator who applies coatings to Group II vehicles, or their parts or components, shall not apply a coating which has a VOC content in excess of the limits in Table 2.

TABLE 2

VOC Limits
 Grams Per Liter of Coating,
 Less Water and Exempt Compounds

| COATING | On and After December 12, 1998 | | On and After July 1, 1999 | | On and After October 1, 1999 | |
|--------------------------|-----------------------------------|--------|------------------------------|--------|---------------------------------|--------|
| | g/L | lb/gal | g/L | lb/gal | g/L | lb/gal |
| Pretreatment | 780 | 6.5 | 780 | 6.5 | 780 | 6.5 |
| Primer/Primer Surfacer | 250 | 2.1 | 250 | 2.1 | 250 | 2.1 |
| Primer Sealer | 340 | 2.8 | 340 | 2.8 | 340 | 2.8 |
| Topcoats | | | | | | |
| General | 420 | 3.5 | 420 | 3.5 | 420 | 3.5 |
| Metallic/Iridescent | 420 | 3.5 | 420 | 3.5 | 420 | 3.5 |
| Multi-Colored | 685 | 5.7 | 685 | 5.7 | 685 | 5.7 |
| Multistage System | | | | | | |
| ≥ 2 gal/day ¹ | 540 | 4.5 | 420 ¹ | 3.5 | 420 | 3.5 |
| < 2 gal/day ² | 540 | 4.5 | 540 ² | 4.5 | 420 | 3.5 |
| Multi-Colored Multistage | 420 | 3.5 | 420 | 3.5 | 420 | 3.5 |
| Specialty Coating | 840 | 7.0 | 840 | 7.0 | 840 | 7.0 |

¹ On and after July 1, 1999, any person who uses two gallons or more of combined basecoat and clearcoat, as applied, on any given day shall comply with the 420 g/L (3.5 lb/gal) limit.

² Any person who uses less than two gallons of combined basecoat and clearcoat, as applied, on each day up to September 30, 1999 shall comply with the 3.5 lb/gal limit on and after October 1, 1999.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1151 12-11-1998]

(2) Exempt Compounds

The operator shall not apply a coating which contains any Group II exempt compounds as defined in Rule 102 except for methylene chloride; carbon tetrachloride; perchloroethylene; or cyclic, branched, or linear, completely methylated siloxanes (VMS).

(3) Carcinogenic Materials

The operator shall not apply the coatings in which cadmium or hexavalent chromium was introduced as a pigment or as an agent to impart any property or characteristic to the coatings during manufacturing, distribution, or use of the applicable coatings.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1151 12-02-2005]

The following limits of this rule shall sunset on June 30, 2008, and the limits specified in Appendix A shall become effective on July 1, 2008.

Except as otherwise provided in Rule 1151

(1) VOC Content of Coatings

A person shall not apply a coating to Group I vehicles and equipment, and Group II vehicles, or their parts and components, which has a VOC content which exceeds the limits contained in subparagraphs (1)(A) and (1)(B). Compliance with the VOC limits shall be based on VOC content, including any VOC material added to the original coating supplied by the manufacturer, less water and exempt compounds, as applied to the vehicle, mobile equipment, or parts and components.

(A) Group I Vehicles and Equipment

A person who applies coatings to Group I vehicles and equipment, or their parts or components, shall not apply a coating which has a VOC content in excess of the limits in Table 1.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1151 12-02-2005]

TABLE 1

| <u>COATING</u> | VOC LIMITS | | Liter of Coating, |
|--------------------------------|--|---------------|-------------------|
| | Grams Per | | |
| | <u>Less Water and Exempt Compounds</u> | | |
| | On | and | After |
| | December 12, 1998 | | |
| | <u>g/L</u> | <u>lb/gal</u> | |
| Pretreatment | 780 | 6.5 | |
| Primer/Primer Primer Sealer | 250 | 2.1 | Surfacer/ |
| Topcoats | | | |
| General | 340 | 2.8 | |
| Metallic/Iridescent | 340* | 2.8* | |
| Multi-Colored | 685 | 5.7 | |
| Multistage | 340* | 2.8* | |
| Specialty Coating | 840 | 7.0 | |

*The VOC limits for Metallic/Iridescent and Multistage topcoats for spot repairs on Group I vehicles and mobile equipment will be 3.5 lb/gal (less water and exempt compounds).

(B) Group II Vehicles

A person who applies coatings to Group II vehicles, or their parts or components, shall not apply a coating which has a VOC content in excess of the limits in Table 2.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1151 12-02-2005]

TABLE 2

| COATING | VOC Limits | | | | | |
|--------------------------|--|---------------|------------------------------|---------------|---------------------------------|---------------|
| | Grams Per Liter of Coating, Less Water and Exempt Compounds | | | | | |
| | On and After December 12, 1998 | After 12, | On and After July 1, 1999 | After | On and After October 1, 1999 | After |
| | <u>g/L</u> | <u>lb/gal</u> | <u>g/L</u> | <u>lb/gal</u> | <u>g/L</u> | <u>lb/gal</u> |
| Pretreatment | 780 | 6.5 | 780 | 6.5 | 780 | 6.5 |
| Primer/Primer Surfacer | 250 | 2.1 | 250 | 2.1 | 250 | 2.1 |
| Primer Sealer | 340 | 2.8 | 340 | 2.8 | 340 | 2.8 |
| Topcoats | | | | | | |
| General | 420 | 3.5 | 420 | 3.5 | 420 | 3.5 |
| Metallic/Iridescent | 420 | 3.5 | 420 | 3.5 | 420 | 3.5 |
| Multi-Colored | 685 | 5.7 | 685 | 5.7 | 685 | 5.7 |
| Multistage System | | | | | | |
| ≥ 2 gal/day ¹ | 540 | 4.5 | 420 ¹ | 3.5 | 420 | 3.5 |
| < 2 gal/day ² | 540 | 4.5 | 540 ² | 4.5 | 420 | 3.5 |
| Multi-Colored Multistage | 420 | 3.5 | 420 | 3.5 | 420 | 3.5 |
| Specialty Coating | 840 | 7.0 | 840 | 7.0 | 840 | 7.0 |

¹ On and after July 1, 1999, any person who uses two gallons or more of combined basecoat and clearcoat, as applied, on any given day shall comply with the 420 g/L (3.5 lb/gal) limit.

² Any person who uses less than two gallons of combined basecoat and clearcoat, as applied, on each day up to September 30, 1999 shall comply with the 3.5 lb/gal limit on and after October 1, 1999.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1151 12-02-2005]

- (2) Exempt Compounds
A person shall not apply a coating which contains any Group II exempt compounds as defined in Rule 102 except for methylene chloride; carbon tetrachloride; perchloroethylene; or cyclic, branched, or linear, completely methylated siloxanes (VMS).
- (3) Carcinogenic Materials
A person shall not apply the coatings in which cadmium or hexavalent chromium was introduced as a pigment or as an agent to impart any property or characteristic to the coatings during manufacturing, distribution, or use of the applicable coatings.

Appendix A

Effective July 1, 2008, the emission limits specified in this appendix shall become effective and replace the limits specified above

Except as otherwise provided in Rule 1151

- (1) A person shall not apply any coating to a vehicle, mobile equipment, or associated parts or components, that have a VOC content in excess of the limits contained in Table A of this paragraph. Compliance with the VOC limits shall be based on VOC content, including any VOC material added to the original coating supplied by the manufacturer, less water and exempt compounds, as applied to the vehicle, mobile equipment or parts and components.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1151 12-02-2005]

Table A – Coating Categories and VOC limits

| Coating Categories | VOC Limits Less Water and Less Exempt Compounds Effective Dates | | | | | |
|------------------------------|---|--------|-----------------|--------|-----------------|--------|
| | July 1, 2008 | | January 1, 2009 | | January 1, 2010 | |
| | g/L | lb/gal | g/L | lb/gal | g/L | lb/gal |
| Adhesion Promoter | | | | | 540 | 4.5 |
| Clear Coating | 250 | 2.1 | | | | |
| Color Coating | 420 | 3.5 | | | | |
| Multi-Color Coating | | | 680 | 5.7 | | |
| Pretreatment Coating | | | 660 | 5.5 | | |
| Primer | | | | | 250 | 2.1 |
| Single-Stage Coating | | | | | 340 | 2.8 |
| Temporary Protective Coating | | | 60 | 0.5 | | |
| Truck Bed Liner Coating | | | 310 | 2.6 | | |
| Underbody Coating | | | 430 | 3.6 | | |
| Uniform Finishing Coating | | | 540 | 4.5 | | |
| Any other coating type | | | 250 | 2.1 | | |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1151 12-02-2005]

- (1) **Most Restrictive VOC Limit**
If any representation on information on the container of any automotive coating, or any label or sticker affixed to the container, or in any sales, advertising, or technical literature supplied by a person that indicates that the coating meets the definition of or is recommended for use for more than one of the coating categories listed in paragraph (1), then the lowest VOC content limit shall apply.
- (2) **VOC Limits Compliance Dates**
The VOC limits in effect as of December 2, 2005 shall be applicable until superceded by the VOC limits and effectives dates in Table A of paragraph (1).
- (3) **Exempt Compounds**
A person shall not manufacture, sell, offer for sale, distribute for use in the District, or apply any coating which contains any Group II Exempt Compounds as defined in Rule 102.
- (4) **Carcinogenic Materials**
A person shall not manufacture the coatings in which cadmium or hexavalent chromium was introduced as a pigment or as an agent to impart any property or characteristic to the coatings during manufacturing, distribution, or use of the applicable coatings.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 11-07-2003]

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

| SOLVENT CLEANING ACTIVITY | CURRENT LIMITS |
|--|------------------------|
| | VOC g/l (lb/gal) |
| (A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application | |
| (i) General | 25 (0.21) |
| (ii) Electrical Apparatus Components & Electronic Components | 500 (4.2) |
| (iii) Medical Devices & Pharmaceuticals | 800 (6.7) |
| (B) Repair and Maintenance Cleaning | |
| (i) General | 25 (0.21) |
| (ii) Electrical Apparatus Components & Electronic Components | 900 (7.5) |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 11-07-2003]

| SOLVENT CLEANING ACTIVITY | CURRENT LIMITS |
|---|------------------------|
| | VOC g/l (lb/gal) |
| (iii) Medical Devices & Pharmaceuticals | |
| (A) Tools, Equipment, & Machinery | 800 (6.7) |
| (B) General Work Surfaces | 600 (5.0) |
| (C) Cleaning of Coatings or Adhesives Application Equipment | 550 (4.6) |
| (D) Cleaning of Ink Application Equipment | |
| (i) General | 25 (0.21) |
| (ii) Flexographic Printing | 25 (0.21) |
| (iii) Gravure Printing | |
| (A) Publication | 750 (6.3) |
| (B) Packaging | 25 (0.21) |
| (iv) Lithographic or Letter Press Printing | |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 11-07-2003]

| SOLVENT CLEANING ACTIVITY | CURRENT LIMITS |
|---|------------------------|
| | VOC g/l (lb/gal) |
| (A) Roller Wash – Step 1 | 600 (5.0) |
| (B) Roller Wash-Step 2, Blanket Wash, & On-Press Components | 800 (6.7) |
| (C) Removable Press Components | 25 (0.21) |
| (v) Screen Printing | 750 (6.3) |
| (vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing) | 800 (6.7) |
| (vii) Specialty Flexographic Printing | 600 (5.0) |
| (E) Cleaning of Polyester Resin Application Equipment | 25 (0.21) |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 05-01-2009]

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

| | CURRENT LIMITS* | EFFECTIVE 1/1/2010 |
|--|---------------------------------|---------------------------------|
| SOLVENT CLEANING ACTIVITY | VOC g/l (lb/gal) | VOC g/l (lb/gal) |
| (A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application | | |
| (i) General | 25 (0.21) | |
| (ii) Electrical Apparatus Components & Electronic Components | 100 (0.83) | |
| (iii) Medical Devices & Pharmaceuticals | 800 (6.7) | |
| (B) Repair and Maintenance Cleaning | | |
| (i) General | 25 (0.21) | |
| (ii) Electrical Apparatus Components & Electronic Components | 100 (0.83) | |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 05-01-2009]

| | CURRENT LIMITS* | EFFECTIVE 1/1/2010 |
|---|------------------------|------------------------|
| SOLVENT CLEANING ACTIVITY (cont.) | VOC g/l (lb/gal) | VOC g/l (lb/gal) |
| (iii) Medical Devices & Pharmaceuticals | | |
| (A) Tools, Equipment, & Machinery | 800 (6.7) | |
| (B) General Work Surfaces | 600 (5.0) | |
| (C) Cleaning of Coatings or Adhesives Application Equipment | 25 (0.21) | |
| (D) Cleaning of Ink Application Equipment | | |
| (i) General | 25 (0.21) | |
| (ii) Flexographic Printing | 25 (0.21) | |
| (iii) Gravure Printing | | |
| (A) Publication | 100 (0.83) | |
| (B) Packaging | 25 (0.21) | |
| (iv) Lithographic (Offset) or Letter Press Printing | | |
| (A) Roller Wash, Blanket Wash, & On-Press Components | 100 (0.83) | |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 05-01-2009]

| | CURRENT LIMITS* | EFFECTIVE 1/1/2010 |
|--|---------------------------------|---------------------------------|
| SOLVENT CLEANING ACTIVITY (cont.) | VOC g/l (lb/gal) | VOC g/l (lb/gal) |
| (B) Removable Press Components | 25 (0.21) | |
| (v) Screen Printing | 100 (0.83) | |
| (vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing) | 650 (5.4) | 100 (0.83) |
| (vii) Specialty Flexographic Printing | 100 (0.83) | |
| (E) Cleaning of Polyester Resin Application Equipment | 25 (0.21) | |

* The specified limits remain in effect unless revised limits are listed in subsequent columns.

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 404 02-07-1986]

The operator shall not discharge into the atmosphere from this equipment, particulate matter in excess of the concentration at standard conditions, shown in Table 404(a). Where the volume discharged is between figures listed in the Table, the exact concentration permitted to be discharged shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 404(a)

| Volume Discharged Calculated as Dry Gas At Standard Conditions | | Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions | | Volume Discharged Calculated as Dry Gas At Standard Conditions | | Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions | |
|--|--------------------------------|--|--------------------------|--|--------------------------------|---|-----------------------------|
| | | Milligrams per Cubic Meter | Grains per Cubic Foot | | | Milligrams per Cubic Meter | Grains per Cubic Foot |
| Cubic meters Per Minute | Cubic feet Per Minute | | | Cubic meters Per Minute | Cubic feet Per Minute | | |
| 25 or less | 883 or less | 450 | 0.196 | 900 | 31780 | 118 | 0.0515 |
| 30 | 1059 | 420 | .183 | 1000 | 35310 | 113 | .0493 |
| 35 | 1236 | 397 | .173 | 1100 | 38850 | 109 | .0476 |
| 40 | 1413 | 377 | .165 | 1200 | 42380 | 106 | .0463 |
| 45 | 1589 | 361 | .158 | 1300 | 45910 | 102 | .0445 |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 404 02-07-1986]

| Volume Discharged Calculated as Dry Gas At Standard Conditions | | Maximum Concentration of Particulate Matter” Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions | | Volume Discharged Calculated as Dry Gas At Standard Conditions | | Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions | |
|--|--------------------------------|---|--------------------------|--|--------------------------------|---|-----------------------------|
| | | Milligrams per Cubic Meter | Grains per Cubic Foot | | | Milligrams per Cubic Meter | Grains per Cubic Foot |
| Cubic meters Per Minute | Cubic feet Per Minute | | | Cubic meters Per Minute | Cubic feet Per Minute | | |
| 50 | 1766 | 347 | .152 | 1400 | 49440 | 100 | .0437 |
| 60 | 2119 | 324 | .141 | 1500 | 52970 | 97 | .0424 |
| 70 | 2472 | 306 | .134 | 1750 | 61800 | 92 | .0402 |
| 80 | 2825 | 291 | .127 | 2000 | 70630 | 87 | .0380 |
| 90 | 3178 | 279 | .122 | 2250 | 79460 | 83 | .0362 |
| 100 | 3531 | 267 | .117 | 2500 | 88290 | 80 | .0349 |
| 125 | 4414 | 246 | .107 | 3000 | 105900 | 75 | .0327 |
| 150 | 5297 | 230 | .100 | 4000 | 141300 | 67 | .0293 |
| 175 | 6180 | 217 | .0947 | 5000 | 176600 | 62 | .0271 |
| 200 | 7063 | 206 | .0900 | 6000 | 211900 | 58 | .0253 |
| 250 | 8829 | 190 | .0830 | 8000 | 282500 | 52 | .0227 |
| 300 | 10590 | 177 | .0773 | 10000 | 353100 | 48 | .0210 |
| 350 | 12360 | 167 | .0730 | 15000 | 529700 | 41 | .0179 |
| 400 | 14130 | 159 | .0694 | 20000 | 706300 | 37 | .0162 |
| 450 | 15890 | 152 | .0664 | 25000 | 882900 | 34 | .0148 |

FACILITY PERMIT TO OPERATE ROYAL TRUCK BODY INC

APPENDIX B: RULE EMISSION LIMITS [RULE 404 02-07-1986]

| Volume Discharged Calculated as Dry Gas At Standard Conditions | | Maximum Concentration of Particulate Matter” Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions | | Volume Discharged Calculated as Dry Gas At Standard Conditions | | Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions | |
|--|--------------------------------|---|--------------------------|--|--------------------------------|---|-----------------------------|
| | | Milligrams per Cubic Meter | Grains per Cubic Foot | | | Milligrams per Cubic Meter | Grains per Cubic Foot |
| Cubic meters Per Minute | Cubic feet Per Minute | | | Cubic meters Per Minute | Cubic feet Per Minute | | |
| 500 | 17660 | 146 | .0637 | 30000 | 1059000 | 32 | .0140 |
| 600 | 21190 | 137 | .0598 | 40000 | 1413000 | 28 | .0122 |
| 700 | 24720 | 129 | .0563 | 50000 | 1766000 | 26 | .0114 |
| 800 | 28250 | 123 | .0537 | 70000 or more | 2472000 or more | 23 | .0100 |



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

Section I - General Information

1. Facility Name: Royal Truck Body

Facility ID (6-Digit): 032840

PROCEDURES FOR DETERMINING COMPLIANCE STATUS

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. **
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

** Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

Section II: Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|--|---|--|
| <input type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources) | <input type="checkbox"/> Rule 480 (10/07/77) | N/A | N/A |
| <input checked="" type="checkbox"/> All Coating Operations | <input checked="" type="checkbox"/> Rule 442 (12/15/00) | <input checked="" type="checkbox"/> Rule 442(f) | <input checked="" type="checkbox"/> Rule 442(g) |
| <input type="checkbox"/> All Combustion Equipment, ≥ 555 Mmbtu/Hr (except for NOx RECLAIM sources) | <input type="checkbox"/> Rule 474 (12/04/81) | <input type="checkbox"/> AQMD TM 7.1 or 100.1 | |
| <input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources) | <input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81) | <input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 | |
| <input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources) | <input checked="" type="checkbox"/> Rule 431.1 (06/12/98) | <input checked="" type="checkbox"/> Rule 431.1(f) | <input checked="" type="checkbox"/> Rule 431.1(d) & (e) |
| <input type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources) | <input type="checkbox"/> Rule 431.2 (09/15/00) | <input type="checkbox"/> Rule 431.2(g) | <input type="checkbox"/> Rule 431.2(f) |
| <input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources) | <input type="checkbox"/> Rule 431.3 (05/07/76) | | |
| <input checked="" type="checkbox"/> All Equipment | <input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention | <input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 N/A See Applicable Subpart | <input checked="" type="checkbox"/> Rule 430(b) See Applicable Subpart |
| <input type="checkbox"/> All Equipment Processing Solid Materials | <input type="checkbox"/> Rule 403 (04/02/04) | <input type="checkbox"/> Rule 403(d)(4) | <input type="checkbox"/> Rule 403(f) |
| <input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1) | <input checked="" type="checkbox"/> Rule 404 (02/07/86) | <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 | |
| <input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment | <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T | <input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> All RECLAIM Equipment (NOx & SOx) | <input type="checkbox"/> Reg. XX - RECLAIM | <input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03) | <input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03) |
| <input type="checkbox"/> Abrasive Blasting | <input type="checkbox"/> Rule 1140 (08/02/85) | <input type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method | |
| <input type="checkbox"/> Aggregate and Related Operations | <input type="checkbox"/> Rule 1157 (01/07/05) | <input type="checkbox"/> Rule 1157(f) | <input type="checkbox"/> Rule 1157(e) |
| <input type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal | <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart | See Applicable Subpart |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|---|---|---|---|
| <input type="checkbox"/> Asphalt | See Manufacturing, Asphalt Processing & Asphalt Roofing | | |
| <input type="checkbox"/> Asphalt Concrete/Batch Plants | <input type="checkbox"/> 40 CFR60 SUBPART I | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants | <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Benzene Transfer Operations | <input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y | <input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Benzene Waste Operations | <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Beryllium Emissions | <input type="checkbox"/> 40 CFR61 SUBPART C | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing | <input type="checkbox"/> 40 CFR61 SUBPART D | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources) | <input type="checkbox"/> Rule 1146.1 (05/13/94) <input type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart | <input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart |
| <input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources) | <input type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 1146.1(d) See Applicable Subpart | <input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart |
| <input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources) | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources) | <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) <u>or</u> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart |

| | | | | |
|---------------------------|--|---|---|---|
| KEY ABBREVIATIONS: | Reg. = AQMD Regulation Rule = AQMD Rule | App. = Appendix AQMD TM = AQMD Test Method | CFR = Code of Federal Regulations CCR = California Code of Regulations | AQMD Form 500-C1 Rev. 05/05 Page 3 of 3 |
|---------------------------|--|---|---|---|

Section I - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|--|---|---|
| <input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources) | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart | See Applicable Subpart <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources) | <input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources) | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources) | <input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Bulk Loading Of Organic Liquids | <input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG | <input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Cadmium Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Calciner, Mineral Industries | <input type="checkbox"/> 40 CFR60 SUBPART UUU | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Calciner, Petroleum Coke | <input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L | <input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Charbroilers | <input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97) | <input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g) | <input type="checkbox"/> Rule 1138(d) |
| <input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation | <input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03) | <input type="checkbox"/> Rule 1469(e) | <input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k) |
| <input type="checkbox"/> Coating Operation, Adhesive Application Operation | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1168 (01/07/05) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1168(f) & (g) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1168(e) |

| | | | | |
|---------------------------|--|---|---|---|
| KEY ABBREVIATIONS: | Reg. = AQMD Regulation Rule = AQMD Rule | App. = Appendix AQMD TM = AQMD Test Method | CFR = Code of Federal Regulations CCR = California Code of Regulations | AQMD Form 500-C1 Rev. 05/05 Page 4 of 4 |
|---------------------------|--|---|---|---|

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|---|---|--|
| <input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing | <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1124 (09/21/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART GG | <input type="checkbox"/> Rule 1171(f) See Applicable Subpart <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1124(e) & (f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1124(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.) | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART PFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJJ | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Magnet Wire Coating | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) |
| <input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment) | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Metal Coating | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1107 (11/09/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1125 (01/13/95) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1125(c)(6) |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|---|---|---|--|
| | <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) 40 CFR60 SUBPART TT 40 CFR60 SUBPART WW 40 CFR63 SUBPART SSSS | <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input checked="" type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation | <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1151 (12/11/98) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) | <input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1151(g) <input checked="" type="checkbox"/> Rule 1171(f) | <input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1151(f) <input checked="" type="checkbox"/> Rule 1171(c)(6) |
| <input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) 40 CFR60 SUBPART MM 40 CFR63 SUBPART IIII | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) 40 CFR60 SUBPART VVV 40 CFR63 SUBPART OOOO | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) 40 CFR60 SUBPART TTT 40 CFR63 SUBPART NNNN 40 CFR63 SUBPART PPPP | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Pleasure Craft | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) 40 CFR63 SUBPART II | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Screen Printing | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) |

Section II - Applicable Requirements, Test Methods & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|--|--|---|
| <input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures) | <input type="checkbox"/> 40 CFR63 SUBPART KK <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) | See Applicable Subpart <input checked="" type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) | See Applicable Subpart <input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) <input type="checkbox"/> Rule 109(c) |
| <input type="checkbox"/> Coating Operation, Wood Flat Stock | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys) | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coater | See Coating Operations | | |
| <input type="checkbox"/> Columns | See Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Composting Operation | <input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03) | <input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g) | <input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h) |
| <input type="checkbox"/> Compressors | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Concrete Batch Plants | See Nonmetallic Mineral Processing Plants | | |
| <input type="checkbox"/> Consumer Product Manufacturing | See Manufacturing, Consumer Product | | |
| <input type="checkbox"/> Cooling Tower, Hexavalent Chromium | <input type="checkbox"/> 40 CFR63 SUBPART Q | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Copper Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Crude Oil Production | See Oil Well Operations | | |
| <input type="checkbox"/> Crusher | See Nonmetallic Mineral Processing Plants | | |
| <input type="checkbox"/> Dairy Farms and Related Operations | <input type="checkbox"/> Rule 1127 | <input type="checkbox"/> Rule 1127(h) | <input type="checkbox"/> Rule 1127(g) |
| <input type="checkbox"/> Degreasers | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1122 (10/01/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1122(h) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1122(i) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Dry Cleaning, Perchloroethylene | <input type="checkbox"/> Rule 1421 (12/06/02) | <input type="checkbox"/> Rule 1421(e) & (i) | <input type="checkbox"/> Rule 1421(g) & (h) |
| <input type="checkbox"/> Dry Cleaning, Petroleum Solvent | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart |
| <input type="checkbox"/> Dryers, Mineral Industries | <input type="checkbox"/> 40 CFR60 SUBPART UUU | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Ethylene Oxide Sterilizer | See Sterilizer, Ethylene Oxide | | |
| <input type="checkbox"/> Flanges | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|---|---|---|
| <input type="checkbox"/> Fluid Catalytic Cracking Unit | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03) | <input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f) | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e) |
| <input type="checkbox"/> Foundries, Iron and Steel | <input type="checkbox"/> 40 CFR63 SUBPART EEEEE | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Friction Materials Manufacturing | See Manufacturing, Friction Materials | | |
| <input type="checkbox"/> Fugitive Emissions, Benzene | <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Fugitive Emissions, Chemical Plant | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|---|---|---|
| | <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Furnace, Basic Oxygen Process | <input type="checkbox"/> 40 CFR60 SUBPART Na | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983 | <input type="checkbox"/> 40 CFR60 SUBPART AAa | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983 | <input type="checkbox"/> 40 CFR60 SUBPART AA | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Glass Melting | <input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC | <input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries | <input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X | <input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Gasoline Transfer & Dispensing Operation | <input type="checkbox"/> Rule 461 (01/09/04) | <input type="checkbox"/> Rule 461(f) | <input type="checkbox"/> Rule 461(e)(6) & (e)(7) |
| <input type="checkbox"/> Glass Manufacturing | See Manufacturing, Glass | | |
| <input type="checkbox"/> Grain Elevators | <input type="checkbox"/> 40 CFR60 SUBPART DD | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal | <input type="checkbox"/> 40 CFR82 SUBPART H | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Heater, Asphalt Pavement | <input type="checkbox"/> Rule 1120 (08/04/78) | <input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2 | <input type="checkbox"/> Rule 1120(f) |
| <input type="checkbox"/> Heaters, Petroleum Refinery Process | <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Heaters, Process | See Boilers | | |
| <input type="checkbox"/> Incinerators | <input type="checkbox"/> 40 CFR60 SUBPART E | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities | <input type="checkbox"/> 40 CFR61 SUBPART P | See Applicable Subpart | See Applicable Subpart |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|---|--|---|
| <input type="checkbox"/> Internal Combustion Engines, Reciprocating | <input type="checkbox"/> 40 CFR63 SUBPART ZZZZ | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Kiln, Cement Plant | <input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F | N/A N/A See Applicable Subpart | N/A N/A See Applicable Subpart |
| <input type="checkbox"/> Landfills | <input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA | <input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Lead Acid Battery Manufacturing Plants | See Manufacturing, Lead Acid Battery | | |
| <input type="checkbox"/> Lead Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing | <input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL | N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Brick & Structural Clay Products | <input type="checkbox"/> 40 CFR63 SUBPART JJJJ | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Clay Ceramics | <input type="checkbox"/> 40 CFR63 SUBPART KKKKK | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851) | <input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH | N/A See Applicable Subpart | <input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Consumer Product | <input type="checkbox"/> Title 17 CCR 94500 | | |
| <input type="checkbox"/> Manufacturing, Food Product | <input type="checkbox"/> Rule 1131 (06/06/03) | <input type="checkbox"/> Rule 1131(e) | <input type="checkbox"/> Rule 1131(d) |
| <input type="checkbox"/> Manufacturing, Friction Materials | <input type="checkbox"/> 40 CFR63 SUBPART QQQQQ | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Glass | <input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N | <input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Hydrochloric Acid | <input type="checkbox"/> 40 CFR63 SUBPART NNNNN | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Lead-Acid Battery | <input type="checkbox"/> 40 CFR60 SUBPART KK | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Lime | <input type="checkbox"/> 40 CFR63 SUBPART AAAAA | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Magnetic Tape Industry | <input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical | <input type="checkbox"/> 40 CFR63 SUBPART FFFF | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Nitric Acid | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G | <input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products | <input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD | N/A See Applicable Subpart | <input type="checkbox"/> Rule 1137(e) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Polymer Industry | <input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J | See Applicable Subpart See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart See Applicable Subpart |

| | | | | |
|---------------------------|--|---|---|--|
| KEY ABBREVIATIONS: | Reg. = AQMD Regulation Rule = AQMD Rule | App. = Appendix AQMD TM = AQMD Test Method | CFR = Code of Federal Regulations CCR = California Code of Regulations | AQMD Form Rev. 05/05 500-C1 Page 10 of 10 |
|---------------------------|--|---|---|--|

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|---|---|--|--|
| <input type="checkbox"/> Manufacturing, Polymeric Cellular Foam | <input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU | <input type="checkbox"/> Rule 1175(f) See Applicable Subpart | <input type="checkbox"/> Rule 1175(e) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Products Containing Halon Blends | <input type="checkbox"/> 40 CFR82 SUBPART H | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Products Containing Organic Solvents | <input type="checkbox"/> Rule 443.1 (12/05/86) | N/A | N/A |
| <input type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS) | <input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Reinforced Plastic Composites | <input type="checkbox"/> 40 CFR63 SUBPART WWWW | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Refractory Products | <input type="checkbox"/> 40 CFR63 SUBPART SSSSS | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Resin | <input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W | <input type="checkbox"/> Rule 1141(d) See Applicable Subpart | <input type="checkbox"/> Rule 1141(c) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Rubber Tire | <input type="checkbox"/> 40 CFR63 SUBPART XXXX | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Semiconductors | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBBB | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Solvent | <input type="checkbox"/> Rule 443 (05/07/76) | N/A | N/A |
| <input type="checkbox"/> Manufacturing, Sulfuric Acid | <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd | <input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Surfactant | <input type="checkbox"/> Rule 1141.2 (01/11/02) | <input type="checkbox"/> AQMD TM 25.1 | |
| <input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes | <input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes | <input type="checkbox"/> 40 CFR60 SUBPART RRR | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Vinyl Chloride | <input type="checkbox"/> 40 CFR61 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Water Heaters | <input type="checkbox"/> Rule 1121 (09/03/04) | N/A | N/A |
| <input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation | <input type="checkbox"/> 40 CFR60 SUBPART PPP | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manure Processing Operations | <input type="checkbox"/> Rule 1127 | <input type="checkbox"/> Rule 1127(h) | <input type="checkbox"/> Rule 1127(g) |
| <input type="checkbox"/> Marine Tank Vessel Operations | <input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y | <input type="checkbox"/> Rule 1142(e) See Applicable Subpart | <input type="checkbox"/> Rule 1142(h) See Applicable Subpart |
| <input type="checkbox"/> Mercury Emissions | <input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal | <input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Municipal Waste Combustors | <input type="checkbox"/> 40 CFR60 SUBPART Cb | See Applicable Subpart | See Applicable Subpart |

| | | | | |
|---------------------------|--|---|---|--|
| KEY ABBREVIATIONS: | Reg. = AQMD Regulation Rule = AQMD Rule | App. = Appendix AQMD TM = AQMD Test Method | CFR = Code of Federal Regulations CCR = California Code of Regulations | AQMD Form Rev. 05/05 500-C1 Page 11 of 11 |
|---------------------------|--|---|---|--|

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|--|--|--|
| | <input type="checkbox"/> 40 CFR60 SUBPART Ea <input type="checkbox"/> 40 CFR60 SUBPART Eb | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Negative Air Machines/HEPA, Asbestos | <input type="checkbox"/> 40 CFR61 SUBPART M | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Nickel Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Nonmetallic Mineral Processing Plants | <input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO | <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Off-site Waste and Recovery Operation | <input type="checkbox"/> 40 CFR63 SUBPART DD | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Oil and Gas Well Operation | <input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04) | <input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g) | <input type="checkbox"/> Rule 1148.1 (f) |
| <input type="checkbox"/> Onshore Natural Gas Processing, SO ₂ Emissions | <input type="checkbox"/> 40 CFR60 SUBPART LLL | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Open Fires | <input type="checkbox"/> Rule 444 (12/21/01) | | |
| <input type="checkbox"/> Open Storage, Petroleum Coke | <input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99) | <input type="checkbox"/> Rule 403(d)(4) <input type="checkbox"/> Rule 1158(h) | <input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j) |
| <input type="checkbox"/> Open Storage | <input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) | <input type="checkbox"/> Rule 403(d)(4) | <input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) |
| <input type="checkbox"/> Outer Continental Shelf Platform | <input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55 | <input type="checkbox"/> 40 CFR55 See Applicable Subpart | <input type="checkbox"/> 40 CFR55 See Applicable Subpart |
| <input type="checkbox"/> Oven, Commercial Bakery | <input type="checkbox"/> Rule 1153 (01/13/95) | <input type="checkbox"/> Rule 1153(h) | <input type="checkbox"/> Rule 1153(g) |
| <input type="checkbox"/> Oven, Petroleum Coke | <input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> 40 CFR63 SUBPART L | <input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use | <input type="checkbox"/> 40 CFR82 Subpart G | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Petroleum Refineries | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250 | <input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Petroleum Refineries, Fugitive Emissions | <input type="checkbox"/> Rule 1173 (12/06/02) | <input type="checkbox"/> Rule 1173(j) | <input type="checkbox"/> Rule 1173(i) |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|---|---|--|--|
| | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Petroleum Refineries, Storage Tanks | <input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE | <input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Petroleum Refineries, Wastewater Systems | <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing | <input type="checkbox"/> Rule 1103 (03/12/99) | <input type="checkbox"/> Rule 1103(f) | <input type="checkbox"/> Rule 1103(e) |
| <input type="checkbox"/> Polyester Resin Operation | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1162 (07/09/04) <input type="checkbox"/> Rule 1171 (11/07/03) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1162(f) <input type="checkbox"/> Rule 1171(f) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1162(e) <input type="checkbox"/> Rule 1171(c)(6) |
| <input type="checkbox"/> Primary Magnesium Refining | <input type="checkbox"/> 40 CFR63 SUBPART TTTT | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Printing Press | See Coating Operations | | |
| <input type="checkbox"/> Publicly Owned Treatment Works Operations | <input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O | <input type="checkbox"/> Rule 1179(e) See Applicable Subpart | <input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart |
| <input type="checkbox"/> Pumps | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS), | <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS) | <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Rendering Plant | <input type="checkbox"/> Rule 472 (05/07/76) | N/A | <input type="checkbox"/> Rule 472(b) |
| <input type="checkbox"/> Rock Crushing | See Nonmetallic Mineral Processing Plants | | |

| | | | | | |
|---------------------------|------------------------|----------------------------|--------------------------------------|-----------|---------------|
| KEY ABBREVIATIONS: | Reg. = AQMD Regulation | App. = Appendix | CFR = Code of Federal Regulations | AQMD Form | Rev. 05/05 |
| | Rule = AQMD Rule | AQMD TM = AQMD Test Method | CCR = California Code of Regulations | 500-C1 | Page 13 of 13 |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|--|---|---|
| <input type="checkbox"/> Semiconductor Manufacturing | See Manufacturing, Semiconductors | | |
| <input type="checkbox"/> Sewage Treatment Plants | See Publicly Owned Treatment Works Operation | | |
| <input type="checkbox"/> Site Remediation | <input type="checkbox"/> 40 CFR63 SUBPART GGGGG | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Smelting, Primary Copper | <input type="checkbox"/> 40 CFR63 SUBPART QQQ | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Smelting, Secondary Lead | <input type="checkbox"/> 40 CFR60 SUBPART L | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART X | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Soil Decontamination | <input type="checkbox"/> Rule 1166 (05/11/01) | <input type="checkbox"/> Rule 1166(e) | <input type="checkbox"/> Rule 1166(c)(1)(C) |
| | <input type="checkbox"/> 40 CFR63 SUBPART GGGGG | See Applicable Subpart | See Applicable Subpart |
| <input checked="" type="checkbox"/> Spray Booth | See Coating Operations | | |
| <input type="checkbox"/> Sterilizer, Ethylene Oxide | <input type="checkbox"/> 40 CFR63 SUBPART O | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Storage Tank, Degassing Operation | <input type="checkbox"/> Rule 1149 (07/14/95) | | |
| | <input type="checkbox"/> 40 CFR63 SUBPART CC | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity | <input checked="" type="checkbox"/> Rule 463 (05/06/05) | <input type="checkbox"/> Rule 463(g) | <input type="checkbox"/> Rule 463(e)(5) |
| | <input type="checkbox"/> 40 CFR63 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART G | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART H | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART I | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR60 SUBPART K | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR60 SUBPART Ka | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR60 SUBPART Kb | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART R | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART CC | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Synthetic Fiber Production Facilities | <input type="checkbox"/> 40 CFR60 SUBPART HHH | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Taconite Iron Ore Processing Facilities | <input type="checkbox"/> 40 CFR63 SUBPART RRRR | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Turbine, Stationary Gas-Fired | <input type="checkbox"/> Rule 1134 (08/08/97) | <input type="checkbox"/> CEMS Rule 1134(e) & (g) | <input type="checkbox"/> Rule 1134(d) & (f) |
| | <input type="checkbox"/> Rule 475 (08/07/78) | <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 | |
| | <input checked="" type="checkbox"/> 40 CFR60 SUBPART GG | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Turbine, Stationary Oil-Fired | <input type="checkbox"/> 40 CFR63 SUBPART YYYYY | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART YYYYY | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Valves | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Vessel, Refinery Process | <input type="checkbox"/> Rule 1123 (12/07/90) | N/A | <input type="checkbox"/> Rule 1123(c) |
| <input type="checkbox"/> Vessels | See Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Wastewater, Chemical Plant | <input type="checkbox"/> Rule 464 (12/07/90) | N/A | |
| | <input type="checkbox"/> Rule 1176 (09/13/96) | <input type="checkbox"/> Rule 1176(h) | <input type="checkbox"/> Rule 1176(f) & (g) |
| | <input type="checkbox"/> 40 CFR63 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART G | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART H | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART I | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Wastewater Treatment, Other | <input type="checkbox"/> 40 CFR63 SUBPART CC | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> Rule 464 (12/07/90) | N/A | |
| | <input type="checkbox"/> Rule 1176 (09/13/96) | <input type="checkbox"/> Rule 1176(h) | <input type="checkbox"/> Rule 1176(f) & (g) |
| <input type="checkbox"/> Woodworking Operations | <input type="checkbox"/> Rule 1137 (02/01/02) | N/A | <input type="checkbox"/> Rule 1137(e) |

Section IV - SIP-Approved Rules That Are Not The Most Current AQMD Rules

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

| SIP-Approved Rule | Adoption/ Amendment Date | Check (✓) if Applies | SIP-Approved Rule | Adoption/ Amendment Date | Check (✓) if Applies |
|-------------------|--------------------------------|-------------------------------------|-------------------|--------------------------------|-------------------------------------|
| 218 | 08/07/81 | <input type="checkbox"/> | 1146.2 | 01/09/98 | <input type="checkbox"/> |
| 401 | 03/02/84 | <input checked="" type="checkbox"/> | 1162 | 11/17/00 | <input type="checkbox"/> |
| 403 | 12/11/98 | <input type="checkbox"/> | 1166 | 07/14/95 | <input type="checkbox"/> |
| 403.1 | 01/15/93 | <input type="checkbox"/> | 1168 | 10/03/03 | <input type="checkbox"/> |
| 431.2 | 05/04/90 | <input type="checkbox"/> | 1171 | 11/07/03 | <input checked="" type="checkbox"/> |
| 463 | 03/11/94 | <input type="checkbox"/> | 1173 | 05/13/94 | <input type="checkbox"/> |
| 466.1 | 05/02/80 | <input type="checkbox"/> | 1186 | 09/10/99 | <input type="checkbox"/> |
| 469 | 05/07/76 | <input type="checkbox"/> | 2000 | 05/11/01 | <input type="checkbox"/> |
| 475 | 10/08/76 | <input type="checkbox"/> | 2001 | 05/11/01 | <input type="checkbox"/> |
| 1112 | 01/06/84 | <input type="checkbox"/> | 2002 | 05/11/01 | <input type="checkbox"/> |
| 1113 | 11/08/96 | <input checked="" type="checkbox"/> | 2005 | 04/20/01 | <input type="checkbox"/> |
| 1121 | 12/10/99 | <input type="checkbox"/> | 2007 | 12/05/03 | <input type="checkbox"/> |
| 1122 | 07/11/97 | <input type="checkbox"/> | 2010 | 05/11/01 | <input type="checkbox"/> |
| 1132 | 03/05/04 | <input type="checkbox"/> | 2011 | 12/05/03 | <input type="checkbox"/> |
| 1140 | 02/01/80 | <input type="checkbox"/> | 2012 | 12/05/03 | <input type="checkbox"/> |
| 1145 | 02/14/97 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |

Section V - AQMD Rules That Are Not SIP-Approved (Continued on Following Page)

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

| Non SIP-Approved Rule | Adoption/ Amendment Date | Check (✓) if Applies | Non SIP-Approved Rule | Adoption/ Amendment Date | Check (✓) if Applies |
|------------------------|--------------------------------|-------------------------------------|-----------------------|--------------------------------|-------------------------------------|
| 53 Los Angeles Co. | N/A | <input checked="" type="checkbox"/> | 1170 | 05/06/88 | <input type="checkbox"/> |
| 53 Orange Co. | N/A | <input type="checkbox"/> | 1183 | 03/12/93 | <input type="checkbox"/> |
| 53 Riverside Co. | N/A | <input type="checkbox"/> | 1186.1 | 06/04/04 | <input type="checkbox"/> |
| 53 San Bernardino Co. | N/A | <input type="checkbox"/> | 1191 | 06/16/00 | <input type="checkbox"/> |
| 53A San Bernardino Co. | N/A | <input type="checkbox"/> | 1192 | 06/16/00 | <input type="checkbox"/> |
| 218.1 | 05/14/99 | <input type="checkbox"/> | 1193 | 06/06/03 | <input type="checkbox"/> |
| 402 | 05/07/76 | <input checked="" type="checkbox"/> | 1194 | 10/20/00 | <input type="checkbox"/> |
| 429 | 12/21/90 | <input type="checkbox"/> | 1195 | 04/20/01 | <input type="checkbox"/> |
| 430 | 07/12/96 | <input checked="" type="checkbox"/> | 1196 | 06/04/04 | <input type="checkbox"/> |
| 441 | 05/07/76 | <input type="checkbox"/> | 1401 | 03/04/05 | <input checked="" type="checkbox"/> |
| 473 | 05/07/76 | <input type="checkbox"/> | 1402 | 03/04/05 | <input type="checkbox"/> |
| 477 | 04/03/81 | <input type="checkbox"/> | 1403 | 04/08/94 | <input type="checkbox"/> |
| 480 | 10/07/77 | <input type="checkbox"/> | 1404 | 04/06/90 | <input type="checkbox"/> |
| 1105.1 | 11/07/03 | <input type="checkbox"/> | 1405 | 01/04/91 | <input type="checkbox"/> |
| 1109 | 08/05/88 | <input type="checkbox"/> | 1406 | 07/08/94 | <input type="checkbox"/> |
| 1110.1 | 10/04/85 | <input type="checkbox"/> | 1407 | 07/08/94 | <input type="checkbox"/> |
| 1110.2 | 11/14/97 | <input type="checkbox"/> | 1411 | 03/01/91 | <input type="checkbox"/> |
| 1116.1 | 10/20/78 | <input type="checkbox"/> | 1414 | 05/03/91 | <input type="checkbox"/> |
| 1118 | 02/13/98 | <input type="checkbox"/> | 1415 | 10/14/94 | <input type="checkbox"/> |
| 1127 | 08/06/04 | <input type="checkbox"/> | 1418 | 09/10/99 | <input type="checkbox"/> |
| 1148.1 | 03/05/04 | <input type="checkbox"/> | 1420 | 09/11/92 | <input type="checkbox"/> |
| 1150 | 10/15/82 | <input type="checkbox"/> | 1421 | 12/06/02 | <input type="checkbox"/> |
| 1157 | 01/07/05 | <input type="checkbox"/> | 1425 | 03/16/01 | <input type="checkbox"/> |
| 1163 | 06/07/85 | <input type="checkbox"/> | 1426 | 05/02/03 | <input type="checkbox"/> |

| Section V - AQMD Rules That Are Not SIP-Approved (Continued on Following Page) | | | | | |
|--|----------|-------------------------------------|--------|----------|--------------------------|
| 1469 | 05/02/03 | <input type="checkbox"/> | 2009.1 | 05/11/01 | <input type="checkbox"/> |
| 1469.1 | 03/04/05 | <input type="checkbox"/> | 2020 | 05/11/01 | <input type="checkbox"/> |
| 1470 | 03/04/05 | <input type="checkbox"/> | 2501 | 05/09/97 | <input type="checkbox"/> |
| 2009 | 01/07/05 | <input type="checkbox"/> | 2506 | 12/10/99 | <input type="checkbox"/> |
| 1147 | 12/05/08 | <input checked="" type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |



5
INC

1358 Knott Street, Garden Grove, CA 92841-1400
Tel: (714) 373-3800 Fax: (714) 373-3828 Web: <http://www.E5.com>

DELIVERED VIA FEDEX

January 25, 2011

Title V Permit Renewal
South Coast Air Quality Management District
21865 East Copley Drive
Diamond Bar, CA 91765-4182

File No. 3460.34

Subject: Title V Renewal Package

Facility: Royal Truck Body
14001 South Garfield Ave.
Paramount, CA 90723
ID No. 032840

Dear District Engineer:

Please find enclosed the Title V Renewal application package prepared on behalf of Royal Truck Body along with a check in the amount of \$2,935.26. We have included Form 400-XPP along with additional fees for expedited processing.

Please process at your earliest availability and don't hesitate to call us if you have any questions.

Sincerely,
E5, Inc.


John Zhang, C.P.P.
Senior Associate

cc: Mr. Dudley De Zonia, Royal Truck Body

Encl.



South Coast Air Quality Management District
P. O. Box 4944 Diamond Bar, CA 91765
(909) 396-2000

EXPRESS PERMIT PROCESSING REQUEST FORM FORM 400 - XPP

Form 400-A, Form 400-CEQA and one or more 400-E-xx form(s) must accompany all submittals.

Print Form

Section I - Facility/Application Information

1. Business Name: Royal Truck Body Facility ID: 32,840

2. The requested application is for a(n): _____ Date of Occurrence: _____

- a. New Construction
- b. Change of Location
- c. Modification of Equipment/Process
- d. Existing Equipment with Expired Permit
- e. Existing Equipment Operating without a Permit; Initial Operation Date: _____
- f. Change of Condition(s); specify the change of condition(s) requested: _____
- g. Change of Operator; List previous name of operator and Facility ID #: _____

3. I hereby request Express Permit Processing for this application.

4. I understand that this request will incur additional fees.

5. This request is not cancelable once engineering review has been initiated.

6. Express Permit Processing neither guarantees action by any specific date nor does I guarantee permit approval.

Section II - Equipment Information

I HEREBY CERTIFY THAT ALL INFORMATION CONTAINED HEREIN AND INFORMATION SUBMITTED WITH THIS APPLICATION IS TRUE AND CORRECT.

SIGNATURE OF RESPONSIBLE OFFICIAL OF FIRM: _____

Dudley De Zonia

President

TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL OF FIRM: _____

Dudley De Zonia

RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER

(562) 633-9951

DATE SIGNED:

1/21/2011

I HEREBY CERTIFY THAT ALL INFORMATION CONTAINED HEREIN AND INFORMATION SUBMITTED WITH THIS APPLICATION IS TRUE AND CORRECT.

SIGNATURE OF PREPARER: _____

John Zhang

ES - Consultant

TYPE OR PRINT NAME OF PREPARER: _____

John Zhang

PREPARER'S TELEPHONE NUMBER

(714) 373 - 3800

DATE SIGNED:

1/25/11

*Approved for Rule 301 v. water
E1 Muellerbach 2/4/11*

| | | | | | | | | | | | | | |
|------------------|----------|------------------------|------------|-----------|--|------|--|--------------------------|--|---------------|--|------------|--|
| AQMD USE ONLY | | APPLICATION/TRACKING # | | PROJECT # | | TYPE | | EQUIPMENT CATEGORY CODE: | | FEE SCHEDULE: | | VALIDATION | |
| ENG. A R | ENG. A R | CLASS | ASSIGNMENT | B C D | | / | | / | | \$ | | AMOUNT | |
| DATE | DATE | I III IV | UNIT | ENGINEER | | ENF. | | SECT. | | # | | \$ | |



South Coast Air Quality Management District

Form 400-CEQA

California Environmental Quality Act (CEQA) Applicability

Mail Application To: P.O. Box 4944 Diamond Bar, CA 91765 Tel: (909) 396-3385 www.aqmd.gov

The SCAQMD is required by state law, the California Environmental Quality Act (CEQA), to review discretionary permit project applications for potential air quality and other environmental impacts. This form is a screening tool to assist the SCAQMD in clarifying whether or not the project has the potential to generate significant adverse environmental impacts that might require preparation of a CEQA document [CEQA Guidelines §15060(a)].

FACILITY INFORMATION
Business Name of Operator to Appear on the Permit: Royal Truck Body, Inc. Facility ID (6-Digit): 032840
Project Description: Application for Title V Permit Renewal

REVIEW FOR EXEMPTION FROM FURTHER CEQA ACTION
Check "Yes" or "No" as applicable
Table with columns: Yes, No, Is this application for:
A. A CEQA and/or NEPA document previously or currently prepared that specifically evaluates this project?
B. A request for a change of permittee only (without equipment modifications)?
C. Equipment certification or equipment registration (qualifies for Rule 222)?
D. A functionally identical permit unit replacement with no increase in rating or emissions?
E. A change of daily VOC permit limit to a monthly VOC permit limit?
F. Equipment damaged as a result of a disaster during state of emergency?
G. A Title V (i.e., Regulation XXX) permit renewal (without equipment modifications)?
H. A Title V administrative permit revision?
I. The conversion of an existing permit into an initial Title V permit?
If "Yes" is checked for any question above, your application does not require additional evaluation for CEQA applicability. Skip to page 2, "SIGNATURES" and sign and date this form.

REVIEW OF IMPACTS WHICH MAY TRIGGER CEQA
Complete Sections I-VI by checking "Yes" or "No" as applicable. To avoid delays in processing your application(s), explain all "Yes" responses on a separate sheet and attach it to this form.
Table with columns: Yes, No, Section I - General, Section II - Air Quality
1. Has this project generated any known public controversy regarding potential adverse impacts that may be generated by the project?
2. Is this project part of a larger project?
3. Will there be any demolition, excavating, and/or grading construction activities that encompass an area exceeding 20,000 square feet?
4. Does this project include the open outdoor storage of dry bulk solid materials that could generate dust? If Yes, include a plot plan with the application package.

1 A "project" means the whole of an action which has a potential for resulting in physical change to the environment, including construction activities, clearing or grading of land, improvements to existing structures, and activities or equipment involving the issuance of a permit. For example, a project might include installation of a new, or modification of an existing internal combustion engine, dry-cleaning facility, boiler, gas turbine, spray coating booth, solvent cleaning tank, etc.
2 To download the CEQA guidelines, visit http://cares.ca.gov/env_law/state.html.
3 To download this form and the instructions, visit http://www.aqmd.gov/ceqa or http://www.aqmd.gov/permit

| | Yes | No | |
|---|-----------------------|--|---|
| 5. | <input type="radio"/> | <input type="radio"/> | Would this project result in noticeable off-site odors from activities that may not be subject to SCAQMD permit requirements? For example, compost materials or other types of greenwaste (i.e., lawn clippings, tree trimmings, etc.) have the potential to generate odor complaints subject to Rule 402 - Nuisance. |
| 6. | <input type="radio"/> | <input type="radio"/> | Does this project cause an increase of emissions from marine vessels, trains and/or airplanes? |
| 7. | <input type="radio"/> | <input type="radio"/> | Will the proposed project increase the QUANTITY of hazardous materials stored aboveground onsite or transported by mobile vehicle to or from the site by greater than or equal to the amounts associated with each compound on the attached Table 1?* |
| Section III - Water Resources | | | |
| 8. | <input type="radio"/> | <input type="radio"/> | Will the project increase demand for water at the facility by more than 5,000,000 gallons per day? The following examples identify some, but not all, types of projects that may result in a "yes" answer to this question: 1) projects that generate steam; 2) projects that use water as part of the air pollution control equipment; 3) projects that require water as part of the production process; 4) projects that require new or expansion of existing sewage treatment facilities; 5) projects where water demand exceeds the capacity of the local water purveyor to supply sufficient water for the project; and 6) projects that require new or expansion of existing water supply facilities. |
| 9. | <input type="radio"/> | <input type="radio"/> | Will the project require construction of new water conveyance infrastructure? Examples of such projects are when water demands exceed the capacity of the local water purveyor to supply sufficient water for the project, or require new or modified sewage treatment facilities such that the project requires new water lines, sewage lines, sewage hook-ups, etc. |
| Section IV - Transportation/Circulation | | | |
| 10. | | | Will the project result in (Check all that apply): |
| | <input type="radio"/> | <input type="radio"/> | a. the need for more than 350 new employees? |
| | <input type="radio"/> | <input type="radio"/> | b. an increase in heavy-duty transport truck traffic to and/or from the facility by more than 350 truck round-trips per day? |
| | <input type="radio"/> | <input type="radio"/> | c. increase customer traffic by more than 700 visits per day? |
| Section V - Noise | | | |
| 11. | <input type="radio"/> | <input type="radio"/> | Will the project include equipment that will generate noise GREATER THAN 90 decibels (dB) at the property line? |
| Section VI - Public Services | | | |
| 12. | | | Will the project create a permanent need for new or additional public services in any of the following areas (Check all that apply): |
| | <input type="radio"/> | <input type="radio"/> | a. Solid waste disposal? Check "No" if the projected potential amount of wastes generated by the project is less than five tons per day. |
| | <input type="radio"/> | <input type="radio"/> | b. Hazardous waste disposal? Check "No" if the projected potential amount of hazardous wastes generated by the project is less than 42 cubic yards per day (or equivalent in pounds). |
| **REMINDER: For each "Yes" checked in the sections above, attach all pertinent information including but not limited to estimated quantities, volumes, weights, etc.** | | | |
| SIGNATURES | | | |
| I HEREBY CERTIFY THAT ALL INFORMATION CONTAINED HEREIN AND INFORMATION SUBMITTED WITH THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I UNDERSTAND THAT THIS FORM IS A SCREENING TOOL AND THAT THE SCAQMD RESERVES THE RIGHT TO CONSIDER OTHER PERTINENT INFORMATION IN DETERMINING CEQA APPLICABILITY. | | | |
| SIGNATURE OF RESPONSIBLE OFFICIAL OF FIRM: | | TITLE OF RESPONSIBLE OFFICIAL OF FIRM: | |
| | | President | |
| TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL OF FIRM: | | RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER: | DATE Signed: |
| Dudley De Zonia | | (562) 6339-951 | 01/21/2011 |
| SIGNATURE OF PREPARER, (E. PREPARED BY PERSON OTHER THAN RESPONSIBLE OFFICIAL OF FIRM): | | TITLE OF PREPARER: | |
| | | E5 - Consultant | |
| TYPE OR PRINT NAME OF PREPARER: | | PREPARER'S TELEPHONE NUMBER: | DATE Signed: |
| John Zhang | | (714) 3733-800 | 1-25-11 |

THIS CONCLUDES FORM 400-CEQA. INCLUDE THIS FORM AND THE ATTACHMENTS WITH FORM 400-A.

* Table 1 - Regulated Substances List and Threshold Quantities for Accidental Release Prevention can be found in the Instructions for Form 400-CEQA.



Mail Application To:
P.O. Box 4944
Diamond Bar, CA 91765

Tel: (909) 396-3385
www.aqmd.gov

Section I - Facility Information

1. Permit to be issued to (Business name of operator to appear on permit): Royal Truck Body
2. Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD): 032840
3. This Certification is submitted with a (Check one):
 a. Title V Application (Initial, Revision or Renewal)
 b. Supplement/Correction to a Title V Application
 c. MACT Part 2
4. Is Form 500-C2 included with this Certification? Yes No

Section II - Responsible Official Certification Statement

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statements and information in this document and in all attached application forms and other materials are true, accurate, and complete.

Read each statement carefully and check each that applies - You must check 3a or 3b.

1. For Initial, Permit Renewal, and Administrative Application Certifications:
- a. The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1.
- i. except for those requirements that do not specifically pertain to such devices or equipment and that have been identified as "Remove" on Section III of Form 500-C1.
- ii. except for those devices or equipment that have been identified on the completed and attached Form 500-C2 that will not be operating in compliance with the specified applicable requirement(s).
- b. The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.
2. For Permit Revision Application Certifications:
- a. The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.
3. For MACT Hammer Certifications:
- a. The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer." The following information is submitted with a Title V application to comply with the Part 1 requirements of Section 112(j). (If Part 2 has not been submitted, you must submit 500-MACT Part 2 with this form.)
- b. The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).

Dudley De Zonia 01/21/2011
 Signature of Responsible Official Date
Dudley De Zonia (562) 633-9951
 Type or Print Name of Responsible Official Phone
President (866) 397-6968
 Title of Responsible Official Fax
14001 Garfield Avenue Paramount CA 90723
 Address of Responsible Official City State Zip Code

Acid Rain Facilities Only: Turn page over & complete Section III



South Coast Air Quality Management District

Form 500-H (Title V)

Applicability Determination for Initial, Renewal, & Significant Permit Revision

Mail Application To:
P.O. Box 4944
Diamond Bar, CA 91765
Tel: (909) 396-3385
www.aqmd.gov

This form is required as part of an initial, significant permit revision, or renewal Title V application. If your Title V facility has control devices in use, the CAM rule may apply. Follow the instructions on the reverse side of this form to determine whether your facility is subject to CAM requirements.

Section I - CAM Status Summary for Emission Units

1. Permit to be issued to (Business name of operator to appear on permit):
Royal Truck Body

2. Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD):
32840

3. Based on the criteria in the instructions (check one and attach additional pages as necessary):
a. The emission units identified below are subject to the CAM rule¹ and a CAM plan² is attached for each affected emissions unit:
b. There are no emission units with control devices at this Title V facility that are subject to the CAM rule.

| Emission Unit ³ Application, Permit or Device No. | Equipment Description ⁴ | Uncontrolled Emissions | | Connected to Control Unit ⁵ Application, Permit or Device No. | Equipment ⁴ Description | Controlled Emissions | |
|--|---------------------------------------|------------------------|------------------------------|--|---------------------------------------|----------------------|------------------------------|
| | | Pollutant | PTE ⁵ (tons/year) | | | Pollutant | PTE ⁵ (tons/year) |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

¹ For more detailed information regarding the CAM rule applicability, refer to Title 40, Chapter I, Part 64, Section 64.1 of the Code of Federal Regulations (40 CFR Part 64, Section 64.1). This also can be accessed via the internet at: http://www.access.gpo.gov/nara/cfr/waisidx_99/40cfr64_99.html.

² Only one CAM plan is required for a control device that is common to more than one emissions unit, or if an emissions unit is controlled by more than one control device similar in design and operation. If the control devices are not similar in design and operation, one plan is required for each control device.

³ List all new and existing emission units and the connected control devices either by AQMD application, permit or device number. When the emission unit is new and has not yet been assigned an application number, leave this column blank.

⁴ Provide a brief equipment description of the emission units and control devices by indicating equipment type, make, and model and serial numbers as appropriate.

⁵ Potential to Emit



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

Section I - General Information

1. Facility Name: Royal Truck Body

Facility ID (6-Digit): 032840

PROCEDURES FOR DETERMINING COMPLIANCE STATUS

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. **
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

** Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|--|---|--|
| <input type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources) | <input type="checkbox"/> Rule 480 (10/07/77) | N/A | N/A |
| <input checked="" type="checkbox"/> All Coating Operations | <input type="checkbox"/> Rule 442 (12/15/00) | <input type="checkbox"/> Rule 442(f) | <input type="checkbox"/> Rule 442(g) |
| <input type="checkbox"/> All Combustion Equipment, ≥ 555 Mmbtu/Hr (except for NOx RECLAIM sources) | <input type="checkbox"/> Rule 474 (12/04/81) | <input type="checkbox"/> AQMD TM 7.1 or 100.1 | |
| <input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources) | <input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81) | <input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 | |
| <input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources) | <input checked="" type="checkbox"/> Rule 431.1 (06/12/98) | <input checked="" type="checkbox"/> Rule 431.1(f) | <input type="checkbox"/> Rule 431.1(d) & (e) |
| <input type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources) | <input type="checkbox"/> Rule 431.2 (09/15/00) | <input type="checkbox"/> Rule 431.2(g) | <input type="checkbox"/> Rule 431.2(f) |
| <input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources) | <input type="checkbox"/> Rule 431.3 (05/07/76) | | |
| <input checked="" type="checkbox"/> All Equipment | <input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention | <input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 N/A See Applicable Subpart | <input type="checkbox"/> Rule 430(b) See Applicable Subpart |
| <input type="checkbox"/> All Equipment Processing Solid Materials | <input type="checkbox"/> Rule 403 (04/02/04) | <input type="checkbox"/> Rule 403(d)(4) | <input type="checkbox"/> Rule 403(f) |
| <input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1) | <input checked="" type="checkbox"/> Rule 404 (02/07/86) | <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 | |
| <input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment | <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T | <input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> All RECLAIM Equipment (NOx & SOx) | <input type="checkbox"/> Reg. XX - RECLAIM | <input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03) | <input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03) |
| <input type="checkbox"/> Abrasive Blasting | <input type="checkbox"/> Rule 1140 (08/02/85) | <input type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method | |
| <input type="checkbox"/> Aggregate and Related Operations | <input type="checkbox"/> Rule 1157 (01/07/05) | <input type="checkbox"/> Rule 1157(f) | <input type="checkbox"/> Rule 1157(e) |
| <input type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal | <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart | See Applicable Subpart |

| | | | | |
|---------------------------|--|---|---|---|
| KEY ABBREVIATIONS: | Reg. = AQMD Regulation Rule = AQMD Rule | App. = Appendix AQMD TM = AQMD Test Method | CFR = Code of Federal Regulations CCR = California Code of Regulations | AQMD Form 500-C1 Rev. 05/05 Page 2 of 2 |
|---------------------------|--|---|---|---|

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|--|--|--|
| <input type="checkbox"/> Asphalt | See Manufacturing, Asphalt Processing & Asphalt Roofing | | |
| <input type="checkbox"/> Asphalt Concrete/Batch Plants | <input type="checkbox"/> 40 CFR60 SUBPART I | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants | <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Benzene Transfer Operations | <input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y | <input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Benzene Waste Operations | <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Beryllium Emissions | <input type="checkbox"/> 40 CFR61 SUBPART C | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing | <input type="checkbox"/> 40 CFR61 SUBPART D | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources) | <input type="checkbox"/> Rule 1146.1 (05/13/94) <input type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart | <input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart |
| <input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources) | <input type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 1146.1(d) See Applicable Subpart | <input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart |
| <input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources) | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input checked="" type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources) | <input checked="" type="checkbox"/> Rule 475 (08/07/78) <input checked="" type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input checked="" type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input checked="" type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input checked="" type="checkbox"/> 40 CFR60 SUBPART D <input checked="" type="checkbox"/> 40 CFR60 SUBPART Da <input checked="" type="checkbox"/> 40 CFR60 SUBPART Dc <input checked="" type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input checked="" type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart |

| | | | | |
|---------------------------|--|---|---|---|
| KEY ABBREVIATIONS: | Reg. = AQMD Regulation Rule = AQMD Rule | App. = Appendix AQMD TM = AQMD Test Method | CFR = Code of Federal Regulations CCR = California Code of Regulations | AQMD Form 500-C1 Rev. 05/05 Page 3 of 3 |
|---------------------------|--|---|---|---|

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|---|---|---|
| <input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources) | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart | See Applicable Subpart <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources) | <input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources) | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources) | <input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | <input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Bulk Loading Of Organic Liquids | <input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG | <input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Cadmium Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Calciner, Mineral Industries | <input type="checkbox"/> 40 CFR60 SUBPART UUU | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Calciner, Petroleum Coke | <input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L | <input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Charbroilers | <input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97) | <input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g) | <input type="checkbox"/> Rule 1138(d) |
| <input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation | <input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03) | <input type="checkbox"/> Rule 1469(e) | <input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k) |
| <input type="checkbox"/> Coating Operation, Adhesive Application Operation | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1168 (01/07/05) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1168(f) & (g) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1168(e) |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

AQMD Form
 500-C1

Rev. 05/05
 Page 4 of 4

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|---|---|--|
| | <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR | <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1124 (09/21/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART GG | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1124(e) & (f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1124(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.) | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Magnet Wire Coating | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) |
| <input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment) | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Metal Coating | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1107 (11/09/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1125 (01/13/95) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1125(c)(6) |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|---|--|---|--|
| | <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART SSSS | <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input checked="" type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation | <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1151 (12/11/98) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) | <input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1151(g) <input checked="" type="checkbox"/> Rule 1171(f) | <input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1151(f) <input checked="" type="checkbox"/> Rule 1171(c)(6) |
| <input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Pleasure Craft | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Screen Printing | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
 Rule = AQMD Rule

App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CCR = California Code of Regulations

AQMD Form
500-C1

Rev. 05/05
 Page 6 of 6

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|---|--|--|
| | <input type="checkbox"/> 40 CFR63 SUBPART KK | See Applicable Subpart | See Applicable Subpart |
| <input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures) | <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) | <input checked="" type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) | <input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) |
| <input type="checkbox"/> Coating Operation, Wood Flat Stock | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys) | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Coater | See Coating Operations | | |
| <input type="checkbox"/> Columns | See Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Composting Operation | <input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03) | <input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g) | <input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h) |
| <input type="checkbox"/> Compressors | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Concrete Batch Plants | See Nonmetallic Mineral Processing Plants | | |
| <input type="checkbox"/> Consumer Product Manufacturing | See Manufacturing, Consumer Product | | |
| <input type="checkbox"/> Cooling Tower, Hexavalent Chromium | <input type="checkbox"/> 40 CFR63 SUBPART Q | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Copper Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Crude Oil Production | See Oil Well Operations | | |
| <input type="checkbox"/> Crusher | See Nonmetallic Mineral Processing Plants | | |
| <input type="checkbox"/> Dairy Farms and Related Operations | <input type="checkbox"/> Rule 1127 | <input type="checkbox"/> Rule 1127(h) | <input type="checkbox"/> Rule 1127(g) |
| <input type="checkbox"/> Degreasers | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1122 (10/01/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1122(h) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1122(i) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Dry Cleaning, Perchloroethylene | <input type="checkbox"/> Rule 1421 (12/06/02) | <input type="checkbox"/> Rule 1421(e) & (i) | <input type="checkbox"/> Rule 1421(g) & (h) |
| <input type="checkbox"/> Dry Cleaning, Petroleum Solvent | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart |
| <input type="checkbox"/> Dryers, Mineral Industries | <input type="checkbox"/> 40 CFR60 SUBPART UUU | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Ethylene Oxide Sterilizer | See Sterilizer, Ethylene Oxide | | |
| <input type="checkbox"/> Flanges | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | | APPLICABLE REQUIREMENT | | TEST METHOD | | MRR REQUIREMENT | |
|---|---|---|---|-------------|--|-----------------|--|
| <input type="checkbox"/> Fluid Catalytic Cracking Unit | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03) | <input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f) | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e) | | | | |
| <input type="checkbox"/> Foundries, Iron and Steel | <input type="checkbox"/> 40 CFR63 SUBPART EEEEE | See Applicable Subpart | See Applicable Subpart | | | | |
| <input type="checkbox"/> Friction Materials Manufacturing | See Manufacturing, Friction Materials | | | | | | |
| <input type="checkbox"/> Fugitive Emissions, Benzene | <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R | <input type="checkbox"/> Rule 1173(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart | | | | |
| <input type="checkbox"/> Fugitive Emissions, Chemical Plant | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(g) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart | | | | |
| <input type="checkbox"/> Fugitive Emissions, Natural Gas Processing | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(g) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart | | | | |
| <input type="checkbox"/> Plant | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(g) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart | | | | |
| <input type="checkbox"/> Facility | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(g) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart | | | | |

KEY ABBREVIATIONS:

Reg. = AQMD Regulation

App. = Appendix

AQMD TM = AQMD Test Method

CCR = Code of Federal Regulations

CCR = California Code of Regulations

AQMD Form

500-C1

Rev. 05/05

Page 8 of 8

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|---|---|---|---|
| | <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station | <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC | <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Furnace, Basic Oxygen Process | <input type="checkbox"/> 40 CFR60 SUBPART Na | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983 | <input type="checkbox"/> 40 CFR60 SUBPART AAa | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983 | <input type="checkbox"/> 40 CFR60 SUBPART AA | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Glass Melting | <input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC | <input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries | <input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X | <input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Gasoline Transfer & Dispensing Operation | <input checked="" type="checkbox"/> Rule 461 (01/09/04) | <input checked="" type="checkbox"/> Rule 461(f) | <input checked="" type="checkbox"/> Rule 461(e)(6) & (e)(7) |
| <input type="checkbox"/> Glass Manufacturing | See Manufacturing, Glass | | |
| <input type="checkbox"/> Grain Elevators | <input type="checkbox"/> 40 CFR60 SUBPART DD | See Applicable Subpart | See Applicable Subpart |
| <input checked="" type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal | <input checked="" type="checkbox"/> 40 CFR82 SUBPART H | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Heater, Asphalt Pavement | <input type="checkbox"/> Rule 1120 (08/04/78) | <input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2 | <input type="checkbox"/> Rule 1120(f) |
| <input type="checkbox"/> Heaters, Petroleum Refinery Process | <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD | N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Heaters, Process | See Boilers | | |
| <input type="checkbox"/> Incinerators | <input type="checkbox"/> 40 CFR60 SUBPART E | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities | <input type="checkbox"/> 40 CFR61 SUBPART P | See Applicable Subpart | See Applicable Subpart |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS **APPLICABLE REQUIREMENT** **TEST METHOD** **MRR REQUIREMENT**

| | | | |
|---|--|---|--|
| <input type="checkbox"/> Internal Combustion Engines, Reciprocating | <input type="checkbox"/> 40 CFR63 SUBPART ZZZZ | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Kiln, Cement Plant | <input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F | N/A | N/A |
| <input type="checkbox"/> Landfills | <input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART AAAA | <input type="checkbox"/> Rule 1150.1(g) See Applicable Subpart | <input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart |
| <input type="checkbox"/> Lead Acid Battery Manufacturing Plants | See Manufacturing, Lead Acid Battery | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Lead Electroplating Operation | <input type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt | <input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLL | <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1(b) See Applicable Subpart | <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1(b) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Brick & Structural Clay Products | <input type="checkbox"/> 40 CFR63 SUBPART JJJJ <input type="checkbox"/> 40 CFR63 SUBPART IIII <input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHHH <input type="checkbox"/> Title 17 CFR 94500 | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Clay Ceramics | <input type="checkbox"/> 40 CFR63 SUBPART KKKK | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851) | <input type="checkbox"/> Rule 1131 (06/06/03) | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Consumer Product | <input type="checkbox"/> Rule 1131(e) | See Applicable Subpart | <input type="checkbox"/> Rule 1131(d) |
| <input type="checkbox"/> Manufacturing, Food Product | <input type="checkbox"/> Rule 1131(d) | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Friction Materials | <input type="checkbox"/> Rule 1117 (01/06/84) | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Glass | <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR61 SUBPART N | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Hydrochloric Acid | <input type="checkbox"/> 40 CFR63 SUBPART NNNN | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Lead-Acid Battery | <input type="checkbox"/> 40 CFR60 SUBPART KK | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Lime | <input type="checkbox"/> 40 CFR63 SUBPART AAAA | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Magnetic Tape Industry | <input type="checkbox"/> 40 CFR60 SUBPART SSS | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Miscellaneous Organic (Chemical) | <input type="checkbox"/> 40 CFR63 SUBPART FFFF | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Nitric Acid | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G | <input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products | <input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD <input type="checkbox"/> 40 CFR60 SUBPART DDD | N/A | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Polymer Industry | <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J | See Applicable Subpart | See Applicable Subpart |

KEY
 Reg. = AQMD Regulation
 App. = Appendix
 AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
 CFR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|---|--|--|---|
| <input type="checkbox"/> Manufacturing, Polymeric Cellular Foam | <input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU | <input type="checkbox"/> Rule 1175(f) See Applicable Subpart | <input type="checkbox"/> Rule 1175(e) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Products Containing Halon Blends | <input type="checkbox"/> 40 CFR82 SUBPART H | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Products Containing Organic Solvents | <input type="checkbox"/> Rule 443.1 (12/05/86) | N/A | N/A |
| <input type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS) | <input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Reinforced Plastic Composites | <input type="checkbox"/> 40 CFR63 SUBPART WWW | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Refractory Products | <input type="checkbox"/> 40 CFR63 SUBPART SSSS | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Resin | <input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W | <input type="checkbox"/> Rule 1141(d) See Applicable Subpart | <input type="checkbox"/> Rule 1141(c) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Rubber Tire | <input type="checkbox"/> 40 CFR63 SUBPART XXXX | See Applicable Subpart | See Applicable Subpart |
| <input checked="" type="checkbox"/> Manufacturing, Semiconductors | <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBB | <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart | <input type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Solvent | <input type="checkbox"/> Rule 443 (05/07/76) | N/A | N/A |
| <input type="checkbox"/> Manufacturing, Sulfuric Acid | <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd | <input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Surfactant | <input type="checkbox"/> Rule 1141.2 (01/11/02) | <input type="checkbox"/> AQMD TM 25.1 | |
| <input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes | <input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes | <input type="checkbox"/> 40 CFR60 SUBPART RRR | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Vinyl Chloride | <input type="checkbox"/> 40 CFR61 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manufacturing, Water Heaters | <input type="checkbox"/> Rule 1121 (09/03/04) | N/A | N/A |
| <input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation | <input type="checkbox"/> 40 CFR60 SUBPART PPP | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Manure Processing Operations | <input type="checkbox"/> Rule 1127 | <input type="checkbox"/> Rule 1127(h) | <input type="checkbox"/> Rule 1127(g) |
| <input type="checkbox"/> Marine Tank Vessel Operations | <input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y | <input type="checkbox"/> Rule 1142(e) See Applicable Subpart | <input type="checkbox"/> Rule 1142(h) See Applicable Subpart |
| <input type="checkbox"/> Mercury Emissions | <input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal | <input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Municipal Waste Combustors | <input type="checkbox"/> 40 CFR60 SUBPART Cb | See Applicable Subpart | See Applicable Subpart |

| | | | | | |
|-----------------------|------------------------|----------------------------|--------------------------------------|------------------|---------------|
| KEY | Reg. = AQMD Regulation | App. = Appendix | CFR = Code of Federal Regulations | AQMD Form | Rev. 05/05 |
| ABBREVIATIONS: | Rule = AQMD Rule | AQMD TM = AQMD Test Method | CCR = California Code of Regulations | 500-C1 | Page 11 of 11 |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|--|--|--|
| | <input type="checkbox"/> 40 CFR60 SUBPART Ea <input type="checkbox"/> 40 CFR60 SUBPART Eb | See Applicable Subpart See Applicable Subpart | See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Negative Air Machines/HEPA, Asbestos | <input type="checkbox"/> 40 CFR61 SUBPART M | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Nickel Electroplating Operation | <input checked="" type="checkbox"/> Rule 1426 (05/02/03) | | <input type="checkbox"/> Rule 1426(e) |
| <input type="checkbox"/> Nonmetallic Mineral Processing Plants | <input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO | <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Off-site Waste and Recovery Operation | <input type="checkbox"/> 40 CFR63 SUBPART DD | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Oil and Gas Well Operation | <input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04) | <input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g) | <input type="checkbox"/> Rule 1148.1 (f) |
| <input type="checkbox"/> Onshore Natural Gas Processing, SO ₂ Emissions | <input type="checkbox"/> 40 CFR60 SUBPART LLL | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Open Fires | <input type="checkbox"/> Rule 444 (12/21/01) | | |
| <input type="checkbox"/> Open Storage, Petroleum Coke | <input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99) | <input type="checkbox"/> Rule 403(d)(4) <input type="checkbox"/> Rule 1158(h) | <input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j) |
| <input type="checkbox"/> Open Storage | <input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) | <input type="checkbox"/> Rule 403(d)(4) | <input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) |
| <input type="checkbox"/> Outer Continental Shelf Platform | <input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55 | <input type="checkbox"/> 40 CFR55 See Applicable Subpart | <input type="checkbox"/> 40 CFR55 See Applicable Subpart |
| <input type="checkbox"/> Oven, Commercial Bakery | <input type="checkbox"/> Rule 1153 (01/13/95) | <input type="checkbox"/> Rule 1153(h) | <input type="checkbox"/> Rule 1153(g) |
| <input type="checkbox"/> Oven, Petroleum Coke | <input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> 40 CFR63 SUBPART L | <input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use | <input type="checkbox"/> 40 CFR82 Subpart G | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Petroleum Refineries | <input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250 | <input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart | <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| <input type="checkbox"/> Petroleum Refineries, Fugitive Emissions | <input type="checkbox"/> Rule 1173 (12/06/02) | <input type="checkbox"/> Rule 1173(j) | <input type="checkbox"/> Rule 1173(i) |

| | | | | | |
|-----------------------|------------------------|----------------------------|--------------------------------------|------------------|---------------|
| KEY | Reg. = AQMD Regulation | App. = Appendix | CFR = Code of Federal Regulations | AQMD Form | Rev. 05/05 |
| ABBREVIATIONS: | Rule = AQMD Rule | AQMD TM = AQMD Test Method | CCR = California Code of Regulations | 500-C1 | Page 12 of 12 |

Section II - Applicable Requirements, Test Methods, & MRR Requirements

| EQUIPMENT/PROCESS | APPLICABLE REQUIREMENT | TEST METHOD | MRR REQUIREMENT |
|--|--|---|---|
| <input type="checkbox"/> Semiconductor Manufacturing | See Manufacturing, Semiconductors | | |
| <input type="checkbox"/> Sewage Treatment Plants | See Publicly Owned Treatment Works Operation | | |
| <input type="checkbox"/> Site Remediation | <input type="checkbox"/> 40 CFR63 SUBPART GGGGG | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Smelting, Primary Copper | <input type="checkbox"/> 40 CFR63 SUBPART QQQ | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Smelting, Secondary Lead | <input type="checkbox"/> 40 CFR60 SUBPART L | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART X | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Soil Decontamination | <input type="checkbox"/> Rule 1166 (05/11/01) | <input type="checkbox"/> Rule 1166(e) | <input type="checkbox"/> Rule 1166(c)(1)(C) |
| | <input type="checkbox"/> 40 CFR63 SUBPART GGGGG | See Applicable Subpart | See Applicable Subpart |
| <input checked="" type="checkbox"/> Spray Booth | See Coating Operations | | |
| <input type="checkbox"/> Sterilizer, Ethylene Oxide | <input type="checkbox"/> 40 CFR63 SUBPART O | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Storage Tank, Degassing Operation | <input type="checkbox"/> Rule 1149 (07/14/95) | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART CC | | |
| <input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity | <input type="checkbox"/> Rule 463 (05/06/05) | <input type="checkbox"/> Rule 463(g) | <input type="checkbox"/> Rule 463(e)(5) |
| | <input type="checkbox"/> 40 CFR63 SUBPART F | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART G | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART H | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART I | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR60 SUBPART K | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR60 SUBPART Ka | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR60 SUBPART Kb | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART R | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART CC | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Synthetic Fiber Production Facilities | <input type="checkbox"/> 40 CFR60 SUBPART HHH | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Taconite Iron Ore Processing Facilities | <input type="checkbox"/> 40 CFR63 SUBPART RRRRR | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Turbine, Stationary Gas-Fired | <input type="checkbox"/> Rule 1134 (08/08/97) | <input type="checkbox"/> CEMS Rule 1134(e) & (g) | <input type="checkbox"/> Rule 1134(d) & (f) |
| | <input type="checkbox"/> Rule 475 (08/07/78) | <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 | See Applicable Subpart See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR60 SUBPART GG | See Applicable Subpart | |
| <input type="checkbox"/> Turbine, Stationary Oil-Fired | <input type="checkbox"/> 40 CFR63 SUBPART YYYYY | See Applicable Subpart | See Applicable Subpart |
| | <input type="checkbox"/> 40 CFR63 SUBPART YYYYY | See Applicable Subpart | See Applicable Subpart |
| <input type="checkbox"/> Valves | See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Vessel, Refinery Process | <input type="checkbox"/> Rule 1123 (12/07/90) | N/A | <input type="checkbox"/> Rule 1123(c) |
| <input type="checkbox"/> Vessels | See Petroleum Refineries, Fugitive Emissions | | |
| <input type="checkbox"/> Wastewater, Chemical Plant | <input type="checkbox"/> Rule 464 (12/07/90) | N/A | <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart |
| | <input type="checkbox"/> Rule 1176 (09/13/96) | <input type="checkbox"/> Rule 1176(h) | |
| | <input type="checkbox"/> 40 CFR63 SUBPART F | See Applicable Subpart | |
| | <input type="checkbox"/> 40 CFR63 SUBPART G | See Applicable Subpart | |
| | <input type="checkbox"/> 40 CFR63 SUBPART H | See Applicable Subpart | |
| | <input type="checkbox"/> 40 CFR63 SUBPART I | See Applicable Subpart | |
| <input type="checkbox"/> Wastewater Treatment, Other | <input type="checkbox"/> Rule 464 (12/07/90) | N/A | <input type="checkbox"/> Rule 1176(f) & (g) |
| | <input type="checkbox"/> Rule 1176 (09/13/96) | <input type="checkbox"/> Rule 1176(h) | |
| <input type="checkbox"/> Woodworking Operations | <input type="checkbox"/> Rule 1137 (02/01/02) | N/A | <input type="checkbox"/> Rule 1137(e) |

Section IV – SIP-Approved Rules That Are Not The Most Current AQMD Rules

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

| SIP-Approved Rule | Adoption/ Amendment Date | Check (✓) if Applies | SIP-Approved Rule | Adoption/ Amendment Date | Check (✓) if Applies |
|-------------------|--------------------------------|-------------------------------------|-------------------|--------------------------------|-------------------------------------|
| 218 | 08/07/81 | <input type="checkbox"/> | 1146.2 | 01/09/98 | <input type="checkbox"/> |
| 401 | 03/02/84 | <input checked="" type="checkbox"/> | 1162 | 11/17/00 | <input type="checkbox"/> |
| 403 | 12/11/98 | <input type="checkbox"/> | 1166 | 07/14/95 | <input type="checkbox"/> |
| 403.1 | 01/15/93 | <input type="checkbox"/> | 1168 | 10/03/03 | <input type="checkbox"/> |
| 431.2 | 05/04/90 | <input type="checkbox"/> | 1171 | 11/07/03 | <input checked="" type="checkbox"/> |
| 463 | 03/11/94 | <input type="checkbox"/> | 1173 | 05/13/94 | <input type="checkbox"/> |
| 466.1 | 05/02/80 | <input type="checkbox"/> | 1186 | 09/10/99 | <input type="checkbox"/> |
| 469 | 05/07/76 | <input type="checkbox"/> | 2000 | 05/11/01 | <input type="checkbox"/> |
| 475 | 10/08/76 | <input type="checkbox"/> | 2001 | 05/11/01 | <input type="checkbox"/> |
| 1112 | 01/06/84 | <input type="checkbox"/> | 2002 | 05/11/01 | <input type="checkbox"/> |
| 1113 | 11/08/96 | <input checked="" type="checkbox"/> | 2005 | 04/20/01 | <input type="checkbox"/> |
| 1121 | 12/10/99 | <input type="checkbox"/> | 2007 | 12/05/03 | <input type="checkbox"/> |
| 1122 | 07/11/97 | <input type="checkbox"/> | 2010 | 05/11/01 | <input type="checkbox"/> |
| 1132 | 03/05/04 | <input type="checkbox"/> | 2011 | 12/05/03 | <input type="checkbox"/> |
| 1140 | 02/01/80 | <input type="checkbox"/> | 2012 | 12/05/03 | <input type="checkbox"/> |
| 1145 | 02/14/97 | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |

Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

| Non SIP-Approved Rule | Adoption/ Amendment Date | Check (✓) if Applies | Non SIP-Approved Rule | Adoption/ Amendment Date | Check (✓) if Applies |
|------------------------|--------------------------------|-------------------------------------|-----------------------|--------------------------------|-------------------------------------|
| 53 Los Angeles Co. | N/A | <input checked="" type="checkbox"/> | 1170 | 05/06/88 | <input type="checkbox"/> |
| 53 Orange Co. | N/A | <input type="checkbox"/> | 1183 | 03/12/93 | <input type="checkbox"/> |
| 53 Riverside Co. | N/A | <input type="checkbox"/> | 1186.1 | 06/04/04 | <input type="checkbox"/> |
| 53 San Bernardino Co. | N/A | <input type="checkbox"/> | 1191 | 06/16/00 | <input type="checkbox"/> |
| 53A San Bernardino Co. | N/A | <input type="checkbox"/> | 1192 | 06/16/00 | <input type="checkbox"/> |
| 218.1 | 05/14/99 | <input type="checkbox"/> | 1193 | 06/06/03 | <input type="checkbox"/> |
| 402 | 05/07/76 | <input checked="" type="checkbox"/> | 1194 | 10/20/00 | <input type="checkbox"/> |
| 429 | 12/21/90 | <input type="checkbox"/> | 1195 | 04/20/01 | <input type="checkbox"/> |
| 430 | 07/12/96 | <input checked="" type="checkbox"/> | 1196 | 06/04/04 | <input type="checkbox"/> |
| 441 | 05/07/76 | <input type="checkbox"/> | 1401 | 03/04/05 | <input checked="" type="checkbox"/> |
| 473 | 05/07/76 | <input type="checkbox"/> | 1402 | 03/04/05 | <input type="checkbox"/> |
| 477 | 04/03/81 | <input type="checkbox"/> | 1403 | 04/08/94 | <input type="checkbox"/> |
| 480 | 10/07/77 | <input type="checkbox"/> | 1404 | 04/06/90 | <input type="checkbox"/> |
| 1105.1 | 11/07/03 | <input type="checkbox"/> | 1405 | 01/04/91 | <input type="checkbox"/> |
| 1109 | 08/05/88 | <input type="checkbox"/> | 1406 | 07/08/94 | <input type="checkbox"/> |
| 1110.1 | 10/04/85 | <input type="checkbox"/> | 1407 | 07/08/94 | <input type="checkbox"/> |
| 1110.2 | 11/14/97 | <input type="checkbox"/> | 1411 | 03/01/91 | <input type="checkbox"/> |
| 1116.1 | 10/20/78 | <input type="checkbox"/> | 1414 | 05/03/91 | <input type="checkbox"/> |
| 1118 | 02/13/98 | <input type="checkbox"/> | 1415 | 10/14/94 | <input type="checkbox"/> |
| 1127 | 08/06/04 | <input type="checkbox"/> | 1418 | 09/10/99 | <input type="checkbox"/> |
| 1148.1 | 03/05/04 | <input type="checkbox"/> | 1420 | 09/11/92 | <input type="checkbox"/> |
| 1150 | 10/15/82 | <input type="checkbox"/> | 1421 | 12/06/02 | <input type="checkbox"/> |
| 1157 | 01/07/05 | <input type="checkbox"/> | 1425 | 03/16/01 | <input type="checkbox"/> |
| 1163 | 06/07/85 | <input type="checkbox"/> | 1426 | 05/02/03 | <input type="checkbox"/> |

Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)

| | | | | | |
|--------|----------|--------------------------|--------|----------|--------------------------|
| 1469 | 05/02/03 | <input type="checkbox"/> | 2009.1 | 05/11/01 | <input type="checkbox"/> |
| 1469.1 | 03/04/05 | <input type="checkbox"/> | 2020 | 05/11/01 | <input type="checkbox"/> |
| 1470 | 03/04/05 | <input type="checkbox"/> | 2501 | 05/09/97 | <input type="checkbox"/> |
| 2009 | 01/07/05 | <input type="checkbox"/> | 2506 | 12/10/99 | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |
| | | <input type="checkbox"/> | | | <input type="checkbox"/> |

From (714) 373-3800
Sarah Strasner
E5 Inc.
11358 Knott Street

Origin ID: APVA



Garden Grove, CA 92841

Ship Date: 25JAN11
ActWgt: 1.0 LB
CAD: 100750508/INET3130

Delivery Address Bar Code



SHIP TO: (909) 396-2900
Title V Permit Renewal
SCAQMD
21865 COPLEY DR


BILL SENDER

Ref # 3480.34
Invoice #
PO #
Dept #

DIAMOND BAR, CA 91765


WED - 26 JAN A1
PRIORITY OVERNIGHT

TRK# 7966 9357 0926
0201



WZ RBFA

91765
CA-US
LAX



500610E770E7B

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.