

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	96037	Company Name:	Texture Design Furniture, Inc.	
Equipment Location:	1303 South Claudina Street, Anaheim, CA 92805			SIC Code: 2511
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:		
Application #(s):	518721	Application Submittal Date(s):	02/10/2011	
AQMD Contact Person:	Hamed Mandilawi	Phone #:	(909) 396-3275	
		E-Mail Address:	hmandilawi@aqmd.gov	
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in wood furniture manufacturing. The facility operates three spray booths and other supporting equipment.				
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal				
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance				
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2010		<input checked="" type="checkbox"/> No TACs Reported <input type="checkbox"/> <u>The Following TACs Were Reported:</u> <u>Emissions (lbs/yr):</u>		
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ <u>in one million</u> Acute Hazard Index = _____ Chronic Hazard Index = _____				
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2010		<input checked="" type="checkbox"/> NOx 0 _____ <input checked="" type="checkbox"/> PM 0 _____ <input checked="" type="checkbox"/> CO 0 _____ <input checked="" type="checkbox"/> SOx 0 _____ <input checked="" type="checkbox"/> VOC 4.012 _____ <input type="checkbox"/> Other: _____		
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (2)				
Comments:				