

PROPOSED

[Issuance Date]

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

06-XXXE CAB
File No. 0045-22

Mr. Jay Obrey
Director of Asphalt Plant and Quarry
Grace Pacific Corporation
P. O. Box 78
Honolulu, Hawaii 96810

Dear Mr. Obrey:

Subject: Permit Amendment
Temporary Covered Source Permit (CSP) No. 0045-02-CT
Application for Minor Modification No. 0045-22
Grace Pacific Corporation
334 TPH Asphalt Plant
Located at: 91-920 Farrington Highway, Kapolei, Oahu
Date of Expiration: November 8, 2009

The subject temporary covered source permit is amended in accordance with Hawaii Administrative Rules (HAR), Title 11, Chapter 60.1. The amendment is based on the plans and specifications submitted as part of your application for a minor modification dated April 12, 2006, and additional information provided via telephone discussions and email. The permit amendment: (a) adds a fiberbed mist collector to the list of permitted equipment; (b) provides for obtaining Unitek diesel from Unitek Solvent Services, Inc., (c) provides for laboratory analyses of Unitek diesel; and (d) updates location change requirements.

This temporary covered source permit amends and supersedes CSP 0045-02-CT, issued on November 9, 2004, and the permit amendments to CSP 0045-02-CT issued on June 21, 2005, November 2, 2005, and November 21, 2005, in their entirety.

The covered source permit is issued subject to the conditions/requirements set forth in the following attachments:

- Attachment I: Standard Conditions
- Attachment II: Special Conditions
- Attachment II - INSIG: Special Conditions - Insignificant Activities
- Attachment III: Annual Fee Requirements
- Attachment IV: Annual Emissions Reporting Requirements

PROPOSED

The forms for submission are as follows:

Compliance Certification Form
Monitoring/Annual Emissions Report Form: Asphalt Drum Mixer
Monitoring/Annual Emissions Report Form: Diesel Engine Generator
Monitoring/Annual Emissions Report Form: Reclaimed Asphalt Paving
Monitoring Report Form: Visible Emissions
Change of Location Request for a Temporary Source

The following are for use in monitoring visible emissions:

Visible Emissions Form Requirements
Visible Emissions Form
The Ringelmann Chart

This permit: (a) shall not in any manner affect the title of the premises upon which the equipment is to be located; (b) does not release the permittee from any liability for any loss due to personal injury or property damage caused by, resulting from or arising out of the design, installation, maintenance, or operation of the equipment; and (c) in no manner implies or suggests that the Department of Health, or its officers, agents, or employees, assumes any liability, directly or indirectly, for any loss due to personal injury or property damage caused by, resulting from or arising out of the design, installation, maintenance, or operation of the equipment.

Sincerely,

THOMAS E. ARIZUMI, P.E., CHIEF
Environmental Management Division

AM:jhm

Enclosures

c: Ronald Ho - CIP Coordinator
CAB Monitoring Section

PROPOSED

ATTACHMENT I: STANDARD CONDITIONS TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT

[Issuance Date]

Expiration Date: November 8, 2009

This permit is granted in accordance with the Hawaii Administrative Rules (HAR), Title 11, Chapter 60.1, Air Pollution Control, and is subject to the following standard conditions:

1. Unless specifically identified, the terms and conditions contained in this permit are consistent with the applicable requirement, including form, on which each term or condition is based.

(Auth.: HAR §11-60.1-90)
2. This permit, or a copy thereof, shall be maintained at or near the source and shall be made available for inspection upon request. The permit shall not be willfully defaced, altered, forged, counterfeited, or falsified.

(Auth.: HAR §11-60.1-6; SIP §11-60-11)²
3. This permit is not transferable whether by operation of law or otherwise, from person to person, from place to place, or from one piece of equipment to another without the approval of the Department of Health, except as provided in HAR, Section 11-60.1-91.

(Auth.: HAR §11-60.1-7; SIP §11-60-9)²
4. A request for transfer from person to person shall be made on forms furnished by the Department of Health.

(Auth.: HAR §11-60.1-7)
5. In the event of any changes in control or ownership of the facilities to be constructed or modified, this permit shall be binding on all subsequent owners and operators. The permittee shall notify the succeeding owner and operator of the existence of this permit and its conditions by letter, copies of which will be forwarded to the Department of Health and the U.S. Environmental Protection Agency (EPA), Region 9.

(Auth.: HAR §11-60.1-5, §11-60.1-7, §11-60.1-94)
6. The facility covered by this permit shall be constructed and operated in accordance with the application, and any information submitted as part of the application, for the Covered Source Permit. There shall be no deviation unless additional or revised plans are submitted to and approved by the Department of Health, and the permit is amended to allow such deviation.

(Auth.: HAR §11-60.1-2, §11-60.1-4, §11-60.1-82, §11-60.1-84, §11-60.1-90)

7. This permit (a) does not release the permittee from compliance with other applicable statutes of the State of Hawaii, or with applicable local laws, regulations, or ordinances, and (b) shall not constitute, nor be construed to be an approval of the design of the covered source.

(Auth.: HAR §11-60.1-5, §11-60.1-82)

8. The permittee shall comply with all the terms and conditions of this permit. Any permit noncompliance constitutes a violation of HAR, Chapter 11-60.1 and the Clean Air Act and is grounds for enforcement action; for permit termination, suspension, reopening, or amendment; or for denial of a permit renewal application.

(Auth.: HAR §11-60.1-3, §11-60.1-10, §11-60.1-19, §11-60.1-90)

9. If any term or condition of this permit becomes invalid as a result of a challenge to a portion of this permit, the other terms and conditions of this permit shall not be affected and shall remain valid.

(Auth.: HAR §11-60.1-90)

10. The permittee shall not use as a defense in an enforcement action that it would have been necessary to halt or reduce the permitted activity to maintain compliance with the terms and conditions of this permit.

(Auth.: HAR §11-60.1-90)

11. This permit may be terminated, suspended, reopened, or amended for cause pursuant to HAR, Sections, 11-60.1-10 and 11-60.1-98, and Hawaii Revised Statutes (HRS), Chapter 342B-27, after affording the permittee an opportunity for a hearing in accordance with HRS, Chapter 91.

(Auth.: HAR §11-60.1-3, §11-60.1-10, §11-60.1-90, §11-60.1-98)

12. The filing of a request by the permittee for the termination, suspension, reopening, or amendment of this permit, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

(Auth.: HAR §11-60.1-90)

13. This permit does not convey any property rights of any sort, or any exclusive privilege.

(Auth.: HAR §11-60.1-90)

14. The permittee shall notify the Department of Health and U.S. EPA Region 9 in writing of the following dates:
- a. The **anticipated date of initial start-up** for each emission unit of a new source or significant modification not more than sixty (60) days or less than thirty (30) days prior to such date;
 - b. The **actual date of construction commencement** within fifteen (15) days after such date; and
 - c. The **actual date of start-up** within fifteen (15) days after such date.

(Auth.: HAR §11-60.1-90)

15. The permittee shall furnish, in a timely manner, any information or records requested in writing by the Department of Health to determine whether cause exists for terminating, suspending, reopening, or amending this permit, or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Department of Health copies of records required to be kept by the permittee. For information claimed to be confidential, the Director of Health may require the permittee to furnish such records not only to the Department of Health but also directly to the U.S. EPA Region 9 along with a claim of confidentiality.

(Auth.: HAR §11-60.1-14, §11-60.1-90)

16. The permittee shall notify the Department of Health in writing, of the **intent to shut down air pollution control equipment for necessary scheduled maintenance** at least twenty-four (24) hours prior to the planned shutdown. The submittal of this notice shall not be a defense to an enforcement action. The notice shall include the following:
- a. Identification of the specific equipment to be taken out of service, as well as its location and permit number;
 - b. The expected length of time that the air pollution control equipment will be out of service;
 - c. The nature and quantity of emissions of air pollutants likely to be emitted during the shutdown period;
 - d. Measures such as the use of off-shift labor and equipment that will be taken to minimize the length of the shutdown period; and
 - e. The reasons why it would be impossible or impractical to shut down the source operation during the maintenance period.

(Auth.: HAR §11-60.1-15; SIP §11-60-16)²

17. **Except for emergencies which result in noncompliance with any technology-based emission limitation in accordance with HAR, Section 11-60.1-16.5, in the event any emission unit, air pollution control equipment, or related equipment malfunctions or breaks down in such a manner as to cause the emission of air pollutants in violation of HAR, Chapter 11-60.1 or this permit, the permittee shall immediately notify the Department of Health of the malfunction or breakdown, unless the protection of personnel or public health or safety demands immediate attention to the malfunction or breakdown and makes such notification infeasible. In the latter case, the notice shall be provided as soon as practicable. Within five (5) working days of this initial notification, the permittee shall also submit, in writing, the following information:**
- a. Identification of each affected emission point and each emission limit exceeded;
 - b. Magnitude of each excess emission;
 - c. Time and duration of each excess emission;
 - d. Identity of the process or control equipment causing the excess emission;
 - e. Cause and nature of each excess emission;
 - f. Description of the steps taken to remedy the situation, prevent a recurrence, limit the excessive emissions, and assure that the malfunction or breakdown does not interfere with the attainment and maintenance of the National Ambient Air Quality Standards and state ambient air quality standards;
 - g. Documentation that the equipment or process was at all times maintained and operated in a manner consistent with good practice for minimizing emissions; and
 - h. A statement that the excess emissions are not part of a recurring pattern indicative of inadequate design, operation, or maintenance.

The submittal of these notices shall not be a defense to an enforcement action.

(Auth.: HAR §11-60.1-16; SIP §11-60-16)²

18. The permittee may request confidential treatment of any records in accordance with HAR section 11-60.1-14.
- (Auth.: HAR §11-60.1-14, §11-60.1-90)
19. This permit shall become invalid with respect to the authorized construction if construction is not commenced as follows:
- a. Within eighteen (18) months after the permit takes effect, is discontinued for a period of eighteen (18) months or more, or is not completed within a reasonable time.

- b. For phased construction projects, each phase shall commence construction within eighteen (18) months of the projected and approved commencement dates in the permit. This provision shall be applicable only if the projected and approved commencement dates of each construction phase are defined in Attachment II, Special Conditions, of this permit.

(Auth.: HAR §11-60.1-9, §11-60.1-90)

20. The Department of Health may extend the time periods specified in Standard Condition No. 19 upon a satisfactory showing that an extension is justified. Requests for an extension shall be submitted in writing to the Department of Health.

(Auth.: HAR §11-60.1-9, §11-60.1-90)

21. The permittee shall submit fees in accordance with HAR, Chapter 11-60.1, Subchapter 6.

(Auth.: HAR §11-60.1-90)

22. All certifications shall be in accordance with HAR, section 11-60.1-4.

(Auth.: HAR §11-60.1-4, HAR §11-60.1-90)

23. The permittee shall allow the Director of Health, the Regional Administrator for the U.S. EPA and/or an authorized representative, upon presentation of credentials or other documents required by law:

- a. To enter the premises where a source is located or emission-related activity is conducted, or where records must be kept under the conditions of this permit and inspect at reasonable times all facilities, equipment, including monitoring and air pollution control equipment, practices, operations, or records covered under the terms and conditions of this permit and request copies of records or copy records required by this permit; and
- b. To sample or monitor at reasonable times substances or parameters to ensure compliance with this permit or applicable requirements of HAR, Chapter 11-60.1.

(Auth.: HAR §11-60.1-11, §11-60.1-90)

24. Within thirty (30) days of **permanent discontinuance of the construction, modification, relocation, or operation of the facility covered by this permit**, the discontinuance shall be reported in writing to the Department of Health by a responsible official of the source.

(Auth.: HAR §11-60.1-8; SIP §11-60-10)²

25. Each permit renewal application shall be submitted to the Department of Health and the U.S. EPA Region 9 no less than twelve months and no more than eighteen months prior to the permit expiration date. The director may allow a permit renewal application to be submitted no less than six months prior to the permit expiration date, if the director determines that there is reasonable justification.

(Auth.: HAR §11-60.1-101, 40 CFR §70.5(a)(1)(iii))¹

26. The terms and conditions included in this permit, including any provision designed to limit a source's potential to emit, are federally enforceable unless such terms, conditions, or requirements are specifically designated as not federally enforceable.

(Auth.: HAR §11-60.1-93)

27. The compliance plan and compliance certification submittal requirements shall be in accordance with HAR, sections 11-60.1-85 and 11-60.1-86. As specified in HAR, section 11-60.1-86, the compliance certification shall be submitted to the Department of Health and the U.S. EPA Region 9 once per year, or more frequently as set by any applicable requirement.

(Auth.: HAR §11-60.1-90)

28. **Any document (including reports) required to be submitted by this permit shall be certified as being true, accurate, and complete by a responsible official in accordance with HAR, sections 11-60.1-1 and 11-60.1-4, and shall be mailed to the following address:**

**Clean Air Branch
Environmental Management Division
State of Hawaii Department of Health
P.O. Box 3378
Honolulu, HI 96801-3378**

Upon request and as required by this permit, all correspondence to the State of Hawaii Department of Health associated with this Covered Source Permit shall have duplicate copies forwarded to:

**Chief
Permits Office, (Attention: Air-3)
Air Division
U.S. Environmental Protection Agency
Region 9
75 Hawthorne Street
San Francisco, CA 94105**

(Auth.: HAR §11-60.1-4, §11-60.1-90)

29. To determine compliance with submittal deadlines for time-sensitive documents, the postmark date of the document shall be used. If the document was hand-delivered, the date received ("stamped") at the Clean Air Branch shall be used to determine the submittal date.

(Auth.: HAR §11-60.1-5, §11-60.1-90)

¹ The citations to the Code of Federal Regulations (CFR) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the CFR. Due to the integration of the preconstruction and operating permit requirements, permit conditions may incorporate more stringent requirements than those set forth in the CFR.

² The citations to the State Implementation Plan (SIP) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the SIP.

PROPOSED

ATTACHMENT II: SPECIAL CONDITIONS TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT

[Issuance Date]
2009

Expiration Date: November 8,

In addition to the standard conditions of the Temporary Covered Source Permit, the following special conditions shall apply to the permitted facility:

Section A. Equipment Description

1. The 334 TPH Asphalt Plant encompasses the following equipment and associated appurtenances:
 - a. 334 TPH Astec double-barrel, counter-flow drum mixer, model PDDC-835C, serial no. 92-152;
 - b. 725 kW Caterpillar diesel engine generator de-rated to 544 kW, model 3412, serial no. 2WJ01364;
 - c. Astec baghouse with 18-oz. Nomex bags, model RBH-58:DB, serial no. 92-152 437, servicing the drum-mixer;
 - d. Reclaimed asphalt paving (RAP) crushing and screening system, model RRB-814/30C, consisting of the following:
 - i. 96 TPH TelSmith hammermill crusher, model HSI-3036, serial no. 232M337;
 - ii. 275 TPH TelSmith single-deck screen, 4' x 8', model VK481, serial no. 363M474; and
 - iii. Various conveyor belts.
 - e. Diester single deck scalping screen, 4' x 12' 1", model USM-1412, serial no. 579262;
 - f. Astec fiberbed mist collector, model no. BSC-16-FBF, serial no. 06-041;
 - g. Four (4) asphalt silos, each with 100 ton capacity; and
 - h. Various conveyor belts.
- (Auth.: HAR §11-60.1-3)
2. With the exception of the silos and conveyor belts, an identification tag or name plate shall be displayed on the equipment to show manufacturer, model no., and serial no. The identification tag or name plate shall be permanently attached to the equipment in a conspicuous location.

(Auth.: HAR §11-60.1-5, HAR §11-60.1-90)

Section B. Applicable Federal Regulations

1. The 334 Asphalt Plant is subject to the provisions of the following federal regulations:
 - a. 40 CFR Part 60 Standards of Performance for New Stationary Sources, Subpart A, General Provisions; and

- b. 40 CFR Part 60 Standards of Performance for New Stationary Sources, Subpart I, Standards of Performance for Hot Mix Asphalt Facilities.

(Auth.: HAR §11-60.1-3, §11-60.1-90, §11-60.1-161; 40 CFR §60.1, §60.90)¹

2. The permittee shall comply with all applicable provisions of Subparts A and I, including all emission limits and all notification, testing, monitoring, and reporting requirements. The major requirements of these standards are detailed in the special conditions of this permit.

(Auth.: HAR §11-60.1-3, §11-60.1-90, §11-60.1-161)

Section C. Emission Limits

1. The permittee shall not discharge or cause the discharge into the atmosphere from the exhaust stack of the baghouse servicing the drum mixer, particulate matter in excess of 90 mg/dscm (0.04 gr/dscf).

(Auth.: HAR §11-60.1-3, §11-60.1-90, 40 CFR §60.92)¹

2. For any six (6) minute averaging period, the diesel engine generator, baghouse servicing the drum mixer, and fiberbed mist collector shall not exhibit visible emissions of twenty (20) percent or greater, except as follows: during startup, shutdown, or equipment breakdown, the diesel engine generator, baghouse, and fiberbed mist collector may exhibit visible emissions greater than twenty (20) but not exceeding sixty (60) percent opacity for a period aggregating not more than six (6) minutes in any sixty (60) minute period.

(Auth.: HAR §11-60.1-3, §11-60.1-32, §11-60.1-90; SIP §11-60-24)²

Section D. Operational Limits

1. Drum Mixer

- a. The drum mixer shall not produce more than 540,000 tons of asphalt concrete in any rolling 12-month period.
- b. The drum mixer shall not operate more than 20 hours per day.
- c. The drum mixer shall only be fired on the following fuels:
 - i. Fuel oil no. 2 with a maximum sulfur content not to exceed 0.5% by weight;
 - ii. Synthetic or liquid petroleum gas;

- iii. Unitek diesel, as provided in Special Condition D.2 of this attachment, with a maximum sulfur content not to exceed 0.5% by weight; or
 - iv. A blend of fuel oil no. 2, Unitek diesel, and specification (spec) used oil as provided in Special Condition D.3 of this attachment. The fuel blend shall consist of, at most, 25 percent of spec used oil.
- d. Spec used oil consumption by the drum mixer shall not exceed 20,000 gallons in any rolling 12-month period.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-38, §11-60.1-90)

2. Unitek Diesel

- a. Unitek diesel shall only be obtained from Unitek Solvent Services, Inc.
- b. The Department of Health may, at any time, require the permittee to conduct an analysis of constituents and properties of Unitek diesel and establish limits to ensure compliance with any federal or state requirements.

(Auth.: HAR §11-60.1-3, §11-60.1-38, §11-60.1-90)

3. Specification (Spec) Used Oil

- a. The permit conditions prescribed herein may at any time be revised by the Department of Health to reflect federal or state promulgated rules on used oil.
- b. This permit shall not release the permittee from compliance with all applicable state and federal rules and regulations on the handling, transporting, storing, and burning of used oil.
- c. The used oil shall be obtained only from Unitek Solvent Services, Inc. and sources within Grace Pacific Corporation. Used oil may also be obtained from other sources, provided written notification identifying the new source is submitted to the Department of Health, and approved, prior to the acceptance of the used oil.
- d. Sampling
 - i. For used oil supplied by Unitek:

An analysis report shall be obtained for the constituents and properties for which limits are provided in Special Condition D.3.f of this attachment, for each batch of used oil delivered.

- ii. For used oil generated within Grace Pacific Corporation:

Samples of the used oil generated from within Grace Pacific Corporation shall be taken from the spec used oil tank, holding tanks, or drums, as applicable, and analyzed for compliance with the limits in Special Condition D.3.f of this attachment, prior to being emptied into the blend tank and burned. These samples shall be taken in such a manner that the composite sample is representative of all the used oil in that batch and is submitted to a qualified laboratory for analysis in a timely manner. Additional used oil may be added to the batch provided that:

- a) The used oil in the spec used oil tank is retested after the addition of untested used oil; or
 - b) The holding tanks or drums of untested used oil are tested prior to addition to the spec used oil tank, and results meet the requirements of Special Condition D.3.f of this attachment.
- e. In no case, shall any used oil that has not been tested and verified (by laboratory analysis or as provided in Special Condition D.3.h of this attachment) to meet the spec used oil requirements of Special Condition D.3.f of this attachment be added to the blend tank and burned.
- f. The following constituents and properties of the spec used oil shall not exceed the specified limits listed below:

<u>Constituent/Property</u>	<u>Allowable Limit</u>
Arsenic	5 ppm maximum
Cadmium	2 ppm maximum
Chromium	10 ppm maximum
Lead	100 ppm maximum
Total Halogen	1,000 ppm maximum
Sulfur	0.5% maximum by weight
Flash Point	100°F minimum
Polychlorinated Biphenyls (PCB)	< 2 ppm

- g. Should the results of any used oil analyses deem the sample to be hazardous, the contaminated containers shall be identified and isolated from the non-contaminated containers and properly disposed. Fuel blending, to meet the constituent or property limits provided in Special Condition D.3.f of this attachment, is only allowed for used oil that has not been deemed hazardous.

- h. If fuel blending is used to meet Special Condition D.3.f of this attachment, the permittee shall retest or perform calculations to verify that the blended fuel meets the spec used oil limits in Special Condition D.3.f of this attachment. Blended fuel oil meeting Special Condition D.3.f is considered spec used oil and requires additional blending with fuel oil no. 2 to meet Special Condition D.1.c.iv of this attachment.
- i. This permit does not authorize the permittee to burn hazardous waste or off-spec used oil. The permittee shall not accept or burn used oil that has been declared or determined to be hazardous waste and shall not burn off-spec used oil.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-5, §11-60.1-90)

4. Diesel Engine Generator

- a. The 725 kW diesel engine generator shall be permanently de-rated to 75% of the rated full-load (544 kW) by re-programming the governor.
- b. The diesel engine generator shall not operate more than 20 hours per day.
- c. The diesel engine generator shall only be fired on the following fuels:
 - i. Fuel oil no. 2 with a maximum sulfur content not to exceed 0.5% by weight; or
 - ii. Synthetic or liquefied petroleum gas.
- d. Total heat input to the diesel engine generator shall not exceed 14,722 MMBtu in any rolling 12-month period.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-38, §11-60.1-90)

5. Recycled Asphalt Paving (RAP)

The total amount of RAP used shall not exceed 216,000 tons in any rolling 12-month period.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

6. Baghouse

- a. The baghouse servicing the drum-mixer shall be utilized at all times during the operation of the 334 TPH Asphalt Plant. The permittee shall not operate the drum mixer if a problem affecting baghouse control efficiency is observed at any time. The permittee shall investigate and correct the problem before resuming drum mixer operation.

- b. The permittee shall ensure the following items of the baghouse are operating properly:
 - i. The filter bags are checked for any tears, holes, abrasions and scuffs, and replaced as needed;
 - ii. The hopper is discharged in a timely manner to prevent excessive particulate buildup which could cause compaction, overflow or plugging;
 - iii. The cleaning system is maintained and operated at sufficient intervals to minimize particulate buildup or caking on the filter bags; and
 - iv. Other miscellaneous items/equipment essential for the effective operation of the baghouse are maintained.

(Auth.: HAR §11-60.1-3, §11-60.1-33, §11-60.1-90)

7. Fiberbed Mist Collector

- a. The inlet gas temperature of the fiberbed mist collector shall not exceed 120 degrees Fahrenheit.
- b. The prefilters for the fiberbed mist collector shall be examined once per week or as recommended by the manufacturer to check for noticeable holes and tears. Prefilters shall be replaced when the pressure drop across the fiberbed mist collector equals or exceeds 12 inches of water.

(Auth.: HAR §11-60.1-3, §11-60.1-33, §11-60.1-90)

8. Plant Maintenance

The 334 TPH Asphalt Plant, including the drum-mixer and baghouse, diesel engine generator, scalping screen, RAP crushing and screening system, and fiberbed mist collector shall be maintained in good operating condition with scheduled inspections and maintenance as recommended by the manufacturer or as needed.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

9. Fugitive Dust

- a. The permittee shall maintain enclosures on the aggregate processing and RAP crushing and screening systems. The enclosures shall cover the crusher, screens, and all conveyors used in the RAP and aggregate processing systems. The enclosures shall be utilized continuously during operation of the RAP and aggregate processing systems to control fugitive dust.

- b. The permittee shall not cause or permit fugitive dust to become airborne without taking reasonable precautions, nor discharge visible emissions of fugitive dust beyond the lot line of the property on which the emissions originate.
- c. The permittee shall take measures to control fugitive dust (e.g., wet suppression, enclosures, etc.) at the RAP crushing and screening plant, scalping screen, all material transfer points, stockpile bunkers, and throughout the workyard. The Department of Health may at any time require the permittee to further abate fugitive dust emissions if an inspection indicates poor or insufficient control.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-33, §11-60.1-90)

10. Alternate Operating Scenarios

- a. Terms and conditions for reasonably anticipated operating scenarios identified by the source in the temporary covered source permit application and approved by the Department of Health are as follows:
 - i. The permittee may replace the diesel engine generator with a temporary replacement unit if any repair reasonably warrants the removal (i.e., equipment failure, engine overhaul, or any major equipment problems requiring maintenance for efficient operation) of the diesel engine generator from its site and the following provisions are adhered to:
 - (1) Written notification identifying the reasons for the replacement from the site of operation is submitted to the Department of Health prior to the exchange;
 - (2) The temporary replacement unit is the same size or smaller with equal or lesser emissions;
 - (3) The temporary replacement unit complies with all applicable conditions including all air pollution control equipment requirements, operating restrictions, and emission limits;
 - (4) The diesel engine generator shall be repaired and returned to service at the same location in a timely manner;
 - (5) Prior to the removal and return of the diesel engine generator, the permittee shall submit to the Department of Health written documentation on the removal and return dates and on the make, size, model and serial numbers for both the temporary replacement unit and the installed unit; and
 - (6) The permittee shall also submit any additional information as requested by the Department of Health, which may include an ambient air quality impact assessment verifying that State Ambient Air Quality Standards are met.

- b. The terms and conditions under each operating scenario shall meet all applicable requirements, including special conditions of this permit.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

11. Temporary Source Requirements

- a. The operation of the equipment covered by this temporary covered source permit shall involve at least one location change during the term of this permit. Subsequent location changes of the 334 TPH Asphalt Plant shall be in accordance with Section H of this attachment. For each change in location, the Department of Health reserves the right to impose additional operational controls and restrictions if a site evaluation indicates the controls and/or restrictions are necessary.
- b. The emissions from the equipment covered by this temporary covered source permit shall not exceed the threshold limits for a "major source" as defined in HAR §11-60.1-1.

(Auth.: HAR §11-60.1-81)

Section E. Monitoring and Recordkeeping Requirements

1. Records

All records, including support information, shall be maintained for at least five (5) years from the date of the monitoring sample, measurement, test, report, or application. Support information includes maintenance, inspection, calibration, and repair records of the permitted equipment. These records shall be in a permanent form suitable for inspection and made available to the Department of Health or its representative upon request.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90)

2. Asphalt Concrete Production

The permittee shall maintain records on the amount of asphalt concrete produced on a daily, monthly, and rolling 12-month basis to determine compliance with Special Condition D.1.a of this attachment. Production print-outs and receipts shall be maintained to substantiate daily and monthly production rates.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

3. Drum Mixer Operating Hours

- a. A non-resetting hour meter shall be installed, operated, and maintained on the drum mixer for continuous and permanent recording of the total operating hours of the drum mixer. Meter readings at start-up and shut-down of the drum mixer shall be recorded daily, along with total daily operating hours for the purpose of determining compliance with the 20 hour per day limit provided in Special Condition D.1.b of this attachment.
- b. For each day that the drum mixer is operated more than 20 hours per day, the following shall be recorded:
 - i. Date, start-up and shut-down operating time;
 - ii. Total hours the drum-mixer was operated; and
 - iii. Reason why the limit was exceeded.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

4. Drum Mixer Fuel

- a. Records shall be maintained on the quantity of each fuel fired in the drum mixer annually, for the purpose of annual emissions reporting. The permittee shall maintain fuel purchase receipts showing the delivery date, supplier, fuel, and amount delivered. For fuels other than liquid petroleum gas and synthetic natural gas, fuel purchase receipts or specification sheets indicating the fuel sulfur content (percent by weight) shall also be maintained.
- b. Spec used oil consumption shall be determined in accordance with Special Condition E.5 of this attachment. Records on spec used oil consumption shall be maintained on a monthly and rolling 12-month basis to determine compliance with Special Condition D.1.d of this attachment.
- c. Spec used oil analyses, specification sheets, and/or certificates showing laboratory analyses of each constituent or property provided in Special Condition D.3.f of this attachment shall be also be maintained.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

5. Spec Used Oil

- a. Fuel Blending: Each time fuel is blended to meet the 25% spec used oil limit provided in Special Condition D.1.c.iv of this attachment, the permittee shall take dipstick readings from the fuel blending tank. Records for each blend shall include:
 - i. Date of the dipstick readings;
 - ii. Tank dipstick reading prior to blending (if any fuel remains in the tank);

- iii. Tank dipstick reading after fuel oil no. 2 is added;
- iv. Tank dipstick reading after Unitek diesel is added;
- v. Tank dipstick reading after spec used oil is added;
- vi. Amount of each blended fuel;
- vii. Total amount blended;
- viii. Percent of spec used oil blended;
- ix. Calculations and information supporting compliance with Special Condition D.1.c.iv of this attachment; and
- x. Recorder's name.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

- b. Used Oil: A log shall be maintained for all used oil being added to the spec used oil tank. The log shall include:

- i. Date the used oil is added;
- ii. Source of the used oil (Unitek or Grace Pacific Corporation);
- iii. Amount of used oil added;
- iv. Date of corresponding lab analysis for the used oil added and verification that the used oil added meets provisions of Special Condition D.3.f of this attachment; and
- v. Recorder's name.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

6. Diesel Engine Generator Operating Hours

A non-resetting hour meter shall be installed, operated, and maintained on the diesel engine generator for continuous and permanent recording of the total hours operated by the diesel engine generator. Meter readings at start-up and shut-down of the diesel engine generator shall be recorded daily, along with the total daily operating hours for the purpose of determining compliance with the hour limit provided in Special Condition D.4.b of this attachment.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

7. Diesel Engine Generator Fuel

- a. Records shall be maintained on the amount of fuel consumed by the diesel engine generator on a daily, monthly, and rolling 12-month basis to determine compliance with the heat input limit provided in Special Condition D.4.d of this attachment. The permittee shall maintain fuel purchase receipts showing the delivery date, supplier, fuel, and amount delivered. For fuels other than liquid petroleum gas and synthetic natural gas, fuel purchase receipts or specification sheets indicating the fuel sulfur content (percent by weight) shall also be maintained.

- b. For the monitoring of fuel oil no. 2 consumption, dipstick readings shall be taken from the storage tank supplying fuel oil no. 2 to the diesel engine generator.
- c. For the monitoring of synthetic natural gas or liquefied petroleum gas consumption, a non-resetting fuel meter shall be installed, operated, and maintained on the diesel engine generator.
- d. Fuel usage records shall include:
 - i. Date of the readings;
 - ii. Beginning and ending readings of the fuel meter and dipstick during start-up and shutdown of the diesel engine generator each day;
 - iii. Daily consumption of each fuel;
 - iv. Total monthly consumption of each fuel;
 - v. Total consumption of each fuel on a rolling 12-month basis; and
 - vi. Recorder's name.

8. RAP Usage

A non-resetting tonnage meter shall be installed, operated, and maintained on the RAP conveyor belt leading to the drum mixer to record the amount (tons) of RAP added to the asphalt mix in order to determine compliance with Special Condition D.5 of this attachment. The permittee shall monitor and maintain records on RAP usage on a monthly and rolling 12-month basis. Records shall include:

- a. Date of the meter readings;
- b. Beginning and ending meter readings for each month;
- c. Total amount (tons) of RAP used each month;
- d. Total amount (tons) of RAP used on a rolling 12-month basis; and
- e. Recorder's name.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

9. Inspection, Maintenance, and Repair Log

The permittee shall maintain records on inspections, maintenance, and repair work performed on the 334 TPH Asphalt Plant, which includes the drum mixer, diesel engine generator, baghouse, fiberbed mist collector, aggregate processing, RAP crushing and screening system. Records shall include:

- a. Date that the inspection, maintenance, or repair work (including replacement of filter bags for the baghouse or filters for the fiberbed mist collector) was performed;

- b. A description of the findings and any work performed on the equipment covered by this permit; and
- c. Name and title of personnel performing the inspection or work.

(Auth.: HAR §11-60.1-3, §11-60.1-90)

10. Alternate Operating Scenario

The permittee shall contemporaneously with making a change from one operating scenario to another, record in a log at the permitted facility, the scenario under which it is operating and, if required by any applicable requirement or the Department of Health, submit written notification to the Department of Health.

11. Visible Emissions (V.E.) Observations

- a. Except in those months where a performance test is conducted for the drum-mixer pursuant to this Attachment, Section G, **monthly** (*calendar month*) V.E. observations shall be performed for the drum-mixer. Observations shall be performed in accordance with Method 9, or by the use of a Ringelmann Chart as provided. For the monthly observation of the drum-mixer, two (2) consecutive six (6) minute observations shall be taken at fifteen (15) second intervals. Records shall be completed and maintained in accordance with the *Visible Emission Form Requirements*.
- b. Except in those months where V.E. observations are conducted by a certified reader for the annual observations of the diesel engine generator, the permittee shall conduct **monthly** (*calendar month*) V.E. observations for the diesel engine generator in accordance with 40 CFR Part 60, Appendix A, Method 9 or by use of a Ringelmann Chart as provided. For each month, two (2) consecutive six (6) minute observations shall be taken at fifteen (15) second intervals. Records shall be completed and maintained in accordance with the *Visible Emissions Form Requirements*.
- c. The permittee shall conduct **annual** (*calendar year*) V.E. observations for the diesel engine generator by a certified reader in accordance with 40 CFR Part 60, Appendix A, Method 9. For the annual observation, two (2) consecutive six (6) minute observations shall be taken at fifteen (15) second intervals. Records shall be completed and maintained in accordance with the *Visible Emissions Form Requirements*.
- d. Upon written request and justification by the permittee, the Department of Health may waive the requirement for a specific annual V.E. observation. The waiver request is to be submitted prior to the required annual V.E. observation and must include documentation justifying such action. Documentation should include, but is not limited to, the results of the prior V.E. observations indicating compliance by a wide margin, documentation of continuing compliance, and further that operations of the source have

CSP No. 0045-02-CT
Attachment II
Page 13 of 21
[Issuance Date]
Expiration Date: November 8, 2009

PROPOSED

not changed since the previous annual V.E. observation.

- e. The permittee shall maintain records on monthly and annual V.E. observations of the drum mixer and diesel engine generator.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90)

12. Performance Testing

- a. Annual source performance tests shall be conducted on the drum mixer pursuant to this Attachment, Section G.
- b. The permittee shall maintain records on source performance test plans, summaries, and results for the 334 TPH Asphalt Plant.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

Section F. Notification and Reporting Requirements

1. Standard Conditions Reporting

Notification and reporting pertaining to the following events shall be done in accordance with Attachment I, Standard Condition Nos. 14, 16, 17 and 24, respectively:

- a. *Anticipated date of initial start-up, actual date of construction commencement, and actual date of start-up;*
- b. *Intent to shut down air pollution control equipment for necessary scheduled maintenance;*
- c. *Emissions of air pollutants in violation of HAR, Chapter 11-60.1 or this permit (excluding technology-based emission exceedances due to emergencies); and*
- d. *Permanent discontinuance of construction, modification, relocation, or operation of the facility covered by this permit.*

(Auth.: HAR §11-60.1-8, §11-60.1-15, §11-60.1-16, §11-60.1-90; SIP §11-60-10, §11-60-16)²

2. Deviations

The permittee shall report **within five (5) days** any deviations from the permit requirements, including those attributable to upset conditions, the probable cause of such deviations and any corrective actions or preventative measures taken. Corrective actions may include a requirement for additional testing, more frequent monitoring, or implementation of a corrective action plan.

(Auth.: HAR §11-60.1-3, §11-60.1-15, §11-60.1-16, §11-60.1-90)

3. Compliance Certification

- a. During the permit term, the permittee shall submit at least **annually** to the Department of Health and U.S. EPA Region 9, the *Compliance Certification Form* pursuant to HAR Subsection 11-60.1-86. The permittee shall indicate whether or not compliance is being met with each term or condition of this permit. The compliance certification shall include, at a minimum, the following information:
 - i. Identification of each term or condition of the permit that is the basis for certification;
 - ii. Compliance status;
 - iii. Whether compliance was continuous or intermittent;
 - iv. Methods used for determining the compliance status of the source currently and over the reporting period;
 - v. Any additional information indicating the source's compliance status with any applicable enhanced monitoring and compliance certification, including the requirements of Section 114(a) (3) of the Clean Air Act or any applicable monitoring and analysis provisions of Section 504(b) of the Clean air Act; and
 - vi. Any additional information as required by the Department of Health including information to determine compliance.
- b. The compliance certification shall be submitted **within ninety (90) days after** the end of each calendar year, and shall be signed and dated by a responsible official or authorized representative.
- c. Upon written request of the permittee, the deadline for submitting the compliance certification may be extended, if the Department of Health determines that reasonable justification exists for the extension.

(Auth.: HAR §11-60.1-4, §11-60.1-86, §11-60.1-90)

4. Performance Testing

- a. At least **thirty (30) days prior to conducting a source performance test** pursuant to Section G of this attachment, the permittee shall submit to the Department of Health a test plan in accordance with Special Condition G.6 of this attachment, indicating the date(s) of the scheduled performance test for the facility and the locations of the visible emissions reading.

(Auth.: HAR §11-60.1-3, §11-60.1-90; 40 CFR §60.8)¹

- b. Written reports of the results of all source performance tests conducted to demonstrate compliance shall be submitted to the Department of Health **within sixty (60) days after the completion of the performance test** and shall be in conformance with Special Condition G.9 of this attachment.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

5. Monitoring Reports

The permittee shall submit **semi-annually** the following reports to the Department of Health. The reports shall be submitted **within sixty (60) days after the end of each semi-annual calendar period (January 1 - June 30 and July 1 - December 31)** and shall include the following:

- a. Drum Mixer
 - i. The total amount of asphalt concrete produced on a monthly and rolling 12-month basis.
 - ii. Exceedances of the 20-hour daily operating limit. Include the following:
 - (1) Date, operating start-up and shut-down times on the day the limit was exceeded;
 - (2) Total operating hours on the day the limit was exceeded; and
 - (3) Reason why the limit was exceeded.
 - iii. Types of fuel fired in the drum mixer, fuel supplier, maximum sulfur content (percent by weight) for fuels other than liquid petroleum gas and synthetic natural gas.
 - iv. Number of lab analyses performed on Unitek diesel and spec used oil.
 - v. Spec used oil consumption on a monthly and rolling 12-month basis.
 - vi. Types of fuel blended and the maximum percent of spec oil used in the blended fuel.
 - vii. Highest value for each constituent or property provided in Special Condition D.3.f from laboratory analyses performed on used oil, except for flash point, for which the minimum value shall be reported.
 - viii. Any incidents where spec used oil requirements provided in Special Condition D.3 of this attachment were not met.
 - ix. Whether the baghouse was used at all times during drum mixer operation.
 - x. The "*Monitoring/Annual Emissions Report Form: Asphalt Drum Mixer*" shall be used.

b. Diesel Engine Generator

- i. Exceedances of the 20-hour daily operating limit. Include the following:
 - (1) Date, operating start-up and shut-down times on the day the limit was exceeded;
 - (2) Total operating hours on the day the limit was exceeded; and
 - (3) Reason why the limit was exceeded.
- ii. Total fuel consumption and heat input to the diesel engine generator on a monthly and rolling 12-month basis and maximum sulfur content (percent by weight) for fuels other than liquid petroleum gas and synthetic natural gas.
- iii. The *"Monitoring/Annual Emissions Report Form: Diesel Engine Generator"* shall be used.

c. RAP Crushing and Screening System

- i. Total amount (tons) of RAP used by the facility on a monthly and rolling 12-month basis.
- ii. The *"Monitoring/Annual Emissions Report Form: Reclaimed Asphalt Paving"* shall be used.

d. Opacity Exceedances

- i. Any opacity exceedances from the drum mixer or diesel engine generator, as determined by the required V.E. monitoring. Each exceedance reported shall include the date, six (6) minute average opacity reading, possible reason for exceedance, duration of exceedance, and corrective action taken. If there were no exceedances, the permittee shall state so.
- ii. The *"Monitoring Report Form: Visible Emissions"* shall be used.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

6. Annual Emissions

- a. As required by Attachment IV and in conjunction with the requirements of Attachment III, Annual Fee Requirements, the permittee shall report **annually** the total tons/year emitted of each regulated pollutant, including hazardous air pollutants. The reporting of annual emissions is due **within sixty (60) days following the end of each calendar year**. The following forms shall be used:

- i. Monitoring/Annual Emissions Report Form: Asphalt Drum Mixer;
 - ii. Monitoring/Annual Emissions Report Form: Diesel Engine Generator; and
 - iii. Monitoring/Annual Emissions Report Form: Reclaimed Asphalt Paving.
- b. Upon the written request of the permittee, the deadline for reporting of annual emissions may be extended, if the Department of Health determines that reasonable justification exists for the extension.

(Auth.: HAR §11-60.1-3, §11-60.1-90)

Section G. Testing Requirements

1. On an annual basis or at other times as specified by the Department of Health, performance tests for the emissions of particulate matter and the determination of opacity shall be conducted and results reported in accordance with the test methods set forth in 40 CFR Part 60 Appendix A and the procedures in 40 CFR §60.8. The following test methods or U.S. EPA-approved equivalent methods, or alternate methods with prior written approval from the Department of Health shall be used:
 - a. Performance test for the emissions of particulate matter shall be conducted using 40 CFR Part 60 Methods 1-5. For method 5, the sampling time for each run shall be at least sixty (60) minutes and the minimum sample volume shall be at least 0.90 dscm (31.8 dscf).
 - b. Performance tests to determine opacity shall be conducted using 40 CFR Part 60 Method 9.
- (Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90, §11-60.1-161; 40 CFR § 60.93, SIP §11-60-15)^{1,2}
2. The performance test for the emissions of particulate matter shall consist of three (3) separate runs using the applicable test method. For the purpose of determining compliance with an applicable regulation, the arithmetic mean of the results from the three (3) runs shall apply.
 - a. For each run, the asphalt concrete production rate in tons/hour shall be provided. The permittee shall document the method by which the asphalt production rate was determined.
 - b. The pressure drop across the baghouse, in inches, shall be recorded and reported for each run. There shall be one reading per run unless the value changes, then the reading shall be continuous.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90, 40 CFR § 60.93, SIP § 11-60-15)^{1,2}

3. Note that Method 1 cannot be used under the following conditions:

- a. Cyclonic or swirling gas flow at the sampling location;
- b. Stack or duct with a diameter less than 12 inches or a cross-sectional area less than 113 square inches; or
- c. Sampling location less than two stack diameters downstream or less than a half diameter upstream from a flow disturbance.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

4. Particulate emissions shall be reported in two categories:

- a. Front half (filter and probe); and
- b. Front and back half (probe, filter, and impingers). When conducting back half clean-up, all connectors and tubing of the back half sampling train up to and including the first impinger shall be properly rinsed with acetone. Connecting glassware after the first impinger and the other impingers shall be rinsed with water. All rinses shall be included in the analysis for back half.

(Auth.: HAR §11-60.1-5, §11-60.1-11, §11-60.1-90)

5. For each run, the emission rate of particulate matter shall be determined by the equation pounds/hour = $Q_s \times c_s$, where Q_s = volumetric flow rate of the total effluent in dscf/hr as determined in accordance with Method 2, and c_s = concentration of particulate matter in pounds/dscf as determined in accordance with Method 5.

(Auth.: HAR §11-60.1-5, §11-60.1-11, §11-60.1-90)

6. **At least thirty (30) calendar days prior** to performing a test, the owner or operator shall submit a written performance test plan to the Department of Health that includes date(s) of the test, test duration, test locations, test methods, source operation, locations of visible emissions readings, and other parameters that may affect test results. Such a plan shall conform to U.S. EPA guidelines including quality assurance procedures. A test plan or quality assurance plan that does not have the approval of the Department of Health may be grounds to invalidate any test and require a retest.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

7. The permittee shall provide sampling and testing facilities at its own expense. The tests shall be conducted at the maximum expected operating capacity of the 334 TPH Asphalt Plant and the Department of Health may monitor the tests.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

8. Any deviations from these conditions, test methods or procedures may be cause for rejection of the test results unless such deviations are approved by the Department of Health before the tests.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

9. **Within sixty (60) days after** the completion of the performance test, the permittee shall submit to the Department of Health and U.S. EPA Region 9 (Attention: AIR-3) the test report which shall include the operating conditions of the equipment at the time of the test (e.g., operating rate in tons/hour, pressure drop readings, etc.), the summarized tests results, comparative results with the permit emission limits, and other pertinent support calculations, and field and laboratory data.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

10. Upon written request and justification, the Department of Health may waive the requirement for, or a portion of, a specific performance test. The waiver request is to be submitted prior to the required test and must include documentation justifying such action. Documentation should include, but is not limited to, the results of the prior performance test indicating compliance by a wide margin, documentation of continuing compliance, and further that operations of the source have not changed since the previous test.

(Auth.: HAR §11-60.1-3, §11-60.1-90)

Section H. Change of Location Requirements

1. The permittee shall submit information regarding all succeeding location changes to the Department of Health for approval at least thirty **(30) days**, or such lesser time as designated and approved by the Department of Health, prior to the change in location. The information submitted shall include:
 - a. Name, address and phone number of the facility and the plant site manager or other contact;
 - b. Temporary covered source permit number and expiration date;
 - c. Identification of current location;

- d. Location map of the new temporary location containing the following information:
 - i. Identification of the property boundary, any fence lines, and general terrain features (i.e., flat, hilly, steep);
 - ii. Location of all structures within 100 meters of the equipment. Provide the building dimensions (height, length, width, and distance to the equipment stack) of all structures that have heights greater than 40% of the stack height of the equipment; and
 - iii. Identification of any other pollution sources at the new location.
- e. List of equipment to be used at the site, equipment numbers, and plant configuration;
- f. Area map showing the equipment and new proposed location;
- g. Projected dates of operation at the new location;
- h. Certification that no modification will be made to the equipment, and operational methods will remain similar as permitted under this temporary covered source permit at the new location;
- i. Any other air pollution sources owned and operated by the permittee at the new location; and
- j. Any additional information requested by the Department of Health, which may include an ambient air quality impact assessment of the facility at the new location.

(Auth.: HAR §11-60.1-3, §11-60.1-91)

- 2. The applicable filing fee shall be submitted to the Department of Health with each change of location request.

(Auth.: HAR §11-60.1-3, §11-60.1-91)

- 3. Prior to any relocation, the Department of Health shall approve, conditionally approve, or deny in writing each location change. If the Department of Health denies a location change, the applicant may appeal the decision pursuant to HRS, chapter 91.

(Auth.: HAR §11-60.1-3, §11-60.1-91)

- 4. The operation of the facility shall be temporary and involve at least one change in location during the term of the covered source permit. If the facility remains in any one location for longer than twelve (12) consecutive months, the Department of Health may request an ambient air quality impact assessment of the source.

(Auth.: HAR §11-60.1-3, §11-60.1-91)

5. At each of the authorized locations, the permittee shall operate in accordance with this temporary covered source permit and all applicable requirements.

(Auth.: HAR §11-60.1-3, §11-60.1-91)

6. All the information required in this section shall be submitted to the Department of Health using the attached form, "*Change of Location Request for a Temporary Source*" along with the area maps showing the equipment and the new proposed location.

Section I. Agency Notification

Any document (including reports) required to be submitted by this Temporary Covered Source Permit shall be done in accordance with Attachment I, Standard Conditions, Condition 28.

(Auth.: HAR §11-60.1-4, §11-60.1-90)

¹ The citations to the Code of Federal Regulations (CFR) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the CFR. Due to the integration of the preconstruction and operating permit requirements, permit conditions may incorporate more stringent requirements than those set forth in the CFR.

² The citations to the State Implementation Plan (SIP) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the SIP

**ATTACHMENT II - INSIG
SPECIAL CONDITIONS - INSIGNIFICANT ACTIVITIES
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT**

[Issuance Date]

Expiration Date: November 8, 2009

In addition to the Standard Conditions of the Covered Source Permit, the following Special Conditions shall apply to the permitted facility:

Section A. Equipment Description

This attachment encompasses insignificant activities listed in HAR, §11-60.1-82(f) and (g) for which provisions of this permit and HAR, Subchapter 2, General Prohibitions apply.

(Auth.: HAR §11-60.1-3)

Section B. Operational Limitations

1. The permittee shall take measures to operate applicable insignificant activities in accordance with the provisions of HAR, Subchapter 2 for visible emissions, fugitive dust, incineration, process industries, sulfur oxides from fuel combustion, storage of volatile organic compounds, volatile organic compound water separation, pump and compressor requirements, and waste gas disposal.

(Auth.: HAR §11-60.1-3, §11-60.1-82, §11-60.1-90)

2. The Department of Health may at any time require the permittee to further abate emissions if an inspection indicates poor or insufficient controls.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-82, §11-60.1-90)

Section C. Monitoring and Recordkeeping Requirements

1. The Department of Health reserves the right to require monitoring, recordkeeping, or testing of any insignificant activity to determine compliance with the applicable requirements.

(Auth.: HAR §11-60.1-3, §11-60.1-90)

2. All records shall be maintained for at least five (5) years from the date of any required monitoring, recordkeeping, testing, or reporting. These records shall be in a permanent form suitable for inspection and made available to the Department of Health or their authorized representative upon request.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

Section D. Notification and Reporting

Compliance Certification

During the permit term, the permittee shall submit at least **annually** to the Department of Health and U.S. EPA Region 9, the attached *Compliance Certification Form* pursuant to HAR, Subsection 11-60.1-86. The permittee shall indicate whether or not compliance is being met with each term or condition of this permit. The compliance certification shall include, at a

minimum, the following information:

1. The identification of each term or condition of the permit that is the basis of the certification;
2. The compliance status;
3. Whether compliance was continuous or intermittent;
4. The methods used for determining the compliance status of the source currently and over the reporting period;
5. Any additional information indicating the source's compliance status with any applicable enhanced monitoring and compliance certification including the requirements of Section 114(a)(3) of the Clean Air Act or any applicable monitoring and analysis provisions of Section 504(b) of the Clean Air Act; and
6. Any additional information as required by the Department of Health including information to determine compliance.

The compliance certification shall be submitted **within ninety (90) days** after the end of each calendar year, and shall be signed and dated by a responsible official.

Upon written request of the permittee, the deadline for submitting the compliance certification may be extended, if the Department of Health determines that reasonable justification exists for the extension.

In lieu of addressing each emission unit as specified in *Compliance Certification Form*, the permittee may address insignificant activities as a single unit provided compliance is met with all applicable requirements. If compliance is not totally attained, the permittee shall identify the specific insignificant activity and provide the details associated with the noncompliance.

(Auth.: HAR §11-60.1-4, §11-60.1-86, §11-60.1-90)

Section E. Agency Notification

Any document (including reports) required to be submitted by this Covered Source Permit shall be done in accordance with Attachment I, Standard Condition No. 28.

(Auth.: HAR §11-60.1-4, §11-60.1-90)

**ATTACHMENT III: ANNUAL FEE REQUIREMENTS
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT**

[Issuance Date]

Expiration Date: November 8, 2009

The following requirements for the submittal of annual fees are established pursuant to Hawaii Administrative Rules (HAR), Title 11, Chapter 60.1, Air Pollution Control. Should HAR, Chapter 60.1 be revised such that the following requirements are in conflict with the provisions of HAR, Chapter 60.1, the permittee shall comply with the provisions of HAR, Chapter 60.1:

1. Annual fees shall be paid in full:
 - a. Within **sixty (60) days** after the end of each calendar year; and
 - b. Within **thirty (30) days** after the permanent discontinuance of the covered source.
2. The annual fees shall be determined and submitted in accordance with Hawaii Administrative Rules, Chapter 11-60.1, Subchapter 6.
3. The annual emissions data for which the annual fees are based shall accompany the submittal of any annual fees and be submitted on forms furnished by the Department of Health.
4. The annual fees and the emission data shall be mailed to:

**Clean Air Branch
Environmental Management Division
Hawaii Department of Health
P. O. Box 3378
Honolulu, HI 96801-3378**

PROPOSED

ATTACHMENT IV: ANNUAL EMISSIONS REPORTING REQUIREMENTS TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT

[Issuance Date]

Expiration Date: **November 8, 2009**

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the nature and amounts of emissions.

1. Complete the attached forms:

Monitoring/Annual Emissions Report Form: Asphalt Drum Mixer
Monitoring/Annual Emissions Report Form: Diesel Engine Generator
Monitoring/Annual Emissions Report Form: Reclaimed Asphalt Paving

2. The reporting period shall be from January 1 to December 31 of each year. All reports shall be submitted to the Department of Health within **sixty (60) days** after the end of each calendar year and shall be mailed to the following address:

**Clean Air Branch
Environmental Management Division
Hawaii Department of Health
P. O. Box 3378
Honolulu, HI 96801-3378**

3. The permittee shall retain the information submitted, including all emission calculations. These records shall be in a permanent form suitable for inspection, retained for a minimum of five (5) years, and made available to the Department of Health upon request.
4. Any information submitted to the Department of Health without a request for confidentiality shall be considered public record.
5. In accordance with HAR, Section 11-60.1-14, the permittee may request confidential treatment of specific information, including information concerning secret processes or methods of manufacture, by submitting a written request to the Director and clearly identifying the specific information that is to be accorded confidential treatment.

**COMPLIANCE CERTIFICATION FORM
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT
(PAGE 1 OF 2)**

[Issuance Date]

Expiration Date: November 8, 2009

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the following certification at least annually, or more frequently as set by an applicable requirement:

(Make Copies for Future Use)

For Period: _____ Date: _____

Company/Facility Name: _____

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by Department of Health as public record. I further state that I will assume responsibility for the construction, modification, or operation of the source in accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, and any permit issued thereof.

Responsible Official (Print): _____

TITLE: _____

Responsible Official (Signature): _____

Complete the following information for **each** term or condition of the permit that applies to **each** emissions unit at the source. Also include any additional information as required by the director. The compliance certification may reference information contained in a previous compliance certification submittal to the director, provided such referenced information is certified as being current and still applicable.

1. Current permit number: _____
2. Emissions Unit No./Description: _____
3. Identify the permit term(s) or condition(s) that is/are the basis of this certification:

4. Compliance status during the reporting period:

a. Has the emissions unit been in compliance with the identified permit term(s) or condition(s)?

YES NO

b. If YES, was compliance continuous or intermittent?

Continuous Intermittent

**COMPLIANCE CERTIFICATION FORM
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT
(CONTINUED, PAGE 2 OF 2)**

c. If NO, explain.

5. The methods used for determining the compliance status of the emissions unit currently and over the reporting period (e.g., monitoring, recordkeeping, reporting, test methods, etc.):

Provide a detailed description of the methods used to determine compliance: (e.g., monitoring device type and location, test method description, or parameter being recorded, frequency of recordkeeping, etc.):

6. Statement of Compliance with Enhanced Monitoring and Compliance Certification Requirements.

a. Is the emissions unit identified in this application in compliance with applicable enhanced monitoring and compliance certification requirements?

YES NO

b. If YES, identify those requirements:

c. If NO, describe below which requirements are not being met:

PROPOSED

**MONITORING /ANNUAL EMISSIONS REPORT FORM
ASPHALT DRUM MIXER
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT
(PAGE 1 OF 4)**

[Issuance Date]

Expiration Date: November 8, 2009

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the following information semi-annually:

(Make Copies for Future Use)

For Period: _____ Date: _____

Facility Name: Grace Pacific Corporation, 334 TPH Asphalt Plant

Equipment Location: _____

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate, and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record.

Responsible Official (Print): _____

Title: _____

Responsible Official (Signature): _____

1. ASPHALT CONCRETE PRODUCTION

MONTH	Total Monthly Production (tons/month)	Total Production Rolling 12-Month Basis (tons)
January		
February		
March		
April		
May		
June		

MONTH	Total Monthly Production (tons/month)	Total Production Rolling 12-Month Basis (tons)
July		
August		
September		
October		
November		
December		

MONITORING /ANNUAL EMISSIONS REPORT FORM ASPHALT DRUM MIXER TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT (CONTINUED, PAGE 2 OF 4)	
[Issuance Date]	Expiration Date: <u>November 8, 2009</u>

2. **EXCEEDANCES OF DAILY LIMIT:** Report on each day the drum mixer operated more than 20 hours/day. If no such incidents occurred, state so below.

Date of Exceedance	Start of Operation	End of Operation	Total Hours Operated	Reason for Exceedance

3. **FUEL CONSUMPTION:** In the table below, report on each fuel fired in the drum mixer.

Fuel	Supplier	Max. Sulfur Content (% by Wt.)	Annual Fuel Consumption - Report in 2nd semi-annual report period for the calendar year.
Fuel oil no. 2			gal/yr
Unitek Diesel			gal/yr
Spec used oil		Report under 4.	gal/yr
LPG		N/A	gal/yr
SNG		N/A	scf

Unitek Diesel Lab Analyses: Number performed during the report period: _____

Spec Used Oil Lab Analyses: Number performed during the report period: _____

4. **SPEC USED OIL CONSUMPTION:** In the table below, report on spec used oil consumed by the drum mixer.

Month	Monthly Basis (gal)	Rolling 12-Month Basis (gal)
January		
February		
March		
April		
May		
June		

Month	Monthly Basis (gal)	Rolling 12-Month Basis (gal)
July		
August		
September		
October		
November		
December		

**MONITORING /ANNUAL EMISSIONS REPORT FORM
 ASPHALT DRUM MIXER
 TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT
 (CONTINUED, PAGE 3 OF 4)**

[Issuance Date]

Expiration Date: November 8, 2009

5. SPEC USED OIL PERCENTAGE

For the reporting period, identify the types of fuel and the maximum percent of spec used oil in the blended fuel fired in the drum-mixer:

Types of Fuel Blended	Maximum Percent of Spec Oil in the Blended Fuel Fired in the Drum-Mixer

6. SPEC USED OIL ANALYSIS

For all used oil added to the blend tank, report the highest value of all laboratory analyses performed on used oil during the reporting period for each constituent or property, except for flash point, for which the minimum value should be reported.

SPEC USED OIL FIRED IN DRUM MIXER			
Constituent/Property	Highest Value from Analyses*	Units	Permit Limit
Arsenic		ppm by weight	5 ppm maximum
Cadmium		ppm by weight	2 ppm maximum
Chromium		ppm by weight	10 ppm maximum
Lead		ppm by weight	100 ppm maximum
Total Halogens		ppm by weight	1000 ppm maximum
Sulfur		% by weight	0.5% maximum
Flash Point		° F	100 ° F minimum
* Report lowest value.			
Polychlorinated Biphenyls (PCB)		ppm by weight	< 2 ppm

**MONITORING /ANNUAL EMISSIONS REPORT FORM
ASPHALT DRUM MIXER
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT
(CONTINUED, PAGE 4 OF 4)**

[Issuance Date]

Expiration Date: November 8, 2009

7. SPEC USED OIL REQUIREMENTS

Identify any incidents where Special Condition D.3 of this attachment was not met, including all times when:

- 1) Used oil was burned without prior testing and verification in accordance with Special Condition D.3.f of this attachment.
- 2) Used oil deemed hazardous was burned.
- 3) Used oil deemed hazardous was blended in accordance with Special Condition D.3.f of this attachment.

If all the requirements were met, state so below.

Date	Requirement Not Met	Reason

8. BAGHOUSE USE

Was the baghouse used at all times during drum mixer operation? Yes No

If no, submit written information indicating the dates, start and end times, period duration, reason why baghouse was not used, and corrective action taken.

**MONITORING/ANNUAL EMISSIONS REPORT FORM
DIESEL ENGINE GENERATOR
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT
(CONTINUED, PAGE 2 OF 2)**

[Issuance Date]
2009

Expiration Date: November 8,

2. HEAT INPUT

Month	Fuel Oil No. 2		Synthetic or Liquefied Petroleum Gas		Total Heat Input (MMBtu)
	Consumption (gal/month)	Heat Input ¹ (MMBtu)	Consumption (therms/month)	Heat Input ² (MMBtu)	
January					
February					
March					
April					
May					
June					
July					
August					
September					
October					
November					
December					

¹ heat input = gal/month x 0.137 MMBtu/gal

² heat input = therms/month x 0.100 MMBtu/therm

3. FUEL CERTIFICATION

Fuel Oil No. 2 - Maximum Percent Sulfur Content by Weight: _____

PROPOSED

**MONITORING/ANNUAL EMISSIONS REPORT FORM
RECLAIMED ASPHALT PAVING
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT**

[Issuance Date]

Expiration Date: November 8, 2009

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the following information semi-annually:

(Make Copies for Future Use)

For Period: _____ Date: _____

Facility Name: **Grace Pacific Corporation, 334 TPH Asphalt Plant**

Equipment: RAP crushing & screening system

Equipment Location: _____

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record.

Responsible Official (print): _____

Title: _____

Responsible Official (sign): _____

Total Amount of Reclaimed Asphalt Paving Used			
Month	RAP Used (tons/month)	Total RAP Used - Rolling 12-Month Basis (tons)	Notes
January			
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			

**CHANGE OF LOCATION REQUEST
FOR A TEMPORARY SOURCE
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT
(PAGE 1 OF 2)**

Issuance Date]

Expiration Date: November 8, 2009

In accordance with the HAR, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall provide the following information to the Department of Health:

(Make Copies for Future Use)

1. The permittee shall complete this Change of Location request form for all succeeding location changes and shall submit this form to the Department of Health for approval at least thirty (30) days, or such lesser time as designated and approved by the Department of Health, prior to the location change.
2. The permittee shall submit a location map of the new temporary site providing the following information:
 - a. Identification of the property boundary, any fence lines, and general terrain features (i.e., flat, hilly, steep);
 - b. Location of all structures within 100 meters of the equipment. Provide the building dimensions (height, length, width and distance to the equipment stack) of all structures that have heights greater than 40% of the stack height of the equipment; and
 - c. Identification of any other air pollution sources at the new location.
3. The permittee shall submit a **\$100 filing fee** with each change of location request for a non-toxic, covered source. The fee shall be made payable to the **Clean Air Special Fund - COV**.
4. The permittee shall submit any additional information as requested by the Department of Health.
5. This notification form shall be mailed to the following address:

**CLEAN AIR BRANCH
ENVIRONMENTAL MANAGEMENT DIVISION
HAWAII DEPARTMENT OF HEALTH
P.O. Box 3378
Honolulu, HI 96801-3378**

(808) 586-4200

-
1. Prior to any relocation, the Department of Health shall approve, conditionally approve, or deny in writing each location change. If the Department of Health denies a location change, the applicant may appeal the decision pursuant to HRS, Chapter 91.
 2. At each new authorized location, the permittee shall operate in accordance with the current temporary covered source permit and all applicable requirements.

**CHANGE OF LOCATION REQUEST
FOR A TEMPORARY SOURCE
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT
(CONTINUED, PAGE 2 OF 2)**

(Make Copies for Future Use)

- 1. Facility: **Grace Pacific Corporation - 334 TPH Asphalt Plant**
- 2. Current Equipment Location: _____
- 3. **New Equipment Location:** _____ City: _____
Plant manager/Contact: _____ Phone: _____
Proposed start date at new site: _____ Estimated project duration: _____
- 4. Describe general terrain features (eg: flat, hilly, steep, etc.): _____
Approximate Slope (%): _____ Direction of increasing slope: _____
- 5. List structures within **100 meters (330 feet)** of the equipment and which have heights greater than 40% of the equipment stack height. In the following table, provide the height, length, width, and distance to the equipment stack at the new site:

Structure	Distance from Stack (ft)	Height (ft)	Length (ft)	Width (ft)

- 7. Describe work to be performed: _____

- 8. Identify other air pollution sources owned and operated by the permittee at the new location, if any:

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record. I further state that no modifications will be made to the equipment and that operational methods will remain similar as permitted under the current temporary covered source permit at this new location.

Responsible Official (print): _____ Title: _____
Responsible Official (sign): _____ Date: _____

**VISIBLE EMISSIONS FORM REQUIREMENTS
STATE OF HAWAII
TEMPORARY COVERED SOURCE PERMIT NO. 0045-02-CT**

[Issuance Date]

Expiration Date: November 8, 2009

The **Visible Emissions (V.E.) Form** shall be completed **monthly** (*each calendar month*) for each equipment subject to opacity limits in accordance with 40 CFR Part 60, Appendix A, Method 9 or use of a Ringelmann Chart as provided. At least **annually** (*calendar year*), V.E. observation shall be conducted for each equipment subject to opacity limits by a certified reader in accordance with Method 9. The V.E. Form shall be completed as follows:

1. Visible emissions observations shall take place during the day only and shall be compared to the Ringelmann Chart provided. The opacity shall be noted in five (5) percent increments (e.g., 25%).
2. Orient the sun within a 140 degree sector to your back. Provide a source layout sketch on the V.E. Form using the symbols as shown.
3. Stand at least three (3) stack heights, but not more than a quarter mile from the stack.
4. Two (2) consecutive six (6) minute observations shall be taken at fifteen (15) second intervals for each stack or emission point.
5. The six (6) minute average opacity reading shall be calculated for each observation.
6. If possible, the observations shall be performed as follows:
 - a. Read from where the line of sight is at right angles to the wind direction.
 - b. The line of sight shall not include more than one (1) plume at a time.
 - c. Read at the point in the plume with the greatest opacity (without condensed water vapor), ideally while the plume is no wider than the stack diameter.
 - d. Read the plume at fifteen (15) second intervals only. Do not read continuously.
 - e. The equipment shall be operating at the maximum permitted capacity.
7. If the equipment was shut-down for that period, briefly explain the reason for shut-down in the comment column.

The permittee shall retain the completed V.E. Forms for recordkeeping. These records shall be in a permanent form suitable for inspection, retained for a minimum of five years, and made available to the Department of Health, or their representative upon request.

Any required initial and annual performance test performed in accordance with Method 9 by a certified reader shall satisfy the respective equipment's V.E. monitoring requirements for the month the performance test is performed.

**VISIBLE EMISSIONS FORM
STATE OF HAWAII
TEMPORARY COVERED SOURCE PERMIT NO.0045-02-CT**

[Issuance Date]
2009

Expiration Date: November 8,

(Make Copies for Future Use for Each Stack or Emission Point)

Permit No.: _____

Company Name: _____

Fugitive emission point description: _____

Plant Production (tons/hr): _____
(During observation)

Site Conditions:

Emission point height above ground (ft): _____

Emission point distance from observer (ft): _____

Emission color (black or white): _____

Sky conditions (% cloud cover): _____

Wind speed (mph): _____


Temperature (°F): _____

Observer Name: _____

Certified? (Yes/No): _____

Observation Date and Start Time: _____

Method of observation (Ringelmann Chart or Method 9): _____



SECONDS	0	15	30	45	COMMENTS
MINUTES					
1					
2					
3					
4					
5					
6					
Six (6) Minute Average Opacity Reading (%):					

Observation Date and Start Time: _____

Method of observation (Ringelmann Chart or Method 9): _____

SECONDS	0	15	30	45	COMMENTS
MINUTES					
1					
2					
3					
4					
5					
6					
Six (6) Minute Average Opacity Reading (%):					

PROPOSED