



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

January 3, 2014

Mr. Mike Williams
Senior District Manager
USA Waste of California (El Sobrante Landfill)
10910 Dawson Canyon Road
Corona, CA 92883

Subject: USA Waste of California (El Sobrante Landfill) (Facility ID 113674)
Title V Facility Permit, Revision No. 6

Dear Mr. Williams,

Enclosed please find the revised Title page, Table of Contents, Section A, Section D, and Section I of your Title V Facility Permit. The revised sections reflect the approval of a Minor Permit Revision of the Title V permit. The South Coast Air Quality Management District (SCAQMD) issued a draft permit for Environmental Protection Agency (EPA) review on November 15, 2013, and no comments were received from the EPA. A Public Notice was not required for the Revision. The revision to Section D includes the revised permit as shown below:

SECTION D, PERMIT TO OPERATE

Appl. No.	Equipment	Description
537512	Flare, Enclosed Landfill Gas	Replacement of blower and propane tanks. This application supersedes and replaces Permit G5700, A/N 499536.
537513	Landfill Gas Collection (>50 Wells)	Removal and addition of vertical wells and horizontal collectors to reflect current and future requirements. This application supersedes and replaces Permit F91988, A/N 463733.
537514	Landfill Condensate/ Leachate/ Collection	Addition of condensate sump(s), conversion of condensate tank into a subdrain liquids tank, and conversion of leachate tanks into leachate and condensate tanks. This application supersedes and replaces Permit F91987, A/N 463732.

SECTION I, PLANS AND SCHEDULES

Appl. No.	Plan	Description
486028	Rule 1110.2 I & M Plan	Plan for using portable analyzer to check engine emissions.

The Facility Permit reflects the inclusion of the following administrative changes:

SECTION A, FACILITY INFORMATION

Facility Information	Contact	Title	Telephone No.
Contact Person	Cody Cowgill	Site Engineer	(951) 277-5106

Please review the attached pages and then insert the enclosed sections in you Title V Facility Permit, and discard the earlier versions. If you have any questions concerning changes to your permit, or if you determine any administrative error, please contact Angela Shibata (909) 396-2737, within 30 days of the receipt of your permit.

Sincerely,

A handwritten signature in blue ink, appearing to read "Andrew Y. Lee".

Andrew Y. Lee, P.E.
Senior AQ Engineering Manager
Engineering & Compliance

AYL: CDT: AIS

Attachments

cc: w/ enclosure
Gerardo Rios, EPA Region IX
Compliance
Title V Central File
Title V Application 537511 File