



South Coast Air Quality Management District



21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

March 18, 2011

Mr. Marvin Johnson
Environmental Engineer
U.S. Navy, NAFL San Clemente Island
937 North Harbor Drive, Box 81, Bldg 1, Room S510
San Diego, CA 92132-0058

SUBJECT: Title V Facility Permit Revision (Facility ID: 800263)

Dear Mr. Johnson:

Please find attached the revised Title Page, Table of Contents, and Section D of your Title V Facility Permit. The revised sections reflect the approval of the permit revision requested in your Application No. 517040. The proposed permit revision was submitted to EPA for 45-day review on February 1, 2011. This permit revision includes the addition of the following equipment.

Equipment	Appl. No.	Device No.	Process/ System	Permit Type
Emergency ICE	517041	D224	1/2	PC/PO

Please review the attached sections carefully. Insert the attached sections into your Facility Permit and discard the earlier versions. Questions concerning changes to your permit should be directed to Mr. Hemang Desai at (909) 396-2596.

Sincerely,

Fred Lettice
Senior Manager
Coating, Printing, Plating, Military
& Entertainment Operations

FEL: approval-letter
Attachments

cc: Gerardo Rios, EPA Region IX