

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	140811	Company Name:	Ducommun AeroStructures, Inc
Equipment Location:	801 Royal Oak Drive, Monrovia, CA 91016-3630		SIC Code: 3728
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s):	477781	Application Submittal Date(s):	02/01/08
AQMD Contact Person:	Hamed Mandilawi	Phone #:	(909) 396-3275
		E-Mail Address:	hmandilawi@aqmd.gov
Project Description: This is an existing facility, applying for a Title V permit renewal that is engaged in aircraft parts and auxiliary equipment manufacturing. The facility operates spray booths, ovens, abrasive blasting cabinet, anodizing lines, an alodining line, a metal finishing line, a vapor degreaser, air pollution control equipment, and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 06-07		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>	
		Ammonia	Emissions (lbs/yr): 587.34
		Benzene	0.261
		Chromium (VI)	0.071
		Formaldehyde	0.554
		Ethyl Benzene	0.309
		Toluene	1.194
		Xylenes	0.887
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved 2002 Cancer Risk = 3.5 <u>in one million</u> Acute Hazard Index = <u>0.01</u> Chronic Hazard Index = <u>0.01</u>			
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 06-07		<input checked="" type="checkbox"/> NOx 2.12	<input checked="" type="checkbox"/> PM 0.122
		<input checked="" type="checkbox"/> CO 0.57	<input checked="" type="checkbox"/> SOx 0.009
		<input checked="" type="checkbox"/> VOC 5.15	<input type="checkbox"/> Other: _____
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (4) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (0)			
Comments:			

