



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

July 25, 2013

Ms. Natalie Irwin
Environmental Manager
Ultramar, Inc.
2402 E. Anaheim Street
Wilmington, CA 90744

SUBJECT: Public Notice for Refinery Relief Protection Project
Application #: 530492-530494, 530497, 542026-542036, 542038

Dear Ms. Irwin:

The South Coast Air Quality Management District (SCAQMD) has completed the evaluations of the following applications:

Item	A/N	Equipment	Description
1	542026	Crude Unit 10	Modify piping and/or pressure relief valve(s) (PRVs)
2	542027	Crude Unit 11	
3	542028	Coker Unit 30	
4	542029	Coker Unit 31	
5	542030	Light Ends Recovery Unit 43	
6	542031	Light Ends Recovery Unit 44	
7	542032	Sour Water Stripping Unit 48	
8	542033	Naphtha Hydrotreating/Splitter Unit 56	
9	542034	Gas Oil Hydrodesulfurization Unit 58	
10	542035	Naphtha Hydrotreating Unit 60	
11	542036	Platformer Unit 70	
12	542038	Gas Oil Unibon Hydrotreating Unit 80	

Item	A/N	Equipment	Description
13	530492	Flare, Phase 0	Change of condition to specify flare is subject to NSPS Subpart Ja and clarify the operation of the flare and flare vapor recovery system during shutdowns, startups, and turnarounds (SD/SU/TA)
14	530493	Flare, Phase I	
15	530494	Flare, Phase II	
16	530497	Vapor Recovery System	Change of condition to clarify the operation of the flare and flare vapor recovery system during SD/SU/TA

All of the equipment is located at 2402 E. Anaheim Street in the City of Wilmington, California. The Permits to Construct proposed will be issued as a Significant Permit Revision of Ultramar's Title V Permit. These Permits to Construct are subject to the noticing requirements under Rule 3006 (Title V). According to Rule 3006, a 30-day public notice period must be completed prior to issuance of a Significant Permit Revision since the modified flares will be subject to a New Source Performance Standard (NSPS) pursuant to 40 CFR Part 60 Subpart Ja. The SCAQMD will publish the Rule 3006 notice in a daily newspaper in the vicinity of your facility pursuant to Rule 3006(a)(1). In addition, the SCAQMD is required to notify the U.S. EPA of your proposed project.

Enclosed is the public notice. All correspondence that you may receive regarding the notice must be forwarded to the South Coast Air Quality Management District, 21865 Copley Drive, Diamond Bar, CA 91765-4178, to the attention of Ms. Connie Yee.

The SCAQMD files pertaining to your above described equipment will be available for public viewing at the SCAQMD Diamond Bar office during the public notice period Tuesday through Friday between the hours of 8:00 a.m. and 4:30 p.m., and also at Los Angeles Public Library, 1300 N. Avalon Blvd., Wilmington, during their normal hours of operation. Should you have any questions, please call Ms. Connie Yee at (909) 396-2619.

Sincerely,


 Danny Luong, P.E.
 Senior Manager
 RECLAIM Admin., Refinery Permitting,
 Retail Gasoline Dispensing

Enclosures:
 Public Notices: English and Spanish
 Draft Section H Facility Permit