

PROPOSED

[Issuance Date]

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

05-XXE CAB
File No. 0581

Mr. Jerry Egami
Senior Vice President
Isemoto Contracting Company, Ltd.
74-5039 B Queen Kaahumanu Highway
Kailua-Kona, Hawaii 96740

Dear Mr. Egami:

Subject: Temporary Covered Source Permit (CSP) No. 0581-01-CT
Initial Application No. 0581-01
Isemoto Contracting Company, Ltd.
640 tph Extec Mega-Bite Tracked Jaw Crusher
with a 300 hp Deutz Diesel Engine
Located at: Vicinity of Waikoloa Road, Waikoloa, Hawaii
Date of Expiration: [Five-Year Period from Issuance Date]

The subject Temporary Covered Source Permit is issued in accordance with Hawaii Administrative Rules, Title 11, Chapter 60.1. The issuance of this permit is based on the plans, specifications, and information that Isemoto Contracting Company, Ltd., submitted as your application received on March 29, 2005.

The Temporary Covered Source Permit is issued subject to the conditions/requirements set forth in the following Attachments:

Attachment I: Standard Conditions
Attachment II: Special Conditions
Attachment III: Annual Fee Requirements
Attachment IV: Annual Emission Reporting Requirements

The forms for submission are as follows:

Compliance Certification Form
Monitoring Report Forms: Operating Hours - Diesel Engine;
Diesel Engine Fuel Certification; and
Visible Emissions
Annual Emission Report Forms: Extec Mega-Bite Tracked Jaw Crusher; and
Diesel Engine
Change of Location Request for a Temporary Source

PROPOSED

Mr. Jerry Egami
[Issuance Date]
Page 2

Also enclosed for your use are the Visible Emissions Form Requirements with the following enclosures:

- a. Visible Emissions Form - Eztec Mega-Bite Tracked Jaw Crusher
- b. Visible Emissions Form - Diesel Engine
- c. The Ringelmann Chart

This permit: (a) shall not in any manner affect the title of the premises upon which the equipment is to be located; (b) does not release the permittee from any liability for any loss due to personal injury or property damage caused by, resulting from or arising out of the design, installation, maintenance, or operation of the equipment; and (c) in no manner implies or suggests that the Hawaii Department of Health, or its officers, agents, or employees, assumes any liability, directly or indirectly, for any loss due to personal injury or property damage caused by, resulting from or arising out of the design, installation, maintenance, or operation of the equipment.

Sincerely,

THOMAS E. ARIZUMI, P.E., CHIEF
Environmental Management Division

GN:lk

Enclosures

c: Wendell Sano, EHS - Kona
CAB Monitoring Section

PROPOSED

ATTACHMENT I: STANDARD CONDITIONS TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT

[Issuance Date]

[Expiration Date]

This permit is granted in accordance with the Hawaii Administrative Rules (HAR), Title 11, Chapter 60.1, Air Pollution Control, and is subject to the following standard conditions:

1. Unless specifically identified, the terms and conditions contained in this permit are consistent with the applicable requirement, including form, on which each term or condition is based.

(Auth.: HAR §11-60.1-90)

2. This permit, or a copy thereof, shall be maintained at or near the source and shall be made available for inspection upon request. The permit shall not be wilfully defaced, altered, forged, counterfeited, or falsified.

(Auth.: HAR §11-60.1-6; SIP §11-60-11)²

3. This permit is not transferable whether by operation of law or otherwise, from person to person, from place to place, or from one piece of equipment to another without the approval of the Department of Health, except as provided in HAR, Section 11-60.1-91.

(Auth.: HAR §11-60.1-7; SIP §11-60-9)²

4. A request for transfer from person to person shall be made on forms furnished by the Department of Health.

(Auth.: HAR §11-60.1-7)

5. In the event of any changes in control or ownership of the facilities to be constructed or modified, this permit shall be binding on all subsequent owners and operators. The permittee shall notify the succeeding owner and operator of the existence of this permit and its conditions by letter, copies of which will be forwarded to the Department of Health and the Regional Administrator for the U.S. Environmental Protection Agency (EPA).

(Auth.: HAR §11-60.1-5, §11-60.1-7, §11-60.1-94)

6. The facility covered by this permit shall be constructed and operated in accordance with the application, and any information submitted as part of the application, for the Covered Source Permit. There shall be no deviation unless additional or revised plans are submitted to and approved by the Department of Health, and the permit is amended to allow such deviation.

(Auth.: HAR §11-60.1-2, §11-60.1-4, §11-60.1-82, §11-60.1-84, §11-60.1-90)

7. This permit (a) does not release the permittee from compliance with other applicable statutes of the State of Hawaii, or with applicable local laws, regulations, or ordinances, and (b) shall not constitute, nor be construed to be an approval of the design of the covered source.

(Auth.: HAR §11-60.1-5, §11-60.1-82)

8. The permittee shall comply with all the terms and conditions of this permit. Any permit noncompliance constitutes a violation of HAR, Chapter 11-60.1 and the Clean Air Act and is grounds for enforcement action; for permit termination, suspension, reopening, or amendment; or for denial of a permit renewal application.

(Auth.: HAR §11-60.1-3, §11-60.1-10, §11-60.1-19, §11-60.1-90)

9. If any term or condition of this permit becomes invalid as a result of a challenge to a portion of this permit, the other terms and conditions of this permit shall not be affected and shall remain valid.

(Auth.: HAR §11-60.1-90)

10. The permittee shall not use as a defense in an enforcement action that it would have been necessary to halt or reduce the permitted activity to maintain compliance with the terms and conditions of this permit.

(Auth.: HAR §11-60.1-90)

11. This permit may be terminated, suspended, reopened, or amended for cause pursuant to HAR, Sections 11-60.1-10 and 11-60.1-98, and Hawaii Revised Statutes (HRS), Chapter 342B-27, after affording the permittee an opportunity for a hearing in accordance with HRS, Chapter 91.

(Auth.: HAR §11-60.1-3, §11-60.1-10, §11-60.1-90, §11-60.1-98)

12. The filing of a request by the permittee for the termination, suspension, reopening, or amendment of this permit, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

(Auth.: HAR §11-60.1-90)

13. This permit does not convey any property rights of any sort, or any exclusive privilege.

(Auth.: HAR §11-60.1-90)

14. The permittee shall notify the Department of Health in writing of the following dates:
- The **anticipated date of initial start-up** for each emission unit of a new source or significant modification not more than sixty (60) days or less than thirty (30) days prior to such date;
 - The **actual date of construction commencement** within fifteen (15) days after such date; and
 - The **actual date of start-up** within fifteen (15) days after such date.

(Auth.: HAR §11-60.1-90)

15. The permittee shall furnish, in a timely manner, any information or records requested in writing by the Department of Health to determine whether cause exists for terminating, suspending, reopening, or amending this permit, or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Department of Health copies of records required to be kept by the permittee. For information claimed to be confidential, the Director of Health may require the permittee to furnish such records not only to the Department of Health but also directly to the U.S. EPA Administrator along with a claim of confidentiality.

(Auth.: HAR §11-60.1-14, §11-60.1-90)

16. The permittee shall notify the Department of Health in writing, of the **intent to shut down air pollution control equipment for necessary scheduled maintenance** at least twenty-four (24) hours prior to the planned shutdown. The submittal of this notice shall not be a defense to an enforcement action. The notice shall include the following:
- Identification of the specific equipment to be taken out of service, as well as its location and permit number;
 - The expected length of time that the air pollution control equipment will be out of service;
 - The nature and quantity of emissions of air pollutants likely to be emitted during the shutdown period;
 - Measures such as the use of off-shift labor and equipment that will be taken to minimize the length of the shutdown period; and
 - The reasons why it would be impossible or impractical to shut down the source operation during the maintenance period.

(Auth.: HAR §11-60.1-15; SIP §11-60-16)²

17. **Except for emergencies which result in noncompliance with any technology-based emission limitation in accordance with HAR, Section 11-60.1-16.5, in the event any emission unit, air pollution control equipment, or related equipment malfunctions or breaks down in such a manner as to cause the emission of air pollutants in violation of HAR, Chapter 11-60.1 or this permit, the permittee shall immediately notify the Department of Health of the malfunction or breakdown, unless the protection of personnel or public health or safety demands immediate attention to the malfunction or breakdown and makes such notification infeasible. In the latter case, the notice shall be provided as soon as practicable. Within five (5) working days of this initial notification, the permittee shall also submit, in writing, the following information:**
- a. Identification of each affected emission point and each emission limit exceeded;
 - b. Magnitude of each excess emission;
 - c. Time and duration of each excess emission;
 - d. Identity of the process or control equipment causing each excess emission;
 - e. Cause and nature of each excess emission;
 - f. Description of the steps taken to remedy the situation, prevent a recurrence, limit the excessive emissions, and assure that the malfunction or breakdown does not interfere with the attainment and maintenance of the National Ambient Air Quality Standards and state ambient air quality standards;
 - g. Documentation that the equipment or process was at all times maintained and operated in a manner consistent with good practice for minimizing emissions; and
 - h. A statement that the excess emissions are not part of a recurring pattern indicative of inadequate design, operation, or maintenance.

The submittal of these notices shall not be a defense to an enforcement action.

(Auth.: HAR §11-60.1-16; SIP §11-60-16)²

18. A copy of applicable correspondence or records submitted to the Department of Health shall be provided to the U.S. EPA Administrator.

(Auth.: HAR §11-60.1-90)

19. The permittee may request confidential treatment of any records in accordance with HAR, Section 11-60.1-14.

(Auth.: HAR §11-60.1-14, §11-60.1-90)

20. This permit shall become invalid with respect to the authorized construction if construction is not commenced as follows:

- a. Construction shall be commenced within eighteen (18) months after the permit takes effect, shall not be discontinued for a period of eighteen (18) months or more, and shall be completed within a reasonable time.
- b. For phased construction projects, each phase shall commence construction within eighteen (18) months of the projected and approved commencement dates in the permit. This provision shall be applicable only if the projected and approved commencement dates of each construction phase are defined in Attachment II, Special Conditions of this permit.

(Auth.: HAR §11-60.1-9, §11-60.1-90)

21. The Department of Health may extend the time periods specified in Standard Condition No. 20 upon a satisfactory showing that an extension is justified. Requests for an extension shall be submitted in writing to the Department of Health.

(Auth.: HAR §11-60.1-9, §11-60.1-90)

22. The permittee shall submit fees in accordance with HAR, Chapter 11-60.1, Subchapter 6.

(Auth.: HAR §11-60.1-90)

23. All certifications shall be in accordance with HAR, Section 11-60.1-4.

(Auth.: HAR §11-60.1-4, §11-60.1-90)

24. The permittee shall allow the Director of Health, the Regional Administrator for the U.S. EPA and/or an authorized representative, upon presentation of credentials or other documents required by law:

- a. To enter the premises where a source is located or emission-related activity is conducted, or where records must be kept under the conditions of this permit and inspect at reasonable times all facilities, equipment, including monitoring and air pollution control equipment, practices, operations, or records covered under the terms and conditions of this permit and request copies of records or copy records required by this permit; and
- b. To sample or monitor at reasonable times substances or parameters to assure compliance with this permit or applicable requirements of HAR, Chapter 11-60.1.

(Auth.: HAR §11-60.1-11, §11-60.1-90)

25. Within thirty (30) days of **permanent discontinuance of the construction, modification, relocation, or operation of the facility covered by this permit**, the discontinuance shall be reported in writing to the Department of Health by a responsible official of the source.

(Auth.: HAR §11-60.1-8; SIP §11-60-10)²

26. Each permit renewal application shall be submitted to the Department of Health no less than twelve (12) months and no more than eighteen (18) months prior to the permit expiration date. The Department of Health may allow a permit renewal application to be submitted no less than six (6) months prior to the permit expiration date, if the Department of Health determines that there is reasonable justification.

(Auth.: HAR §11-60.1-101, 40 CFR §70.5 (a)(1)(iii))¹

27. The terms and conditions included in this permit, including any provision designed to limit a source's potential to emit, are federally enforceable unless such terms, conditions, or requirements are specifically designated as not federally enforceable.

(Auth.: HAR §11-60.1-93)

28. The compliance plan and compliance certification submittal requirements shall be in accordance with HAR, Sections 11-60.1-85 and 11-60.1-86. As specified in HAR, Section 11-60.1-86, the compliance certification shall be submitted to the Department of Health and the U.S. EPA Regional Administrator once per year, or more frequently as set by any applicable requirement.

(Auth.: HAR §11-60.1-90)

29. **Any document (including reports) required to be submitted by this permit shall be certified as being true, accurate, and complete by a responsible official in accordance with HAR, Sections 11-60.1-1 and 11-60.1-4, and shall be mailed to the following address:**

Clean Air Branch
Environmental Management Division
State of Hawaii Department of Health
P.O. Box 3378
Honolulu, HI 96801-3378

CSP No. 0581-01-CT
Attachment I
Page 7 of 7
[Issuance Date]
[Expiration Date]

PROPOSED

Upon request, all correspondence to the State of Hawaii Department of Health associated with this Covered Source Permit shall have duplicate copies forwarded to:

**Chief
Permits Office, (Attention: Air-3)
Air Division
U.S. Environmental Protection Agency
Region 9
75 Hawthorne Street
San Francisco, CA 94105**

(Auth.: HAR §11-60.1-4, §11-60.1-90)

30. To determine compliance with submittal deadlines for time-sensitive documents, the postmark date of the document shall be used. If the document was hand-delivered, the date received (“stamped”) at the Clean Air Branch shall be used to determine the submittal date.

(Auth.: HAR §11-60.1-5, §11-60.1-90)

¹ The citations to the Code of Federal Regulations (CFR) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the CFR. Due to the integration of the preconstruction and operating permit requirements, permit conditions may incorporate more stringent requirements than those set forth in the CFR.

² The citations to the State Implementation Plan (SIP) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the SIP.

**ATTACHMENT II: SPECIAL CONDITIONS
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT**

[Issuance Date]

[Expiration Date]

In addition to the standard conditions of the Covered Source Permit, the following special conditions shall apply to the permitted facility:

Section A. Equipment Description

1. This covered source permit encompasses the following equipment and associated appurtenances:

640 ton per hour jaw crusher, Extec Mega-Bite model tracked jaw crusher, serial I.D. no. 5737;

Standard equipment on the jaw crusher:

- a. Grizzly feeder and various conveyors;
- b. Three (3) water spray nozzles connected to the crusher's manifold; and
- c. Diesel engine on jaw crusher, 300 hp Deutz model BF6M 1015, serial ID no. 042 290 50RY, fuel oil no. 2.

(Auth.: HAR §11-60.1-3)

2. An identification tag or name plate shall be displayed on the jaw crusher above, which identifies the model number, serial number, and manufacturer. The identification tag or name plate shall be permanently attached to the equipment at a conspicuous location.

(Auth.: HAR §11-60.1-5)

Section B. Applicable Federal Regulations

1. The 640 tph Extec Mega-Bite tracked jaw crusher is subject to the provisions of the following federal regulations:
 - a. 40 CFR Part 60, Standards of Performance for New Stationary Sources, Subpart A, General Provisions; and
 - b. 40 CFR Part 60, Standards of Performance for New Stationary Sources, Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants.

(Auth.: HAR §11-60.1-3, §11-60.1-90, §11-60.1-161; 40 CFR §60.1, §60.670)¹

2. The permittee shall comply with all applicable provisions of these standards, including all emission limits, notification, testing, monitoring, and reporting requirements. The major requirements of these standards are detailed in the Special Conditions of this permit.

(Auth.: HAR §11-60.1-3, §11-60.1-90, §11-60.1-161; 40 CFR Part 60)¹

Section C. Operational and Emission Limitations

1. Hours of Operation

The total operating hours of the Extec Mega-Bite tracked jaw crusher, shall not exceed 2,400 hours in any rolling twelve (12) month period.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

2. Fuel Limitation

The diesel engine shall be fired only on fuel oil No. 2 with a maximum sulfur content not to exceed 0.5 percent by weight.

(Auth.: HAR §11-60.1-3, §11-60.1-38, §11-60.1-90)

3. Title 40, Code of Federal Regulations (CFR), Part 60, Subpart OOO

- a. The permittee shall not discharge or cause to be discharged into the atmosphere from any transfer point on the belt conveyors or from any other affected facility any fugitive emissions which exhibit greater than ten (10) percent opacity.
- b. The permittee shall not cause to be discharged into the atmosphere from any crusher, at which a capture system is not used, fugitive emissions which exhibit greater than fifteen (15) percent opacity.

(Auth.: HAR §11-60.1-3, §11-60.1-90, §11-60.1-161; 40 CFR §60.672)¹

4. Visible Emissions

For any six (6) minute averaging period, the diesel engine shall not exhibit visible emissions of twenty (20) percent or greater, except as follows: during start-up, shutdown, or equipment breakdown, the diesel engine may exhibit visible emissions greater than twenty (20) but not exceeding sixty (60) percent opacity for a period aggregating not more than six (6) minutes in any sixty (60) minutes.

(Auth.: HAR §11-60.1-3, §11-60.1-32, §11-60.1-90; SIP §11-60-24)^{1,2}

5. Air Pollution Control

a. Water sprays shall be used to minimize fugitive dust:

- i. At the crusher; and
- ii. At transfer points.

The Department of Health at any time may require manual water spraying at pertinent locations if an inspection indicates that more fugitive dust control is needed.

b. The water spray system shall be maintained in good operating condition and be utilized "as needed" during crushing operations. If observation, or the routine weekly inspection, as required by Special Condition No. D.4., indicates plugged nozzles, leak in the piping system, or other problem which affects the efficiency of the water spray system, the permittee shall investigate and correct the problem before resuming operation.

c. A water truck or tank shall be maintained and utilized on site, on the roadways, and throughout the workyard to minimize fugitive dust.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-33, §11-60.1-90)

6. The permittee shall not operate the jaw crusher in a configuration that would result in an increase in the number of emission points, such as the addition of more transfer or stacking conveyors, without notification and approval of the Department.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

7. Maintenance

The jaw crusher and diesel engine shall be maintained in good operating condition with scheduled inspection and maintenance as recommended by the manufacturer and/or at least once per month.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

8. Fugitive Emissions

a. The permittee shall take measures to control fugitive dust (for example, wet suppression, enclosures, and dust screens) from the crusher, bin feeders, screens, material transfer points, open conveyors, stockpiles, and throughout the workyard. The Department of Health may at any time require the permittee to further abate fugitive dust emissions if an inspection indicates poor or insufficient control.

- b. The permittee shall not cause nor permit fugitive dust to become airborne without taking reasonable precautions and shall not cause nor permit the discharge of visible emissions of fugitive dust beyond the lot line of the property boundary on which the emissions originate.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-33, §11-60.1-90)

9. Location Change

The operation of the equipment covered by this Temporary Covered Source Permit shall involve at least one (1) location change during the term of this permit. Subsequent location changes of the Extec Mega-Bite tracked jaw crusher shall be in accordance with Attachment II, Special Conditions, Section G. For each change in location, the Department of Health reserves the right to impose additional operational controls and restrictions if a site evaluation indicates the controls and/or restrictions are necessary.

(Auth.: HAR §11-60.1-3, §11-60.1-81, §11-60.1-91)

Section D. Monitoring and Recordkeeping

1. Recordkeeping

- a. All records, or a copy thereof, including support information, shall be maintained at or near the source for at least **five (5) years** from the date of the monitoring sample, measurement, test, report, or application. Support information includes all calibration, maintenance, inspection, and repair records and copies of all reports required by the permit. These records shall be in a permanent form suitable for inspection and made available to the Department of Health (DOH or the Department) or their representative upon request.
- b. The permittee shall maintain the non-resetting hour meter on the diesel engine for the continuous and permanent recording of the total hours the diesel engine has operated. The operating hours of the diesel engine shall represent the total hours operated by the jaw crusher for the purpose of the hourly limitation specified in this Attachment, Special Condition No. C.1. The following records shall be kept for the diesel engine at each location:
 - i. Identification of the diesel engine (identify the equipment, manufacturer, model no., and serial no.);
 - ii. The date and time of the meter readings;
 - iii. The beginning meter readings for each month;

- iv. The total hours of operation for each month; and
- v. The total hours of operation on a 12-month rolling basis.
- c. The permittee shall record the start and ending dates the Extec Mega-Bite tracked jaw crusher is operated, and the amounts of material processed at the permitted location on a yearly basis for the purpose of annual emissions reporting.
- d. The permittee shall maintain records on inspections, maintenance and any repair work conducted on the Extec Mega-Bite tracked jaw crusher and the diesel engine. At a minimum, these records shall include:
 - i. The date of the inspection, maintenance or repair work;
 - ii. Name and title of the personnel performing the inspection, maintenance, and/or repair work;
 - iii. A description of the finding(s), maintenance, or repair work performed; and
 - iv. Part(s) inspected, repaired, or replaced. When replaced, record manufacturer's name, model and serial number.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90)

2. Fuel Consumption and Certification

- a. Fuel consumption for the diesel engine shall be recorded in a report which records fuel received and fuel remaining. Fuel received shall be based on delivery receipts, identifying the fuel supplier, delivery dates, and the type and amount of fuel received (gallons). Fuel used shall be the difference between fuel received and fuel remaining or another method chosen by the permittee and approved by the Department (for example, a non-resetting fuel meter).
- b. The permittee shall obtain from the fuel supplier the certificate of analysis of the fuel delivered. The fuel analysis shall identify the percent sulfur content by weight. Fuel delivery receipts, and certificates of analysis shall be maintained at the work site and made available to the DOH upon request. Records on the total amount (gallons) of fuel fired in the diesel engine shall be maintained on an annual basis, to calculate annual emissions and annual fees.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

3. Visible Emissions (V.E.)

- a. Monthly and annual V.E. records with results of the Extec Mega-Bite tracked jaw crusher and diesel engine stack exhaust shall be completed and maintained in accordance with the “**Visible Emissions Form Requirements.**”
- b. Except in those months where V.E. observations are conducted pursuant to Special Condition No. D.3.d. of this attachment, the permittee shall conduct **monthly** (calendar month) V.E. observations for the diesel engine in accordance with 40 CFR Part 60, Appendix A, Method 9 or by use of a Ringelmann Chart as provided. For each monthly observation, the permittee shall record two (2) consecutive observations, each six (6) minutes in duration with readings taken at fifteen (15) second intervals. Records shall be completed and maintained in accordance with the Visible Emissions Observation Requirements.
- c. Except in those months where a performance test is conducted pursuant to Special Condition No. D.5. below, the permittee shall conduct **monthly** (calendar month) V.E. observations for the mobile jaw crusher. Observations shall be made at emission points subject to an opacity limit, and shall be performed in accordance with 40 CFR Part 60, Appendix A, Method 9, or by use of a Ringelmann Chart as provided. For each monthly observation, the permittee shall record two (2) consecutive observations, each six (6) minutes in duration with readings taken at fifteen (15) second intervals. For the visible emission observations of fugitive emissions from the mobile crushing plant, the observer shall comply with the following additional requirements:
 - i. The minimum distance between the observer and the emission source shall be 4.57 meters (15 feet);
 - ii. The observer shall, when possible, select a position that minimizes interference from other fugitive emission sources. The required observer position relative to the sun (Method 9; Section 2.1) shall be followed; and
 - iii. The observer shall record the operating capacity (ton/hr) of the plant at the time the observations were made.

The DOH may allow observation of a portion of the total emission points at the crushing plant, if it can be demonstrated that operations have been in compliance with the permit. At a minimum, at least the jaw crusher, and one transfer point from the Extec Mega-Bite tracked jaw crusher shall be observed each month, or those points as specified by the DOH. Allowance to observe a portion of the total required emission points shall be obtained in writing from the DOH.

Records shall be completed and maintained in accordance with the Visible Emissions Observation Requirements.

- d. The permittee shall conduct **annually** (calendar year), V.E. observations for the diesel engine by a certified reader in accordance with 40 CFR Part 60, Appendix A, Method 9.

For the annual observation, the permittee shall record two (2) consecutive observations, each six (6) minutes in duration with readings taken at fifteen (15) second intervals. Records shall be completed and maintained in accordance with the Visible Emissions Observation Requirements.

- e. Upon written request and justification by the permittee, the DOH may waive the requirement for the annual V.E. observation of the diesel engine. The waiver request is to be submitted prior to the required annual V.E. observation and must include documentation justifying such action.

Documentation should include, but is not limited to, the results of the prior V.E. observations indicating compliance by a wide margin, documentation of continuing compliance, and further that operations of the source have not changed since the previous annual V.E. observation.

(Auth.: HAR §11-60.1-3, §11-60.1-32, §11-60.1-90)

4. Air Pollution Control

To ensure proper operations, the water spray nozzles shall be inspected routinely at least once per week.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

5. Source Performance Test (SPT)

Annual source performance tests shall be conducted pursuant to this Attachment, Section F. Test summaries and results shall be maintained in accordance with the requirements of this section.

(Auth.: HAR §11-60.1-3, §11-60.1-90)

Section E. Notification and Reporting Requirements

1. Notification and reporting pertaining to the following events shall be done in accordance with Attachment I, Standard Conditions 14, 16, 17 and 25, respectively:
 - a. The anticipated date of initial start-up, the actual date of first construction, and the actual date of start-up.
 - b. Intent to shut-down air pollution control equipment for necessary scheduled maintenance.
 - c. Emissions of air pollutants in violation of HAR, Chapter 11-60.1 or this permit (excluding technology-based emission exceedances due to emergencies); and
 - d. Permanent discontinuance of construction, modification, relocation, or operation of the facility covered by this permit.

(Auth.: HAR §11-60.1-8, §11-60.1-15, §11-60.1-16, §11-60.1-90; SIP §11-60-10, §11-60-16)²

2. Deviations

The permittee shall report (in writing) within **five (5) working days** any deviations from the permit requirements, including those attributable to upset conditions, the probable cause of such deviations and any corrective actions or preventive measures taken. Corrective actions may include a requirement for additional source testing, more frequent monitoring, or the implementation of a corrective action plan.

(Auth.: HAR §11-60.1-3, §11-60.1-15, §11-60.1-16, §11-60.1-90)

3. Source Performance Test (SPT)

- a. At least **thirty (30) days** prior to conducting a source performance test, the permittee shall submit to the Department a written test plan, in accordance with this Attachment, Section F, Testing Requirements.

(Auth.: HAR §11-60.1-3, §11-60.1-90; CFR §60.8)¹

- b. Written reports of the results of all source performance tests conducted to demonstrate compliance shall be submitted to the Department **within sixty (60) days** after the completion of the performance test.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

4. Semiannual Monitoring Reports

The permittee shall submit **semiannually** the following written reports to the DOH. The reports shall be submitted within **sixty (60) days** after the end of each **semiannual calendar period** (*January 1 - June 30, and July 1 - December 31*), be signed and dated by a responsible official, and shall include the following:

- a. The total operating hours of the diesel engine on a monthly and twelve (12) month rolling basis;
- b. Identification of the type(s) of fuel fired in the diesel engine during the respective reporting period. Include the maximum sulfur content (percent by weight) of the fuel; and
- c. Identification of any opacity exceedances as determined by the required V.E. monitoring. Each exceedance reported shall include the date, diesel engine identification or specific location of the fugitive emission with the jaw crusher, six (6) minute average opacity reading, possible reason for exceedance, duration of exceedance, and corrective actions taken. If there were no exceedances during the semiannual reporting period, the permittee shall submit in writing a statement indicating that for each equipment (the diesel engine and/or the Extec Mega-Bite tracked jaw crusher there were no exceedances for that semiannual period.

The enclosed Monitoring Report Forms shall be used:

- i. **OPERATING HOURS - DIESEL ENGINE;**
- ii. **DIESEL ENGINE FUEL CERTIFICATION;** and
- iii. **VISIBLE EMISSIONS**
 - (1) **EXTEC MEGA-BITE TRACKED JAW CRUSHER**
 - (2) **DIESEL ENGINE.**

(Auth.: HAR §11-60.1-3, §11-60.1-90)

5. Annual Emissions

As required by Attachment IV and in conjunction with the requirements of Attachment III, Annual Fee Requirements, the permittee shall report **annually** the total tons per year emitted of each regulated air pollutant, including hazardous air pollutants. The reporting of annual emissions is due within **sixty (60) days** following the end of each **calendar year**.

The enclosed Annual Emissions Report Forms shall be used:

- a. **EXTEC MEGA-BITE TRACKED JAW CRUSHER** ; and
- b. **DIESEL ENGINE.**

Upon the written request of the permittee, the deadline for reporting of annual emissions may be extended, if the Department determines that reasonable justification exists for the extension.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90)

6. Compliance Certification

During the permit term, the permittee shall submit at least **annually** to the DOH and U.S. EPA Region 9, Compliance Certification Form, a compliance certification pursuant to HAR, Subsection 11-60.1-86. The permittee shall indicate whether or not compliance is being met with each term or condition of this permit. The compliance certification shall include at a minimum the following information:

- a. The identification of each term or condition of the permit that is the basis of the certification;
- b. The compliance status;
- c. Whether compliance was continuous or intermittent;
- d. The methods used for determining the compliance status of the source currently and over the reporting period;
- e. Any additional information indicating the source's compliance status with any applicable enhanced monitoring and compliance certification including the requirements of Section 114(a)(3) of the Clean Air Act or any applicable monitoring and analysis provisions of Section 504(b) of the Clean Air Act; and
- f. Any additional information as required by the DOH including information to determine compliance.

The compliance certification shall be submitted within **ninety (90) days** after the end of each calendar year, and shall be signed and dated by an authorized representative. Upon written request of the permittee, the deadline for submitting the compliance certification may be extended if the DOH determines that reasonable justification exists for the extension.

(Auth.: HAR §11-60.1-4, §11-60.1-86, §11-60.1-90)

Section F. Testing Requirements

1. Within 60 days after achieving the maximum production rate at which the affected facility will be operated, but not later than 180 days after initial startup of such facility and on an annual basis or at such times as may be specified by the Department, the permittee shall, at his own expense, conduct or cause to be conducted a performance test on the Extec Mega-Bite tracked jaw crusher. Performance tests shall be conducted to determine the opacity of fugitive particulate matter emissions. Tests shall be conducted at each point subject to an opacity limit, more specifically at:
 - a. The crusher; and
 - b. All transfer points.

The Department at any time reserves the right to require source testing of any alternate primary crusher. The Department may require additional testing at other points in the facility if an inspection indicates poor or insufficient controls.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90, §11-60.1-161, CFR §60.8, §60.672, §60.675)

2. Performance Test Methods

- a. The performance tests for the crusher shall be conducted by a certified reader, using Method 9 of 40 CFR part 60, Appendix A, and the procedures in 40 CFR §60.11 with additions identified in 40 CFR Part 60, Subpart OOO , § 60.675(c); or U.S. EPA-approved equivalent methods with written consent from the DOH. In addition, the observer shall comply with the following requirements:
 - i. The minimum distance between the observer and the emission source shall be 4.57 meters (15 feet);
 - ii. The observer shall, when possible, select a position that minimizes interference from other fugitive emission sources (for example, road dust). The required observer position relative to the sun (Method 9, Section 2.1) must be followed;
 - iii. The observer shall record the operating capacity (tons/hour) of the crusher at the time observations were made, and if the test is not conducted at the maximum capacity of the crusher, justify the production rate; and
 - iv. The observer shall note proper water spray flow.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90, §11-60.1-161; 40 CFR §60.675)¹

b. When determining compliance with fugitive dust emission standard specified in Special Condition No. C.3.b. for the crusher, the duration of Method 9 maybe reduced from three (3) hours [thirty-six 6-minute averages] to one (1) hour [ten 6-minute averages] only if the following conditions apply:

- i. There are no individual readings greater than fifteen (15) percent opacity; and
- ii. There are no more than three (3) readings of fifteen (15) percent for the one-hour period.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90, §11-60.1-161; 40 CFR §60.675)¹

c. When determining compliance with fugitive emission standard specified in Special Condition No. C.3.a. for transfer points on the belt conveyors, the duration of Method 9 maybe reduced from three (3) hours [thirty-six 6-minute averages] to one (1) hour [ten 6-minute averages] only if the following conditions apply:

- i. There are no individual readings greater than ten (10) percent opacity; and
- ii. There are no more than three (3) readings of ten (10) percent for the one-hour period.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90, §11-60.1-161; 40 CFR §60.675)¹

d. When determining compliance with fugitive emission standard specified in Special Condition No. C.3.a. and C.3.b., if emissions from two or more points continuously interfere so that the opacity of fugitive emissions from an individual point cannot be read, either of the following procedures may be used:

- i. Use for the combined emission stream the highest fugitive opacity standard applicable to any of the individual affected points contributing to the emissions stream; and
- ii. Separate the emissions so that the opacity of emissions from each affected point can be read.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90, §11-60.1-161; 40 CFR §60.675)¹

e. If, after **thirty (30) days** notice for an initially scheduled performance test, there is a delay (for example, due to operational problems) in conducting any rescheduled performance test required by Section F, the permittee shall submit a notice to the Department at least **seven (7) days** prior to the rescheduled test.

3. Performance Test Expense and Monitoring

The performance tests shall be made at the expense of the permittee and shall be conducted at the maximum expected operating capacity of the Extec Mega-Bite tracked jaw crusher. All performance tests may be monitored by the Department.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90, SIP §11-60.1-15)²

4. Performance Test Plan

At least 30 calendar days prior to conducting the annual source performance test, the permittee shall submit a written performance test plan (protocol) to the Department of Health that includes the test date(s), the test duration, test locations, and describes the test, test methods, source operation and other parameters that may affect test results. Such a plan shall conform to U.S. EPA guidelines including quality assurance procedures.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90, 40 CFR §60.8, SIP §11-60-15)^{1,2}

5. Deviations

Any deviations from these test conditions, methods, or procedures may be cause for rejection of the test results unless such deviations are approved by the Department of Health before the tests.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

6. Performance Test Report

Within **sixty (60) days** after completion of the performance test, the permittee shall submit to the Department of Health the test report which shall include:

- a. The operating conditions of the equipment at the time of the test [for example, jaw crusher production rate (ton/hr)];
- b. Locations where the visible emissions were read;
- c. Visible emission readings;
- d. The summarized test results;
- e. Comparative results with the permit emission limits; and
- f. Other pertinent field and laboratory data.

- g. The results shall be recorded and reported in accordance with 40 CFR, Part 60, Appendix A, and § 60.8 for the jaw crusher.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

7. Performance Test Waiver

Upon written request and justification by the permittee, the Department of Health may waive the requirement for, or a portion of, a specific annual source performance test. The waiver request is to be submitted prior to the required source test and must include documentation justifying such action. Documentation should include, but is not limited to:

- a. The results of the prior tests indicating compliance by a wide margin;
- b. Documentation of continuing compliance; and further that
- c. Operations of the source have not changed since the previous source test.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

Section G. Change of Location Requirements

- 1. The permittee shall submit information regarding all location changes to the DOH for approval at least thirty (30) days, or such lesser time as designated and approved by the DOH, prior to the change in location. The information submitted shall include the following:
 - a. Name, address, and phone number of the facility and the plant site manager or other contact;
 - b. Temporary covered source permit number and expiration date;
 - c. Identification of current location;
 - d. Location map of the new temporary location containing the following information:
 - i. Identification of the property/fence lines.
 - ii. Location of all structures within 100 meters of the equipment. Provide the building dimensions (height, length, and width) of all structures that have heights greater than 40% of the stack height of the equipment.
 - e. Projected dates of operation at the new location;

- f. Identification of any other air pollution sources at the new location;
- g. Certification that no modification will be made to the equipment, and operational methods will remain similar as permitted under this Temporary Covered Source Permit at the new location; and
- h. Any additional information as requested by the DOH, including an ambient air quality impact assessment of the facility at the new location.

(Auth.: HAR §11-60.1-3, §11-60.1-91)

- 2. The applicable filing fee of \$100 made payable to: Clean Air Special Fund-COV, shall be submitted to the DOH with each change in location request.

(Auth.: HAR §11-60.1-3, §11-60.1-91)

- 3. Prior to any relocation, the DOH shall approve, conditionally approve, or deny in writing each location change. If the DOH denies a location change, the applicant may appeal the decision pursuant to HRS, Chapter 91.

(Auth.: HAR §11-60.1-3, §11-60.1-91)

- 4. At each of the authorized locations, the permittee shall operate in accordance with this Temporary Covered Source Permit and all applicable requirements.

(Auth.: HAR §11-60.1-3, §11-60.1-91)

- 5. All the information required in this section shall be submitted to the Hawaii DOH using the attached form, "Change in Location Request for a Temporary Source."

(Auth.: HAR §11-60.1-3, §11-60.1-91)

Section H. Agency Notification

Any document (including reports) required to be submitted by this permit shall be done in accordance with Attachment I, Standard Condition 29.

(Auth.: HAR §11-60.1-4, §11-60.1-90)

¹ The citations to the Code of Federal Regulations (CFR) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the CFR. Due to the integration of the preconstruction and operating permit requirements, permit conditions may incorporate more stringent requirements than those set forth in the CFR.

² The citations to the State Implementation Plan (SIP) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the SIP.

PROPOSED

ATTACHMENT III: ANNUAL FEE REQUIREMENTS TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT

[Issuance Date]

[Expiration Date]

The following requirements for the submittal of annual fees are established pursuant to Hawaii Administrative Rules (HAR), Title 11, Chapter 60.1, Air Pollution Control. Should HAR, Chapter 60.1 be revised such that the following requirements are in conflict with the provisions of HAR, Chapter 60.1, the permittee shall comply with the provisions of HAR, Chapter 60.1:

1. Annual fees shall be paid in full:
 - a. Within **sixty (60) days** after the end of each calendar year; and
 - b. Within **thirty (30) days** after the permanent discontinuance of the covered source.
2. The annual fees shall be determined and submitted in accordance with Hawaii Administrative Rules, Chapter 11-60.1, Subchapter 6.
3. The annual emissions data for which the annual fees are based shall accompany the submittal of any annual fees and submitted on forms furnished by the Department of Health.
4. The annual fees and the emission data shall be mailed to:

**Clean Air Branch
Environmental Management Division
Hawaii Department of Health
P. O. Box 3378
Honolulu, HI 96801-3378**

PROPOSED

**ATTACHMENT IV: ANNUAL EMISSIONS REPORTING REQUIREMENTS
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT**

[Issuance Date]

[Expiration Date]

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the nature and amounts of emissions.

1. Complete the attached forms:

Annual Emissions Report Form: Extec Mega-Bite Tracked Jaw Crusher
Annual Emissions Report Form: Diesel Engine

2. The reporting period shall be from January 1 to December 31 of each year. All reports shall be submitted to the Department of Health within **sixty (60) days** after the end of each calendar year and shall be mailed to the following address:

**Clean Air Branch
Environmental Management Division
Hawaii Department of Health
P. O. Box 3378
Honolulu, HI 96801-3378**

3. The permittee shall retain the information submitted, including all emission calculations. These records shall be in a permanent form suitable for inspection, retained for a minimum of five (5) years, and made available to the Department of Health upon request.
4. Any information submitted to the Department of Health without a request for confidentiality shall be considered public record.
5. In accordance with HAR, Section 11-60.1-14, the permittee may request confidential treatment of specific information including information concerning secret processes or methods of manufacturing, by submitting a written request to the Director and clearly identifying the specific information that is to be accorded confidential treatment.

**COMPLIANCE CERTIFICATION FORM
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT
(PAGE 1 OF 2)**

[Issuance Date]

[Expiration Date]

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the following certification at least annually, or more frequently as set by an applicable requirement:

(Make Copies for Future Use)

For Period: _____ Date: _____

Company/Facility Name: _____

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record. I further state that I will assume responsibility for the construction, modification, or operation of the source in accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, and any permit issued thereof.

Responsible Official (Print): _____

Title: _____

Responsible Official (Signature): _____

Complete the following information for **each** term or condition of the permit that applies to **each** emissions unit at the source. Also include any additional information as required by the director. The compliance certification may reference information contained in a previous compliance certification submittal to the director, provided such referenced information is certified as being current and still applicable.

1. Current permit number: _____

2. Emissions Unit No./Description: _____

3. Identify the permit term(s) or condition(s) that is/are the basis of this certification:

4. Compliance status during the reporting period:

a. Has the emissions unit been in compliance with the identified permit term(s) or condition(s)?

YES NO

b. If YES, was compliance continuous or intermittent?

Continuous Intermittent

**COMPLIANCE CERTIFICATION FORM
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT
(CONTINUED, PAGE 2 OF 2)**

c. If NO, explain.

5. The methods used for determining the compliance status of the emissions unit currently and over the reporting period (e.g., monitoring, recordkeeping, reporting, test methods, etc.):

Provide a detailed description of the methods used to determine compliance: (e.g., monitoring device type and location, test method description, or parameter being recorded, frequency of recordkeeping, etc.)

6. Statement of Compliance with Enhanced Monitoring and Compliance Certification Requirements.

a. Is the emissions unit identified in this application in compliance with applicable enhanced monitoring and compliance certification requirements?

YES NO

b. If YES, identify those requirements:

c. If NO, describe below which requirements are not being met:

PROPOSED

**MONITORING REPORT FORM
OPERATING HOURS - DIESEL ENGINE
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT**

[Issuance Date]

[Expiration Date]

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the following information semi-annually:

(Make Copies for Future Use)

For Reporting Period: _____ Date: _____

Company/Facility Name: _____

Equipment Location: _____

Equipment Description: _____

Serial/ID No.: _____

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record.

Responsible Official (Print): _____

Title: _____

Responsible Official (Signature): _____

MONTH	MONTHLY TOTAL OPERATING HOURS	ROLLING 12-MONTH TOTAL HOURS	NOTES AND OTHER INFORMATION
January			
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			

**MONITORING REPORT FORM
DIESEL ENGINE FUEL CERTIFICATION
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT**

[Issuance Date]

[Expiration Date]

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the following information semi-annually.

(Make Copies for Future Use)

For Period: _____ Date: _____

Company/Facility Name: _____

Equipment Location: _____

Equipment Description: _____

Equipment Capacity/Rating (specify units): _____
(Units such as Horsepower, kilowatt, tons/hour, etc.)

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record.

Responsible Official (Print): _____

Title: _____

Responsible Official (Signature): _____

Fuel Certification:

Report the maximum weight percent sulfur in the fuel oil No. 2 during the reporting period for which this certification is required. _____

**VISIBLE EMISSIONS FORM REQUIREMENTS
STATE OF HAWAII
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT**

[Issuance Date]

[Expiration Date]

The **Visible Emissions (V.E.) Form** shall be completed **monthly** (*each calendar month*) for each equipment subject to opacity limits in accordance with 40 CFR Part 60, Appendix A, Method 9 or use of a Ringelmann Chart as provided. At least **annually** (*calendar year*), V.E. observations shall be conducted for each equipment subject to opacity limits by a certified reader in accordance with Method 9. The V.E. Form shall be completed as follows:

1. Visible emissions observations shall take place during the day only and shall be compared to the Ringelmann Chart provided. The opacity shall be noted in five (5) percent increments (e.g., 25%).
2. Orient the sun within a 140 degree sector to your back. Provide a source layout sketch on the V.E. Form using the symbols as shown.
3. Stand at least three (3) stack heights, but not more than a quarter mile from the stack.
4. Two (2) consecutive six (6) minute observations shall be taken at fifteen (15) second intervals for each stack or emission point.
5. The six (6) minute average opacity reading shall be calculated for each observation.
6. If possible, the observations shall be performed as follows:
 - a. Read from where the line of sight is at right angles to the wind direction.
 - b. The line of sight shall not include more than one (1) plume at a time.
 - c. Read at the point in the plume with the greatest opacity (without condensed water vapor), ideally while the plume is no wider than the stack diameter.
 - d. Read the plume at fifteen (15) second intervals only. Do not read continuously.
 - e. The equipment shall be operating at maximum permitted capacity.
7. If the equipment was shut-down for that period, briefly explain the reason for shut-down in the comment column.

The permittee shall retain the completed V.E. Forms for recordkeeping. These records shall be in a permanent form suitable for inspection, retained for a minimum of five years, and made available to the Department of Health, or their representative upon request.

Any required initial and annual performance test performed in accordance with Method 9 by a certified reader shall satisfy the respective equipment's V.E. monitoring requirements for the month the performance test is performed.

VISIBLE EMISSIONS FORM
EZTEC MEGA-BITE TRACKED JAW CRUSHER
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT


[Issuance Date] **[Expiration Date]**

(Make Copies for Future Use for Each Stack or Emission Point)

Company Name: _____
 Fugitive emission point description: _____
 Plant Production (tons/hr): _____
 (During observation)


Stack **X**
 Sun 
 Wind 

Draw North Arrow



Site Conditions:

Emission point height above ground (ft): _____
 Emission point distance from observer (ft): _____
 Emission color (black or white): _____
 Sky conditions (% cloud cover): _____
 Wind speed (mph): _____
 Temperature (°F): _____
 Observer Name: _____
 Certified? (Yes/No): _____



Observation Date and Start Time: _____

Method of Observation (Ringelmann Chart or Method 9): _____

SECONDS	0	15	30	45	COMMENTS
MINUTES					
1					
2					
3					
4					
5					
6					
Six (6) Minute Average Opacity Reading (%):					

Observation Date and Start Time: _____

Method of Observation (Ringelmann Chart or Method 9): _____

SECONDS	0	15	30	45	COMMENTS
MINUTES					
1					
2					
3					
4					
5					
6					
Six (6) Minute Average Opacity Reading (%):					

**VISIBLE EMISSIONS FORM
DIESEL ENGINE
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT**

[Issuance Date] **[Expiration Date]**

(Make Copies for Future Use for Each Stack or Emission Point)

Permit No.: _____

Company Name: _____

Equipment and Fuel: _____

Site Conditions:

Stack height above ground (ft): _____

Stack distance from observer (ft): _____

Emission color (black or white): _____

Sky conditions (% cloud cover): _____

Wind speed (mph): _____


Temperature (°F): _____

Observer Name: _____

Certified? (Yes/No): _____

Observation Date and Start Time: _____

Method of Observation (Ringelmann Chart or Method 9): _____



SECONDS	0	15	30	45	COMMENTS
MINUTES					
1					
2					
3					
4					
5					
6					
Six (6) Minute Average Opacity Reading (%):					

Observation Date and Start Time: _____

Method of Observation (Ringelmann Chart or Method 9): _____

SECONDS	0	15	30	45	COMMENTS
MINUTES					
1					
2					
3					
4					
5					
6					
Six (6) Minute Average Opacity Reading (%):					

PROPOSED

**ANNUAL EMISSIONS REPORT FORM
EXTEC MEGA-BITE TRACKED JAW CRUSHER
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT**

[Issuance Date]

[Expiration Date]

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the nature and amounts of emissions.

(Make Copies for Future Use)

For Reporting Period: _____ Date: _____

Company/Facility Name: _____

Equipment Location: _____

Equipment Description: _____
(Provide Ton/Hr. Rated-Capacity for Primary Crusher OR Crushing Rate of the Plant)

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record.

Serial/ID No.: _____

Responsible Official (Print): _____

Title: _____

Responsible Official (Signature): _____

	<u>Type of Operation</u>	<u>Tons of Material (tons/year)</u>	<u>Air Pollution Control Measures in Use</u>	<u>Control Efficiency (% Reduction)</u>
1.	Raw material entering primary crusher.	_____	_____	_____
2.	Process material entering secondary crusher.	_____	_____	_____
3.	Process material entering tertiary crusher.	_____	_____	_____
4.	Process material entering fine mill.	_____	_____	_____

Additional Information:

- Number of Stockpiles _____ Control Measures _____
Percent Reduction _____
- Tons/hour of material entering primary crusher _____ tons/hr.

NOTE: Control measures include water sprays, partial enclosures, screens, housing and duct work to baghouses.

**Use the following Control Efficiencies, unless documentation is available to show otherwise:*

- Baghouses: 99%*
- Watersprays, Damp Material, or Shroud: 70%*
- Wet Slurry: 100%*

Efficiency factors may be reduced by the Department of Health, if there are any indications that a source's air pollution control device is not operating at the specified efficiency.

PROPOSED

**ANNUAL EMISSIONS REPORT FORM
DIESEL ENGINE
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT**

[Issuance Date]

[Expiration Date]

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the nature and amounts of emissions.

Fill out a separate form for each Diesel Engine. (Make Copies for Future Use)

For Reporting Period: _____ Date: _____

Company/Facility Name: _____

Equipment Location: _____

Equipment Description: _____

Serial/ID No.: _____

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record.

Responsible Official (Print): _____

Title: _____

Responsible Official (Signature): _____

_____ MMBTU/Hr. (Maximum Design Heat Input; MM = 1 x 10⁶)
_____ kilowatt rating
_____ horse-power rating

Type of Fuel Fired	Fuel Usage Gallons per year	% Sulfur Content by weight	Identify % Nitrogen, % Ash, & % Lead, if applicable

- Types of Fuel: ● Residual Oil: Specify Grade, No. 6, 5, or 4; ● If Other, specify.
 ● Distillate Oil (No. 2);
 ● Liquefied Petroleum Gas, Butane or Propane;

Type of Air Pollution Control	In Use?	Pollutant(s) Controlled	Control Efficiency, % Reduction
	Yes or No		
	Yes or No		
	Yes or No		

**CHANGE OF LOCATION REQUEST
FOR A TEMPORARY SOURCE
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT
(PAGE 1 OF 2)**

[Issuance Date]

[Expiration Date]

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall provide the following information to the Department of Health:

(Make Copies for Future Use)

1. The permittee shall complete this Change of Location Request Form regarding all succeeding location changes and shall submit this form to the Department of Health for approval at least thirty (30) days, or such lesser time as designated and approved by the Department of Health, prior to the change in location.
2. The permittee shall submit a Location map of the new temporary location containing the following information:
 - a. Identification of the property and fence lines.
 - b. Location of all structures within 100 meters of the equipment. Provide the building dimensions (height, length, and width) of all structures that have heights greater than 40% of the stack height of the equipment.
3. The permittee shall submit a filing fee with each change in location request. The filing fee shall be made payable to the **Clean Air Special Fund - COV** and is as follows:

Noncovered Sources	Covered Sources
_____ \$ 50.00 for Non-Air Toxic	<u> X </u> \$100.00 for Non-Air Toxic
_____ \$100.00 for Air Toxic	_____ \$300.00 for Air Toxic

4. The permittee shall submit any additional information as requested by the Department of Health.
5. This notification form shall be mailed to the following address:

**CLEAN AIR BRANCH
ENVIRONMENTAL MANAGEMENT DIVISION
HAWAII DEPARTMENT OF HEALTH
P.O. Box 3378
Honolulu, HI 96801-3378**

(808) 586-4200

-
1. Prior to any relocation, the Department of Health shall approve, conditionally approve, or deny in writing each location change. If the Department of Health denies a location change, the applicant may appeal the decision pursuant to HRS, Chapter 91.
 2. At each new authorized location, the permittee shall operate in accordance with the current Temporary Covered Source Permit and all applicable requirements.

**CHANGE OF LOCATION REQUEST
FOR A TEMPORARY SOURCE
TEMPORARY COVERED SOURCE PERMIT NO. 0581-01-CT
(CONTINUED, PAGE 2 OF 2)**

[Issuance Date]

[Expiration Date]

1. Company Name: Isemoto Contracting Company, Ltd.
2. Facility Name (if different from the company): _____
3. Mailing Address: _____
City: _____ State: _____ Zip Code: _____
Phone Number: _____
4. Name of Owner/Owner's Agent: _____
Title: _____ Phone: _____
5. Equipment Description (Identify all equipment proposed at the new site):

6. Current Equipment Location: _____
7. **New Equipment Location:** _____
 - a. Plant site manager or other contact, if different than Current contact:

 - b. Phone Number: _____
 - c. Proposed start date at *New Location*: _____
 - d. Estimated project duration: _____

8. Brief description of the work to be performed. Also identify other air pollution sources owned and operated by the permittee: 1) that are at the new location, and 2) which have operated at or adjacent to the new location within the last twelve (12) months, if any:

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record. I further state that I will assume responsibility for the construction, modification, or operation of the source in accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, and any permit issued thereof. I further state that no modifications will be made to the equipment and operational methods will remain similar as permitted under the current Temporary Covered Source Permit at this new location.

Responsible Official (Print name): _____ Date: _____
Title of Responsible Official: _____
Responsible Official (Signature): _____