

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 2044	Company Name: G.B. Mfg, Inc./California Acrylic, dba Cal Spas		
Equipment Location: 1462 East 9 th Street, Pomona, CA 91766			SIC Code: 3728
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s): 545170	Application Submittal Date(s): 11/28/12		
AQMD Contact Person: Hamed Mandilawi	Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov	
Project Description: This is an existing Title V facility applying for a Title V permit renewal that is engaged in spa manufacturing. The facility operates spray booths, a resin mixer, and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2012	<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported:		<u>Emissions (lbs/yr):</u>
	Ammonia		9.124
	Benzene		0.004
	Formaldehyde		0.008
Health Risk From Toxic Air Contaminants:	<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = <u>in one million</u> Acute Hazard Index = _____ Chronic Hazard Index = _____		
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2012	<input checked="" type="checkbox"/> NOx 0.025	<input checked="" type="checkbox"/> PM 6.256	
	<input checked="" type="checkbox"/> CO 0.021	<input checked="" type="checkbox"/> SOx 0	
	<input checked="" type="checkbox"/> VOC 19.67	<input type="checkbox"/> Other: _____	
Compliance History:	<input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (0)		
Comments:			