

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	157363	Company Name:	International Paper Company
Equipment Location:	601 East Ball Road, Anaheim, CA 92805		SIC Code: 2653
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s):	498658	Application Submittal Date(s):	5/12/2009
AQMD Contact Person:	Hamed Mandilawi	Phone #:	(909) 396-3275
		E-Mail Address:	hmandilawi@aqmd.gov
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in corrugated box manufacturing. The facility operates a storage silo, mixers, corrugators, coaters, printing presses, a boiler, an emergency internal combustion engine and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input checked="" type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2008		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>	
		Ammonia	Emissions (lbs/yr): 3215
		FORMALDEHYDE	1408
		BENZENE	0.586
		NAPHTHALENE	0.03
		PAH	0.01
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____			
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2008		<input checked="" type="checkbox"/> NOx 1.62 <input checked="" type="checkbox"/> PM 8.257 <input checked="" type="checkbox"/> CO 0.161 <input checked="" type="checkbox"/> SOx 0.03 <input checked="" type="checkbox"/> VOC 8.518 <input type="checkbox"/> Other: _____	
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0)			
Comments:			