

Issue Date

CERTIFIED MAIL
RETURN RECEIPT REQUESTED
()

14-xxxE CAB
File No. 0522

Mr. Robert Creps
Senior Vice President, Administration
Grace Pacific LLC
P.O. Box 78
Honolulu, Hawaii 96810

Dear Mr. Creps:

Subject: Covered Source Permit (CSP) No. 0522-01-C
Permit Renewal Application No. 0522-06
Grace Pacific LLC
300 TPH Hot Mix Asphalt Drum Plant
Located At: Kapaa Quarry, Kailua, Oahu
UTM: 626,200 Meters East and 2,366,050 Meters North, NAD-83
Date of Expiration: Five years from issue date

The subject covered source permit is issued in accordance with Hawaii Administrative Rules (HAR), Title 11, Chapter 60.1. The issuance of this permit is based on the plans, specifications, and information that you submitted as part of your application received on March 5, 2013. This permit supersedes CSP No. 0522-01-C issued on August 29, 2008, in its entirety.

The covered source permit is issued subject to the conditions/requirements set forth in the following attachments:

- Attachment I: Standard Conditions
- Attachment II: Special Conditions
- Attachment II - INSIG: Special Conditions - Insignificant Activities
- Attachment III: Annual Fee Requirements
- Attachment IV: Annual Emissions Reporting Requirements

Mr. Robert Creps
Issue Date
Page 2

The following forms are enclosed for your use and submittal as required:

Compliance Certification Form
Monitoring/Annual Emissions Report Form: Hot Mix Asphalt Plant
Monitoring Report Form: Baghouse
Monitoring Report Form: Opacity Exceedances

The following are for use in monitoring visible emissions:

Visible Emissions Form Requirements, State of Hawaii
Visible Emissions Form

This permit: (a) shall not in any manner affect the title of the premises upon which the equipment is to be located; (b) does not release the permittee from any liability for any loss due to personal injury or property damage caused by, resulting from or arising out of the design, installation, maintenance, or operation of the equipment; and (c) in no manner implies or suggests that the Hawaii Department of Health, Clean Air Branch (herein after referred to as Department), or its officers, agents, or employees, assumes any liability, directly or indirectly, for any loss due to personal injury or property damage caused by, resulting from or arising out of the design, installation, maintenance, or operation of the equipment.

If you have any questions, please contact Ms. Jing Hu of the Clean Air Branch at (808) 586-4200.

Sincerely,

STUART YAMADA, P.E., CHIEF
Environmental Management Division

JH:dh

Enclosures

c: CAB Monitoring Section

**ATTACHMENT I: STANDARD CONDITIONS
COVERED SOURCE PERMIT NO. 0522-01-C**

Issuance Date:

Expiration Date:

This permit is granted in accordance with the Hawaii Administrative Rules (HAR), Title 11, Chapter 60.1, Air Pollution Control, and is subject to the following standard conditions:

1. Unless specifically identified, the terms and conditions contained in this permit are consistent with the applicable requirement, including form, on which each term or condition is based.

(Auth.: HAR §11-60.1-90)

2. This permit, or a copy thereof, shall be maintained at or near the source and shall be made available for inspection upon request. The permit shall not be willfully defaced, altered, forged, counterfeited, or falsified.

(Auth.: HAR §11-60.1-6; SIP §11-60-11)²

3. This permit is not transferable whether by operation of law or otherwise, from person to person, from place to place, or from one piece of equipment to another without the approval of the Department, except as provided in HAR, Section 11-60.1-91.

(Auth.: HAR §11-60.1-7; SIP §11-60-9)²

4. A request for transfer from person to person shall be made on forms furnished by the Department.

(Auth.: HAR §11-60.1-7)

5. In the event of any changes in control or ownership of the facilities to be constructed or modified, this permit shall be binding on all subsequent owners and operators. The permittee shall notify the succeeding owner and operator of the existence of this permit and its conditions by letter, copies of which will be forwarded to the Department and the U.S. Environmental Protection Agency (EPA), Region 9.

(Auth.: HAR §11-60.1-5, §11-60.1-7, §11-60.1-94)

6. The facility covered by this permit shall be constructed and operated in accordance with the application, and any information submitted as part of the application, for the Covered Source Permit. There shall be no deviation unless additional or revised plans are submitted to and approved by the Department, and the permit is amended to allow such deviation.

(Auth.: HAR §11-60.1-2, §11-60.1-4, §11-60.1-82, §11-60.1-84, §11-60.1-90)

7. This permit (a) does not release the permittee from compliance with other applicable statutes of the State of Hawaii, or with applicable local laws, regulations, or ordinances, and (b) shall not constitute, nor be construed to be an approval of the design of the covered source.

(Auth.: HAR §11-60.1-5, §11-60.1-82)

8. The permittee shall comply with all the terms and conditions of this permit. Any permit noncompliance constitutes a violation of HAR, Chapter 11-60.1 and the Clean Air Act and is grounds for enforcement action; for permit termination, suspension, reopening, or amendment; or for denial of a permit renewal application.

(Auth.: HAR §11-60.1-3, §11-60.1-10, §11-60.1-19, §11-60.1-90)

9. If any term or condition of this permit becomes invalid as a result of a challenge to a portion of this permit, the other terms and conditions of this permit shall not be affected and shall remain valid.

(Auth.: HAR §11-60.1-90)

10. The permittee shall not use as a defense in an enforcement action that it would have been necessary to halt or reduce the permitted activity to maintain compliance with the terms and conditions of this permit.

(Auth.: HAR §11-60.1-90)

11. This permit may be terminated, suspended, reopened, or amended for cause pursuant to HAR, Sections, 11-60.1-10 and 11-60.1-98, and Hawaii Revised Statutes (HRS), Chapter 342B-27, after affording the permittee an opportunity for a hearing in accordance with HRS, Chapter 91.

(Auth.: HAR §11-60.1-3, §11-60.1-10, §11-60.1-90, §11-60.1-98)

12. The filing of a request by the permittee for the termination, suspension, reopening, or amendment of this permit, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

(Auth.: HAR §11-60.1-90)

13. This permit does not convey any property rights of any sort, or any exclusive privilege.

(Auth.: HAR §11-60.1-90)

14. The permittee shall notify the Department and U.S. EPA, Region 9, in writing of the following dates:

- a. The **anticipated date of initial start-up** for each emission unit of a new source or significant modification not more than sixty (60) days or less than thirty (30) days prior to such date;
- b. The **actual date of construction commencement** within fifteen (15) days after such date; and
- c. The **actual date of start-up** within fifteen (15) days after such date.

(Auth.: HAR §11-60.1-90)

15. The permittee shall furnish, in a timely manner, any information or records requested in writing by the Department to determine whether cause exists for terminating, suspending, reopening, or amending this permit, or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Department copies of records required to be kept by the permittee. For information claimed to be confidential, the Director of Health (Director) may require the permittee to furnish such records not only to the Department but also directly to the U.S. EPA, Region 9, along with a claim of confidentiality.

(Auth.: HAR §11-60.1-14, §11-60.1-90)

16. The permittee shall notify the Department in writing, of the **intent to shut down air pollution control equipment for necessary scheduled maintenance** at least twenty-four (24) hours prior to the planned shutdown. The submittal of this notice shall not be a defense to an enforcement action. The notice shall include the following:
 - a. Identification of the specific equipment to be taken out of service, as well as its location and permit number;
 - b. The expected length of time that the air pollution control equipment will be out of service;
 - c. The nature and quantity of emissions of air pollutants likely to be emitted during the shutdown period;
 - d. Measures such as the use of off-shift labor and equipment that will be taken to minimize the length of the shutdown period; and
 - e. The reasons why it would be impossible or impractical to shut down the source operation during the maintenance period.

(Auth.: HAR §11-60.1-15; SIP §11-60-16)²

17. **Except for emergencies which result in noncompliance with any technology-based emission limitation in accordance with HAR, Section 11-60.1-16.5, in the event any emission unit, air pollution control equipment, or related equipment malfunctions or breaks down in such a manner as to cause the emission of air pollutants in violation of HAR, Chapter 11-60.1 or this permit, the permittee shall immediately notify the Department of the malfunction or breakdown, unless the protection of personnel or public health or safety demands immediate attention to the malfunction or breakdown and makes**

such notification infeasible. In the latter case, the notice shall be provided as soon as practicable. Within five (5) working days of this initial notification, the permittee shall also submit, in writing, the following information:

- a. Identification of each affected emission point and each emission limit exceeded;
- b. Magnitude of each excess emission;
- c. Time and duration of each excess emission;
- d. Identity of the process or control equipment causing the excess emission;
- e. Cause and nature of each excess emission;
- f. Description of the steps taken to remedy the situation, prevent a recurrence, limit the excessive emissions, and assure that the malfunction or breakdown does not interfere with the attainment and maintenance of the National Ambient Air Quality Standards and state ambient air quality standards;
- g. Documentation that the equipment or process was at all times maintained and operated in a manner consistent with good practice for minimizing emissions; and
- h. A statement that the excess emissions are not part of a recurring pattern indicative of inadequate design, operation, or maintenance.

The submittal of these notices shall not be a defense to an enforcement action.

(Auth.: HAR §11-60.1-16; SIP §11-60-16)²

18. The permittee may request confidential treatment of any records in accordance with HAR, Section 11-60.1-14.

(Auth.: HAR §11-60.1-14, §11-60.1-90)

19. This permit shall become invalid with respect to the authorized construction if construction is not commenced as follows:

- a. Within eighteen (18) months after the permit takes effect, is discontinued for a period of eighteen (18) months or more, or is not completed within a reasonable time.
- b. For phased construction projects, each phase shall commence construction within eighteen (18) months of the projected and approved commencement dates in the permit. This provision shall be applicable only if the projected and approved commencement dates of each construction phase are defined in Attachment II, Special Conditions, of this permit.

(Auth.: HAR §11-60.1-9, §11-60.1-90)

20. The Department may extend the time periods specified in Standard Condition No. 19 upon a satisfactory showing that an extension is justified. Requests for an extension shall be submitted in writing to the Department.

(Auth.: HAR §11-60.1-9, §11-60.1-90)

21. The permittee shall submit fees in accordance with HAR, Chapter 11-60.1, Subchapter 6.

(Auth.: HAR §11-60.1-90)

22. All certifications shall be in accordance with HAR, Section 11-60.1-4.

(Auth.: HAR §11-60.1-4, HAR §11-60.1-90)

23. The permittee shall allow the Director, the Regional Administrator for the U.S. EPA and/or an authorized representative, upon presentation of credentials or other documents required by law:

- a. To enter the premises where a source is located or emission-related activity is conducted, or where records must be kept under the conditions of this permit and inspect at reasonable times all facilities, equipment, including monitoring and air pollution control equipment, practices, operations, or records covered under the terms and conditions of this permit and request copies of records or copy records required by this permit; and
- b. To sample or monitor at reasonable times substances or parameters to ensure compliance with this permit or applicable requirements of HAR, Chapter 11-60.1.

(Auth.: HAR §11-60.1-11, §11-60.1-90)

24. Within thirty (30) days of **permanent discontinuance of the construction, modification, relocation, or operation of a covered source covered by this permit**, the discontinuance shall be reported in writing to the Department by a responsible official of the source.

(Auth.: HAR §11-60.1-8; SIP §11-60-10)²

25. Each permit renewal application shall be submitted to the Department and the U.S. EPA, Region 9, no less than twelve (12) months and no more than eighteen (18) months prior to the permit expiration date. The Director may allow a permit renewal application to be submitted no less than six (6) months prior to the permit expiration date, if the Director determines that there is reasonable justification.

(Auth.: HAR §11-60.1-101, 40 CFR §70.5(a)(1)(iii))¹

26. The terms and conditions included in this permit, including any provision designed to limit a source's potential to emit, are federally enforceable unless such terms, conditions, or requirements are specifically designated as not federally enforceable.

(Auth.: HAR §11-60.1-93)

27. The compliance plan and compliance certification submittal requirements shall be in accordance with HAR, Sections 11-60.1-85 and 11-60.1-86. As specified in HAR, Section 11-60.1-86, the compliance certification shall be submitted to the Department and the U.S. EPA, Region 9, once per year, or more frequently as set by any applicable requirement.

(Auth.: HAR §11-60.1-90)

28. **Any document (including reports) required to be submitted by this permit shall be certified as being true, accurate, and complete by a responsible official in accordance with HAR, Sections 11-60.1-1 and 11-60.1-4, and shall be mailed to the following address:**

**Clean Air Branch
Environmental Management Division
Hawaii Department of Health
919 Ala Moana Boulevard, Room 203
Honolulu, HI 96814**

Upon request and as required by this permit, all correspondence to the State of Hawaii Department of Health associated with this Covered Source Permit shall have duplicate copies forwarded to:

**Chief
Permits Office, (Attention: Air-3)
Air Division
U.S. Environmental Protection Agency
Region 9
75 Hawthorne Street
San Francisco, CA 94105**

(Auth.: HAR §11-60.1-4, §11-60.1-90)

29. To determine compliance with submittal deadlines for time-sensitive documents, the postmark date of the document shall be used. If the document was hand-delivered, the date received ("stamped") at the Department shall be used to determine the submittal date.

(Auth.: HAR §11-60.1-5, §11-60.1-90)

¹The citations to the Code of Federal Regulations (CFR) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the CFR. Due to the integration of the preconstruction and operating permit requirements, permit conditions may incorporate more stringent requirements than those set forth in the CFR.

²The citations to the State Implementation Plan (SIP) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the SIP.

**ATTACHMENT II: SPECIAL CONDITIONS
COVERED SOURCE PERMIT NO. 0522-01-C**

Issuance Date:

Expiration Date:

In addition to the standard conditions of the covered source permit, the following special conditions shall apply to the permitted facility:

Section A. Equipment Description

1. This permit encompasses the following equipment and associated appurtenances:

300 TPH Hot Mix Asphalt (HMA) Plant with:

- a. 300 TPH Astec double-barrel counter flow drum mixer, model no. RDB-8438, serial no. 02-092-2204, with 75 MMBtu/hr Astec Whisper-Jet burner, model no. WJ75UO/G1, serial no. 02-092-2206;
- b. Astec pulse jet baghouse with cyclone, model no. SBH-59: BP, serial no. 94-109-217, servicing the drum mixer;
- c. Astec 5-bin cold feed system;
- d. Astec scalping screen servicing cold feed system;
- e. Astec reclaimed asphalt pavement (RAP) feed system;
- f. Astec single RAP feed bin, model no. FRB1014, serial no. 07-238-4401;
- g. Astec scalping screen servicing the RAP feed system;
- h. 300 ton Astec storage system with bucket elevator and three 200-ton storage silos; and
- i. Various conveyors.

(Auth.: HAR §11-60.1-3)

2. An identification tag or name plate shall be displayed on the drum mixer, drum mixer burner, and baghouse listed above to show manufacturer, model no., and serial no. The identification tag or name plate shall be permanently attached to the equipment at a conspicuous location.

(Auth.: HAR §11-60.1-5, HAR §11-60.1-90)

Section B. Applicable Federal Regulations

1. The 300 TPH HMA plant is subject to the provisions of the following federal regulations:

- a. 40 Code of Federal Regulations (CFR) Part 60, Standards of Performance for New Stationary Sources (NSPS), Subpart A, General Provisions; and
- b. 40 CFR Part 60, NSPS, Subpart I, Standards of Performance for Hot Mix Asphalt Facilities.

(Auth.: HAR §11-60.1-3, §11-60.1-90, §11-60.1-161; 40 CFR §60.1, §60.90)¹

2. The permittee shall comply with all applicable provisions of these standards, including all emission limits, and all notification, testing, monitoring, and reporting requirements. The major requirements of these standards are detailed in the special conditions of this permit.

(Auth.: HAR §11-60.1-3, §11-60.1-90, §11-60.1-161)

Section C. Operational and Emission Limits

1. Production Limit

The total hot mix asphalt production for the 300 TPH HMA plant shall not exceed 1,200,000 tons in any rolling twelve-month (12-month) period.

(Auth.: HAR §11-60.1-3, §11-60.1-90)

2. Operating Hour Limit

The operating hours of the HMA plant, as represented by the operating hours of the 300 TPH drum mixer, shall not exceed 18 (eighteen) hours per day.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

3. Fuel Limits

The drum mixer shall be fired only on one (1) or a combination of the following fuels with a maximum sulfur content not to exceed 0.5% by weight for each fuel:

- a. Fuel oil no. 2;
- b. Biodiesel meeting American Society for Testing and Materials (ASTM) D6751;
- c. Ecodiesel supplied by Unitek Solvent Services, Inc.;
- d. Aviation fuel (e.g., Jet A, Jet A-1, JP-4, JP-5, JP-8, etc.); and
- e. Grease trap/cooking oil that has been processed to remove solids and residual water from the fuel.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-38, §11-60.1-90)

4. Particulate Matter Emissions Limit

The permittee shall not discharge or cause the discharge into the atmosphere from the exhaust stack of the drum mixer, particulate matter in excess of 90 mg/dscm (0.04 gr/dscf).

(Auth.: HAR §11-60.1-3, §11-60.1-90, 40 CFR §60.92)¹

5. Visible Emissions

For any six (6) minute averaging period, the baghouse servicing the drum mixer shall not exhibit visible emissions of twenty (20) percent opacity or greater, except as follows: during start-up, shutdown, or equipment breakdown, the baghouse may exhibit visible emissions not greater than sixty (60) percent opacity for a period aggregating not more than six (6) minutes in any sixty (60) minute period.

(Auth.: HAR §11-60.1-3, §11-60.1-32, §11-60.1-90; SIP §11-60-24)²

6. Baghouse

- a. The baghouse servicing the drum mixer shall be fully functional and utilized at all times during operation of the drum mixer. The permittee shall not operate the drum mixer if a problem affecting baghouse control efficiency is observed at any time. The permittee shall investigate and correct the problem before resuming drum mixer operation.
- b. The baghouse differential pressure shall be maintained within the range of two (2) to six (6) inches of water.
- c. The permittee shall follow a regular maintenance schedule to ensure the following items of the baghouse are operating properly:
 - i. The fiber bags are checked for any tears, holes, abrasions, and scuffs, and are replaced as needed;
 - ii. The hopper is discharged in a timely manner to prevent excessive particulate buildup which could cause compaction, overflow, or plugging;
 - iii. The pulse jet cleaning system is maintained and operated at sufficient intervals to minimize particulate buildup or caking on the filter bags; and
 - iv. Other miscellaneous items/equipment essential for effective baghouse operation are inspected and maintained.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

7. Fugitive Dust Control

- a. The permittee shall take measures to control fugitive dust (e.g., wet suppression, enclosures, etc.) at material transfer points, storage piles, plant roads, and throughout the facility. The Department may at any time require the permittee to further abate fugitive dust emissions if an inspection indicates poor or insufficient control.
- b. A water truck shall be used for the plant area and storage piles as needed to control fugitive dust.
- c. The permittee shall not cause or permit fugitive dust to become airborne without taking reasonable precautions and shall not cause or permit the discharge of visible emissions of fugitive dust beyond the lot line of the property boundary on which the emissions originate.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-33, §11-60.1-90)

8. Plant Maintenance

The 300 TPH HMA plant, including the drum mixer and baghouse, shall be properly maintained and kept in good operating condition at all times with scheduled inspections and maintenance as recommended by the manufacturer, and as needed.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

9. Additional Requirements

The Department reserves the right to require the permittee to determine the cause of any odor nuisance from the facility and require additional operational controls, performance testing, emission limits, or restrictions to mitigate odor nuisances.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

Section D. Monitoring and Recordkeeping Requirements

1. Records

All records, including support information, shall be maintained for at least five (5) years from the date of the monitoring sample, measurement, test, report, or applications. Support information includes all maintenance, inspection, calibration, and repair records, and copies of all reports required by this permit. These records shall be true, accurate, and maintained in a permanent form suitable for inspection and be made available to the Department or authorized representative(s) upon request.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90)

2. Production

The permittee shall maintain records on the total tons of hot mix asphalt produced on a monthly and rolling twelve-month (12-month) basis to demonstrate compliance with the production limit specified in Attachment II, Special Condition No. C.1, and annual emissions reporting. Production reports shall be maintained to determine monthly production rates.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90)

3. Fuel Specification

Fuel purchase receipts, showing the fuel type, sulfur content (percent by weight), date of delivery, and amount (gallons) of fuel delivered for the drum mixer shall be maintained for each fuel for purposes of the fuel limits specified in Attachment II, Special Condition No. C.2, and annual emissions reporting. Fuel sulfur content may be demonstrated by providing the supplier's fuel specification sheet for the type of fuel purchased and received.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90)

4. Baghouse

- a. A pressure gauge shall be operated and maintained to monitor the differential pressure (in inches of water) of the baghouse to determine compliance with Attachment II, Special Condition No. C.6.b. Maintenance or servicing shall be performed on the baghouse if the differential pressure reading indicates the baghouse is not operating effectively.
- b. The permittee shall monitor and record in a log the pressure gauge reading once each operating day.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

5. Operating Hours

A non-resetting hour meter shall be installed, operated, and maintained on the drum mixer for the permanent recording of the amount of hours operated daily for the purpose of the hour limitation specified in Attachment II, Special Condition No. C.2. The non-resetting meter shall not allow the manual resetting or other manual adjustments of the meter readings. The installation of any new non-resetting meters or the replacement of any existing non-resetting meters shall be designed to accommodate a minimum of five (5) years of equipment operation, considering any operational limitations, before the meter returns to a zero reading. The following information shall be recorded for the drum mixer:

- a. Date of meter readings;
- b. Beginning and ending meter readings for each day; and
- c. Total hours of operation for each day.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90)

6. Inspection, Maintenance, and Repair Log

The permittee shall maintain records on inspections, maintenance, and any repair work conducted on equipment. As a minimum, a log shall be maintained to include:

- a. Date of the inspection/maintenance/repair work (e.g., replacement of filter bags for the baghouse etc.);

- b. Description of the part(s) inspected or repaired;
- c. Description of the findings and any work maintenance/repair work performed; and
- d. The name and title of personnel performing inspection/work.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

7. Visible Emissions

Except in those months when a source performance test is conducted for the baghouse servicing the drum mixer pursuant to Attachment II, Special Conditions, Section F, the permittee shall conduct **monthly** (*calendar month*) visible emissions observations for the baghouse by a certified reader in accordance with 40 CFR Part 60, Appendix A, Method 9, or U.S. EPA approved equivalent methods, or alternative methods with prior written approval from the Department. For each month, two (2) consecutive six (6) minute observations shall be taken at fifteen (15) second intervals. Records shall be completed and maintained in accordance with the *Visible Emissions Form Requirements*.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-11, §11-60.1-90)

8. Performance Testing

- a. Annual source performance tests shall be conducted on the baghouse servicing the drum mixer pursuant to Attachment II, Section F.
- b. The permittee shall maintain records on source performance test plans, summaries, and results for the 300 TPH HMA plant.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

Section E. Notification and Reporting Requirements

1. Standard Conditions Reporting

Notification and reporting pertaining to the following events shall be done in accordance with Attachment I, Standard Condition Nos. 16, 17, and 24, respectively:

- a. Intent to shut down air pollution control equipment for necessary scheduled maintenance;
- b. Emissions of air pollutants in violation of HAR, Chapter 11-60.1 or this permit (excluding technology-based emission exceedances due to emergencies); and
- c. Permanent discontinuance of construction, modification, relocation, or operation of the facility covered by this permit.

(Auth.: HAR §11-60.1-8, §11-60.1-15, §11-60.1-16, §11-60.1-90; SIP §11-60-10, §11-60-16)²

2. Deviations

The permittee shall report **within five (5) days** any deviations from the permit requirements, including those attributed to upset conditions, the probable cause of such deviations, and any corrective actions or preventive measures taken. Corrective actions may include a requirement for additional testing, more frequent monitoring, or could trigger implementation of a corrective action plan.

(Auth.: HAR §11-60.1-3, §11-60.1-15, §11-60.1-16, §11-60.1-90)

3. Annual Emissions Reports

- a. As required by Attachment IV and in conjunction with the requirements of Attachment III, Annual Fee Requirements, the permittee shall report **annually** the total tons per year emitted of each regulated pollutant, including hazardous air pollutants. The report is due **within sixty (60) days following** the end of each calendar year. The enclosed **Monitoring/Annual Emissions Report Form: Hot Mix Asphalt Plant** shall be used for reporting.
- b. Upon the permittee's written request, the deadline for annual emissions reporting may be extended, if the Department determines that reasonable justification exists for the extension.

(Auth.: HAR §11-60.1-3, §11-60.1-90)

4. Monitoring Reports

The permittee shall complete and submit **semi-annual** monitoring reports to the Department. All reports shall be submitted **within sixty (60) days after** the end of each semi-annual calendar period (January 1 - June 30 and July 1 - December 31), be signed and dated by a responsible official, and shall include the following:

- a. The total tons of hot mix asphalt produced on a monthly and twelve-month (12-month) rolling basis;
- b. The maximum daily operating hours of the drum mixer for each month;
- c. The type(s) of fuel(s) and the maximum sulfur content of each type of fuel fired in the drum mixer;
- d. The incidences when the differential pressure of the baghouse is outside the range of two (2) to six (6) inches of water; and
- e. The identification of any opacity exceedances as determined by the required visible emissions monitoring. Each exceedance reported shall include the date, six (6) minute average opacity reading, possible reasons for exceedance, duration of exceedance, and corrective actions taken. If there were no exceedances, the permittee shall submit in writing a statement indicating that for each piece of equipment there were no exceedances for that semi-annual period.

The following enclosed forms shall be used for reporting:

Monitoring/Annual Emissions Report Form: Hot Mix Asphalt Plant;
Monitoring Report Form: Baghouse; and
Monitoring Report Form: Opacity Exceedances.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-90)

5. Performance Testing

- a. At least **thirty (30) days** prior to conducting a source performance test pursuant to Attachment II, Section F, the permittee shall submit a written performance test plan to the Department in accordance with Attachment II, Special Condition No. F.6.
- b. Written reports of the results of the performance tests conducted to demonstrate compliance shall be submitted to the Department within **sixty (60) days** after the completion of the performance test, and shall be in conformance with Attachment II, Special Condition No. F.7.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90, 40 CFR §60.8)¹

6. Compliance Certification

During the permit term, the permittee shall submit at least **annually** to the Department and U.S. EPA Region 9, the attached **Compliance Certification Form** pursuant to HAR, Subsection 11-60.1-86. The permittee shall indicate whether or not compliance is being met with each term or condition of this permit. The compliance certification shall include, at a minimum, the following information:

- a. The identification of each term or condition of the permit that is the basis of the certification;
- b. The compliance status;
- c. Whether compliance was continuous or intermittent;
- d. The methods used for determining the compliance status of the source currently and over the reporting period;
- e. Any additional information indicating the source's compliance status with any applicable enhanced monitoring and compliance certification including the requirements of Section 114(a)(3) of the Clean Air Act or any applicable monitoring and analysis provisions of Section 504(b) of the Clean Air Act;
- f. A brief description of any deviations including identifying as possible exceptions to compliance any periods during which compliance is required and in which the excursion or exceedances as defined in 40 CFR Part 64 occurred; and
- g. Any additional information as required by the Department, including information to determine compliance.

The compliance certification shall be submitted **within sixty (60) days** after the end of each calendar year, and shall be signed and dated by a responsible official.

Upon written request of the permittee, the deadline for submitting the compliance certification may be extended, if the Department determines that reasonable justification exists for the extension.

(Auth.: HAR §11-60.1-4, §11-60.1-86, §11-60.1-90)

Section F. Testing Requirements

1. Annual Performance Testing

The permittee shall conduct or cause to be conducted annual performance tests on the baghouse servicing the drum mixer. Performance tests shall be conducted for the emissions of particulate matter and the determination of opacity. Test results shall be reported in accordance with the test methods set forth in 40 CFR Part 60, Appendix A, and the procedures in 40 CFR §60.8. The following test methods or U.S. EPA approved equivalent methods, or alternate methods with prior written approval from the Department shall be used:

- a. Performance test for particulate matter emissions shall be conducted using 40 CFR Part 60, Methods 1-5. For method 5, the sampling time for each run shall be at least sixty (60) minutes and the minimum sample volume shall be at least 0.90 dscm (31.8 dscf).
- b. Performance tests to determine opacity shall be conducted using 40 CFR Part 60, Method 9.
- c. Testing shall be conducted for the fuel identified in source test plan or other fuel(s) as specified by the Department.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90, §11-60.1-161; 40 CFR §60.8, §60.93; SIP §11-60-15)^{1,2}

2. Particulate Matter Test Runs

The performance test for the emissions of particulate matter shall consist of three (3) separate runs using the applicable test method. For the purpose of determining compliance with an applicable regulation, the arithmetic mean of the results from the three (3) runs shall apply. At a minimum, the following operating parameters shall be provided in the performance test report:

- a. For each run, the hot mix asphalt production rate in tons/hour shall be provided. The permittee shall document the method by which the asphalt production rate was determined.

- b. The differential pressure across the baghouse, in inches of water, shall be recorded and reported for each run. There shall be one (1) reading per run unless the value changes, then the reading shall be continuous.
- c. The type of fuel fired by the drum mixer shall be provided.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90; 40 CFR §60.8; SIP §11-60-15)^{1,2}

3. Test Method 1 Conditions

Note that Method 1 cannot be used under the following conditions:

- a. Cyclonic or swirling gas flow at the sampling location;
- b. Stack or duct with a diameter less than twelve (12) inches or a cross-sectional area less than one hundred thirteen (113) square inches; or
- c. Sampling location less than two (2) stack diameters downstream or less than a half diameter upstream from a flow disturbance.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

4. Emissions Reporting

Particulate matter emissions shall be reported in two (2) categories:

- a. Front half (filter and probe); and
- b. Front and back half (probe, filter, and impingers). When conducting back half clean-up, all connectors and tubing of the back half sampling train up to and including the first impinger shall be properly rinsed with acetone. Connecting glassware after the first impinger and the other impingers shall be rinsed with water. All rinses shall be included in the analysis for back half.

(Auth.: HAR §11-60.1-5, §11-60.1-11, §11-60.1-90)

5. Emission Rate

For each run, the emission rate of particulate matter shall be determined by the equation pounds/hour = $Q_s \times c_s$, where Q_s = volumetric flow rate of the total effluent in dscf/hr as determined in accordance with Method 2, and c_s = concentration of particulate matter in pounds/dscf as determined in accordance with Method 5.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

6. Performance Test Expense and Monitoring

The performance tests shall be made at the expense of the permittee and shall be conducted at the maximum expected operating capacity of the 300 TPH HMA plant. All performance tests may be monitored by the Department.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

7. Performance Test Plan

At least **thirty (30) days** prior to conducting a performance test, the permittee shall submit a written performance test plan to the Department and U.S. EPA, Region 9, that includes date(s) of the test, test duration, test locations, test methods, source operation, locations of visible emissions readings, and other parameters that may affect the test results. Such a plan shall conform to U.S. EPA guidelines including quality assurance procedures. A test plan or quality assurance plan that does not have the approval of the Department may be grounds to invalidate any test and require a retest.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90; 40 CFR §60.8; SIP §11-60.1-15)^{1,2}

8. Deviations

Any deviations from these conditions, test methods, or procedures may be cause for rejection of the test results unless such deviations are approved by the Department before the tests.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

9. Performance Test Report

Within **sixty (60) days** after completion of the performance test, the permittee shall submit to the Department and U.S. EPA, Region 9, the test report which shall include the

operating conditions of the facility at the time of the test (e.g., operating rate in tons/hr, differential pressure readings, etc.), summarized test results, comparative results with the permit emission limits, other pertinent support calculations, and field/laboratory data.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90; 40 CFR §60.8; SIP §11-60-15)^{1,2}

10. Performance Test Waiver

Upon written request and justification, the Department may waive the requirement for, or a portion of, a specific performance test. The waiver request is to be submitted prior to the required test and must include documentation justifying such action. Documentation should include, but is not limited to, the results of the prior performance test indicating compliance by a wide margin, documentation of continuing compliance, and further that operations of the source have not changed since the previous source test.

(Auth.: HAR §11-60.1-3, §11-60.1-90)

Section G. Agency Notification

1. Any document (including reports) required to be submitted by this covered source permit shall be done in accordance with Attachment I, Standard Conditions, Condition No. 28.

(Auth.: HAR §11-60.1-4, §11-60.1-90)

¹ The citations to the Code of Federal Regulations (CFR) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the CFR. Due to the integration of the preconstruction and operating permit requirements, permit conditions may incorporate more stringent requirements than those set forth in the CFR.

² The citations to the State Implementation Plan (SIP) identified under a particular condition, indicate that the permit condition complies with the specified provision(s) of the SIP.

**ATTACHMENT II - INSIG
SPECIAL CONDITIONS - INSIGNIFICANT ACTIVITIES
COVERED SOURCE PERMIT NO. 0522-01-C**

Issuance Date:

Expiration Date:

In addition to the standard conditions of the covered source permit, the following special conditions shall apply to the permitted facility:

Section A. Equipment Description

This attachment encompasses insignificant activities listed in HAR, §11-60.1-82(f) and (g) for which provisions of this permit and HAR, Subchapter 2, General Prohibitions apply.

(Auth.: HAR §11-60.1-3)

Section B. Operational Limitations

1. The permittee shall take measures to operate applicable insignificant activities in accordance with the provisions of HAR, Subchapter 2 for visible emissions, fugitive dust, incineration, process industries, sulfur oxides from fuel combustion, storage of volatile organic compounds, volatile organic compound water separation, pump and compressor requirements, and waste gas disposal.

(Auth.: HAR §11-60.1-3, §11-60.1-82, §11-60.1-90)

2. The Department may at any time require the permittee to further abate emissions if an inspection indicates poor or insufficient controls.

(Auth.: HAR §11-60.1-3, §11-60.1-5, §11-60.1-82, §11-60.1-90)

Section C. Monitoring and Recordkeeping Requirements

1. The Department reserves the right to require monitoring, recordkeeping, or testing of any insignificant activity to determine compliance with the applicable requirements.

(Auth.: HAR §11-60.1-3, §11-60.1-90)

2. All records shall be maintained for at least five (5) years from the date of any required monitoring, recordkeeping, testing, or reporting. These records shall be true, accurate, and maintained in a permanent form suitable for inspection and made available to the Department or its authorized representative upon request.

(Auth.: HAR §11-60.1-3, §11-60.1-11, §11-60.1-90)

Section D. Notification and Reporting

Compliance Certification

During the permit term, the permittee shall submit at least **annually** to the Department and U.S. EPA, Region 9, the attached *Compliance Certification Form* pursuant to HAR, §11-60.1-86.

The permittee shall indicate whether or not compliance is being met with each term or condition of this permit. The compliance certification shall include, at a minimum, the following information:

1. The identification of each term or condition of the permit that is the basis of the certification;
2. The compliance status;
3. Whether compliance was continuous or intermittent;
4. The methods used for determining the compliance status of the source currently and over the reporting period;
5. Any additional information indicating the source's compliance status with any applicable enhanced monitoring and compliance certification including the requirements of Section 114(a)(3) of the Clean Air Act or any applicable monitoring and analysis provisions of Section 504(b) of the Clean Air Act;
6. A brief description of any deviations including identifying as possible exceptions to compliance any periods during which compliance is required and in which the excursions or exceedances as defined in 40 CFR Part 64 occurred; and
7. Any additional information as required by the Department including information to determine compliance.

The compliance certification shall be submitted **within sixty (60) days** after the end of each calendar year, and shall be signed and dated by a responsible official.

Upon written request of the permittee, the deadline for submitting the compliance certification may be extended, if the Department determines that reasonable justification exists for the extension.

In lieu of addressing each emission unit as specified in *Compliance Certification Form*, the permittee may address insignificant activities as a single unit provided compliance is met with all applicable requirements. If compliance is not totally attained, the permittee shall identify the specific insignificant activity and provide the details associated with the noncompliance.

(Auth.: HAR §11-60.1-4, §11-60.1-86, §11-60.1-90)

Section E. Agency Notification

Any document (including reports) required to be submitted by this Covered Source Permit shall be done in accordance with Attachment I, Standard Condition No. 28.

(Auth.: HAR §11-60.1-4, §11-60.1-90)

**ATTACHMENT III: ANNUAL FEE REQUIREMENTS
COVERED SOURCE PERMIT NO. 0522-01-C**

Issuance Date:

Expiration Date:

The following requirements for the submittal of annual fees are established pursuant to Hawaii Administrative Rules (HAR), Title 11, Chapter 60.1, Air Pollution Control. Should HAR, Chapter 60.1 be revised such that the following requirements are in conflict with the provisions of HAR, Chapter 60.1, the permittee shall comply with the provisions of HAR, Chapter 60.1:

1. Annual fees shall be paid in full:
 - a. Within **one-hundred twenty (120) days** after the end of each calendar year; and
 - b. Within **thirty (30) days** after the permanent discontinuance of the covered source.
2. The annual fees shall be determined and submitted in accordance with Hawaii Administrative Rules, Chapter 11-60.1, Subchapter 6.
3. The annual emissions data for which the annual fees are based shall accompany the submittal of any annual fees and be submitted on forms furnished by the Department.
4. The annual fees and the emission data shall be mailed to:

**Clean Air Branch
Environmental Management Division
Hawaii Department of Health
919 Ala Moana Boulevard, Room 203
Honolulu, HI 96814**

**ATTACHMENT IV: ANNUAL EMISSIONS REPORTING REQUIREMENTS
COVERED SOURCE PERMIT NO. 0522-01-C**

Issuance Date:

Expiration Date:

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the nature and amounts of emissions.

1. Complete the attached form:

Monitoring/Annual Emissions Report Form: Hot Mix Asphalt Plant

2. The reporting period shall be from January 1 to December 31 of each year. All reports shall be submitted to the Department within **sixty (60) days** after the end of each calendar year and shall be mailed to the following address:

**Clean Air Branch
Environmental Management Division
Hawaii Department of Health
919 Ala Moana Boulevard, Room 203
Honolulu, HI 96814**

3. The permittee shall retain the information submitted, including all emission calculations. These records shall be in a permanent form suitable for inspection, retained for a minimum of five (5) years, and made available to the Department upon request.
4. Any information submitted to the Department without a request for confidentiality shall be considered public record.
5. In accordance with HAR, Section 11-60.1-14, the permittee may request confidential treatment of specific information, including information concerning secret processes or methods of manufacture, by submitting a written request to the Director and clearly identifying the specific information that is to be accorded confidential treatment.

**COMPLIANCE CERTIFICATION FORM
COVERED SOURCE PERMIT NO. 0522-01-C
(PAGE 1 OF ___)**

Issuance Date: _____

Expiration Date: _____

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the following certification at least annually, or more frequently as requested by the Department.

(Make Copies of the Compliance Certification Form for Future Use)

For Period: _____ Date: _____

Company/Facility Name: _____

Responsible Official (Print): _____

Title: _____

Responsible Official (Signature): _____

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by Department of Health as public record. I further state that I will assume responsibility for the construction, modification, or operation of the source in accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, and any permit issued thereof.

**COMPLIANCE CERTIFICATION FORM
COVERED SOURCE PERMIT NO. 0522-01-C
(CONTINUED, PAGE 2 OF ___)**

Issuance Date:

Expiration Date:

The purpose of this form is to evaluate whether or not the facility was in compliance with the permit terms and conditions during the covered period. If there were any deviations to the permit terms and conditions during the covered period, the deviation(s) shall be certified as *intermittent compliance* for the particular permit term(s) or condition(s). Deviations include failure to monitor, record, report, or collect the minimum data required by the permit to show compliance. In the absence of any deviation, the particular permit term(s) or condition(s) may be certified as *continuous compliance*.

Instructions:

Please certify Sections A, B, and C below for continuous or intermittent compliance. Sections A and B are to be certified as a group of permit conditions. Section C shall be certified individually for each operational and emissions limit condition as listed in the Special Conditions section of the permit (list all applicable equipment for each condition). Any deviations shall also be listed individually and described in Section D. The facility may substitute its own generated form in verbatim for Sections C and D.

A. Attachment I, Standard Conditions

<u>Permit term/condition</u> All standard conditions	<u>Equipment(s)</u> All Equipment(s) listed in the permit	<u>Compliance</u> <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
---	--	---

B. Special Conditions - Monitoring, Recordkeeping, Reporting, Testing, and INSIG

<u>Permit term/condition</u> All monitoring conditions	<u>Equipment(s)</u> All Equipment(s) listed in the permit	<u>Compliance</u> <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
<u>Permit term/condition</u> All recordkeeping conditions	<u>Equipment(s)</u> All Equipment(s) listed in the permit	<u>Compliance</u> <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
<u>Permit term/condition</u> All reporting conditions	<u>Equipment(s)</u> All Equipment(s) listed in the permit	<u>Compliance</u> <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
<u>Permit term/condition</u> All testing conditions	<u>Equipment(s)</u> All Equipment(s) listed in the permit	<u>Compliance</u> <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
<u>Permit term/condition</u> All INSIG conditions	<u>Equipment(s)</u> All Equipment(s) listed in the permit	<u>Compliance</u> <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent

**COMPLIANCE CERTIFICATION FORM
COVERED SOURCE PERMIT NO. 0522-01-C
(CONTINUED, PAGE ___ OF ___)**

Issuance Date:

Expiration Date:

C. Special Conditions - Operational and Emissions Limitations

Each permit term/condition shall be identified in chronological order using attachment and section numbers (e.g., Attachment II, B.1, Attachment IIA, Special Condition No. B.1.f, etc.).

Each equipment shall be identified using the description stated in Section A of the Special Conditions (e.g., unit no., model no., serial no., etc.). Check all methods (as required by permit) used to determine the compliance status of the respective permit term/condition.

<u>Permit term/condition</u>	<u>Equipment(s)</u>	<u>Method</u>	<u>Compliance</u>
		<input type="checkbox"/> monitoring <input type="checkbox"/> recordkeeping <input type="checkbox"/> reporting <input type="checkbox"/> testing <input type="checkbox"/> none of the above	<input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
		<input type="checkbox"/> monitoring <input type="checkbox"/> recordkeeping <input type="checkbox"/> reporting <input type="checkbox"/> testing <input type="checkbox"/> none of the above	<input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
		<input type="checkbox"/> monitoring <input type="checkbox"/> recordkeeping <input type="checkbox"/> reporting <input type="checkbox"/> testing <input type="checkbox"/> none of the above	<input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
		<input type="checkbox"/> monitoring <input type="checkbox"/> recordkeeping <input type="checkbox"/> reporting <input type="checkbox"/> testing <input type="checkbox"/> none of the above	<input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
		<input type="checkbox"/> monitoring <input type="checkbox"/> recordkeeping <input type="checkbox"/> reporting <input type="checkbox"/> testing <input type="checkbox"/> none of the above	<input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
		<input type="checkbox"/> monitoring <input type="checkbox"/> recordkeeping <input type="checkbox"/> reporting <input type="checkbox"/> testing <input type="checkbox"/> none of the above	<input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
		<input type="checkbox"/> monitoring <input type="checkbox"/> recordkeeping <input type="checkbox"/> reporting <input type="checkbox"/> testing <input type="checkbox"/> none of the above	<input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent
		<input type="checkbox"/> monitoring <input type="checkbox"/> recordkeeping <input type="checkbox"/> reporting <input type="checkbox"/> testing <input type="checkbox"/> none of the above	<input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent

(Make Additional Copies if Needed)

**COMPLIANCE CERTIFICATION FORM
COVERED SOURCE PERMIT NO. 0522-01-C
(CONTINUED, PAGE ___ OF ___)**

Issuance Date:

Expiration Date:

D. Deviations

<u>Permit Term/ Condition</u>	<u>Equipment(s) / Brief Summary of Deviation</u>	<u>Deviation Period time (am/pm) & date (mo/day/yr)</u>	<u>Date of Written Deviation Report to DOH (mo/day/yr)</u>
		Beginning: Ending:	

*Identify as possible exceptions to compliance any periods during which compliance is required and in which an excursion or exceedance as defined under 40 CFR Part 64 occurred.

(Make Additional Copies if Needed)

**MONITORING/ANNUAL EMISSIONS REPORT FORM
HOT MIX ASPHALT PLANT
COVERED SOURCE PERMIT NO. 0522-01-C
(PAGE 1 OF 2)**

Issuance Date: _____

Expiration Date: _____

In accordance with the Hawaii Administrative Rules, Title 11, Chapter 60.1, Air Pollution Control, the permittee shall report to the Department of Health the nature and amounts of emissions:

(Make Copies for Future Use)

For Period: _____ Date: _____

Company Name: _____

Facility Name: _____

Equipment Location: _____

I certify that I have knowledge of the facts herein set forth, that the same are true, accurate, and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Department of Health as public record.

Responsible Official (Print): _____

Title: _____ Phone Number: _____

Responsible Official (Signature): _____

- For the reporting period, provide the total tons of hot mix asphalt produced on a monthly and rolling twelve-month (12-month) basis, and the maximum daily operating hours of the drum mixer within each month:

Month	Total Monthly HMA Production (tons)	Total Rolling 12-Month HMA Production (tons)	Maximum Daily Operating Hours (hr/day)
January			
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			

**MONITORING/ANNUAL EMISSIONS REPORT FORM
HOT MIX ASPHAL PRODUCTION
COVERED SOURCE PERMIT NO. 0522-01-C
(CONTINUED, PAGE 2 OF 2)**

Issuance Date:

Expiration Date:

2. For the reporting period, provide the maximum sulfur content of each type of fuel fired in the drum mixer. In second (2nd) semi-annual reporting period, provide the total fuel consumption for the calendar year.

Type(s) of Fuel Fired ¹	Maximum Sulfur Content ² (% by Weight)	Total Fuel Consumption (gal/yr)

¹ Types of fuel:

- Fuel Oil No. 2;
- Biodiesel Meeting ASTM D6751;
- Unitek Ecodiesel;
- Aviation Fuel;
- Grease Trap/Cooking Oil;
- If Other, specify.

² If not already on file at the Department of Health, provide the supplier's fuel specification sheet for the type(s) of fuel indicated in the above table. The fuel specification sheet shall indicate the percent sulfur content by weight.

**VISIBLE EMISSIONS FORM REQUIREMENTS
STATE OF HAWAII
COVERED SOURCE PERMIT NO. 0522-01-C**

Issuance Date:

Expiration Date:

The **Visible Emissions (VE) Form** shall be completed **monthly** (*each calendar month*) for each equipment subject to opacity limits in accordance with 40 CFR Part 60, Appendix A, Method 9. At least **annually** (*calendar year*), VE observation shall be conducted for each equipment subject to opacity limits by a certified reader in accordance with Method 9. The VE Form shall be completed as follows:

1. VE observations shall take place during the day only. The opacity shall be noted in five (5) percent increments (e.g., 25%).
2. Orient the sun within a 140 degree sector to your back. Provide a source layout sketch on the VE Form using the symbols as shown.
3. For VE observations of stacks, stand at least three (3) stack heights but not more than a quarter mile from the stack.
4. For VE observations of fugitive emissions from crushing and screening plants, stand at least 4.57 meters (15 feet) from the visible emissions source, but not more than a quarter mile from the visible emission source.
5. Two (2) consecutive six (6) minute observations shall be taken at fifteen (15) second intervals for each stack or emission point.
6. The six (6) minute average opacity reading shall be calculated for each observation.
7. If possible, the observations shall be performed as follows:
 - a. Read from where the line of sight is at right angles to the wind direction.
 - b. The line of sight shall not include more than one (1) plume at a time.
 - c. Read at the point in the plume with the greatest opacity (without condensed water vapor), ideally while the plume is no wider than the stack diameter.
 - d. Read the plume at fifteen (15) second intervals only. Do not read continuously.
 - e. The equipment shall be operating at the maximum permitted capacity.
8. If the equipment was shut-down for that period, briefly explain the reason for shut-down in the comment column.

The permittee shall retain the completed VE Forms for recordkeeping. These records shall be in a permanent form suitable for inspection, retained for a minimum of five (5) years, and made available to the Department, or their representative upon request.

Any required initial and annual performance test performed in accordance with Method 9 by a certified reader shall satisfy the respective equipment's VE monitoring requirements for the month the performance test is performed.

**VISIBLE EMISSIONS FORM
COVERED SOURCE PERMIT NO. 0522-01-C**

Issuance Date: _____

Expiration Date: _____

(Make Copies for Future Use for Each Stack or Emission Point)

Company Name: _____


For stacks, describe equipment and fuel: _____

For fugitive emissions from crushers and screens, describe:

Fugitive emission point: _____

Plant Production (tons/hr): _____

(During observation)



Draw North Arrow



Site Conditions:

Emission point or stack height above ground (ft): _____

Emission point or stack distance from observer (ft): _____

Emission color (black or white): _____


Sky conditions (% cloud cover): _____

Wind speed (mph): _____

Temperature (°F): _____

Observer Name: _____

Certified? (Yes/No): _____



Observation Date and Start Time: _____

MINUTES	Seconds				COMMENTS
	0	15	30	45	
1					
2					
3					
4					
5					
6					
Six (6) Minute Average Opacity Reading (%):					

Observation Date and Start Time: _____

MINUTES	Seconds				COMMENTS
	0	15	30	45	
1					
2					
3					
4					
5					
6					
Six (6) Minute Average Opacity Reading (%):					