



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • <http://www.aqmd.gov>

NOTICE OF RENEWAL OF TITLE V PERMIT

The South Coast Air Quality Management District (AQMD) is the air pollution control agency for all of Orange County and portions of Los Angeles, Riverside and San Bernardino Counties. Rule 3006 requires that the AQMD publish this notice prior to the renewal of a Title V permit previously issued to the facility listed below:

INEOS Polypropylene LLC

2384 East 223rd Street
Carson, CA 90810
Facility ID# 124808

Contact Person:

Robert Cranmer
Safety, Health and Environmental Manager
2384 East 223rd Street
Carson, CA 90810

This facility is a polypropylene manufacturing plant that recovers propylene from the fuel gas of the contiguous Carson Refinery. The process involves the polymerization of polymer-grade propylene to produce polypropylene powder. The polypropylene powder is mixed with various additives and extruded to produce polypropylene pellets. The facility operates several dryers, screens, a reactor, a scrubber, compressors, an extruder, several storage silos, several baghouses and an afterburner.

Pursuant to Title V of the federal Clean Air Act and AQMD Rule 3004(f), a Title V permit shall expire five years from the date of issuance, unless such permit has been renewed. Accordingly, the above facility has submitted a Title V renewal application and requested that AQMD renew their Title V permit. The proposed permit incorporates updates to the facility information, as provided in the facility's Title V renewal application, as well as updates to all rules and regulations that are currently applicable to the facility. The proposed permit also incorporates several changes to the permit conditions of the baghouses and afterburner to update monitoring requirements.

As required by Title V of the federal Clean Air Act, the Title V permits include all of the emission limits, applicable requirements and operating conditions imposed on the equipment. Title V facilities are required to certify compliance with the Title V permits in addition to recordkeeping and mandatory reporting of any deviation from the permit conditions.

The proposed permit is available for public review at AQMD, 21865 Copley Dr., Diamond Bar, CA 91765 and at the Carson Regional Library, 151 E. Carson Street, Carson, CA 90745. The proposed permit can also be viewed at <http://www3.aqmd.gov/webappl/publicnotices2> by entering the facility's ID number. Information regarding the facility owner's compliance history submitted to the AQMD pursuant to California Health & Safety Code Section 42336, or otherwise known to the AQMD based on credible information, is also available from the AQMD for public review. **Anyone wishing to comment on the issuance of the proposed permit should submit their comments in writing by October 25, 2013. Written comments should be submitted to:**

South Coast Air Quality Management District
Engineering and Compliance Office
21865 Copley Drive
Diamond Bar, CA 91765-4178
Attention: Belinda Wan
AQ Engineer II

If you are concerned primarily about zoning decisions and the process by which this facility has been sited at this location, you should contact your local city or county planning department. For additional information, please contact Ms. Belinda Wan at (909) 396-2532 or by email at bwan@aqmd.gov.

The public may request the AQMD to conduct a public hearing on the proposed permit by submitting a Hearing Request Form (Form 500-G) to Belinda Wan at the above AQMD address. The public hearing request must contain all the information requested on the form in order for the AQMD to determine whether or not the request is valid or if a public hearing will be held. The public hearing request forms may be obtained from the AQMD by calling the Title V hotline at (909) 396-3013, or downloading from the internet at <http://www.aqmd.gov/permit/Formspdf/TitleV/AQMDForm500-G.pdf>. **Any request for a public hearing must be submitted to the AQMD no later than October 10, 2013. A copy of the public hearing request must also be sent by first class mail to the facility contact person listed above, at the same time.**