

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	136148	Company Name:	E/M Coating Services
Equipment Location:	6940 Farmdale Avenue, North Hollywood, CA 91605		SIC Code: 3479
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s):	515679	Application Submittal Date(s):	10/19/10
AQMD Contact Person:	Hamed Mandilawi	Phone #:	E-Mail Address:
		(909) 396-2584	hmandilawi@aqmd.gov
Project Description: This is an existing facility, applying for a Title V permit renewal that is engaged in the coating of aerospace fasteners. The facility operates spray booths, graphite impregnating booths and associated dust collectors, a powder spray booth and associated dust collector, dip tanks, ovens, a solvent still, an anodizing line, a passivation line, a scrubber, and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2010		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported:	Emissions (lbs/yr):
		Ammonia	83
		Benzene	0.036
		Formaldehyde	0.078
		Naphthalene	0.001
		PAH's	0.001
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved (date) 1998 Cancer Risk = <u>5.8 in one million</u> Acute Hazard Index = <u>0.28</u> Chronic Hazard Index = <u>0.57</u>			
Criteria Pollutant Emissions		<input checked="" type="checkbox"/> NOx 0.23	<input checked="" type="checkbox"/> PM 0.017
Annual Reported Emissions (tons/year) for Reporting Year: 2010		<input checked="" type="checkbox"/> CO 0.192	<input checked="" type="checkbox"/> SOx 0.001
		<input checked="" type="checkbox"/> VOC 6.027	<input type="checkbox"/> Other: _____
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 2) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0)			
Comments:			