

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	25501	Company Name:	Fabri-Cote, Div. A & S Glass Fabrics Co. Inc.		
Equipment Location:	718 & 724 E. 60th Street, Los Angeles, CA 90001			SIC Code: 2295	
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:			
Application #(s):	527091	Application Submittal Date(s):	9/6/2011		
AQMD Contact Person:	Hamed Mandilawi	Phone #:	E-Mail Address:		
		(909) 396-3275	hmandilawi@aqmd.gov		
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in fabric coating and curing. The facility operates two fabric coating and curing systems, a storage tank, and other supporting equipment. Volatile organic compound emissions from the fabric coating and curing systems are vented to an air pollution control equipment afterburner.					
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal					
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance					
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2010		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>		<u>Emissions (lbs/yr):</u>	
		Ammonia		444	
		Benzene		0.197	
		Formaldehyde		0.419	
		Naphthalene		0.007	
		PAH's		0.002	
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input checked="" type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____					
Criteria Pollutant Emissions		<input checked="" type="checkbox"/> NOx	1.604	<input checked="" type="checkbox"/> PM	0.092
Annual Reported Emissions		<input checked="" type="checkbox"/> CO	0.431	<input checked="" type="checkbox"/> SOx	0.007
(tons/year) for Reporting Year: 2010		<input checked="" type="checkbox"/> VOC	18.809	<input type="checkbox"/> Other:	_____
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (1)					
Comments:					