

**FACILITY PERMIT TO OPERATE  
SFPP, LP**

**PERMIT TO OPERATE**

**Permit No. TBD  
A/N 501173**

**Equipment Description:**

STORAGE TANK NO. W-16, KEROSENE, DIESEL, 110'-0" DIA. BY 48'-0" H., 80,000 BBL. CAPACITY,  
INTERNAL FLOATING ROOF, SINGLE SEAL.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. THIS TANK SHALL ONLY BE USED FOR STORING KEROSENE AND DIESEL.  
[RULE 1303(b)(2)-OFFSETS, 1401]
4. THE HYDROCARBON CONCENTRATION IN THE VAPOR SPACE ABOVE THE INTERNAL FLOATING ROOF SHALL NOT EXCEED 30 PERCENT OF THE LOWER EXPLOSIVE LIMIT.  
[RULE 463]
5. THROUGHPUT TO THIS TANK OF PETROLEUM DISTILLATES SHALL NOT EXCEED 667,200 BBL IN ANY ONE CALENDAR MONTH.  
[RULE 1303(b)(2)-OFFSETS, 1401]
6. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):  
  
TYPE OF LIQUID STORED, THROUGHPUT, TURNOVERS, AND RANGES OF TRUE VAPOR PRESSURE OF SUCH LIQUIDS.  
[RULE 463]

**Periodic Monitoring: NONE**

**FACILITY PERMIT TO OPERATE  
SFPP, LP**

**Permit No. TBD  
A/N 501173**

**Emissions and Requirements:**

7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 463

VOC: RULE 1149

**FACILITY PERMIT TO OPERATE  
SFPP, LP**

**PERMIT TO OPERATE**

**Permit No. TBD  
A/N 501174**

**Equipment Description:**

STORAGE TANK NO. W-17, KEROSENE, DIESEL, 110'-0" DIA. BY 48'-0" H., 80,000 BBL. CAPACITY, INTERNAL FLOATING ROOF, SINGLE SEAL.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. THIS TANK SHALL ONLY BE USED FOR STORING KEROSENE AND DIESEL.  
[RULE 1303(b)(2)-OFFSETS, 1401]
4. THE HYDROCARBON CONCENTRATION IN THE VAPOR SPACE ABOVE THE INTERNAL FLOATING ROOF SHALL NOT EXCEED 30 PERCENT OF THE LOWER EXPLOSIVE LIMIT.  
[RULE 463]
5. THROUGHPUT TO THIS TANK OF PETROLEUM DISTILLATES SHALL NOT EXCEED 667,200 BBL IN ANY ONE CALENDAR MONTH.  
[RULE 1303(b)(2)-OFFSETS, 1401]
6. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):  
  
TYPE OF LIQUID STORED, THROUGHPUT, TURNOVERS, AND RANGES OF TRUE VAPOR PRESSURE OF SUCH LIQUIDS.  
[RULE 463]

**Periodic Monitoring: NONE**

**FACILITY PERMIT TO OPERATE  
SFPP, LP**

**Permit No. TBD  
A/N 501174**

**Emissions and Requirements:**

7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 463

VOC: RULE 1149

**FACILITY PERMIT TO OPERATE  
SFPP, LP**

**PERMIT TO OPERATE**

**Permit No. TBD  
A/N 501175**

**Equipment Description:**

STORAGE TANK NO. W-18, KEROSENE, DIESEL, 110'-0" DIA. BY 48'-0" H., 80,000 BBL. CAPACITY, INTERNAL FLOATING ROOF, SINGLE SEAL.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.  
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.  
[RULE 204]
3. THIS TANK SHALL ONLY BE USED FOR STORING KEROSENE AND DIESEL.  
[RULE 1303(b)(2)-OFFSETS, 1401]
4. THE HYDROCARBON CONCENTRATION IN THE VAPOR SPACE ABOVE THE INTERNAL FLOATING ROOF SHALL NOT EXCEED 30 PERCENT OF THE LOWER EXPLOSIVE LIMIT.  
[RULE 463]
5. THROUGHPUT TO THIS TANK OF PETROLEUM DISTILLATES SHALL NOT EXCEED 667,200 BBL IN ANY ONE CALENDAR MONTH.  
[RULE 1303(b)(2)-OFFSETS, 1401]
6. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):  
  
TYPE OF LIQUID STORED, THROUGHPUT, TURNOVERS, AND RANGES OF TRUE VAPOR PRESSURE OF SUCH LIQUIDS.  
[RULE 463]

**Periodic Monitoring: NONE**

**FACILITY PERMIT TO OPERATE  
SFPP, LP**

**Permit No. TBD  
A/N 501175**

**Emissions and Requirements:**

7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 463  
VOC: RULE 1149