



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

August 15, 2013

Mr. Gerardo Rios
Chief – Permits Office
U. S. EPA, Region IX
75 Hawthorne Street, Air 3
San Francisco, CA 94105

Subject: University of Southern California, University Park (ID 800265) – Title V Permit Revision

Dear Mr. Rios:

University of Southern California, University Park has proposed to revise their Title V permit under application no. 545900 by the modification to an existing natural gas fired boiler by the installation of a low NOx burner, and the addition of three new emergency electrical generators. This is a college located at 699 Exposition Boulevard, Los Angeles, CA 90089. The proposed permit revision is considered as a “significant permit revision” to their Title V permit and a Public Notice is required. Attached for your review is the permit evaluation, Section D of the Facility Permit, and the Public Notice for the proposed revision. With the receipt of the proposed Title V permit revision today, we will note that the EPA 45-day review period begins on August 15, 2013.

If you have any questions or need additional information regarding the proposed permit revision, please call Mr. Kenneth L. Coats (909) 396-2527.

Very truly yours,

A handwritten signature in blue ink, appearing to read "Andrew Lee".

Andrew Lee, P.E.
Senior AQ Engineering Manager
Energy/Public Services/Waste Management/Terminals
Engineering and Compliance

cc: Angel Burgos, University of Southern California, University Park

BLY:AYL:JTY:klc
Attachments