

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 149814	Company Name: Sierracin/Sylmar Inc.		
Equipment Location: 12780 San Fernando Road, Sylmar, CA 91342	SIC Code: 3728		
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s): 503952	Application Submittal Date(s): 11/25/09		
AQMD Contact Person: Hamed Mandilawi	Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov	
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the manufacturing of aircraft windows and canopies. The facility operates various spray booths, flow coaters, an abrasive blasting room, plating tanks, and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009	<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported:	<u>Emissions (lbs/yr):</u>	
	Ammonia	45.15	
	Benzene	0.112	
	Formaldehyde	0.239	
	Naphthalene	0.004	
	Nickel	0.001	
	PAH's	0.001	
Health Risk From Toxic Air Contaminants:	<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input checked="" type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____		
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009	<input checked="" type="checkbox"/> NOx 0.917	<input checked="" type="checkbox"/> PM 0.055	
	<input checked="" type="checkbox"/> CO 0.246	<input checked="" type="checkbox"/> SOx 0.004	
	<input checked="" type="checkbox"/> VOC 13.524	<input type="checkbox"/> Other: _____	
Compliance History:	<input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (1)		
Comments:			