



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

April 24, 2013

Mr. Gerardo C. Rios
Chief, Permits Office
U.S. EPA Region IX AIR 3
75 Hawthorne Street
San Francisco, CA 94105-3901

Dear Mr. Rios:

**Subject: Clougherty Packing LLC/Hormel Foods Corp. - I.D. No. 016978
Title V/RECLAIM Permit Revision (A/N 531627)**

Clougherty Packing LLC/Hormel Foods Corp. (ID 016978) has proposed to revise their Title V/RECLAIM permit by addition of a water heater for a pressure washer. The changes are summarized below:

Equipment	Device No.	Application No.	Permit Type
Water Heater for Pressure Washer	C203	531628	PO

Clougherty Packing LLC/Hormel Foods Corp. is in the business of meat and poultry processing and rendering and is located at 3049 E. Vernon Ave, Vernon, CA. The proposed permit revision is a "de minimis significant permit revision" to their Title V Permit. Attached for your review are the evaluation and proposed permit for this revision. With your expected receipt of the proposed Title V permit revision today, we note that the EPA 45-day review period begins on April 24, 2013.

If you have any questions or need additional information regarding the proposed permit revision, please contact Mr. Richard H. Hawrylew at (909) 396-2657.

Sincerely,

Mohsen Nazemi
for: Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering and Compliance

MN:RHH
Enclosure

FACILITY PERMIT TO OPERATE

**CLOUGHERTY PACKING LLC/HORMEL FOODS CORP
3049 E VERNON AVE
VERNON, CA 90058**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER

By _____
Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	DRAFT	04/23/2013
B	RECLAIM Annual Emission Allocation	DRAFT	04/23/2013
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	DRAFT	04/23/2013
E	Administrative Conditions	DRAFT	04/23/2013
F	RECLAIM Monitoring and Source Testing Requirements	DRAFT	04/23/2013
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	DRAFT	04/23/2013
H	Permit To Construct and Temporary Permit to Operate	DRAFT	04/23/2013
I	Compliance Plans & Schedules	DRAFT	04/23/2013
J	Air Toxics	DRAFT	04/23/2013
K	Title V Administration	DRAFT	04/23/2013
 Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	DRAFT	04/23/2013
B	Rule Emission Limits	DRAFT	04/23/2013

**FACILITY PERMIT TO OPERATE
 CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

SECTION A: FACILITY INFORMATION

LEGAL OWNER &/OR OPERATOR: CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

LEGAL OPERATOR (if different than owner):

EQUIPMENT LOCATION: 3049 E VERNON AVE
 VERNON, CA 90058-1882

MAILING ADDRESS: 3049 E VERNON AVE
 VERNON, CA 90058-1882

RESPONSIBLE OFFICIAL: AL LIEBERUM

TITLE: VICE PRESIDENT OF OPERATIONS

TELEPHONE NUMBER: (323) 583-4621

CONTACT PERSON: MATTHEW GIRON

TITLE: ENVIRONMENTAL ENGINEER

TELEPHONE NUMBER: (323) 583-

INITIAL TITLE V PERMIT ISSUED: October 23, 2008

TITLE V PERMIT EXPIRATION DATE: October 22, 2013

TITLE V	RECLAIM
----------------	----------------

YES	NOx:	YES
	SOx:	NO
	CYCLE:	2
	ZONE:	COASTAL

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NO_x RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NO_x emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)	Zone	NO _x RTC Initially Allocated	NO _x RTC ¹ Holding as of 07/01/2012 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
7/2009 6/2010	Coastal	11571	229	625
1/2010 12/2010	Coastal	0	0	0
7/2010 6/2011	Coastal	11571	1224	937
7/2011 6/2012	Coastal	11571	0	1250
1/2012 12/2012	Coastal	0	744	0
7/2012 6/2013	Coastal	11571	8968	1250
7/2013 6/2014	Coastal	11571	8968	1250
7/2014 6/2015	Coastal	11571	8968	1250
7/2015 6/2016	Coastal	11571	8968	1250
7/2016 6/2017	Coastal	11571	8968	1250
7/2017 6/2018	Coastal	11571	8968	1250
7/2018 6/2019	Coastal	11571	8968	1250
7/2019 6/2020	Coastal	11571	8968	1250
7/2020 6/2021	Coastal	11571	8968	1250
7/2021 6/2022	Coastal	11571	8968	1250
7/2022 6/2023	Coastal	11571	8968	1250
7/2023 6/2024	Coastal	11571	8968	1250

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

**FACILITY PERMIT TO OPERATE
 CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NOx RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NOx emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)	Zone	NOx RTC Initially Allocated	NOx RTC ¹ Holding as of 07/01/2012 (pounds)	Non-Tradable ²
				Non-Usable RTCs (pounds)
7/2024 6/2025	Coastal	11571	8968	1250
7/2025 6/2026	Coastal	11571	8968	1250
7/2026 6/2027	Coastal	11571	8968	1250

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

**FACILITY PERMIT TO OPERATE
 CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. If the facility submits a permit application to increase in an annual allocation to a level greater than the facility's starting Allocation plus Non-Tradable credits as listed below, the application will be evaluated for compliance with Rule 2005 (c)(4). Rule 2005 (e) - Trading Zone Restrictions applies if an annual allocation is increased to a level greater than the facility's Starting Allocation plus Non-Tradable Credits:

Year		Zone	NOx RTC	Non-Tradable
Begin	End		Starting Allocation	Credits(NTC)
(month/year)			(pounds)	(pounds)
7/1994	6/1995	Coastal	16626	3182

**FACILITY PERMIT TO OPERATE
CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

SECTION C: FACILITY PLOT PLAN

(TO BE DEVELOPED)

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
System 1: Raw Materials Handling					S1.1
SINGEING MACHINE, NATURAL GAS, STORK RMS INC., MODEL 1250-64, 8 MMBTU/HR A/N: 306656	D88		NOX: PROCESS UNIT**	CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	D323.1
SINGEING MACHINE, NATURAL GAS, STORK RMS INC., MODEL 1250-64, 8 MMBTU/HR A/N: 306657	D89		NOX: PROCESS UNIT**	CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	D323.1
PUMP, NO. 1, HAARSLEV, HM 35, 40 HP. A/N: 510218	D192				E202.1
CONVEYOR, INCLINE A/N: 510218	D193				E202.1
BIN, SURGE, RAW MATERIAL A/N: 510218	D194			PM: (9) [RULE 405, 2-7-1986]	E202.1
PUMP, NO. 2, HAARSLEV, HM 35, 40 HP. A/N: 510218	D195				E202.1
BIN, SURGE, OFFAL AND KILL FLOOR INEDIBLE RAW MATERIALS A/N: 459140	D134				E202.1
BIN, SURGE, DRY INEDIBLE (BONES) RAW MATERIAL A/N: 459140	D137			PM: (9) [RULE 405, 2-7-1986]	E202.1

- | | |
|--|---|
| * (1) (1A) (1B) Denotes RECLAIM emission factor | (2) (2A) (2B) Denotes RECLAIM emission rate |
| (3) Denotes RECLAIM concentration limit | (4) Denotes BACT emission limit |
| (5) (5A) (5B) Denotes command and control emission limit | (6) Denotes air toxic control rule limit |
| (7) Denotes NSR applicability limit | (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) |
| (9) See App B for Emission Limits | (10) See section J for NESHAP/MACT requirements |

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
CONVEYOR, SCREW A/N: 459140	D135				E202.1
TANK, HYDROLYZER, HOG HAIR, ANCO-EAGLIN, STEAM-HEATED, WITH A FEEDER SYSTEM, LENGTH: 10 FT ; DIAMETER: 3 FT A/N: 437326	D201				C1.26, D323.1
TANK, GREASE MATERIALS, WITH TWO TRI-SEPARATOR CENTRIFUGES, BIRD, 40-HP EACH, 2000 GALS; DIAMETER: 5 FT ; HEIGHT: 10 FT A/N: 437328	D202				C1.27, D323.1
System 2: Size Reduction and Cooking					S1.1, S1.3
GRINDER, SVAERTEK A/N: 459140	D138			PM: (9) [RULE 405, 2-7-1986]	D323.1, E202.1
PUMP, V-RAM PUMP A/N: 459140	D99				
BIN, SURGE, RAW MATERIAL SURGE BIN WITH CYCLONE, WIDTH: 14 FT 8 IN; HEIGHT: 5 FT ; LENGTH: 13 FT 4 IN A/N: 459140	D139			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	E202.1
CONVEYOR, SCREW, DOUBLE SCREW, BIN DISCHARGE A/N: 459140	D140			PM: (9) [RULE 405, 2-7-1986]	E202.1
CONVEYOR, SCREW, COOKER FEED A/N: 459140	D141			PM: (9) [RULE 405, 2-7-1986]	E202.1
COOKER, RENDERING COOKER, DUPPS HORIZONTAL CONTINUOUS TYPE, STEAM HEATED A/N: 459140	D142	C62		PM: (9) [RULE 405, 2-7-1986]	E202.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
System 3: Inedible Dry Rendered Products Handling and Separation					S1.1, S1.2
CONVEYOR, SCREW, WET CRAX A/N: 503535	D143			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, WET CRAX A/N: 503535	D144			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, OVERPRESSOR A/N: 503535	D145	C66		PM: (9) [RULE 405, 2-7-1986]	
TANK, SEDIMENTATION TANK, WITH TWO DISCHARGE PUMPS A/N: 459139	D146	C66		PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, FINES A/N: 503535	D147			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, PRESS NO. 1 FEED A/N: 503535	D148			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, PRESS NO. 2 FEED A/N: 503535	D149			PM: (9) [RULE 405, 2-7-1986]	
PRESS, NO. 1, DUKE PRESS, GREASE A/N: 503535	D150	C66		PM: (9) [RULE 405, 2-7-1986]	
PRESS, NO. 2, DUKE PRESS, GREASE A/N: 503535	D151	C66		PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, FINES AND GREASE A/N: 503535	D152			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, FINES A/N: 503535	D153			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, PRESS CAKE A/N: 503535	D155			PM: (9) [RULE 405, 2-7-1986]	

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
CONVEYOR, SCREW, PRESS CAKE, FEEDING HAMMERMILL SURGE BIN A/N: 503535	D156			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SURGE BIN FEED SCREW AUGER A/N: 503535	D183			PM: (9) [RULE 405, 2-7-1986].	
BIN, HAMMERMILL SURGE BIN, WITH FEED SCREW AUGER A/N: 503535	D184			PM: (9) [RULE 405, 2-7-1986]	
MILL, HAMMERMILL, WILLIAMS NO. 220 NF, REVERSIBLE A/N: 503535	D185			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, ROTEX FEED SCREW WITH AIR OPERATED HATCH A/N: 503535	D186			PM: (9) [RULE 405, 2-7-1986]	
SCREEN, CLASSIFYING, ROTEX MODEL 811A A/N: 503535	D188			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, REGRIND SCREW AUGER, MEAT AND BONE MEAL A/N: 503535	D190			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, ROTEX BYPASS SCREW AUGER A/N: 503535	D187			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, FINE SCREW AUGER A/N: 503535	D189			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, BUCKET ELEVATOR FEED SCREW AUGER, MEAT AND BONE MEAL, WITH FABRIC FILTER A/N: 503535	D159			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	D322.1, K67.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
BUCKET ELEVATOR, MEAT AND BONE MEAL A/N: 503535	D191			PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, SCREW, MEAT AND BONE MEAL A/N: 503535	D163			PM: (9) [RULE 405, 2-7-1986]	
TANK, MEAT AND BONE MEAL, WITH FABRIC FILTER, 5970 CU.FT. A/N: 503535	D164	D170 C177		PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	D322.1, K67.1
UNLOADING ARM, GOLIATH UNLOADER, MEAT AND BONE MEAL, WITH FABRIC FILTER A/N: 503535	D161			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	D322.1, K67.1
CONVEYOR, SCREW, TRUCK LOADING SCREW, MEAT AND BONE MEAL, WITH TRUCK LOADING SPOUT A/N: 503535	D170	D164		PM: (9) [RULE 405, 2-7-1986]	
BAGHOUSE, PULSE JET, WITH 2 HP BLOWER, CLOTH FILTER, FLEX-KLEEN, MODEL 58-BVBS-16(11G), 115 SQ.FT.; 16 BAGS A/N: 475564	C177	D164		PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	C6.5, D322.1, K67.1, K67.2
System 4: Grease Handling					S1.3
CONVEYOR, SCREW, FINES AND GREASE A/N: 459139	D171			PM: (9) [RULE 405, 2-7-1986]	
PIT, COLLECTION PIT, FINES AND GREASE A/N: 459139	D154			PM: (9) [RULE 405, 2-7-1986]	
PUMP, PNEUMATIC PUMP, GREASE A/N: 459139	D172				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
CENTRIFUGE, GREASE, WITH DISCHARGE OIL PUMP A/N: 459139	D173				
SCREEN, CLASSIFYING, BAG, F5F51 VERTICAL FABRIC TYPE, HEIGHT: 2 FT 6 IN; DIAMETER: 6 IN A/N: 459139	D33			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	D322.1, K67.1
TANK, SURGE, GREASE, WITH DISCHARGE PUMP, WIDTH: 2 FT ; HEIGHT: 3 FT ; LENGTH: 2 FT A/N: 459139	D174				
SCREEN, CLASSIFYING, BAG, F5F51 VERTICAL FABRIC TYPE, HEIGHT: 2 FT 6 IN; DIAMETER: 6 IN A/N: 459139	D110			PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	D322.1, K67.1
System 5: Grease Storage					
STORAGE TANK, FIXED ROOF, STEAM HEATED, GREASE, HEIGHT: 35 FT ; DIAMETER: 12 FT A/N: A42807	D8				C6.1, E147.1
STORAGE TANK, FIXED ROOF, STEAM HEATED, GREASE, HEIGHT: 35 FT ; DIAMETER: 12 FT A/N: A42808	D9				C6.1, E147.1
STORAGE TANK, FIXED ROOF, STEAM HEATED, GREASE WORK TANK, WITH A 4 FT. CONE BOTTOM, 2658 GALS; DIAMETER: 7 FT ; HEIGHT: 13 FT A/N: 358036	D113				C6.4, E147.1
System 6: Air Pollution Control System No. 1					

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 - (3) Denotes RECLAIM concentration limit
 - (5) (5A) (5B) Denotes command and control emission limit
 - (7) Denotes NSR applicability limit
 - (9) See App B for Emission Limits
 - (2) (2A) (2B) Denotes RECLAIM emission rate
 - (4) Denotes BACT emission limit
 - (6) Denotes air toxic control rule limit
 - (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 - (10) See section J for NESHAP/MACT requirements
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
TANK, ENTRAINMENT SEPARATOR, HEIGHT: 10 FT ; DIAMETER: 7 FT A/N: 427804	C62	C63 D142			
TANK, KNOCKOUT TANK, HEIGHT: 12 FT ; DIAMETER: 5 FT A/N: 427804	C63	C62 C112			
CONDENSER, AIR-COOLED A/N: 427804	C112	C63 C66			
SCRUBBER, SPRAY CHAMBER, VENTURI, HEIGHT: 6 FT ; DIAMETER: 3 FT A/N: 427804	C66	C112 C114 D145 D146 D150 D151		PM: (9) [RULE 404, 2-7-1986]	
OXIDIZER, THERMAL, TANN CORP, MODEL NO. TR 1095, WITH 100 HP EXHAUST FAN, NATURAL GAS, 4 FT 6 IN WIDE; 8 FT 0 IN HIGH; 17 FT 6 IN LONG., WITH LOW NOX BURNER, 1.5 MMBTU/HR A/N: 456493	C114	C66 D122 D123	NOX: PROCESS UNIT**	CO: 2000 PPMV (5) [RULE 407, 4-2-1982]; NOX: 74 PPMV (3) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	C8.2, D323.1
System 7: Meat Smoking					
SMOKE GENERATOR, NO. 1, SCHROTER, MODEL SMOKJET RH, 0.8 KW A/N: 494228	D181	D75 D76			B163.1, C1.25, D323.1
SMOKE GENERATOR, NO. 2, SCHROTER, MODEL SMOKJET RH, 0.8 KW A/N: 512777	D196	D77 D78			B163.1, C1.25, D323.1
SMOKE GENERATOR, NO. 3, SCHROTER, MODEL SMOKJET RH, 0.8 KW A/N: 512778	D197	D79 D80			B163.1, C1.25, D323.1

- | | |
|--|---|
| * (1) (1A) (1B) Denotes RECLAIM emission factor | (2) (2A) (2B) Denotes RECLAIM emission rate |
| (3) Denotes RECLAIM concentration limit | (4) Denotes BACT emission limit |
| (5) (5A) (5B) Denotes command and control emission limit | (6) Denotes air toxic control rule limit |
| (7) Denotes NSR applicability limit | (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) |
| (9) See App B for Emission Limits | (10) See section J for NESHAP/MACT requirements |

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
SMOKE GENERATOR, SMOKEHOUSE NO. 1, NATURAL GAS, JULIAN, 2.5 MMBTU/HR A/N: C34412	D75	C176 D181	NOX: PROCESS UNIT**	CO: 2000 PPMV (5) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	D323.1
SMOKE GENERATOR, SMOKEHOUSE NO. 2, NATURAL GAS, JULIAN, 2.5 MMBTU/HR A/N: C34413	D76	C176 D181	NOX: PROCESS UNIT**	CO: 2000 PPMV (5) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	D323.1
SMOKE GENERATOR, SMOKEHOUSE NO. 3, NATURAL GAS, JULIAN, 2.5 MMBTU/HR A/N: C34414	D77	C176 D196	NOX: PROCESS UNIT**	CO: 2000 PPMV (5) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	D323.1
SMOKE GENERATOR, SMOKEHOUSE NO. 4, NATURAL GAS, JULIAN, 2.5 MMBTU/HR A/N: C34415	D78	C176 D196	NOX: PROCESS UNIT**	CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	D323.1

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
SMOKE GENERATOR, SMOKEHOUSE NO. 5, NATURAL GAS, JULIAN, 2.5 MMBTU/HR A/N: C34416	D79	C176 D197	NOX: PROCESS UNIT**	CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	D323.1
SMOKE GENERATOR, SMOKEHOUSE NO. 6, NATURAL GAS, JULIAN, 2.5 MMBTU/HR A/N: C34417	D80	C176 D197	NOX: PROCESS UNIT**	CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	D323.1
System 8: Air Pollution Control System No. 2					
OXIDIZER, THERMAL, TANN CORP, MODEL NO. TR 1595C, WITH 150-HP EXHAUST FAN, NATURAL GAS, 21 FT 0 IN WIDE, 8 FT 0 IN HIGH, 37 FT 0 IN LONG,, 3.8 MMBTU/HR A/N: 497331	C176	D75 D76 D77 D78 D79 D80	NOX: PROCESS UNIT**	CO: 2000 PPMV (5) [RULE 407, 4-2-1982]; NOX: 130 LBS/MMSCF (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5A) [RULE 409, 8-7-1981]	C8.3, D323.1
System 9: Blood Drying					
TANK, BLOOD STORAGE A/N: 456495	D119				
TANK, COAGULATOR A/N: 456495	D120				
TANK, CENTRIFUGE A/N: 456495	D130				
CONVEYOR, SCREW TYPE A/N: 456495	D121				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
DRYER, SPRAY, BLOOD, NATURAL GAS, DUSKE ENGINEERING COMPANY, WITH LOW NOX BURNER, 3.6 MMBTU/HR A/N: 456495	D122	C114	NOX: PROCESS UNIT**	CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 30 PPMV NATURAL GAS (4) [RULE 2005, 5-6-2005]; NOX: 30 PPMV NATURAL GAS (3) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	D323.1
System 10: Dried Blood Meal Storage and Handling					
CYCLONE, PRIMARY, WITH 30 HP FAN A/N: 459137	D123	C114		PM: (9) [RULE 405, 2-7-1986]	
CONVEYOR, DRYER OUT-FEED A/N: 459137	D124			PM: (9) [RULE 405, 2-7-1986]	
HAMMERMILL, SCHUTTE-BUFFALO, MODEL NO. 18-7, 15 HP A/N: 459137	D125			PM: (9) [RULE 405, 2-7-1986]	
CYCLONE, SECONDARY, WITH 15 HP FAN A/N: 459137	D126	C175		PM: (5) [RULE 405, 2-7-1986]	
BAGHOUSE, PULSE JET, WITH 15 HP BLOWER, CLOTH FILTER, KICE, MODEL VR16-8, 149 SQ.FT.; 16 BAGS A/N: 462033	C175	D126		PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	C6.6, D322.1, D323.1, K67.1, K67.2
STORAGE SILO, BLOOD MEAL A/N: 459137	D127	C128		PM: (9) [RULE 405, 2-7-1986]	

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 2: ANIMAL/POULTRY RENDERING					
BAGHOUSE, PULSE JET, WITH 5 HP BLOWER, CLOTH FILTER, FLEX-KLEEN, MODEL 58-BVBS-16(11G), 115 SQ.FT.; 16 BAGS A/N: 459138	C128	D127 D129		PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]	C6.5, D322.1, D323.1, K67.1, K67.2
CONVEYOR, LOAD OUT A/N: 459137	D129	C128		PM: (9) [RULE 405, 2-7-1986]	
Process 3: EXTERNAL COMBUSTION					
System 1: Industrial Boiler					
BOILER, NO. 3, NATURAL GAS, COMBUSTION ENGINEERING, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, 30 MMBTU/HR WITH A/N: 456499 BURNER, NATURAL GAS, PROPANE, KEELER/FABER, MODEL WB-2-16, TWO BURNERS, WITH LOW NOX BURNER, 30 MMBTU/HR	D86		NOX: LARGE SOURCE**	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 25 PPMV (3) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	C1.5, D323.1, E73.1, E113.1, H23.1

* (1) (1A) (1B) Denotes RECLAIM emission factor (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
BOILER, NO. 1, NATURAL GAS, SUPERIOR BOILER WORKS, MODEL X6-X-4500-S150-STJCF-G, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, 38.8 MMBTU/HR WITH A/N: 457105 BURNER, NATURAL GAS, ST JOHNSON COMPANY, MODEL RX900I-RF50, WITH LOW NOX BURNER, 38.8 MMBTU/HR	D115		NOX: LARGE SOURCE**	CO: 100 PPMV (4) [RULE 1303(a)(1)-BACT, 5-10-1996]; CO: 400 PPMV (5) [RULE 1146, 5-13-1994]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 9 PPMV (4) [RULE 2005, 4-20-2001]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	C1.5, D323.1, D328.1, H23.1, H23.4
BOILER, NO. 2, NATURAL GAS, SUPERIOR BIOLER WORKS, MODEL X6-X-4500-S150-STJCF-G, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, 38.8 MMBTU/HR WITH A/N: 456497 BURNER, NATURAL GAS, ST JOHNSON COMPANY, MODEL RX900I-RF50, WITH LOW NOX BURNER, 38.8 MMBTU/HR	D116		NOX: LARGE SOURCE**	CO: 100 PPMV (4) [RULE 1303(a)(1)-BACT, 5-10-1996]; CO: 400 PPMV (5) [RULE 1146, 5-13-1994]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 9 PPMV (4) [RULE 2005, 4-20-2001]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	C1.5, D323.1, D328.1, H23.1, H23.4

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|
- ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
HEATER, WATER, DIESEL FUEL, MI-T-M CORP., MODEL HVS-3505-0H6G, WITH A PRESSURE WASHER, 0.472 MMBTU/HR A/N:	D203		NOX: PROCESS UNIT**	CO: 2000 PPMM DIESEL (5) [RULE 407, 4-2-1982]; NOX: 20 LBS/1000 GAL DIESEL (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; PM: 0.1 GRAINS/SCF DIESEL (5) [RULE 409, 8-7-1981]	C1.28, D323.1
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, 6 CYLINDERS, DIESEL FUEL, JOHN DEERE, MODEL 6081A, WITH AFTERCOOLER, TURBOCHARGER, 300 BHP A/N: 417375	D182		NOX: PROCESS UNIT**	NOX: 469 LBS/1000 GAL DIESEL (1) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986]	C1.24, D12.2, K67.3
RULE 219 EXEMPT EQUIPMENT, REFRIGERATION UNITS	E179			VOC: (8) [40CFR 82 Subpart F, 5-14-1993]; VOC: (5) [RULE 1415, 10-14-1994]	H23.3
RULE 219 EXEMPT EQUIPMENT, AIR CONDITIONING UNITS	E180			VOC: (8) [40CFR 82 Subpart F, 5-14-1993]; VOC: (5) [RULE 1415, 10-14-1994]	H23.3

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

SECTION D: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

**FACILITY PERMIT TO OPERATE
 CLOUGHERTY PACKING LLC/HORMEL FOODS CORP
 SECTION D: DEVICE ID INDEX**

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D8	6	2	5
D9	6	2	5
D33	6	2	4
C62	7	2	6
C63	7	2	6
C66	7	2	6
D75	8	2	7
D76	8	2	7
D77	8	2	7
D78	8	2	7
D79	9	2	7
D80	9	2	7
D86	11	3	1
D88	1	2	1
D89	1	2	1
D99	2	2	2
D110	6	2	4
C112	7	2	6
D113	6	2	5
C114	7	2	6
D115	12	3	1
D116	12	3	1
D119	9	2	9
D120	9	2	9
D121	9	2	9
D122	10	2	9
D123	10	2	10
D124	10	2	10
D125	10	2	10
D126	10	2	10
D127	10	2	10
C128	11	2	10
D129	11	2	10
D130	9	2	9
D134	1	2	1

**FACILITY PERMIT TO OPERATE
 CLOUGHERTY PACKING LLC/HORMEL FOODS CORP
 SECTION D: DEVICE ID INDEX**

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D135	2	2	1
D137	1	2	1
D138	2	2	2
D139	2	2	2
D140	2	2	2
D141	2	2	2
D142	2	2	2
D143	3	2	3
D144	3	2	3
D145	3	2	3
D146	3	2	3
D147	3	2	3
D148	3	2	3
D149	3	2	3
D150	3	2	3
D151	3	2	3
D152	3	2	3
D153	3	2	3
D154	5	2	4
D155	3	2	3
D156	4	2	3
D159	4	2	3
D161	5	2	3
D163	5	2	3
D164	5	2	3
D170	5	2	3
D171	5	2	4
D172	5	2	4
D173	6	2	4
D174	6	2	4
C175	10	2	10
C176	9	2	8
C177	5	2	3
E179	13	5	1
E180	13	5	1

**FACILITY PERMIT TO OPERATE
 CLOUGHERTY PACKING LLC/HORMEL FOODS CORP
 SECTION D: DEVICE ID INDEX**

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D181	7	2	7
D182	13	4	0
D183	4	2	3
D184	4	2	3
D185	4	2	3
D186	4	2	3
D187	4	2	3
D188	4	2	3
D189	4	2	3
D190	4	2	3
D191	5	2	3
D192	1	2	1
D193	1	2	1
D194	1	2	1
D195	1	2	1
D196	7	2	7
D197	7	2	7
D201	2	2	1
D202	2	2	1
D203	13	3	2

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F14.2 The operator shall not purchase diesel fuel containing sulfur compounds in excess of 15 ppm by weight as supplied by the supplier.

[**RULE 431.2, 5-4-1990; RULE 431.2, 9-15-2000**]

SYSTEM CONDITIONS

S1.1 The operator shall limit the throughput to no more than 600,000 lb(s) in any one day.

For the purpose of this condition, throughput shall be defined as the maximum throughput of raw materials processed in this rendering plant.

[**RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002**]

[Systems subject to this condition : Process 2, System 1 , 2 , 3]

S1.2 The operator shall limit the material processed to no more than 180,000 lb(s) in any one day.

For the purpose of this condition, material processed shall be defined as the total quantity of meat and bone meal processed in this rendering plant.

[**RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002**]

[Systems subject to this condition : Process 2, System 3]

S1.3 The operator shall limit the material processed to no more than 144,000 lb(s) in any one day.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

For the purpose of this condition, material processed shall be defined as the total quantity of cooked grease processed in this rendering plant. Cooked grease does not include brown grease produced by the wastewater treatment system.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Systems subject to this condition : Process 2, System 2 , 4]

DEVICE CONDITIONS

B. Material/Fuel Type Limits

B163.1 The operator shall not use wood containing the following:

Chemical treatments or chemical bonding compounds

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D181, D196, D197]

C. Throughput or Operating Parameter Limits

C1.5 The operator shall limit the natural gas fuel usage to no more than 1.779 MM cubic feet per day.

This limit shall be based on the total combined limit for equipment D86, D115, D116.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D86, D115, D116]

C1.24 The operator shall limit the operating time to no more than 200 hour(s) in any one year.

[**RULE 1110.2, 2-1-2008; RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002; RULE 1304(a)-Modeling and Offset Exemption, 6-14-1996**]

[Devices subject to this condition : D182]

C1.25 The operator shall limit the material processed to no more than 18600 lb(s) in any one month.

For the purpose of this condition, material processed shall be defined as wood.

[**RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002**]

[Devices subject to this condition : D181, D196, D197]

C1.26 The operator shall limit the material processed to no more than 2160000 lb(s) in any one month.

For the purpose of this condition, material processed shall be defined as hog hair.

[**RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002**]

[Devices subject to this condition : D201]

C1.27 The operator shall limit the material processed to no more than 12643200 lb(s) in any one month.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D202]

C1.28 The operator shall limit the fuel usage to no more than 1112 gallon(s) per month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D203]

C6.1 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, does not exceed 190 Deg F.

The operator shall automatically regulate the temperature by a fully modulated control system.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D8, D9]

C6.4 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, does not exceed 200 Deg F.

The operator shall automatically regulate the temperature by a fully modulated control system.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D113]

C6.5 The operator shall use this equipment in such a manner that the differential pressure being monitored, as indicated below, does not exceed 2 inches water column.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

To comply with this condition, the operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the filter bags.

[**RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002**]

[Devices subject to this condition : C128, C177]

- C6.6 The operator shall use this equipment in such a manner that the differential pressure being monitored, as indicated below, does not exceed 6 inches water column.

To comply with this condition, the operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the filter bags.

[**RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002**]

[Devices subject to this condition : C175]

- C8.2 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, is not less than 1400 Deg F.

To comply with this condition, the operator shall install and maintain a(n) continuous monitoring system to accurately indicate the temperature in the combustion chamber.

The operator shall also install and maintain a device to continuously record the parameter being measured.

[**RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002**]

[Devices subject to this condition : C114]

- C8.3 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, is not less than 1400 Deg F.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

To comply with this condition, the operator shall install and maintain a(n) temperature gauge to accurately indicate the temperature in the combustion chamber.

The operator shall also install and maintain a device to continuously record the parameter being measured.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C176]

D. Monitoring/Testing Requirements

D12.2 The operator shall install and maintain a(n) non-resettable elapsed time meter to accurately indicate the elapsed operating time of the engine.

[RULE 1110.2, 2-1-2008; RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002; RULE 1304(a)-Modeling and Offset Exemption, 6-14-1996]

[Devices subject to this condition : D182]

D322.1 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D33, D110, C128, D159, D161, D164, C175, C177]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a semi-annual basis, at least, unless the equipment did not operate during the entire semi-annual period. The routine semi-annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D75, D76, D77, D78, D79, D80, D86, D88, D89, C114, D115, D116, D122, C128, D138, C175, C176, D181, D196, D197, D201, D202, D203]

D328.1 The operator shall determine compliance with the CO emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 10.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with BACT. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D115, D116]

E. Equipment Operation/Construction Requirements

E73.1 Notwithstanding the requirements of Section E conditions, the operator shall not use flue gas recirculation if any of the following requirement(s) are met:

Boiler stack temperature is below 200 degrees Fahrenheit.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D86]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E113.1 The operator shall have the burner equipped with a control system to automatically regulate the combustion air, fuel and, if applicable, recirculated flue gas as the boiler load varies. This control system shall be adjusted and tuned at least twice a year according to the manufacturer's specifications to maintain its ability to repeat the same performance at the same firing rate.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D86]

E147.1 The operator shall not conduct drying of grease in this equipment.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D8, D9, D113]

E202.1 The operator shall clean and maintain this equipment according to the following specifications:

All exposed equipment and appurtenances and the concrete surfaces beneath this equipment shall be washed free of animal matter at least once each work day.

[RULE 402, 5-7-1976]

[Devices subject to this condition : D134, D135, D137, D138, D139, D140, D141, D142, D192, D193, D194, D195]

H. Applicable Rules

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Contaminant	Rule	Rule/Subpart
CO	District Rule	1146

[RULE 1146, 11-17-2000]

[Devices subject to this condition : D86, D115, D116]

H23.3 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Refrigerants	District Rule	1415
Refrigerants	40CFR82, SUBPART	F

[RULE 1415, 10-14-1994; 40CFR 82 Subpart F, 5-14-1993]

[Devices subject to this condition : E179, E180]

H23.4 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
PM	40CFR60, SUBPART	Dc
SOX	40CFR60, SUBPART	Dc

[40CFR 60 Subpart Dc, 2-27-2006]

[Devices subject to this condition : D115, D116]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

K. Record Keeping/Reporting

K67.1 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

The name of the person performing the inspection and/or maintenance of the filter media.

The date, time, and results of the inspection.

The date, time, and description of any maintenance or repairs resulting from the inspection.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D33, D110, C128, D159, D161, D164, C175, C177]

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

On a weekly basis: Pressure drop across the bags

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C128, C175, C177]

K67.3 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

**FACILITY PERMIT TO OPERATE
CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Date of operation

Elapsed time, in hours

Reason for operating the engine

[RULE 1110.2, 2-1-2008; RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002; RULE 1304(a)-Modeling and Offset Exemption, 6-14-1996]

[Devices subject to this condition : D182]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION E: ADMINISTRATIVE CONDITIONS

The operating conditions in this section shall apply to all permitted equipment at this facility unless superseded by condition(s) listed elsewhere in this permit.

1. The permit shall remain effective unless this permit is suspended, revoked, modified, reissued, denied, or it is expired for nonpayment of permit processing or annual operating fees. [201, 203, 209, 301]
 - a. The permit must be renewed annually by paying annual operating fees, and the permit shall expire if annual operating fees are not paid pursuant to requirements of Rule 301(d). [301(d)]
 - b. The Permit to Construct listed in Section H shall expire one year from the Permit to Construct issuance date, unless a Permit to Construct extension has been granted by the Executive Officer or unless the equipment has been constructed and the operator has notified the Executive Officer prior to the operation of the equipment, in which case the Permit to Construct serves as a temporary Permit to Operate. [202, 205]
 - c. The Title V permit shall expire as specified under Section K of the Title V permit. The permit expiration date of the Title V facility permit does not supercede the requirements of Rule 205. [205, 3004]
2. The operator shall maintain all equipment in such a manner that ensures proper operation of the equipment. [204]
3. This permit does not authorize the emissions of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules and Regulations of the AQMD. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other governmental agencies. [204]
4. The operator shall not use equipment identified in this facility permit as being connected to air pollution control equipment unless they are so vented to the identified air pollution control equipment which is in full use and which has been included in this permit. [204]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION E: ADMINISTRATIVE CONDITIONS

5. The operator shall not use any equipment having air pollution control device(s) incorporated within the equipment unless the air pollution control device is in full operation.[204]
6. The operator shall maintain records to demonstrate compliance with rules or permit conditions that limit equipment operating parameters, or the type or quantity of material processed. These records shall be made available to AQMD personnel upon request and be maintained for at least: [204]
 - a. Three years for a facility not subject to Title V; or
 - b. Five years for a facility subject to Title V.
7. The operator shall maintain and operate all equipment to ensure compliance with all emission limits as specified in this facility permit. Compliance with emission limits shall be determined according to the following specifications, unless otherwise specified by AQMD rules or permit conditions: [204]
 - a. For internal combustion engines and gas turbines, measured concentrations shall be corrected to 15 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1110.2, 1134, 204]
 - b. For other combustion devices, measured concentrations shall be corrected to 3 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1146, 1146.1, 204]
 - c. For a large NO_x source, compliance with a RECLAIM concentration limit shall be measured over a continuous 60 minutes for that source; [2012]
 - d. For non-combustion sources, compliance with emission limits shall be determined and averaged over a period of 60 minutes. [204]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION E: ADMINISTRATIVE CONDITIONS

- e. For the purpose of determining compliance with Rule 407, carbon monoxide (CO) shall be measured on a dry basis and be averaged over 15 consecutive minutes, and sulfur compound which would exist as liquid or gas at standard conditions shall be calculated as sulfur dioxide (SO₂) and be averaged over 15 consecutive minutes; [407]
 - f. For the purpose of determining compliance with Rule 409, combustion contaminant emission measurements shall be corrected to 12 percent carbon dioxide (CO₂) at standard conditions and averaged over 15 consecutive minutes. [409]
 - g. For the purpose of determining compliance with Rule 475, combustion contaminant emission measurements shall be corrected to 3 percent of oxygen (O₂) at standard conditions and averaged over 15 consecutive minutes or any other averaging time specified by the Executive Officer. [475]
8. All equipment operating under the RECLAIM program shall comply concurrently with all provisions of AQMD Rules and Regulation, except those listed in Table 1 of Rule 2001 for NO_x RECLAIM sources and Table 2 of Rule 2001 for SO_x RECLAIM sources. Those provisions listed in Tables 1 or 2 shall not apply to NO_x or SO_x emissions after the date the facility has demonstrated compliance with all monitoring and reporting requirements of Rules 2011 or 2012, as applicable. Provisions of the listed AQMD rules in Tables 1 or 2 which have initial implementation dates in 1994 shall not apply to a RECLAIM NO_x or SO_x source, respectively. [2001]
9. The operator shall, when a source test is required by AQMD, provide a source test protocol to AQMD no later than 60 days before the proposed test date. The test shall not commence until the protocol is approved by AQMD. The test protocol shall contain the following information: [204, 304]
- a. Brief description of the equipment tested.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION E: ADMINISTRATIVE CONDITIONS

- b. Brief process description, including maximum and normal operating temperatures, pressures, through-put, etc.
 - c. Operating conditions under which the test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Brief description of sampling and analytical methods used to measure each pollutant, temperature, flow rates, and moisture.
 - f. Description of calibration and quality assurance procedures.
 - g. Determination that the testing laboratory qualifies as an "independent testing laboratory" under Rule 304 (no conflict of interest).
10. The operator shall submit a report no later than 60 days after conducting a source test, unless otherwise required by AQMD Rules or equipment-specific conditions. The report shall contain the following information: [204]
- a. The results of the source test.
 - b. Brief description of the equipment tested.
 - c. Operating conditions under which the test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Field and laboratory data forms, strip charts and analyses.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION E: ADMINISTRATIVE CONDITIONS

- f. Calculations for volumetric flow rates, emission rates, control efficiency, and overall control efficiency.
- 11. The operator shall, when a source test is required, provide and maintain facilities for sampling and testing. These facilities shall comply with the requirements of AQMD Source Test Method 1.1 and 1.2. [217]
- 12. Whenever required to submit a written report, notification or other submittal to the Executive Officer, AQMD, or the District, the operator shall mail or deliver the material to: Deputy Executive Officer, Engineering and Compliance, AQMD, 21865 E. Copley Drive, Diamond Bar, CA 91765-4182. [204]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

The Facility shall comply with all applicable monitoring and source testing requirements in Regulation XX. These requirements may include but are not limited to the following:

I. NOx Monitoring Conditions

A. The Operator of a NOx Major Source, as defined in Rule 2012, shall, as applicable:

Not Applicable

B. The Operator of a NOx large Source, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter and any device specified by the Executive Officer as necessary to determine monthly fuel usage or other applicable variables specified in Rule 2012, Appendix A, Table 3-A. The sharing of totalizing fuel meter may be allowed by the Executive Officer if the fuel meter serves large sources which have the same emission factor, concentration limit, or emission rate. The sharing of totalizing fuel meters shall not be allowed for large sources which are required to comply with an annual heat input limit. [2012]
2. Comply at all times with the specified NOx concentration limit in PPM measured over any continuous 60 minutes for that source or establish an equipment-specific emission rate that is reliable, accurate, representative of that sources emissions, and in accordance with the requirements specified in Rule 2012, Appendix A, Chapter 5. [2012]

C. The Operator of a NOx Process Unit, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter or any device approved by the Executive Officer to measure quarterly fuel usage or other applicable variables specified in Rule 2012, Table 2012-1, and Rule 2012, Appendix A, Table 4-A. The sharing of totalizing fuel meters may be allowed by the Executive Officer if the fuel meter serves process units which have the same emission factor or emission rate. The sharing of totalizing meter shall not be allowed for process units which are required to comply with an annual heat input limit. [2012]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

II. NOx Source Testing and Tune-up conditions

- 1. The operator shall conduct all required NOx source testing in compliance with an AQMD-approved source test protocol. [2012]**
- 2. The operator shall, as applicable, conduct source tests for every large NOx source no later than June 30, 1997 and every 3 years thereafter. The source test shall include the determination of NOx concentration and a relative accuracy audit of the exhaust stack flow determination (e.g. in-stack flow monitor or fuel flow monitor based F-factor calculation). Such source test results shall be submitted per the schedule described by APEP. In lieu of submitting the first source test report, the facility permit holder may submit the results of a source test not more than 3 years old which meets the requirements when conducted. [2012]**
- 3. All NOx large sources and NOx process units shall be tuned-up in accordance with the schedule specified in Rule 2012, Appendix A, Chapter 5, Table 5-B. [2012]**

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR RECLAIM SOURCES

The Facility shall comply with all applicable reporting and recordkeeping requirements in Regulation XX. These requirements may include but are not limited to the following:

I. Recordkeeping Requirements for all RECLAIM Sources

1. The operator shall maintain all monitoring data required to be measured or reported pursuant to Rule 2011 and Rule 2012, whichever is applicable. All records shall be made available to AQMD staff upon request and be maintained for at least:
 - a. Three years after each APEP report is submitted to AQMD for a facility not subject to Title V, unless a different time period is required in Rule 2011 or Rule 2012 [2011 & 2012]; or
 - b. Five years after each APEP report is submitted to AQMD for a facility subject to Title V. [3004(a)(4)(E)]
 - c. Notwithstanding the above, all data gathered or computed for intervals of less than 15 minutes shall only be maintained a minimum of 48 hours. [2011 & 2012]
2. The operator shall store on site and make available to the Executive Officer upon request: records used to determine emissions, maintenance records, sources test reports, relative accuracy test audit reports, relative accuracy audit reports and fuel meter calibration records. [2011 & 2012]

II. Reporting Requirements for all RECLAIM Sources

1. The operator shall submit a quarterly certification of emissions including the facility's total NO_x or SO_x emissions, whichever is applicable, for the quarter within 30 days after the end of the first three quarters and 60 days after the end of the fourth quarter of a compliance year. [2011 & 2012]

NO_x Reporting Requirements

- A. The Operator of a NO_x Major Source, as defined in Rule 2012, shall, as applicable:

Not Applicable

**FACILITY PERMIT TO OPERATE
CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

**SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR
RECLAIM SOURCES**

B. The Operator of a NO_x Large Source, as defined in Rule 2012, shall:

1. Install, maintain and operate a modem or any reporting device approved by the Executive Officer to report, to the AQMD, the total monthly NO_x mass emissions from each large NO_x source. The Operator shall comply with this requirement within 12 months of the date of entry to the RECLAIM Program. Such data shall be reported within 15 days after the end of each calendar month. [2012]

C. The Operator of a NO_x Process Unit, as defined in Rule 2012, shall:

1. Electronically report the calculated quarterly NO_x emissions for each NO_x process unit. The Operator shall comply with this requirement within 12 months of the date of entry to the RECLAIM Program. [2012]

**FACILITY PERMIT TO OPERATE
CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

NONE

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION I: PLANS AND SCHEDULES

This section lists all plans approved by AQMD for the purposes of meeting the requirements of applicable AQMD rules.

NONE

NOTE: This section does not list compliance schedules pursuant to the requirements of Regulation XXX - Title V Permits; Rule 3004(a)(10)(C). For equipment subject to a variance, order for abatement, or alternative operating condition granted pursuant to Rule 518.2, equipment specific conditions are added to the equipment in Section D or H of the permit.

**FACILITY PERMIT TO OPERATE
CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

SECTION J: AIR TOXICS

NOT APPLICABLE

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration

GENERAL PROVISIONS

1. This permit may be revised, revoked, reopened and reissued, or terminated for cause, or for failure to comply with regulatory requirements, permit terms, or conditions. [3004(a)(7)(C)]
2. This permit does not convey any property rights of any sort or any exclusive privilege. [3004(a)(7)(E)]

Permit Renewal and Expiration

3. (A) Except for solid waste incineration facilities subject to standards under section 129(e) of the Clean Air Act, this permit shall expire five years from the date that this Title V permit is issued. The operator's right to operate under this permit terminates at midnight on this date, unless the facility is protected by an application shield in accordance with Rule 3002(b), due to the filing of a timely and complete application for a Title V permit renewal, consistent with Rule 3003. [3004(a)(2), 3004(f)]

(B) A Title V permit for a solid waste incineration facility combusting municipal waste subject to standards under Section 129(e) of the Clean Air Act shall expire 12 years from the date of issuance unless such permit has been renewed pursuant to this regulation. These permits shall be reviewed by the Executive Officer at least every five years from the date of issuance. [3004(f)(2)]
4. To renew this permit, the operator shall submit to the Executive Officer an application for renewal at least 180 days, but not more than 545 days, prior to the expiration date of this permit. [3003(a)(6)]

Duty to Provide Information

5. The applicant for, or holder of, a Title V permit shall furnish, pursuant to Rule 3002(d) and (e), timely information and records to the Executive Officer or designee within a reasonable time as specified in writing by the Executive Officer or designee. [3004(a)(7)(F)]

Payment of Fees

6. The operator shall pay all required fees specified in Regulation III - Fees. [3004(a)(7)(G)]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration

Reopening for Cause

7. The Executive Officer will reopen and revise this permit if any of the following circumstances occur:
- (A) Additional regulatory requirements become applicable with a remaining permit term of three or more years. Reopening is not required if the effective date of the requirement is later than the expiration date of this permit, unless the permit or any of its terms and conditions has been extended pursuant to paragraph (f)(4) of Rule 3004.
 - (B) The Executive Officer or EPA Administrator determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.
 - (C) The Executive Officer or EPA Administrator determines that the permit must be revised or revoked to assure compliance with the applicable requirements. [3005(g)(1)]

COMPLIANCE PROVISIONS

8. The operator shall comply with all regulatory requirements, and all permit terms and conditions, except:
- (A) As provided for by the emergency provisions of condition no. 17 or condition no. 18, or
 - (B) As provided by an alternative operating condition granted pursuant to a federally approved (SIP-approved) Rule 518.2.

Any non-compliance with any federally enforceable permit condition constitutes a violation of the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or denial of a permit renewal application. Non-compliance may also be grounds for civil or criminal penalties under the California State Health and Safety Code. [3004(a)(7)(A)]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration

9. The operator shall allow the Executive Officer or authorized representative, upon presentation of appropriate credentials to:
 - (A) Enter the operator's premises where emission-related activities are conducted, or records are kept under the conditions of this permit;
 - (B) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
 - (C) Inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
 - (D) Sample or monitor at reasonable times, substances or parameters for the purpose of assuring compliance with the facility permit or regulatory requirements. [3004(a)(10)(B)]

10. All terms and conditions in this permit, including any provisions designed to limit a facility's potential to emit, are enforceable by the EPA Administrator and citizens under the federal Clean Air Act, unless the term or condition is designated as not federally enforceable. Each day during any portion of which a violation occurs is a separate offense. [3004(g)]

11. A challenge to any permit condition or requirement raised by EPA, the operator, or any other person, shall not invalidate or otherwise affect the remaining portions of this permit. [3007(b)]

12. The filing of any application for a permit revision, revocation, or termination, or a notification of planned changes or anticipated non-compliance does not stay any permit condition. [3004(a)(7)(D)]

13. It shall not be a defense for a person in an enforcement action, including those listed in Rule 3002(c)(2), that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit, except as provided for in "Emergency Provisions" of this section. [3004(a)(7)(H)]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration

14. The operator shall not build, erect, install, or use any equipment, the use of which, without resulting in a reduction in the total release of air contaminants to atmosphere, reduces or conceals an emission which would otherwise constitute a violation of Chapter 3 (commencing with Section 41700) of Part 4, of Division 26 of the California Health and Safety Code or of AQMD rules. This rule shall not apply to cases in which the only violation involved is of Section 41700 of the California Health and Safety Code, or Rule 402 of AQMD Rules. [408]
15. Nothing in this permit or in any permit shield can alter or affect:
- (A) Under Section 303 of the federal Clean Air Act, the provisions for emergency orders;
 - (B) The liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance;
 - (C) The applicable requirements of the Acid Rain Program, Regulation XXXI;
 - (D) The ability of EPA to obtain information from the operator pursuant to Section 114 of the federal Clean Air Act;
 - (E) The applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do apply to the facility, such as toxics requirements unique to the State; and
 - (F) The applicability of regulatory requirements with compliance dates after the permit issuance date. [3004(c)(3)]
16. For any portable equipment that requires an AQMD or state permit or registration, excluding a) portable engines, b) military tactical support equipment and c) AQMD-permitted portable equipment that are not a major source, are not located at the facility for more than 12 consecutive months after commencing operation, and whose operation does not conflict with the terms or conditions of this Title V permit: 1) the facility operator shall keep a copy of the AQMD or state permit or registration; 2) the equipment operator shall comply with the conditions on the permit or registration and all other regulatory requirements; and 3) the facility operator shall treat the permit or registration as a part of its Title V permit, subject to recordkeeping, reporting and certification requirements. [3004(a)(1)]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration EMERGENCY PROVISIONS

17. An emergency¹ constitutes an affirmative defense to an action brought for noncompliance with a technology-based emission limit only if:
- (A) Properly signed, contemporaneous operating records or other credible evidence demonstrate that:
 - (1) An emergency occurred and the operator can identify the cause(s) of the emergency;
 - (2) The facility was operated properly (i.e. operated and maintained in accordance with the manufacturer's specifications, and in compliance with all regulatory requirements or a compliance plan), before the emergency occurred;
 - (3) The operator took all reasonable steps to minimize levels of emissions that exceeded emissions standard, or other requirements in the permit; and,
 - (4) The operator submitted a written notice of the emergency to the AQMD within two working days of the time when the emissions limitations were exceeded due to the emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - (B) The operator complies with the breakdown provisions of Rule 430 – Breakdown Provisions, or subdivision (i) of Rule 2004 – Requirements, whichever is applicable. [3002(g), 430, 2004(i)]
18. The operator is excused from complying with any regulatory requirement that is suspended by the Executive Officer during a state of emergency or state of war emergency, in accordance with Rule 118 - Emergencies. [118]

¹ "Emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the operator, including acts of God, which: (A) requires immediate corrective action to restore normal operation; and (B) causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency; and (C) is not caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration RECORDKEEPING PROVISIONS

19. In addition to any other recordkeeping requirements specified elsewhere in this permit, the operator shall keep records of required monitoring information, where applicable, that include:
- (A) The date, place as defined in the Title V permit, and time of sampling or measurements;
 - (B) The date(s) analyses were performed;
 - (C) The company or entity that performed the analyses;
 - (D) The analytical techniques or methods used;
 - (E) The results of such analyses; and
 - (F) The operating conditions as existing at the time of sampling or measurement. [3004(a)(4)(B)]
20. The operator shall maintain records pursuant to Rule 109 and any applicable material safety data sheet (MSDS) for any equipment claimed to be exempt from a written permit by Rule 219 based on the information in those records. [219(t)]
21. The operator shall keep all records of monitoring data required by this permit or by regulatory requirements for a period of at least five years from the date of the monitoring sample, measurement, report, or application. [3004(a)(4)(E)]

REPORTING PROVISIONS

22. The operator shall comply with the following requirements for prompt reporting of deviations:
- (A) Breakdowns shall be reported as required by Rule 430 – Breakdown Provisions or subdivision (i) of Rule 2004 - Requirements, whichever is applicable.

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration

- (B) Other deviations from permit or applicable rule emission limitations, equipment operating conditions, or work practice standards, determined by observation or by any monitoring or testing required by the permit or applicable rules that result in emissions greater than those allowed by the permit or applicable rules shall be reported within 72 hours (unless a shorter reporting period is specified in an applicable State or Federal Regulation) of discovery of the deviation by contacting AQMD enforcement personnel assigned to this facility or otherwise calling (800) CUT-SMOG.
- (C) A written report of such deviations reported pursuant to (B), and any corrective actions or preventative measures taken, shall be submitted to AQMD, in an AQMD approved format, within 14 days of discovery of the deviation.
- (D) All other deviations shall be reported with the monitoring report required by condition no. 23. [3004(a)(5)]
23. Unless more frequent reporting of monitoring results are specified in other permit conditions or in regulatory requirements, the operator shall submit reports of any required monitoring to the AQMD at least twice per year. The report shall include a) a statement whether all monitoring required by the permit was conducted; and b) identification of all instances of deviations from permit or regulatory requirements. A report for the first six calendar months of the year is due by August 31 and a report for the last six calendar months of the year is due by February 28. [3004(a)(4)(F)]
24. The operator shall submit to the Executive Officer and to the Environmental Protection Agency (EPA), an annual compliance certification. For RECLAIM facilities, the certification is due when the Annual Permit Emissions Program (APEP) report is due and shall cover the same reporting period. For other facilities, the certification is due on March 1 for the previous calendar year. The certification need not include the period preceding the date the initial Title V permit was issued. Each compliance certification shall include:
- (A) Identification of each permit term or condition that is the basis of the certification;

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration

- (B) The compliance status during the reporting period;
- (C) Whether compliance was continuous or intermittent;
- (D) The method(s) used to determine compliance over the reporting period and currently, and
- (E) Any other facts specifically required by the Executive Officer to determine compliance.

The EPA copy of the certification shall be sent to: Director of the Air Division Attn:
Air-3 USEPA, Region IX 75 Hawthorne St. San Francisco, CA 94105 [3004(a)(10)(E)]

25. All records, reports, and documents required to be submitted by a Title V operator to AQMD or EPA shall contain a certification of accuracy consistent with Rule 3003(c)(7) by a responsible official (as defined in Rule 3000). [3004(a)(12)]

PERIODIC MONITORING

26. All periodic monitoring required by this permit pursuant to Rule 3004(a)(4)(c) is based on the requirements and justifications in the AQMD document "Periodic Monitoring Guidelines for Title V Facilities" or in case-by-case determinations documented in the TitleV application file. [3004(a)(4)]

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration

FACILITY RULES

This facility is subject to the following rules and regulations

With the exception of Rule 402, 473, 477, 1118 and Rules 1401 through 1420, the following rules that are designated as non-federally enforceable are pending EPA approval as part of the state implementation plan. Upon the effective date of that approval, the approved rule(s) will become federally enforceable, and any earlier versions of those rules will no longer be federally enforceable.

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 1110.2	2-1-2008	Federally enforceable
RULE 1113	11-8-1996	Federally enforceable
RULE 1113	7-13-2007	Federally enforceable
RULE 1146	11-17-2000	Federally enforceable
RULE 1146	5-13-1994	Federally enforceable
RULE 1171	11-7-2003	Federally enforceable
RULE 1171	2-1-2008	Federally enforceable
RULE 1303(a)(1)-BACT	12-6-2002	Non federally enforceable
RULE 1303(a)(1)-BACT	5-10-1996	Federally enforceable
RULE 1303(b)(2)-Offset	12-6-2002	Non federally enforceable
RULE 1303(b)(2)-Offset	5-10-1996	Federally enforceable
RULE 1304(a)-Modeling and Offset Exemption	6-14-1996	Federally enforceable
RULE 1415	10-14-1994	Non federally enforceable
RULE 2001	5-6-2005	Federally enforceable
RULE 2002	5-11-2001	Federally enforceable
RULE 2004	4-6-2007	Non federally enforceable
RULE 2004	5-11-2001	Federally enforceable
RULE 2005	4-20-2001	Federally enforceable
RULE 2005	5-6-2005	Federally enforceable
RULE 2006	5-11-2001	Federally enforceable
RULE 2007	4-6-2007	Non federally enforceable

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

SECTION K: TITLE V Administration

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 2012	1-7-2005	Federally enforceable
RULE 2012	5-6-2005	Federally enforceable
RULE 3002	11-14-1997	Federally enforceable
RULE 3003	11-14-1997	Federally enforceable
RULE 3003	3-16-2001	Non federally enforceable
RULE 3004	12-12-1997	Federally enforceable
RULE 3004(a)(4)-Periodic Monitoring	12-12-1997	Federally enforceable
RULE 3005	11-14-1997	Federally enforceable
RULE 3005	3-16-2001	Non federally enforceable
RULE 3007	10-8-1993	Federally enforceable
RULE 402	5-7-1976	Non federally enforceable
RULE 404	2-7-1986	Federally enforceable
RULE 405	2-7-1986	Federally enforceable
RULE 407	4-2-1982	Federally enforceable
RULE 409	8-7-1981	Federally enforceable
RULE 431.2	5-4-1990	Federally enforceable
RULE 431.2	9-15-2000	Non federally enforceable
40CFR 60 Subpart Dc	2-27-2006	Federally enforceable
40CFR 82 Subpart F	5-14-1993	Federally enforceable

**FACILITY PERMIT TO OPERATE
CLOUGHERTY PACKING LLC/HORMEL FOODS CORP**

**APPENDIX A: NOX AND SOX EMITTING EQUIPMENT EXEMPT FROM WRITTEN
PERMIT PURSUANT TO RULE 219**

1. PRESSURE WASHERS, DIESEL, GASOLINE < 50-HP
2. LABORATORY GAS STOVE
3. WATER HEATERS, NATURAL GAS
4. SPACE HEATER, NATURAL GAS
5. MOBILE EQUIPMENT

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

APPENDIX B: RULE EMISSION LIMITS [RULE 404 02-07-1986]

The operator shall not discharge into the atmosphere from this equipment, particulate matter in excess of the concentration at standard conditions, shown in Table 404(a). Where the volume discharged is between figures listed in the Table, the exact concentration permitted to be discharged shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 404(a)

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter ¹ Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
		Milligrams per Cubic Meter	Grains per Cubic Foot			Milligrams per Cubic Meter	Grains per Cubic Foot
25 or less	883 or less	450	0.196	900	31780	118	0.0515
30	1059	420	.183	1000	35310	113	.0493
35	1236	397	.173	1100	38850	109	.0476
40	1413	377	.165	1200	42380	106	.0463
45	1589	361	.158	1300	45910	102	.0445

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

APPENDIX B: RULE EMISSION LIMITS [RULE 404 02-07-1986]

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter" Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
		Milligrams per Cubic Meter	Grains per Cubic Foot			Milligrams per Cubic Meter	Grains per Cubic Foot
Cubic meters Per Minute	Cubic feet Per Minute			Cubic meters Per Minute	Cubic feet Per Minute		
50	1766	347	.152	1400	49440	100	.0437
60	2119	324	.141	1500	52970	97	.0424
70	2472	306	.134	1750	61800	92	.0402
80	2825	291	.127	2000	70630	87	.0380
90	3178	279	.122	2250	79460	83	.0362
100	3531	267	.117	2500	88290	80	.0349
125	4414	246	.107	3000	105900	75	.0327
150	5297	230	.100	4000	141300	67	.0293
175	6180	217	.0947	5000	176600	62	.0271
200	7063	206	.0900	6000	211900	58	.0253
250	8829	190	.0830	8000	282500	52	.0227
300	10590	177	.0773	10000	353100	48	.0210
350	12360	167	.0730	15000	529700	41	.0179
400	14130	159	.0694	20000	706300	37	.0162
450	15890	152	.0664	25000	882900	34	.0148

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

APPENDIX B: RULE EMISSION LIMITS [RULE 404 02-07-1986]

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
		Milligrams per Cubic Meter	Grains per Cubic Foot			Milligrams per Cubic Meter	Grains per Cubic Foot
Cubic meters Per Minute	Cubic feet Per Minute			Cubic meters Per Minute	Cubic feet Per Minute		
500	17660	146	.0637	30000	1059000	32	.0140
600	21190	137	.0598	40000	1413000	28	.0122
700	24720	129	.0563	50000	1766000	26	.0114
800	28250	123	.0537	70000 or more	2472000 or more	23	.0100

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

APPENDIX B: RULE EMISSION LIMITS [RULE 405 02-07-1986]

The operator shall not discharge into the atmosphere from this equipment, solid particulate matter including lead and lead compounds in excess of the rate shown in Table 405(a).

Where the process weight per hour is between figures listed in the table, the exact weight of permitted discharge shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 405(a)

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process	
		Kilograms Per Hour	Pounds Per Hour			Kilograms Per Hour	Pounds Per Hour
100 or less	220 or less	0.450	0.99	9000	19840	5.308	11.7
150	331	0.585	1.29	10000	22050	5.440	12.0
200	441	0.703	1.55	12500	27560	5.732	12.6
250	551	0.804	1.77	15000	33070	5.982	13.2
300	661	0.897	1.98	17500	38580	6.202	13.7
350	772	0.983	2.17	20000	44090	6.399	14.1
400	882	1.063	2.34	25000	55120	6.743	14.9
450	992	1.138	2.51	30000	66140	7.037	15.5
500	1102	1.209	2.67	35000	77160	7.296	16.1
600	1323	1.340	2.95	40000	88180	7.527	16.6

FACILITY PERMIT TO OPERATE CLOUGHERTY PACKING LLC/HORMEL FOODS CORP

APPENDIX B: RULE EMISSION LIMITS [RULE 405 02-07-1986]

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
700	1543	1.461	3.22	45000	99210	7.738	17.1
800	1764	1.573	3.47	50000	110200	7.931	17.5
900	1984	1.678	3.70	60000	132300	8.277	18.2
1000	2205	1.777	3.92	70000	154300	8.582	18.9
1250	2756	2.003	4.42	80000	176400	8.854	19.5
1500	3307	2.206	4.86	90000	198400	9.102	20.1
1750	3858	2.392	5.27	100000	220500	9.329	20.6
2000	4409	2.563	5.65	125000	275600	9.830	21.7
2250	4960	2.723	6.00	150000	330700	10.26	22.6
2500	5512	2.874	6.34	175000	385800	10.64	23.5
2750	6063	3.016	6.65	200000	440900	10.97	24.2
3000	6614	3.151	6.95	225000	496000	11.28	24.9
3250	7165	3.280	7.23	250000	551200	11.56	25.5
3600	7716	3.404	7.50	275000	606300	11.82	26.1
4000	8818	3.637	8.02	300000	661400	12.07	26.6
4500	9921	3.855	8.50	325000	716500	12.30	27.1
5000	11020	4.059	8.95	350000	771600	12.51	27.6
6000	13230	4.434	9.78	400000	881800	12.91	28.5
7000	15430	4.775	10.5	450000	992100	13.27	29.3
8000	17640	5.089	11.2	500000 or more	1102000 or more	13.60	30.0