SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
Title V Permit Summary

AQMD Facility ID: 011716	Company Name: FONTANA PAPER MILLS, INC.		
Equipment Location: 13773 VALLEY BLVD. FONTANA, CA 92335			SIC Code: 2592
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s): 498636	Application Submittal Date(s): 10/27/04		
AQMD Contact Person: Michael Solis	Phone #: (909) 396-3277	E-Mail Address: msolis@aqmd.gov	

Project Description: This is an existing facility applying for a Title V permit renewal that is in the business of producing asphalt roofing materials. The facility's main areas of operation are asphalt storage, ground limestone handling and storage, sand and granules handling and storage, coating asphalt mixing, and fiberglass web saturating.

Permit Type:
- ☐ Initial Title V Permit
- ☐ Significant Revision
- ☒ Permit Renewal

Permit Features:
- ☐ Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements
- ☐ Permit Shield Applies
- ☒ Permit Contains Conditions Allowing Emission Trading
- ☐ Alternative Operating Scenario
- ☐ Permit Streamlines Overlapping or Outdated Requirements
- ☐ Other: _____
- ☐ Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance

Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009

- ☐ No TACs Reported
- ☒ The Following TACs Were Reported:

	Emissions (lbs/yr):
1,3-Butadiene	32.305
Ammonia	385.072
Arsenic	<.001
Benzene	46.052
Cadmium	<.001
Chromium (VI)	<.001
Chrysene	0.051
Formaldehyde	4.601
Lead (inorganic)	0.001
Naphthalene	25.556
Nickel	0.066
PAH, total with components not reported	0.018

Health Risk From Toxic Air Contaminants:
- ☐ Health Risk Assessment Required for this Permit Action (AQMD Rule 1401)
- ☐ Health Risk Reduction Plan Approved (AQMD Rule 1402) (Year): _____
- ☒ Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588)
  - ☐ Facility Determined to be Exempt from AB2588 Requirements
  - ☐ AQMD is Tracking Status of Facility under AB2588
  - ☒ Health Risk Assessment Submittal Pending
  - ☐ Health Risk Assessment Submitted to AQMD and Is Being Reviewed
  - ☐ Final Facility Health Risk Approved (date) _____
  - Cancer Risk =
  - Acute Hazard Index = _____
  - Chronic Hazard Index = _____

Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009				
	☒ NOx	1.855	☒ PM	1.908
	☒ CO	2.114	☒ SOx	0.036
	☒ VOC	4.567	☐ Other:	

Compliance History:
- ☒ Citizen Complaints Filed in Last Two Calendar Years (1)
- ☒ Notices to Comply Issued in Last Two Calendar Years (2)
- ☒ Notices of Violation Issued in Last Two Calendar Years (1)

Comments: Facility is currently in compliance.

5/3/2011