

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	135216	Company Name:	CHINO BASIN DESALTER AUTHORITY		
Equipment Location:	6905 Kimball Avenue, Chino, Ca			SIC Code: 4941	
Permit Revision #:	2	Revision Date:	TBD	Facility Permit Section(s) Affected: A - K, App. A & B	
Application #(s):	487701	Application Submittal Date(s):	9/3/2008		
AQMD Contact Person:	Angela Shibata	Phone #:	(909) 396-2737	E-Mail Address: ashibata@aqmd.gov	
Project Description: This is an existing facility, applying for a renewed Title V permit, that operates a groundwater desalinization facility. The facility operates a ammonia storage tank with sparger and an air stripper.					
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal					
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance					
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2010		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> The Following TACs Were Reported:		Emissions (lbs/yr):	
		Ammonia		5.712	
		TRICHLOROETHYLENE		0.012	
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input type="checkbox"/> Health Risk Reduction Plan Approved (AQMD Rule 1402) (Year): _____ <input type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input checked="" type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submittal Pending <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = <u>N/A in one million</u> Acute Hazard Index = _____ Chronic Hazard Index = _____					
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2010		<input checked="" type="checkbox"/> NOx	0	<input checked="" type="checkbox"/> PM	0
		<input checked="" type="checkbox"/> CO	0	<input checked="" type="checkbox"/> SOx	0
		<input checked="" type="checkbox"/> VOC	0	<input type="checkbox"/> Other:	_____
Compliance History: <input type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 0) <input type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0)					
Comments: Title V Permit Renewal					