



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

September 18, 2014
via electronic submittal

Mr. Gerardo Rios
Chief - Permits Office
U. S. EPA, Region IX
75 Hawthorne Street, Air 3
San Francisco, CA 94105

Reference: Proposed Title V Permit Renewal (A/N 553897)
SFPP, LP (ID 800129)

Dear Mr. Rios:

The South Coast Air Quality Management District (AQMD) has completed its review of the enclosed Title V permit renewal application for SFPP, LP (Facility ID 800129), located at 2359 Riverside Ave., Bloomington, CA. This facility is a petroleum products distribution terminal.

Enclosed is the proposed Title V permit renewal, along with the facility's permit application, Statement of Basis, Engineering and Compliance Assurance Monitoring (CAM) evaluation, and public notice. With your electronic receipt of this proposed TV renewal package, SCAQMD notes that the EPA 45-day review begins today, September 18, 2014.

AQMD intends to publish a 30-day public notice on or about September 24, 2014 and shall make the proposed renewal permit available for public reviewing in accordance with Rule 3006.

Questions on the proposed permit may be directed to Linda Dejbakhsh, A.Q. Engineer II at (909) 396-2614 or by email at LDejbakhsh@aqmd.gov.

Sincerely,

Andrew Y. Lee, P.E.
Senior A.Q. Engineering Manager
Engineering and Compliance

LLD/SFPP Colton/AppEPAEnviroPubNotTVRenew

Enclosures: Proposed Permit
Permit Application
Statement of Basis
CAM and Engineering Evaluation
Public Notice