



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

July 18, 2013
via electronic submittal

Mr. Gerardo Rios
U. S. EPA, Region IX
Mail Stop A-5-2
75 Hawthorne Street
San Francisco, California 94105

Dear Mr. Rios:

**RE: Proposed De Minimus Revision to Title V Permit
Kinder Morgan Liquid Terminals, LLC (LA Harbor Facility)
(ID# 800056)**

Enclosed for your 45-day review is the proposed revision to the Title V Permit for Kinder Morgan Liquid Terminals, LLC located at 1900 Wilmington – San Pedro Rd., Wilmington, CA. This revision is considered a “de minimus significant permit revision”, and a public notice is not required.

We are enclosing the engineering evaluation and the proposed Rule 1166 plan to be included in Section I as shown below.

SECTION I: PLANS AND SCHEDULES

<i>New Appl. No.</i>	<i>Previous Appl. No</i>	<i>Description/Modification</i>
549904	None	RULE 1166 CONTAMINATED SOIL MITIGATION PLAN <ul style="list-style-type: none">• New Plan

This revision is covered under A/N 549908. This request is being made via electronic submittal in order to facilitate your review.


Mr. G. Rios
(Kinder Morgan Liquid Terminals, LLC 800056)
(LA Harbor Facility)

- 2 -

July 18, 2013

If you have any questions or wish to provide comments regarding this project, please contact the processing engineer, Ms. Linda Dejbakhsh, at (909) 396-2614, or by email at LDejbakhsh@aqmd.gov.

Very truly yours,



Andrew Y. Lee, P.E.
Senior Engineering Manager
Engineering and Compliance

AYL:CDT:LLD
Enclosures
(epacoverdeminimusrev R1166 549904

cc: YijinWang, KMLT (no enclosure)
A/N's 549904 & 8