

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  STATIONARY SOURCE COMPLIANCE DIVISION  PERMIT APPLICATION PROCESSING AND CALCULATIONS	PAGES	PAGE 1
	APPL NO 516562	DATE 2/15/11
	PROCESSED BY TK	CHEKD BY

**Applicant**

Sunshine Canyon Landfill  
14747 San Fernando Road  
Sylmar, CA 91342

**Facility Name**

Same as above.

**Equipment Description**

Rule 1150 Excavation Management Plan.

**Project Description**

This is a Title V facility. The proposed approval of a Rule 1150 Excavation Permit is a De Minimus Significant revision to the Title V Permit. Therefore, a 45 day EPA notice is required.

The applicant submitted this plan to excavate at a hot spot (elevated temperatures) on the County side (Phase IV-B) of the landfill during repair work. This will require excavation of approximately 50 cubic yards of cover soil and trash in the landfill. Also, the applicant requested that approximately 20,000 cubic yards of refuse and soil be excavated during the year for miscellaneous repair functions. The excavated refuse will be transported to the working face of the landfill or redeposited into the excavated area and covered within one hour of generation. During excavation, monitoring for organics with an OVA (organic vapor analyzer) will be performed to indicate when mitigation measures are required to be implemented. Particulate emissions will be minimized with water suppression. The AQMD will be notified prior to the start of work at each location.

**Evaluation**

Rule 401 Visible Emissions:  
No violations are expected.

Rule 402 Nuisance:  
No violations are expected.

Rule 403 Fugitive Dust:  
Compliance is expected

Rule 1150 Excavation of Landfill Sites  
The required information has been submitted. The plan is complete.

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  STATIONARY SOURCE COMPLIANCE DIVISION  PERMIT APPLICATION PROCESSING AND CALCULATIONS	PAGES	PAGE 2
	APPL NO 516562	DATE 2/15/11
	PROCESSED BY TK	CHEKD BY

Reg XXX Title V Permits

This revision is considered de-minimus significant under Revision A/N 518634.

**Conclusions and Recommendations**

The proposed activities are expected to be in compliance with the Rules and Regulations of the SCAQMD. Recommend issuing a Rule 1150 Excavation Permit.