

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 800003	Company Name: Honeywell International Inc		
Equipment Location: 2525 West 190 th St., Torrance, CA 90504	SIC Code: 3764		
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s): 568122	Application Submittal Date(s): 9/5/2014		
AQMD Contact Person: Hamed Mandilawi	Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov	
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in aerospace manufacturing. The facility operates spray booths, dip tanks, ovens, surface preparation tanks, salt brazing tanks, air heaters, boilers, internal combustion engines, jet engine test cells, plasma arc cutting equipment, air pollution control equipment including scrubbers, afterburners, a baghouse, a carbon adsorption system, and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input checked="" type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2013	<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>	<u>Emissions (lbs/yr):</u>	
	Ammonia	2021.9	
	Arsenic	0.078	
	Benzene	0.078	
	Chromium (VI)	0.004	
	Formaldehyde	7.017	
	Lead	0.084	
	Naphthalene	0.175	
	Nickel	13.812	
Health Risk From Toxic Air Contaminants:	<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved (date) <u>1999</u> Cancer Risk = <u>1.77 in one million</u> Acute Hazard Index = <u>0</u> Chronic Hazard Index = <u>0.01</u>		
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2013	<input checked="" type="checkbox"/> NOx <u>3.567</u>	<input checked="" type="checkbox"/> PM <u>1.996</u>	
	<input checked="" type="checkbox"/> CO <u>3.478</u>	<input checked="" type="checkbox"/> SOx <u>0.035</u>	
	<input checked="" type="checkbox"/> VOC <u>2.653</u>	<input type="checkbox"/> Other: _____	
Compliance History:	<input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (0)		
Comments:			