



South Coast Air Quality Management District

Form 400-A

Application For Permit To Construct and Permit To Operate

Mail Application To:
P.O. Box 4944
Diamond Bar, CA 91765

Tel: (909) 396-3385
www.aqmd.gov

Section A: Operator Information

1. Business Name of Operator To Appear On The Permit:
Fortune Fashions Industries, LLC

2. Valid AQMD Facility ID (Available on Permit or Invoice issued by AQMD): **124725**

3. Owner's Business Name (only if different from Business Name of Operator):

Section B: Equipment Location

4. Equipment Location Address:
For equipment operated at various locations in AQMD's jurisdiction, provide address of initial site

4700 S. Boyle Avenue
Street Address

Vernon CA **90058 - 3021**
City State Zip Code

County: Los Angeles Orange San Bernardino Riverside

Contact Name: **Ava Chatterton-Sentchuk**

Contact Title: **V.P. Administration** Phone: **(323) 277-7740**

Fax: **(323) 277-9025** E-Mail: **achatterton@ffi-hq.com**

Section C: Permit Mailing Address

5. Permit and Correspondence Information:
 Check here if same as equipment location address

Street Address

City State Zip Code

County: Los Angeles Orange San Bernardino Riverside

Contact Name:

Contact Title Phone:

Fax: E-Mail:

Section D: Application Type The facility is in RECLAIM Title V RECLAIM & Title V Program (please check if applicable)

6. Reason for Submitting Application (Select only ONE):

- New Construction (Permit to Construct)
- Equipment Operating Without A Permit or Expired Permit*
- Administrative Change
- Equipment On-Site But Not Constructed or Operational
- Title V Application (Initial, Revisions, etc.) (Also complete Form 500-TV)
- Compliance Plan
- Facility Permit Amendment
- Registration/Certification
- Streamlined Standard Permit

Permitted Equipment Altered/ Modified Without Permit Approval*

Proposed Alteration/Modification to Permitted Equipment

Change of Condition For Permit To Operate

Change of Condition For Permit To Construct

Change of Location—Moving to New Site

Existing Or Previous Permit/Application Number:
(If you checked any of the items in this column, you MUST provide a existing Permit/ Application Number)

7. Estimated Start Date of Operation/Construction (MM/DD/YYYY):

8. Description of Equipment:
Title V Permit Renewal

9. Is this equipment portable AND will it be operated at different locations within AQMD's jurisdiction? No Yes

10. For identical equipment, how many additional applications are being submitted with this application? (Form 400-A required for each)

11. Are you a Small Business as per AQMD's Rule 102 definition? (10 employees or less and total gross receipts are \$500,000 or less, or a not-for-profit training center?) No Yes

12. Has a Notice of Violation (NOV) or a Notice To Comply (NC) been issued for this equipment? No Yes If yes, provide NOV/NC #:

* A Higher Permit Processing Fee applies to those items with an asterisk (Rule 301 (c) (1) (D))

Section E: Facility Business Information

13. What type of business is being conducted at this equipment location?
Screen Printing

14. What is your business's primary NAICS Code (North American Industrial Classification System)? **323113**

15. Are there other facilities in the SCAQMD jurisdiction operated by the same operator? No Yes

16. Are there any schools (K-12) within a 1000-ft. radius of the equipment physical location? No Yes

Section F: Authorization/Signature I hereby certify that all information contained herein and information submitted with this application is true and correct.

17. Signature of Responsible Official: *Lee Rosenblatt*

18. Title: **Chief Operating Officer**

19. Print Name: **Lee Rosenblatt**

20. Date: **3-27-09**

Check List

- Form(s) signed and dated by authorized official
- Supplemental Equipment Form (400-E-XX or 400-E-GEN)
- CEQA Form (400-CEQA) attached
- Payment for permit processing fee attached

Your application will be rejected if any of the above items are missing.

AQMD USE ONLY	APPLICATION/TRACKING # 497529	TYPE B C D	EQUIPMENT CATEGORY CODE:	FEE SCHEDULE: 5	VALIDATION 4-1-09 DR
ENG. A R	ENG. A R	CLASS I II IV	ASSIGNMENT Unit 3 Engineer	CHECK/MONEY ORDER 28712	AMOUNT 7916.59
DATE	DATE				Tracking #

(80169)

FORTUNE FASHIONS

June 30, 2009

Hamed Mandliwai
South Coast Air Quality Management District
Coating, Printing, Aerospace & Metal Finishing Operations Team
21865 Copley Drive
Diamond Bar, CA 91765-4178

Re: Comments on Draft Permit for Title V Renewal Application for
Fortune Fashions Industries, LLC (SCAQMD Facility ID# 124725)

Dear Hamed:

In response to the South Coast Air Quality Management District (SCAQMD) letter dated June 9, 2009, please find enclosed our comments regarding the draft Title V Permit for Fortune Fashions Industries, LLC (SCAQMD ID# 124725). The comments are mainly related to updating the equipment descriptions in the permit, as well as removal of some of the devices. As requested in the letter, enclosed are the following items:

- Comments on draft Title V Permit dated June 4, 2009
- New Compliance Status Report Form 500-C1 (Rev. 01/06)
- New Application Certification Form 500-A2

Permit Inactivation Forms for Silkscreen Press No. 3 and Silkscreen Press No. 16 are also included as part of the comments on the draft permit. As there were no comments regarding the Statement of Basis or the Permit Summary, these are not included with this package. If you have any questions, please call Pete Jonker of ENVIRON International Corporation at 949-798-3638.

Sincerely,



Ava Chatterton-Sentchuk
Vice President, Administration

cc: Pete Jonker, ENVIRON International Corporation

Enclosures

P:\Fortune Fashions\Title V\Permits\Draft Permit June 2009\Response\Response Ltr to SCAQMD.doc [05-12137M]



4700 SOUTH BOYLE AVENUE VERNON CALIFORNIA 90058-3021
PO BOX 910945 LOS ANGELES CALIFORNIA 90091-0945
PH 323.277.7740 OUTSIDE LA 800.788.6550 FX 323.277.7745



South Coast Air Quality Management District

Form 500-A2

TITLE V Application Certification

Mail Application To:
P.O. Box 4944
Diamond Bar, CA 91765
Tel: (909) 396-3385
www.aqmd.gov

Section I - Facility Information

- 1. Permit to be issued to (Business name of operator to appear on permit): Fortune Fashions Industries, LLC
2. Valid AQMD Facility ID (Available on Permit or Invoice issued by AQMD): 124725
3. This Certification is submitted with a (Check one): a. Title V Application (Initial, Revision or Renewal) b. Supplement/Correction to a Title V Application c. MACT Part 2
4. Is Form 500-C2 included with this Certification? Yes No

Section II - Responsible Official Certification Statement

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statements and information in this document and in all attached application forms and other materials are true, accurate, and complete.

Read each statement carefully and check each that applies - You must check 3a or 3b.

- 1. For Initial, Permit Renewal, and Administrative Application Certifications: a. The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1. b. The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.
2. For Permit Revision Application Certifications: a. The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.
3. For MACT Hammer Certifications: a. The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer." b. The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).

Handwritten signature of Lee Rosenblatt

Handwritten date: 10-30-09

Signature of Responsible Official: Lee Rosenblatt
Date: (323) 277-7740
Type or Print Name of Responsible Official: Chief Operating Officer
Phone: (323) 277-9025
Title of Responsible Official:
Address of Responsible Official: 4700 S. Boyle Avenue
City: Vernon State: CA Zip Code: 90058

Acid Rain Facilities Only: Turn page over & complete Section III



South Coast Air Quality Management District
 P. O. Box 4944
 Diamond Bar, CA 91765
 Attn: Permit Services - Data Entry

Print Form

REQUEST TO INACTIVATE A PERMIT TO OPERATE

PERMIT ISSUED TO:

- 1. Current Facility ID: 124,725
- 2. Company Name: Fortune Fashions Industries, LLC
- 3. Company Address: 4700 S. Boyle Avenue
- 4. Permit Number: F70949 Date Issued: Sep 28, 2004
- 5. Equipment Description: Press, M&R, VO90 AC36/2436-22, Press No. 3, 22 Stations

Reason for Inactivation:

Cancellation of the Permit to Operate described above is hereby requested for the following reason(s).
 Check all that apply:

- Equipment Sold Destroyed or Removed from premises. Effective Date: Feb 19, 2009
- Equipment was replaced with (New Permit Number): _____
- Equipment will no longer be used. Date of disconnection: _____
- Equipment is exempt from permit requirements by AQMD Rule 219.
- Business & Equipment Sold. Effective Date: _____
- Name and Address of new owner: _____

Other (explain): _____

It is understood that any future use of this equipment may require a new permit application in accordance with the laws then in effect.

Required Signatures:

<p><u>Lee Rosenblatt</u> Signature of Responsible Official of Organization</p> <p>Lee Rosenblatt Printed Name of Responsible Official of Organization</p> <p>_____ Signature of AQMD Inspector (Optional)</p>	<p>Chief Operating Officer Title</p> <p><u>6-30-09</u> Date</p> <p>_____ Date</p>
---	---



South Coast Air Quality Management District
 P. O. Box 4944
 Diamond Bar, CA 91765
 Attn: Permit Services - Data Entry

REQUEST TO INACTIVATE A PERMIT TO OPERATE

PERMIT ISSUED TO:

1. Current Facility ID: 124,725
 2. Company Name: Fortune Fashions Industries, LLC
 3. Company Address: 4700 S. Boyle Avenue
 4. Permit Number: F70937 Date Issued: Sep 28, 2004
 5. Equipment Description: Press, M&R, VO90 AC36/1-2436, Press No. 16, 30 Stations

Reason for Inactivation:

Cancellation of the Permit to Operate described above is hereby requested for the following reason(s).
 Check all that apply:

- Equipment Sold Destroyed or Removed from premises. Effective Date: Feb 19, 2009
- Equipment was replaced with (New Permit Number): _____
- Equipment will no longer be used. Date of disconnection: _____
- Equipment is exempt from permit requirements by AQMD Rule 219.
- Business & Equipment Sold. Effective Date: _____
 Name and Address of new owner: _____
- Other (explain): _____

It is understood that any future use of this equipment may require a new permit application in accordance with the laws then in effect.

Required Signatures:

Lee Rosenblatt
 Signature of Responsible Official of Organization

Lee Rosenblatt

Printed Name of Responsible Official of Organization

Signature of AQMD Inspector (Optional)

Chief Operating Officer

Title

6-30-09

Date

Date

To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

1. Facility Name: FORTUNE FASHIONS INDUSTRIES

Facility ID (6-Digit): 124725

PROCEDURES FOR DETERMINING COMPLIANCE STATUS

- Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
- Identify applicable requirements*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility. The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
- Identify additional applicable requirements*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
- Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
- Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV.**
- Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
- Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

** Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input checked="" type="checkbox"/> Rule 442(f)	<input checked="" type="checkbox"/> Rule 442(g)
<input type="checkbox"/> All Combustion Equipment, ≥ 555 Mmbtu/Hr (except for NOx RECLAIM sources)	<input type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1	
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input checked="" type="checkbox"/> Rule 431.1(f)	<input checked="" type="checkbox"/> Rule 431.1(d) & (e)
<input type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.2 (09/15/00)	<input type="checkbox"/> Rule 431.2(g)	<input type="checkbox"/> Rule 431.2(f)
<input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.3 (05/07/76)		
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 N/A See Applicable Subpart	<input checked="" type="checkbox"/> Rule 430(b) See Applicable Subpart
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (06/03/05)	<input type="checkbox"/> Rule 403(d)(3)	<input type="checkbox"/> Rule 403(f)
<input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input checked="" type="checkbox"/> Rule 404 (02/07/86)	<input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> All RECLAIM Equipment (NOx & SOx)	<input type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (05/06/05) <input type="checkbox"/> Rule 2012, App. A (05/06/05)	<input type="checkbox"/> Rule 2011, App. A (05/06/05) <input type="checkbox"/> Rule 2012, App. A (05/06/05)
<input type="checkbox"/> Abrasive Blasting	<input type="checkbox"/> Rule 1140 (08/02/85)	<input type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method	
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e)
<input checked="" type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input checked="" type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Asphalt	See Manufacturing, Asphalt Processing & Asphalt Roofing		
<input type="checkbox"/> Asphalt Concrete/Batch Plants	<input type="checkbox"/> 40 CFR60 SUBPART I	See Applicable Subpart	See Applicable Subpart

Section I - Applicable Requirements, Test Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Transfer Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Waste Operations	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions	<input type="checkbox"/> 40 CFR61 SUBPART C	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing	<input type="checkbox"/> 40 CFR61 SUBPART D	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) <input type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (05/06/05) or Rule 2012 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (05/06/05) or Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (05/06/05) or Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90)	<input type="checkbox"/> AQMD TM 100.1 N/A	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d)

Section II - Applicable Requirements		Methods & MRR Requirements	
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (05/06/05) or Rule 2012 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (05/06/05) or Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (05/06/05) or Rule 2012, App. A (05/06/05) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART BEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	<input type="checkbox"/> Rule 1138(d)
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(e)	<input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k)
<input checked="" type="checkbox"/> Coating Operation, Adhesive Application Operation	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1168 (01/07/05) <input checked="" type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART RR	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1168(f) & (g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1168(e) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d)	<input type="checkbox"/> Rule 109(c)

Section II. Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1124 (09/21/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART GG	<input type="checkbox"/> Rule 1124(e) & (f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 1124(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1107 (01/06/06) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1107(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1107(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1125 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1125(c)(6) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart

Section II - Applicable Requirements, Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART KKKK <input type="checkbox"/> 40 CFR63 SUBPART SSSS	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1151 (12/02/05) <input type="checkbox"/> Rule 1171 (05/06/05)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1151(g) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1151(f) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Screen Printing	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART KK	<input checked="" type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Use Of Architectural	<input checked="" type="checkbox"/> Rule 109 (05/02/03)	<input checked="" type="checkbox"/> Rule 109(g)	<input checked="" type="checkbox"/> Rule 109(c)

Section I EQUIPMENT/PROCESS	Section II APPLICABLE REQUIREMENT	Section III TEST METHOD	Section IV MRR REQUIREMENT
Coating (Stationary Structures)	<input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (05/06/05)	<input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART JJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Degreasers	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1122 (10/01/04) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART T	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1122(h) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1122(i) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	See Sterilizer, Ethylene Oxide		
<input type="checkbox"/> Flanges	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Fluid Catalytic Cracking Unit	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84)	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1)	<input type="checkbox"/> Rule 218(c) & (f) <input type="checkbox"/> Rule 1105(c)(2)

Section 1 - Applicable Requirements, Test Methods & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1105.1 (11/07/03)	<input type="checkbox"/> Rule 1105.1(f)	<input type="checkbox"/> Rule 1105.1(e)
<input type="checkbox"/> Foundries, Iron and Steel	<input type="checkbox"/> 40 CFR63 SUBPART EEEEE	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Friction Materials Manufacturing	See Manufacturing, Friction Materials		
<input type="checkbox"/> Fugitive Emissions, Benzene	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Chemical Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

Section 11.5 - Applicable Requirements for Various Equipment and Processes

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (06/03/05)	<input type="checkbox"/> Rule 461(f)	<input type="checkbox"/> Rule 461(e)(6) & (e)(7)
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Hazardous Waste Combustors	<input type="checkbox"/> 40 CFR63 SUBPART EEB	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E <input type="checkbox"/> 40 CFR60 SUBPART CCCC	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Internal Combustion Engines, Reciprocating	<input type="checkbox"/> 40 CFR63 SUBPART ZZZZ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Kiln, Cement Plant	<input type="checkbox"/> Rule 1112 (01/06/86)	N/A	N/A

Section II. Applicable Requirements, Test Methods & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Landfills	<input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F	N/A See Applicable Subpart	N/A See Applicable Subpart
<input type="checkbox"/> Lead Acid Battery Manufacturing Plants	<input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA	<input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Lead Electroplating Operation	See Manufacturing, Lead Acid Battery		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLL	N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Brick & Structural Clay Products	<input type="checkbox"/> 40 CFR63 SUBPART JJJJ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Cement	<input type="checkbox"/> Rule 1156 (11/04/05)	<input type="checkbox"/> Rule 1156(g)	<input type="checkbox"/> Rule 1156(f)
<input type="checkbox"/> Manufacturing, Clay Ceramics	<input type="checkbox"/> 40 CFR63 SUBPART KKKKK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851)	<input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Consumer Product	<input type="checkbox"/> Title 17 CCR 94500		
<input type="checkbox"/> Manufacturing, Food Product	<input type="checkbox"/> Rule 1131 (06/06/03)	<input type="checkbox"/> Rule 1131(e)	<input type="checkbox"/> Rule 1131(d)
<input type="checkbox"/> Manufacturing, Friction Materials	<input type="checkbox"/> 40 CFR63 SUBPART QQQQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Glass	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Hydrochloric Acid	<input type="checkbox"/> 40 CFR63 SUBPART NNNNN	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lead-Acid Battery	<input type="checkbox"/> 40 CFR60 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lime	<input type="checkbox"/> 40 CFR63 SUBPART AAAAA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Magnetic Tape Industry	<input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical	<input type="checkbox"/> 40 CFR63 SUBPART FFFF	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Nitric Acid	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products	<input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1137(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Polymer Industry	<input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J	See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU	<input type="checkbox"/> Rule 1175(f) See Applicable Subpart	<input type="checkbox"/> Rule 1175(e) See Applicable Subpart

KEY ABBREVIATIONS:

Reg. = AQMD Regulation App. = Appendix CFR = Code of Federal Regulations
 Rule = AQMD Rule AQMD TM = AQMD Test Method CCR = California Code of Regulations

Section II - Applicable Requirements, Test Methods, & MRR Requirement

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Manufacturing, Products Containing Halon Blends	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A
<input type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWWW	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSSS	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W	<input type="checkbox"/> Rule 1141(d) See Applicable Subpart	<input type="checkbox"/> Rule 1141(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (05/06/05) <input type="checkbox"/> 40 CFR63 SUBPART BBBB	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A
<input type="checkbox"/> Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd	<input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1	
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A
<input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart
<input type="checkbox"/> Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART Cb <input type="checkbox"/> 40 CFR60 SUBPART Ea <input type="checkbox"/> 40 CFR60 SUBPART Eb	See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Negative Air Machines/HEPA, Asbestos	<input type="checkbox"/> 40 CFR61 SUBPART M	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Nickel Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)

Section II - Applicable Requirements, Methods, & MRR Requirement			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Nonmetallic Mineral Processing Plants	<input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Off-site Waste and Recovery Operation	<input type="checkbox"/> 40 CFR63 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Oil and Gas Well Operation	<input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04)	<input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g)	<input type="checkbox"/> Rule 1148.1 (f)
<input type="checkbox"/> Onshore Natural Gas Processing, SO ₂ Emissions	<input type="checkbox"/> 40 CFR60 SUBPART LLL	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Open Fires	<input type="checkbox"/> Rule 444 (12/21/01)		
<input type="checkbox"/> Open Storage, Petroleum Coke	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99)	<input type="checkbox"/> Rule 403(d)(4) <input type="checkbox"/> Rule 1158(h)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j)
<input type="checkbox"/> Open Storage	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f)
<input type="checkbox"/> Outer Continental Shelf Platform	<input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55	<input type="checkbox"/> 40 CFR55 See Applicable Subpart	<input type="checkbox"/> 40 CFR55 See Applicable Subpart
<input type="checkbox"/> Oven, Commercial Bakery	<input type="checkbox"/> Rule 1153 (01/13/95)	<input type="checkbox"/> Rule 1153(h)	<input type="checkbox"/> Rule 1153(g)
<input type="checkbox"/> Oven, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> 40 CFR63 SUBPART L <input type="checkbox"/> 40 CFR63 SUBPART CCCCC	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use	<input type="checkbox"/> 40 CFR82 Subpart G	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1118 (11/04/05) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> Rule 1118(j) N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1118(f), (g), (h), & (i) <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Fugitive Emissions	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84)	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g)	<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h)

Section II: Applicable Requirements, AQM Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Storage Tanks	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE	<input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Wastewater Systems	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing	<input type="checkbox"/> Rule 1103 (03/12/99) <input type="checkbox"/> 40 CFR63 SUBPART GGG	<input type="checkbox"/> Rule 1103(f) See Applicable Subpart	<input type="checkbox"/> Rule 1103(e) See Applicable Subpart
<input type="checkbox"/> Polyester Resin Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1162 (07/08/05) <input type="checkbox"/> Rule 1171 (05/06/05)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1162(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1162(e) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Primary Aluminum Production	<input type="checkbox"/> 40 CFR63 Subpart RRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Primary Magnesium Refining	<input type="checkbox"/> 40 CFR63 SUBPART TTTT	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Printing Press	See Coating Operations		
<input type="checkbox"/> Publicly Owned Treatment Works Operations	<input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O	<input type="checkbox"/> Rule 1179(e) See Applicable Subpart	<input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart
<input type="checkbox"/> Pumps	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rendering Plant	<input type="checkbox"/> Rule 472 (05/07/76)	N/A	<input type="checkbox"/> Rule 472(b)
<input type="checkbox"/> Rock Crushing	See Nonmetallic Mineral Processing Plants		

Section 17 - Applicable Regulations, Test Methods & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Secondary Aluminum Production	<input type="checkbox"/> 40 CFR63 Subpart LL	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input type="checkbox"/> Site Remediation	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	<input type="checkbox"/> 40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	<input type="checkbox"/> 40 CFR60 SUBPART L	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART X	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Soil Decontamination	<input type="checkbox"/> Rule 1166 (05/11/01)	<input type="checkbox"/> Rule 1166(e)	<input type="checkbox"/> Rule 1166(c)(1)(C)
	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	<input type="checkbox"/> 40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	<input type="checkbox"/> Rule 1149 (07/14/95)		
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	<input type="checkbox"/> Rule 463 (05/06/05)	<input type="checkbox"/> Rule 463(g)	<input type="checkbox"/> Rule 463(e)(5)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART K	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Ka	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Kb	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART R	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Synthetic Fiber Production Facilities	<input type="checkbox"/> 40 CFR60 SUBPART HHH	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Taconite Iron Ore Processing Facilities	<input type="checkbox"/> 40 CFR63 SUBPART RRRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	<input type="checkbox"/> Rule 1134 (08/08/97)	<input type="checkbox"/> CEMS Rule 1134(e) & (g)	<input type="checkbox"/> Rule 1134(d) & (f)
	<input type="checkbox"/> Rule 475 (08/07/78)	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
	<input type="checkbox"/> 40 CFR60 SUBPART GG	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Oil-Fired	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	<input type="checkbox"/> Rule 1123 (12/07/90)	N/A	<input type="checkbox"/> Rule 1123(c)
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Wastewater Treatment, Other	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)

Section 1 - Applicable Requirements, Test Methods, & MRR Requirement			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Woodworking Operations	<input type="checkbox"/> Rule 1137 (02/01/02)	N/A	<input type="checkbox"/> Rule 1137(e)

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
218	08/07/81	<input type="checkbox"/>	1146.2	01/09/98	<input type="checkbox"/>
401	03/02/84	<input checked="" type="checkbox"/>	1162	11/17/00	<input type="checkbox"/>
403	12/11/98	<input type="checkbox"/>	1166	07/14/95	<input type="checkbox"/>
403.1	01/15/93	<input type="checkbox"/>	1168	10/03/03	<input checked="" type="checkbox"/>
431.2	05/04/90	<input type="checkbox"/>	1171	11/07/03	<input checked="" type="checkbox"/>
461	01/09/04	<input type="checkbox"/>	1173	05/13/94	<input type="checkbox"/>
463	03/11/94	<input type="checkbox"/>	1186	09/10/99	<input type="checkbox"/>
466.1	05/02/80	<input type="checkbox"/>	2000	05/11/01	<input type="checkbox"/>
469	05/07/76	<input type="checkbox"/>	2001	05/11/01	<input type="checkbox"/>
475	10/08/76	<input type="checkbox"/>	2002	05/11/01	<input type="checkbox"/>
1107	11/09/01	<input type="checkbox"/>	2005	04/20/01	<input type="checkbox"/>
1112	01/06/84	<input type="checkbox"/>	2007	12/05/03	<input type="checkbox"/>
1113	11/08/96	<input checked="" type="checkbox"/>	2010	05/11/01	<input type="checkbox"/>
1121	12/10/99	<input type="checkbox"/>	2011	12/05/03	<input type="checkbox"/>
1122	07/11/97	<input type="checkbox"/>	2012	12/05/03	<input type="checkbox"/>
1132	03/05/04	<input type="checkbox"/>			<input type="checkbox"/>
1140	02/01/80	<input checked="" type="checkbox"/>			<input type="checkbox"/>
1145	02/14/97	<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
53 Los Angeles Co.	N/A	<input checked="" type="checkbox"/>	1170	05/06/88	<input type="checkbox"/>
53 Orange Co.	N/A	<input type="checkbox"/>	1183	03/12/93	<input type="checkbox"/>
53 Riverside Co.	N/A	<input type="checkbox"/>	1186.1	09/09/05	<input type="checkbox"/>
53 San Bernardino Co.	N/A	<input type="checkbox"/>	1191	06/16/00	<input type="checkbox"/>
53A San Bernardino Co.	N/A	<input type="checkbox"/>	1192	06/16/00	<input type="checkbox"/>
218.1	05/14/99	<input type="checkbox"/>	1193	06/06/03	<input type="checkbox"/>
402	05/07/76	<input checked="" type="checkbox"/>	1194	10/20/00	<input type="checkbox"/>
429	12/21/90	<input type="checkbox"/>	1195	04/20/01	<input type="checkbox"/>
430	07/12/96	<input checked="" type="checkbox"/>	1196	09/09/05	<input type="checkbox"/>
441	05/07/76	<input type="checkbox"/>	1401	03/04/05	<input checked="" type="checkbox"/>
473	05/07/76	<input type="checkbox"/>	1401.1	11/04/05	<input type="checkbox"/>
477	04/03/81	<input type="checkbox"/>	1402	03/04/05	<input type="checkbox"/>
480	10/07/77	<input type="checkbox"/>	1403	04/08/94	<input type="checkbox"/>
1105.1	11/07/03	<input type="checkbox"/>	1404	04/06/90	<input type="checkbox"/>
1109	08/05/88	<input type="checkbox"/>	1405	01/04/91	<input type="checkbox"/>
1110.2	06/03/05	<input type="checkbox"/>	1406	07/08/94	<input type="checkbox"/>
1116.1	10/20/78	<input type="checkbox"/>	1407	07/08/94	<input type="checkbox"/>
1118	11/04/05	<input type="checkbox"/>	1411	03/01/91	<input type="checkbox"/>
1127	08/06/04	<input type="checkbox"/>	1414	05/03/91	<input type="checkbox"/>
1148.1	03/05/04	<input type="checkbox"/>	1415	10/14/94	<input checked="" type="checkbox"/>
1150	10/15/82	<input type="checkbox"/>	1418	09/10/99	<input type="checkbox"/>
1156	11/04/05	<input type="checkbox"/>	1420	09/11/92	<input type="checkbox"/>
1157	01/07/05	<input type="checkbox"/>	1421	12/06/02	<input type="checkbox"/>
1163	06/07/85	<input type="checkbox"/>	1425	03/16/01	<input type="checkbox"/>

Comments on Draft Title V Permit
Fortune Fashions Industries, LLC
SCAQMD ID# 124726

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

Page(s)	Device	Comment(s)	Description Errors:
2	Permitted Equipment List	Silkscreen Press No. 3 and Silkscreen Press No. 16 were recently disconnected and removed from the facility. Permit inactivation forms are attached. Please remove these two devices from the equipment list.	N/A
5	Silkscreen Press No. 1	"PRESS, SILKSCREEN, M&R, VOAC 36/1-26/14, PRESS NO. 1, 26 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R, VOAC 36/1-26, PRESS NO. 1, 14 STATIONS."	26 stations vs. 14 stations
7	Silkscreen Press No. 3	This equipment was recently disconnected and removed from the facility. A permit inactivation form is attached. Please remove this device from the permit.	N/A
9	Silkscreen Press No. 4	"PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVTG2UW/12-2436, PRESS NO. 4, 18 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVTG2UW/18/12-2436, PRESS NO. 4, 18 STATIONS."	Model # error
11	Silkscreen Press No. 7	"PRESS, SILKSCREEN, M&R, VO90 AC36/2436-30/14, PRESS NO. 7, 30 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R, ULTIMATE VO90 AC36/2436-30-30/14, PRESS NO. 7, 30 STATIONS."	Model name and # error
13	Silkscreen Press No. 9	"PRESS, SILKSCREEN, M&R, VO80 AC36/1-2436-30, PRESS NO. 9, 30 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R ULTIMATE, VO80 AC36/1-2436-30, PRESS NO. 9, 20-30 STATIONS."	Model name and # error
15	Silkscreen Press No. 10	"PRESS, SILKSCREEN, T&S, 205XL-221, PRESS NO. 10, 12 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, T&S, 205XL-221, PRESS NO. 10, 10-12 STATIONS."	12 stations vs. 10-12 stations
17	Silkscreen Press No. 12	"PRESS, SILKSCREEN, M&R, VO80 AC36/1-2436-30, PRESS NO. 12, 30 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R ULTIMATE, VO80 AC36/1-2436-30, PRESS NO. 12, 30 STATIONS"	Model name error
18	Silkscreen Press No. 14	"PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 14, 20 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R CHALLENGER II, CHA2607020182036A, PRESS NO. 14, 20 STATIONS."	Model name and # error
21	Silkscreen Press No. 18	This equipment was recently disconnected and removed from the facility. A permit inactivation form is attached. Please remove this device from the permit.	N/A
23	Silkscreen Press No. 19	"PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 19, 20 STATIONS." The description for this equipment currently reads: "PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 19, 18-20 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R Challenger II, CHA2507020182036A, PRESS NO. 19, 18-20 STATIONS."	Model name and # error
26	Silkscreen Press No. 20	"PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 20, 20 STATIONS." The description for this equipment currently reads: "PRESS, SILKSCREEN, M&R CHALLENGER II, CHA2607020182036A, PRESS NO. 20, 18-20 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R CHALLENGER II, CHA2607020182036A, PRESS NO. 20, 20 STATIONS."	Model name and # error
27	Silkscreen Press No. 21	"PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 21, 20 STATIONS." The description for this equipment currently reads: "PRESS, SILKSCREEN, M&R CHALLENGER II, CHA2607020182036A, PRESS NO. 21, 18-20 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVTG2UW/12-2436, PRESS NO. 22, 18 STATIONS."	Model name and # error
29	Silkscreen Press No. 22	"PRESS, SILKSCREEN, M&R CHALLENGER II, MODEL CHA2607020182036A, PRESS NO. 22, 18-20 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVTG2UW/12-2436, PRESS NO. 22, 18 STATIONS."	Model name and # error

**Comments on Draft Title V Permit
Fortune Fashions Industries, LLC
SCAQMD ID# 124725**

31	Silkscreen Press No. 23	The description for this equipment currently reads: "PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVTP2UV/12-2436, PRESS NO. 23, 18 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R CHALLENGER II, MODEL CHA2507020182036A, PRESS NO. 23, 18-20 STATIONS."	Model name and # error 18 stations vs. 18-20 stations
33	Silkscreen Press No. 24	The description for this equipment currently reads: "PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-10-18, PRESS NO. 24, 20 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R CHALLENGER II, MODEL CHA2507020182036A, PRESS NO. 24, 18-20 STATIONS."	Model # error 20 stations vs. 18-20 stations
35	Silkscreen Press No. 25	The description for this equipment currently reads: "PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 25, 20 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R CHALLENGER II, MODEL CHA2507020182036A, PRESS NO. 25, 18-20 STATIONS."	Model # error 20 stations vs. 18-20 stations
37	Silkscreen Press No. 28	The description for this equipment currently reads: "PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 28, 20 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R CHALLENGER II, MODEL CHA2507020182036A, PRESS NO. 28, 18-20 STATIONS."	Model # error 20 stations vs. 18-20 stations
39	Silkscreen Press No. 29	The description for this equipment currently reads: "PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 29, 20 STATIONS." The description for this equipment should read: "PRESS, SILKSCREEN, M&R CHALLENGER II, MODEL CHA2507020182036A, PRESS NO. 29, 18-20 STATIONS."	Model # error 20 stations vs. 18-20 stations
48	Dryer No. 9	The description for this equipment currently reads: "DRYER NO. 9, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER." The description for this equipment should read: "DRYER NO. 9, M&R SPRINT INTERNATIONAL, MODEL SIH7216108182036A1A, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER."	Model name and # error
50	Dryer No. 10	The description for this equipment currently reads: "DRYER NO. 10, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER." The description for this equipment should read: "DRYER NO. 10, M&R SPRINT INTERNATIONAL, MODEL SIH7216108182036A1A, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER."	Model name and # error
52	Dryer No. 11	The description for this equipment currently reads: "DRYER NO. 11, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER." The description for this equipment should read: "DRYER NO. 11, M&R SPRINT INTERNATIONAL, MODEL SIH7216108182036A1A, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER."	Model name and # error
54	Dryer No. 12	The description for this equipment currently reads: "DRYER NO. 12, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER." The description for this equipment should read: "DRYER NO. 12, M&R SPRINT INTERNATIONAL, MODEL SIH7216108182036A1A, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER."	Model name and # error
61-62	Abrasive Blasting Equipment	This equipment has been removed from the facility. Please remove this device from the permit.	N/A



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

June 9, 2009

Ava Chatterton-Sentchuk
Vice President
Fortune Fashions Industries, LLC (Facility ID # 124725)
4700 South Boyle Avenue
Vernon, CA 90058-3021

Reference: DRAFT PERMIT FOR TITLE V RENEWAL APPLICATION

Dear Ms. Chatterton-Sentchuk:

The South Coast Air Quality Management District (AQMD) has completed the preliminary work on your Application No. 497529 for the renewal of your current Title V permit that will expire on September 27, 2009 for your facility located at 4700 South Boyle Avenue, Vernon, CA 90058-3021. Enclosed for your review is a copy of the statement of basis, permit summary, and draft permit for your facility under the Title V permit renewal application (Application No. 497529). This draft permit has incorporated the updates of all facility information that are provided in your Title V permit renewal application and all rules and regulations that are currently applicable to your facility. We are planning to release the proposed Title V permit for concurrent United States Environmental Protection Agency (USEPA) and public review in July 2009. Please take this opportunity to review these updates and submit your comments by **June 30, 2009** in order to be considered for incorporation into the proposed permit.

The AQMD has also reviewed the Compliance Status Report Form 500-C1 that you prepared for the permit renewal application package. Enclosed you will find a copy of this report if the information that you originally sent was incomplete or the requirements that were checked do not apply to your facility. If this is the case, please note our corrections to the report. We are also enclosing a new Form 500-C1 (Rev. 01/06), updated to current regulatory requirements, and a new Form 500-A2 that you must fill out and resubmit. Please incorporate any corrections into the new form. Since the new form has changed, please review it carefully to ensure that your submittal is complete and accurate.

When your review is complete, please prepare the following and return to us:

Comments on the statement of basis, permit summary, and draft permit
Compliance Status Report, Form 500-C1
Application Certification, Form 500-A2
Non-Compliant Operations Report and Compliance Plan, Form 500-C2 (if applicable)

Please return the above documents by June 30, 2009 to:

South Coast Air Quality Management District
Coating, Printing, Aerospace & Metal Finishing Operations Team
21865 Copley Drive
Diamond Bar, CA 91765-4178
Attention: Hamed Mandilawi

If you have any questions regarding your Title V permit renewal, please contact Hamed Mandilawi at (909) 396-3275.

Sincerely,



Fred Lettice
Senior Manager
Coating, Printing, Aerospace
& Metal Finishing Operations

FL-Batch R1_Draft_Cover Letter

Enclosures:

Statement of Basis
Permit Summary
Draft Title V renewal permit
Form 500-C1 (revised 01/06)
Form 500-A2
Corrected Form 500-C1

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	124725	Company Name:	Fortune Fashions Industries, LLC
Equipment Location:	4700 South Boyle Avenue, Vernon, CA 90058-3021		SIC Code: 2389
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s):	497529	Application Submittal Date(s):	4/01/2009
AQMD Contact Person:	Hamed Mandilawi	Phone #:	(909) 396-3275
		E-Mail Address:	hmandilawi@aqmd.gov
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in commercial screen printing. The facility operates eighteen silkscreen press systems, a screen wash station, seven dryers, and other supporting equipment.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2006-2007		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>	
		Ammonia	Emissions (lbs/yr): 64.06
		Benzene	0.115
		Naphthalene	0.004
		Formaldehyde	0.244
		PAHs	0.001
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input checked="" type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____			
Criteria Pollutant Emissions		<input checked="" type="checkbox"/> NOx 0.935	<input checked="" type="checkbox"/> PM 0.053
Annual Reported Emissions (tons/year) for Reporting Year: 2006-2007		<input checked="" type="checkbox"/> CO 0.251	<input checked="" type="checkbox"/> SOx 0.004
		<input checked="" type="checkbox"/> VOC 19.245	<input type="checkbox"/> Other: _____
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (1)			
Comments:			

South Coast Air Quality Management District

Statement of Basis

Proposed Title V Renewal Permit

Facility Name: Fortune Fashions Industries, LLC
Facility ID: 124725
SIC Code: 2389
Equipment Location: 4700 South Boyle Avenue
Vernon, CA 90058-3021

Application #(s): 497529
Application Submittal Date(s): 04/01/09

AQMD Contact Person: Hamed Mandilawi, Senior Engineer
Phone Number: (909) 396-3275
E-Mail Address: hmandilawi@aqmd.gov

1. Introduction and Scope of Permit

Title V is a national operating permit program for air pollution sources. Facilities subject to Title V must obtain a Title V permit and comply with specific Title V procedures to modify the permit. This permit replaces the facility's other existing permits. Title V does not necessarily include any new requirements for reducing emissions. It does, however, include new permitting, noticing, recordkeeping, and reporting requirements.

Pursuant to Title V of the federal Clean Air Act and AQMD Rule 3004(f), a Title V permit shall expire five years from the date of issuance unless such permit has been renewed. Accordingly, each facility is required to submit a Title V renewal application and requested the AQMD to renew their Title V permit. The proposed permit incorporates updates to the facility information provided in the facility's Title V renewal application and all rules and regulations that are currently applicable to the facility.

The AQMD implements Title V through Regulation XXX – Title V Permits, adopted by the AQMD Governing Board in order to comply with EPA's requirement that local air permitting authorities develop a Title V program. Regulation XXX was developed with the participation of the public and affected facilities through a series of public workshops, working group meetings, public hearings and other meetings.

The Title V major source threshold for a particular pollutant depends on the attainment status of the pollutant. NO₂, SO₂, CO and lead are in attainment with federal standards. The status for PM-10 is serious nonattainment. The status for ozone is currently extreme nonattainment.

A Title V renewal permit is proposed to be issued to cover the operations of Fortune Fashions Industries located at 4700 South Boyle Avenue, Vernon, CA 90058-3021. This facility is subject to Title V requirements because it is a major source.

2. Facility Description

This is an existing facility that is in the business of commercial screen printing. The facility operates eighteen silkscreen press systems, a screen wash station, seven dryers, and other supporting equipment.

3. Construction and Permitting History

The facility has been in constant operation with a Title V permit at this location since 2004. Numerous permits to construct and or permits to operate have been issued to the facility since September 2004. An initial Title V permit was issued to the facility on September 28, 2004 and several permit revisions were subsequently issued to this facility.

4. Regulatory Applicability Determinations

Applicable legal requirements for which this facility is required to comply are required to be identified in the Title V permit (for example, Section D, E, and H of the proposed Title V permit). Applicability determinations (i.e., determinations made by the District with respect to what legal requirements apply to a specific piece of equipment, process, or operation) can be found in the Engineering Evaluations. This facility is not subject to any NSPS or NESHAP requirements.

5. Monitoring and Operational Requirements

Applicable monitoring and operational requirements for which the facility is required to comply are identified in the Title V permit (for example, Section D, F, and J and Appendix B of the proposed Title V permit). Discussion of any applicable operational requirements can be found in the Engineering Evaluations. All periodic monitoring requirements were developed using strict adherence to the following applicable guidance documents: SCAQMD Periodic Monitoring Guidelines for Title V Facilities (November 1997); CAPCOA/CARB/EPA Region IX Periodic Monitoring Recommendations for Generally Applicable Requirements in SIP (June 1999); and CAPCOA/CARB/EPA Region IX Recommended Periodic Monitoring for Generally Applicable Grain Loading Standards in the SIP: Combustion Sources (July 2001).

Since the facility complies with applicable rules requirements and emission limits without the use of air pollution control equipment, the Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64 are not applicable to this facility.

6. Permit Features

Permit Shield

A permit shield is an optional part of a Title V permit that gives the facility an explicit protection from requirements that do not apply to the facility. A permit shield is a provision in a permit that states that compliance with the conditions of the permit shall be deemed compliance with all identified regulatory requirements. To incorporate a permit shield into the Title V permit involves submission of applications for change of conditions for each equipment affected by the permit shield. Permit shields are addressed in Rule 3004 (c). This facility has not applied for a permit shield.

Streamlining Requirements

Some emission units may be subject to multiple requirements which are closely related or redundant. The conditions may be streamlined to simplify the permit conditions and compliance. Emission limits, work practice standards, and monitoring, recordkeeping, and reporting requirements may be streamlined. Compliance with a streamlined condition will be deemed compliance with the underlying requirements whether or not the emission unit is actually in compliance with the specific underlying requirement. This facility has not applied for any streamlined conditions.

7. Summary of Emissions and Health Risks

Criteria Pollutant Emissions (tons/year) Annual Reported Emissions for Reporting Period 2006/2007

Pollutant	Emissions (tons/year)
NOx	0.935
CO	0.251
VOC	19.245
PM	0.053
SOx	0.004

Toxic Air Contaminants Emissions (TAC) Annual Reported Emissions for Reporting Period 2006/2007

The Following TACs Were Reported	Emissions (lbs/yr)
Ammonia	64.06
Benzene	0.115
Naphthalene	0.004
Formaldehyde	0.244
PAHs	0.001

Health Risk from Toxic Air Contaminants

The facility is subject to review by the Air Toxics Information and Assessment Act (AB2588). The facility was determined to be exempt from AB2588 requirements.

8. Compliance History

As noted, the facility has been in constant operation with a Title V permit since 2004. The facility has been subject to both self-reporting requirements and AQMD inspections. The facility has had no citizen complaints filed or Notices to Comply issued in the last two years. However, the facility was issued a Notice of Violation on 8/15/08 for failure to submit the semi annual and annual compliance reports on time for year 2007. The company is currently operating in compliance with all applicable rules and regulations.

9. Compliance Certification

By virtue of the Title V permit application and issuance of this Title V renewal permit, the reporting frequency for compliance certification for the facility shall be annual.

FACILITY PERMIT TO OPERATE

**FORTUNE FASHIONS IND
4700 S BOYLE AVE
VERNON, CA 90058**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER

By _____
Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	DRAFT	06/04/2009
B	RECLAIM Annual Emission Allocation	DRAFT	06/04/2009
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	DRAFT	06/04/2009
E	Administrative Conditions	DRAFT	06/04/2009
F	RECLAIM Monitoring and Source Testing Requirements	DRAFT	06/04/2009
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	DRAFT	06/04/2009
H	Permit To Construct and Temporary Permit to Operate	DRAFT	06/04/2009
I	Compliance Plans & Schedules	DRAFT	06/04/2009
J	Air Toxics	DRAFT	06/04/2009
K	Title V Administration	DRAFT	06/04/2009
 Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	DRAFT	06/04/2009
B	Rule Emission Limits	DRAFT	06/04/2009

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION A: FACILITY INFORMATION

LEGAL OWNER &/OR OPERATOR: FORTUNE FASHIONS IND

LEGAL OPERATOR (if different than owner):

EQUIPMENT LOCATION: 4700 S BOYLE AVE
VERNON, CA 90058

MAILING ADDRESS: 4700 S. BOYLE AVE.
VERNON, CA 90058

RESPONSIBLE OFFICIAL: LEE ROSENBLATT

TITLE: CHIEF OPERATING OFFICER

TELEPHONE NUMBER: (323) 277-7740

CONTACT PERSON: AVA CHATTERTON-SENTCHUK

TITLE: VICE PRESIDENT - ADMIN & HUMAN RESOURCES

TELEPHONE NUMBER: (323) 277-7740

TITLE V PERMIT ISSUED: September 28, 2004

TITLE V PERMIT EXPIRATION DATE: September 27, 2009

TITLE V	RECLAIM
YES	NOx: NO SOx: NO CYCLE: 0 ZONE: COASTAL

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

SECTION B: RECLAIM Annual Emission Allocation

NOT APPLICABLE

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

SECTION C: FACILITY PLOT PLAN

(TO BE DEVELOPED)

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

Facility Equipment and Requirements (Section D)

This section consists of a table listing all permitted equipment at the facility, facility wide requirements, all individual Permits to Construct and Permits to Operate issued to various equipment at the facility, and Rule 219-exempt equipment subject to source-specific requirements. Each permit and Rule 219-exempt equipment will list operating conditions including periodic monitoring requirements, and applicable emission limits and requirements that the equipment is subject to. Also included is the rule origin and authority of each emission limit and permit condition.

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMITTED EQUIPMENT LIST

THE FOLLOWING IS A LIST OF ALL PERMITS TO CONSTRUCT AND PERMITS TO OPERATE AT THIS FACILITY:

Application number	Permit to Operate number	Equipment description
429456	F70951	SILKSCREEN PRESS NO. 1
428459	F70949	SILKSCREEN PRESS NO. 3
444054	F77499	SILKSCREEN PRESS NO. 4
429463	F70946	SILKSCREEN PRESS NO. 7
429465	F70944	SILKSCREEN PRESS NO. 9
429466	F70943	SILKSCREEN PRESS NO. 10
429468	F70941	SILKSCREEN PRESS NO. 12
429461	F81005	SILKSCREEN PRESS NO. 14
429472	F70937	SILKSCREEN PRESS NO. 16
429475	F81006	SILKSCREEN PRESS NO. 19
429478	F81008	SILKSCREEN PRESS NO. 20
429476	F81007	SILKSCREEN PRESS NO. 21
447613	F79493	SILKSCREEN PRESS NO. 22
447614	F79494	SILKSCREEN PRESS NO. 23
453133	F81895	SILKSCREEN PRESS NO. 24
453134	F81896	SILKSCREEN PRESS NO. 25
453140	F81899	SILKSCREEN PRESS NO. 28
453141	F81908	SILKSCREEN PRESS NO. 29
431822	F70927	SCREEN WASH STATION
453171	F81912	DRYER NO. 1, PLASTISOL CURING
453179	F81915	DRYER NO. 4, PLASTISOL CURING
453182	F81918	DRYER NO. 7, PLASTISOL CURING
453127	F81890	DRYER NO. 9, PLASTISOL CURING
453128	F81891	DRYER NO. 10, PLASTISOL CURING
453130	F81892	DRYER NO. 11, PLASTISOL CURING
453131	F81893	DRYER NO. 12, PLASTISOL CURING

NOTE: EQUIPMENT LISTED ABOVE THAT HAVE NO CORRESPONDING PERMITS TO OPERATE NUMBER ARE ISSUED PERMITS TO CONSTRUCT. THE ISSUANCE OR DENIAL OF THEIR PERMITS TO OPERATE IS SUBJECT TO ENGINEERING FINAL REVIEW. ANY OTHER APPLICATIONS THAT ARE STILL BEING PROCESSED AND HAVE NOT BEEN ISSUED PERMITS TO CONSTRUCT OR PERMITS TO OPERATE WILL NOT BE FOUND IN THIS TITLE V PERMIT.

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

FACILITY WIDE CONDITION(S)

Condition(s):

1. EXCEPT FOR OPEN ABRASIVE BLASTING OPERATIONS, THE OPERATOR SHALL NOT DISCHARGE INTO THE ATMOSPHERE FROM ANY SINGLE SOURCE OF EMISSIONS WHATSOEVER ANY AIR CONTAMINANT FOR A PERIOD OR PERIODS AGGREGATING MORE THAN THREE MINUTES IN ANY ONE HOUR WHICH IS:
 - A. AS DARK OR DARKER IN SHADE AS THAT DESIGNATED NO. 1 ON THE RINGELMANN CHART, AS PUBLISHED BY THE UNITED STATES BUREAU OF MINES; OR
 - B. OF SUCH OPACITY AS TO OBSCURE AN OBSERVER'S VIEW TO A DEGREE EQUAL TO OR GREATER THAN DOES SMOKE DESCRIBED IN SUBPARAGRAPH (A) OF THIS CONDITION.
[RULE 401]

2. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUNDS (VOC) EMISSIONS FROM ALL PERMITTED EQUIPMENT AND ASSOCIATED OPERATIONS AT THIS FACILITY SHALL NOT EXCEED 4,140 POUNDS IN ANY ONE CALENDAR MONTH. ASSOCIATED OPERATIONS INCLUDE, BUT ARE NOT LIMITED TO SURFACE PREPARATION, SPOT REMOVAL, EQUIPMENT CLEAN-UP, AND THE APPLICATION OF ANY OTHER MATERIALS TO ARTICLES THAT ARE PREVIOUSLY OR SUBSEQUENTLY PROCESSED IN THE PERMITTED EQUIPMENT. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH MONTH, THE FACILITY OPERATOR SHALL TOTAL AND RECORD VOC EMISSIONS FROM ALL PERMITTED EQUIPMENT AND ASSOCIATED OPERATIONS.
[RULE 1303 (b) (2)-OFFSET]

3. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM THE USE OF ALL VOC-CONTAINING MATERIALS IN THE SPOT REMOVING OPERATIONS AND ALL OTHER EQUIPMENT OR PROCESSES SUBJECT TO RULE 442 AT THIS FACILITY SHALL NOT EXCEED 833 POUNDS IN ANY ONE CALENDAR MONTH. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, THE OPERATOR SHALL TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT AND OPERATIONS SUBJECT TO RULE 442 AT THE FACILITY.
[RULE 442]

4. TO DETERMINE THE VOC CONTENT OF THE WASTE MATERIALS FOR DISPOSAL AND TO EXCLUDE SUCH VOC FROM THE TOTAL VOC EMISSIONS FOR EACH CALENDAR MONTH AT THIS FACILITY, THE OPERATOR SHALL BY THE END OF EACH CALENDAR MONTH:
 - A. USE A SEPARATE WASTE STORAGE CONTAINER TO STORE EACH TYPE OF WASTE MATERIAL

 - B. REMOVE OR SEAL ALL WASTE STORAGE CONTAINERS FOR WASTE MATERIALS THAT ARE GENERATED IN THE CALENDAR MONTH FOR DISPOSAL

 - C. DETERMINE AND RECORD THE AMOUNT OF ALL WASTE MATERIALS THAT ARE GENERATED IN EACH CALENDAR MONTH

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

- D. COLLECT A SAMPLE FROM EACH WASTE STORAGE CONTAINER USING AN AQMD APPROVED PROTOTOL PRIOR TO OFFSITE SHIPPING
 - E. SUBMIT THE COLLECTED SAMPLES TO AN INDEPENDENT LABORATORY FOR VOC CONTENT USING AN AQMD APPROVED METHOD
 - F. MAINTAIN ALL WASTE RECORDS AND LAB RESULTS ON SITE
[RULE 109, 1303(b)(2)-OFFSET]
5. TO ENSURE COMPLIANCE WITH THE VOC EMISSION LIMITS OF THIS PERMIT, THE OPERATOR SHALL:
- A. COMPLY WITH RULE 109 (RECORDKEEPING FOR VOLATILE ORGANIC COMPOUND EMISSIONS).
 - B. KEEP ADEQUATE RECORDS FOR THIS FACILITY TO VERIFY THE VOC EMISSIONS IN POUNDS AND THE VOC CONTENT OF EACH MATERIAL AS APPLIED (INCLUDING WATER AND EXEMPT COMPOUNDS). THE RECORDS SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
 - C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
 - D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.
[RULE 109, 1303(b)(2)-OFFSET]
6. ALL RECORDS REQUIRED BY THIS PERMIT SHALL BE PREPARED IN A FORMAT WHICH IS ACCEPTABLE TO THE DISTRICT, SHALL BE RETAINED AT THE FACILITY FOR AT LEAST FIVE YEARS, AND SHALL BE MADE AVAILABLE TO ANY DISTRICT REPRESENTATIVE UPON REQUEST.
[RULE 109, 1303(b)(2)-OFFSET]
7. MATERIAL SAFETY DATA SHEETS FOR ALL VOC-CONTAINING MATERIALS USED AT THIS FACILITY SHALL BE KEPT CURRENT AND MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 109, 1303(b)(2)-OFFSET]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F70951
A/N 429456

Equipment Description:

PRESS, SILKSCREEN, M&R, VOAC36/1-26/14, PRESS NO. 1, 26 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F70949
A/N 429459

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC36/2436-22, PRESS NO. 3, 22 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

[RULE 1168(k)(3)]

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F77499
A/N 444054

Equipment Description:

PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVTGP2UV/12-2436, PRESS NO. 4, 18 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F70946
A/N 429463

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC36/2436-3014, PRESS NO. 7, 30 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F70944
A/N 429465

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC36/1-2436-30, PRESS NO. 9, 30 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMD PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F70943
A/N 429466

Equipment Description:

PRESS, SILKSCREEN, TAS, 205XL-221, PRESS NO. 10, 12 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F70941
A/N 429468

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC36/1-2436-30, PRESS NO. 12, 30 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F81005
A/N 429461

Equipment Description:

PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 14, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

[RULE 1168(k)(3)]

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F70937
A/N 429472

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC/1-2436, PRESS NO. 16, 30 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F81006
A/N 429475

Equipment Description:

PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 19, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F81008
A/N 429478

Equipment Description:

PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 20, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDD, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMD PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F81007
A/N 429476

Equipment Description:

PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 21, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO CONSTRUCT/OPERATE

Permit No. F79493
A/N 447613

Equipment Description:

PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVGTGP2UV/12-2436, PRESS NO. 22, 18 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUNDS (VOC) EMISSIONS DISCHARGED TO THE ATMOSPHERE FROM THE SILKSCREEN PRESS NOS. 22 & 23 UNDER APPLICATION NUMBERS 447613 AND 447614 SHALL NOT EXCEED 900 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 212]

8. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

9. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE BY NOVEMBER 29, 2006 UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F79494
A/N 447614

Equipment Description:

PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVGTGP2UV/12-2436, PRESS NO. 23, 18 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUNDS (VOC) EMISSIONS DISCHARGED TO THE ATMOSPHERE FROM THE SILKSCREEN PRESS NOS. 22 & 23 UNDER APPLICATION NUMBERS 447613 AND 447614 SHALL NOT EXCEED 900 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 212]

8. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81895
A/N 453133

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 24, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81896
A/N 453134

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 25, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81899
A/N 453140

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 28, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81908
A/N 453141

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 29, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F70927
A/N 431822

Equipment Description:

SCREEN WASH STATION, 2' - 7" W. X 10' L. X 6' - 2" H., WITH ONE SECTION AND ONE DRAIN DISCHARGE TO INDUSTRIAL SEWER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT SODIUM HYDROXIDE AND ETHYLENE OXIDE.
[RULE 1401]
4. THE CONCENTRATION OF ETHYLENE OXIDE IN THE WASHES THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 0.0006 % BY WEIGHT.
[RULE 1401]
5. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS, AND THE MONTHLY VOC EMISSIONS IN POUNDS. SUCH MONTHLY VOC EMISSIONS SHALL INCLUDE ALL VOC CONTAINED IN THE MATERIALS THAT ARE DISCHARGED TO THE SEWER. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO IMPLEMENTATION.
[RULE 109, 1303(b)(2)-OFFSET]

Emissions And Requirements:

6. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F81912
A/N 453171

Equipment Description:

DRYER NO. 1, SVECIA, THERMONATOR 76, DIRECT NATURAL GAS FIRED, WITH ONE 750,000 BTU PER HOUR BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURE ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]
8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF RULE 1147. PRIOR TO MODIFICATION OF THIS EQUIPMENT TO COME INTO COMPLIANCE WITH THE EMISSION LIMIT OF THIS RULE, THE OPERATOR SHALL SUBMIT AN APPLICATION AND RECEIVE APPROVAL FOR CONSTRUCTION OR MODIFICATION OF THE EQUIPMENT.
[RULE 1147]

Periodic Monitoring:

9. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
10. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

11. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407
NO_x: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F81915
A/N 453179

Equipment Description:

DRYER NO. 4, INTERCHANGE, AIR-JET 1460, DIRECT NATURAL GAS FIRED, 1,000,000 BTU PER HOUR, WITH TWO 500,000 BTU PER HOUR BURNERS

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURE ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]
8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF RULE 1147. PRIOR TO MODIFICATION OF THIS EQUIPMENT TO COME INTO COMPLIANCE WITH THE EMISSION LIMIT OF THIS RULE, THE OPERATOR SHALL SUBMIT AN APPLICATION AND RECEIVE APPROVAL FOR CONSTRUCTION OR MODIFICATION OF THE EQUIPMENT.
[RULE 1147]

Periodic Monitoring:

9. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
10. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

11. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407
NO_x: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO OPERATE

Permit No. F81918
A/N 453182

Equipment Description:

DRYER NO. 7, SVECIA, THERMONATOR 76, DIRECT NATURAL GAS FIRED, WITH ONE 750,000 BTU PER HOUR BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURE ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]
8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF RULE 1147. PRIOR TO MODIFICATION OF THIS EQUIPMENT TO COME INTO COMPLIANCE WITH THE EMISSION LIMIT OF THIS RULE, THE OPERATOR SHALL SUBMIT AN APPLICATION AND RECEIVE APPROVAL FOR CONSTRUCTION OR MODIFICATION OF THE EQUIPMENT.
[RULE 1147]

Periodic Monitoring:

9. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
10. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

11. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407
NO_x: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81890
A/N 453127

Equipment Description:

DRYER NO. 9, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURE ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]
7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF RULE 1147. PRIOR TO MODIFICATION OF THIS EQUIPMENT TO COME INTO COMPLIANCE WITH THE EMISSION LIMIT OF THIS RULE, THE OPERATOR SHALL SUBMIT AN APPLICATION AND RECEIVE APPROVAL FOR CONSTRUCTION OR MODIFICATION OF THE EQUIPMENT.
[RULE 1147]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407
NOx: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81891
A/N 453128

Equipment Description:

DRYER NO. 10, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURE ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]
7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF RULE 1147. PRIOR TO MODIFICATION OF THIS EQUIPMENT TO COME INTO COMPLIANCE WITH THE EMISSION LIMIT OF THIS RULE, THE OPERATOR SHALL SUBMIT AN APPLICATION AND RECEIVE APPROVAL FOR CONSTRUCTION OR MODIFICATION OF THE EQUIPMENT.
[RULE 1147]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407
NOx: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F81892
A/N 453130**

Equipment Description:

DRYER NO. 11, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURE ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]
7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF RULE 1147. PRIOR TO MODIFICATION OF THIS EQUIPMENT TO COME INTO COMPLIANCE WITH THE EMISSION LIMIT OF THIS RULE, THE OPERATOR SHALL SUBMIT AN APPLICATION AND RECEIVE APPROVAL FOR CONSTRUCTION OR MODIFICATION OF THE EQUIPMENT.
[RULE 1147]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407
NOx: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81893
A/N 453131

Equipment Description:

DRYER NO. 12, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURE ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]
7. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF RULE 1147. PRIOR TO MODIFICATION OF THIS EQUIPMENT TO COME INTO COMPLIANCE WITH THE EMISSION LIMIT OF THIS RULE, THE OPERATOR SHALL SUBMIT AN APPLICATION AND RECEIVE APPROVAL FOR CONSTRUCTION OR MODIFICATION OF THE EQUIPMENT.
[RULE 1147]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407
NOx: 30 PPMV, RULE 1147

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS.

Periodic Monitoring:

1. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):

FOR ARCHITECTURAL APPLICATIONS WHERE NO THINNERS, REDUCERS, OR OTHER VOC CONTAINING MATERIALS ARE ADDED, MAINTAIN SEMI-ANNUAL RECORDS OF ALL COATINGS CONSISTING OF (a) COATING TYPE, (b) VOC CONTENT AS SUPPLIED IN GRAMS PER LITER (g/l) OF MATERIALS FOR LOW-SOLIDS COATINGS, AND (c) VOC CONTENT AS SUPPLIED IN g/l OF COATING, LESS WATER AND EXEMPT SOLVENT, FOR OTHER COATINGS.

FOR OTHER ARCHITECTURAL APPLICATIONS WHERE THINNERS, REDUCERS, OR OTHER VOC CONTAINING MATERIALS ARE ADDED, MAINTAIN DAILY RECORDS FOR EACH COATING CONSISTING OF (a) COATING TYPE, (b) VOC CONTENT AS APPLIED IN GRAMS PER LITER (g/l) OF MATERIALS USED FOR LOW-SOLIDS COATINGS, AND (c) VOC CONTENT AS APPLIED IN g/l OF COATING, LESS WATER AND EXEMPT SOLVENT, FOR OTHER COATINGS.

[RULE 3004 (a) (4)]

Emissions And Requirements:

2. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 1113, SEE APPENDIX B FOR EMISSION LIMITS

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, SPOT CLEANING OPERATIONS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 442

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, CLEANING EQUIPMENT, SMALL UNHEATED, NON-CONVEYORIZED

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, ADHESIVE APPLICATION AND LAMINATING EQUIPMENT, LOW USE OR EMISSIONS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
VOC: RULE 109
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, HAND WIPING OPERATION.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, ABRASIVE BLASTING EQUIPMENT, GLOVE-BOX, < 53 FT3, WITH DUST FILTER.

Periodic Monitoring:

1. THE OPERATOR SHALL PERFORM AN ANNUAL INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.
[RULE 3004 (a)(4)]
2. THE OPERATOR SHALL DISCHARGE DUST COLLECTED IN THIS EQUIPMENT ONLY INTO CLOSED CONTAINERS.
[RULE 3004 (a)(4)]
3. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM ALL STACKS AND OTHER EMISSION POINTS OF THIS EQUIPMENT WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS. IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED, THE OPERATOR SHALL TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT.
THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORDKEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:
 - A. STACK OR EMISSION POINT IDENTIFICATION;
 - B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS; AND
 - C. DATE AND TIME VISIBLE EMISSION WAS ABATED.
[RULE 3004 (a)(4)]

Emissions And Requirements:

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

4. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM:RULE 404, SEE APPENDIX B FOR EMISSION LIMITS

PM:RULE 405, SEE APPENDIX B FOR EMISSION LIMITS

PM:RULE 1140, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, SCREEN PRINTING EQUIPMENT, LOW USE OR EMISSIONS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
 - VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION E: ADMINISTRATIVE CONDITIONS

The operating conditions in this section shall apply to all permitted equipment at this facility unless superseded by condition(s) listed elsewhere in this permit.

1. The permit shall remain effective unless this permit is suspended, revoked, modified, reissued, denied, or it is expired for nonpayment of permit processing or annual operating fees. [201, 203, 209, 301]
 - a. The permit must be renewed annually by paying annual operating fees, and the permit shall expire if annual operating fees are not paid pursuant to requirements of Rule 301(d). [301(d)]
 - b. The Permit to Construct listed in Section H shall expire one year from the Permit to Construct issuance date, unless a Permit to Construct extension has been granted by the Executive Officer or unless the equipment has been constructed and the operator has notified the Executive Officer prior to the operation of the equipment, in which case the Permit to Construct serves as a temporary Permit to Operate. [202, 205]
 - c. The Title V permit shall expire as specified under Section K of the Title V permit. The permit expiration date of the Title V facility permit does not supercede the requirements of Rule 205. [205, 3004]
2. The operator shall maintain all equipment in such a manner that ensures proper operation of the equipment. [204]
3. This permit does not authorize the emissions of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules and Regulations of the AQMD. This permit cannot be considered as permission to violate existing laws, ordinances, regulations, or statues of other governmental agencies. [204]
4. The operator shall not use equipment identified in this facility permit as being connected to air pollution control equipment unless they are so vented to the identified air pollution control equipment which is in full use and which has been included in this permit. [204]
5. The operator shall not use any equipment having air pollution control device(s) incorporated within the equipment unless the air pollution control device is in full operation. [204]
6. The operator shall maintain records to demonstrate compliance with rules or permit conditions that limit equipment operating parameters, or the type or quantity of material processed. These records shall be made available to AQMD personnel upon request and be maintained for at least five years. [204]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION E: ADMINISTRATIVE CONDITIONS

7. The operator shall maintain and operate all equipment to ensure compliance with all emission limits as specified in this facility permit. Compliance with emission limits shall be determined according to the following specifications, unless otherwise specified by AQMD rules or permit conditions: [204]
 - a. For internal combustion engines and gas turbines, measured concentrations shall be corrected to 15 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1110.2, 1134]
 - b. For other combustion devices, measured concentrations shall be corrected to 3 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1146, 1146.1, 204]
 - c. For non-combustion sources, compliance with emission limits shall be determined and averaged over a period of 60 minutes; [204]
 - d. For the purpose of determining compliance with Rule 407, carbon monoxide (CO) shall be measured on a dry basis and be averaged over 15 consecutive minutes, and sulfur compounds which would exist as liquid or gas at standard conditions shall be calculated as sulfur dioxide (SO₂) and be averaged over 15 consecutive minutes; [407]
 - e. For the purpose of determining compliance with Rule 409, combustion contaminant emission measurements shall be corrected to 12 percent of carbon dioxide (CO₂) at standard conditions and averaged over a minimum of 15 consecutive minutes. [409]
 - f. For the purpose of determining compliance with Rule 475, combustion contaminant emission measurements shall be corrected to 3 percent of oxygen (O₂) at standard conditions and averaged over 15 consecutive minutes or any other averaging time specified by the Executive Officer. [475]

8. The operator shall, when a source test is required by AQMD, provide a source test protocol to AQMD no later than 60 days before the proposed test date. The test shall not commence until the protocol is approved by AQMD. The test protocol shall contain the following information: [204, 304]
 - a. Brief description of the equipment tested.
 - b. Brief process description, including maximum and normal operating temperatures, pressures, throughput, etc.
 - c. Operating conditions under which the test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts and stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream)

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION E: ADMINISTRATIVE CONDITIONS

- e. Brief description of sampling and analytical methods used to measure each pollutant, temperature, flow rates, and moisture.
 - f. Description of calibration and quality assurance procedures.
 - g. Determination that the testing laboratory qualifies as an "independent testing laboratory" under Rule 304 (conflict of interest).
9. The operator shall submit a report no later than 60 days after conducting a source test, unless otherwise required by AQMD rules or equipment-specific conditions. The report shall contain the following information: [204]
- a. The results of the source test.
 - b. Brief description of the equipment tested.
 - c. Operating conditions under which the test was performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts and stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream)
 - e. Field and laboratory data forms, strip charts and analyses.
 - f. Calculations for volumetric flow rates, emission rates, control efficiency, and overall control efficiency.
10. The operator shall, when a source test is required, provide and maintain facilities for sampling and testing. These facilities shall comply with the requirements of AQMD Source Test Method 1.1 and 1.2. [217]
11. Whenever required to submit a written report, notification or other submittal to the Executive Officer, AQMD, or the District, the operator shall mail or deliver the material to: Deputy Executive Officer, Engineering and Compliance, AQMD, 21865 E. Copley Drive, Diamond Bar, CA 91765-4182. [204]

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

SECTION F: RECLAIM Monitoring and Source Testing Requirements

NOT APPLICABLE

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

SECTION G: Recordkeeping and Reporting Requirements for RECLAIM Sources

NOT APPLICABLE

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

See Section D of this permit for any Permit to Construct issued to this facility.

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION I: PLANS AND SCHEDULES

This section lists all plans approved by AQMD for the purposes of meeting the requirements of applicable AQMD rules specified below. The operator shall comply with all conditions specified in the approval of these plans.

Documents pertaining to the plan applications listed below are available for public review at AQMD Headquarters. Any changes to plan applications will require permit modification in accordance with Title V permit revision procedures.

List of approved plans:

Application	Rule
429916	3003

NOTE: This section does not list compliance schedules pursuant to the requirements of Regulation XXX - Title V Permits; Rule 3004(a)(10)(C). For equipment subject to a variance, order for abatement, or alternative operating condition granted pursuant to Rule 518.2, equipment specific conditions are added to the equipment in Section D or H of the permit.

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

SECTION J: AIR TOXICS

NOT APPLICABLE

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

GENERAL PROVISIONS

1. This permit may be revised, revoked, reopened and reissued, or terminated for cause, or for failure to comply with regulatory requirements, permit terms, or conditions. [3004(a)(7)(C)]
2. This permit does not convey any property rights of any sort or any exclusive privilege. [3004(a)(7)(E)]

Permit Renewal and Expiration

3. (A) Except for solid waste incineration facilities subject to standards under Section 129(e) of the Clean Air Act, this permit shall expire five years from the date that this Title V permit is issued. The operator's right to operate under this permit terminates at midnight on this date, unless the facility is protected by an application shield in accordance with Rule 3002(b), due to the filing of a timely and complete application for a Title V permit renewal, consistent with Rule 3003. [3004(a)(2), 3004(f)]

(B) A Title V permit for a solid waste incineration facility combusting municipal waste subject to standards under Section 129(e) of the Clean Air Act shall expire 12 years from the date of issuance unless such permit has been renewed pursuant to this regulation. These permits shall be reviewed by the Executive Officer at least every five years from the date of issuance. [3004(f)(2)]
4. To renew this permit, the operator shall submit to the Executive Officer an application for renewal at least 180 days, but not more than 545 days, prior to the expiration date of this permit. [3003(a)(6)]

Duty to Provide Information

5. The applicant for, or holder of, a Title V permit shall furnish, pursuant to Rule 3002(d) and (e), timely information and records to the Executive Officer or designee within a reasonable time as specified in writing by the Executive Officer or designee. [3004(a)(7)(F)]

Payment of Fees

6. The operator shall pay all required fees specified in Regulation III - Fees. [3004(a)(7)(G)]

Reopening for Cause

7. The Executive Officer will reopen and revise this permit if any of the following circumstances occur:
 - (A) Additional regulatory requirements become applicable with a remaining permit term of three or more years. Reopening is not required if the effective date of the requirement is later than the expiration date of this permit, unless the permit or any of its terms and conditions has been extended pursuant to paragraph (f)(4) of Rule 3004.

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

- (B) The Executive Officer or EPA Administrator determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.
- (C) The Executive Officer or EPA Administrator determines that the permit must be revised or revoked to assure compliance with the applicable requirements. [3005(g)(1)]

COMPLIANCE PROVISIONS

- 8. The operator shall comply with all regulatory requirements, and all permit terms and conditions, except:
 - (A) As provided for by the emergency provisions of condition no. 17 or condition no. 18, or
 - (B) As provided by an alternative operating condition granted pursuant to a federally approved (SIP-approved) Rule 518.2.

Any non-compliance with any federally enforceable permit condition constitutes a violation of the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or denial of a permit renewal application. Non-compliance may also be grounds for civil or criminal penalties under the California State Health and Safety Code. [3004(a)(7)(A)]

- 9. The operator shall allow the Executive Officer or authorized representative, upon presentation of appropriate credentials to:
 - (A) Enter the operator's premises where emission-related activities are conducted, or records are kept under the conditions of this permit;
 - (B) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
 - (C) Inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
 - (D) Sample or monitor at reasonable times, substances or parameters for the purpose of assuring compliance with the facility permit or regulatory requirements. [3004(a)(10)(B)]
- 10. All terms and conditions in this permit, including any provisions designed to limit a facility's potential to emit, are enforceable by the EPA Administrator and citizens under the federal Clean Air Act, unless the term or condition is designated as not federally enforceable. Each day during any portion of which a violation occurs is a separate offense. [3004(g)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

11. A challenge to any permit condition or requirement raised by EPA, the operator, or any other person, shall not invalidate or otherwise affect the remaining portions of this permit. [3007(b)]
12. The filing of any application for a permit revision, revocation, or termination, or a notification of planned changes or anticipated non-compliance does not stay any permit condition. [3004(a)(7)(D)]
13. It shall not be a defense for a person in an enforcement action, including those listed in Rule 3002(c)(2), that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit, except as provided for in "Emergency Provisions" of this section. [3004(a)(7)(H)]
14. The operator shall not build, erect, install, or use any equipment, the use of which, without resulting in a reduction in the total release of air contaminants to atmosphere, reduces or conceals an emission which would otherwise constitute a violation of Chapter 3 (commencing with Section 41700) of Part 4, of Division 26 of the California Health and Safety Code or of AQMD rules. This rule shall not apply to cases in which the only violation involved is of Section 41700 of the California Health and Safety Code, or Rule 402 of AQMD Rules. [408]
15. Nothing in this permit or in any permit shield can alter or affect:
 - (A) Under Section 303 of the federal Clean Air Act, the provisions for emergency orders;
 - (B) The liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance;
 - (C) The applicable requirements of the Acid Rain Program, Regulation XXXI;
 - (D) The ability of EPA to obtain information from the operator pursuant to Section 114 of the federal Clean Air Act;
 - (E) The applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do apply to the facility, such as toxics requirements unique to the State; and
 - (F) The applicability of regulatory requirements with compliance dates after the permit issuance date. [3004(c)(3)]
16. For any portable equipment that requires an AQMD or state permit or registration, excluding a) portable engines, b) military tactical support equipment and c) AQMD-permitted portable equipment that are not a major source, are not located at the facility for more than 12 consecutive months after

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

commencing operation, and whose operation does not conflict with the terms or conditions of this Title V permit: 1) the facility operator shall keep a copy of the AQMD or state permit or registration; 2) the equipment operator shall comply with the conditions on the permit or registration and all other regulatory requirements; and 3) the facility operator shall treat the permit or registration as a part of its Title V permit, subject to recordkeeping, reporting and certification requirements. [3004(a)(1)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

EMERGENCY PROVISIONS

17. An emergency¹ constitutes an affirmative defense to an action brought for non-compliance with a technology-based emission limit only if:
- (A) Properly signed, contemporaneous operating records or other credible evidence demonstrate that:
 - (1) An emergency occurred and the operator can identify the cause(s) of the emergency;
 - (2) The facility was operated properly (i.e. operated and maintained in accordance with the manufacturer's specifications, and in compliance with all regulatory requirements or a compliance plan), before the emergency occurred;
 - (3) The operator took all reasonable steps to minimize levels of emissions that exceeded emissions standard, or other requirements in the permit; and,
 - (4) The operator submitted a written notice of the emergency to the AQMD within two working days of the time when the emissions limitations were exceeded due to the emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - (B) The operator complies with the breakdown provisions of Rule 430 - Breakdown Provisions, or subdivision (i) of Rule 2004 - Requirements, whichever is applicable. [3002(g), 430, 2004(i)]
18. The operator is excused from complying with any regulatory requirement that is suspended by the Executive Officer during a state of emergency or state of war emergency, in accordance with Rule 118 - Emergencies. [118]

¹ "Emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the operator, including acts of God, which: (A) requires immediate corrective action to restore normal operation; and (B) causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency; and (C) is not caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

RECORDKEEPING PROVISIONS

19. In addition to any other recordkeeping requirements specified elsewhere in this permit, the operator shall keep records of required monitoring information, where applicable, that include:
- (A) The date, place as defined in the Title V permit, and time of sampling or measurements;
 - (B) The date(s) analyses were performed;
 - (C) The company or entity that performed the analyses;
 - (D) The analytical techniques or methods used;
 - (E) The results of such analyses; and
 - (F) The operating conditions as existing at the time of sampling or measurement. [3004(a)(4)(B)]
20. The operator shall maintain records pursuant to Rule 109 and any applicable material safety data sheet (MSDS) for any equipment claimed to be exempt from a written permit by Rule 219 based on the information in those records. [219(t)]
21. The operator shall keep all records of monitoring data required by this permit or by regulatory requirements for a period of at least five years from the date of the monitoring sample, measurement, report, or application. [3004(a)(4)(E)]

REPORTING PROVISIONS

22. The operator shall comply with the following requirements for prompt reporting of deviations:
- (A) Breakdowns shall be reported as required by Rule 430 - Breakdown Provisions or subdivision (i) of Rule 2004 - Requirements, whichever is applicable.
 - (B) Other deviations from permit or applicable rule emission limitations, equipment operating conditions, or work practice standards, determined by observation or by any monitoring or testing required by the permit or applicable rules that result in emissions greater than those allowed by the permit or applicable rules shall be reported within 72 hours (unless a shorter reporting period is specified in an applicable State or Federal Regulation) of discovery of the deviation by contacting AQMD enforcement personnel assigned to this facility or otherwise calling (800) CUT-SMOG.

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

- (C) A written report of such deviations reported pursuant to (B), and any corrective actions or preventative measures taken, shall be submitted to AQMD, in an AQMD approved format, within 14 days of discovery of the deviation.
 - (D) All other deviations shall be reported with the monitoring report required by condition no. 23. [3004(a)(5)]
23. Unless more frequent reporting of monitoring results are specified in other permit conditions or in regulatory requirements, the operator shall submit reports of any required monitoring to the AQMD at least twice per year. The report shall include a) a statement whether all monitoring required by the permit was conducted; and b) identification of all instances of deviations from permit or regulatory requirements. A report for the first six calendar months of the year is due by August 31 and a report for the last six calendar months of the year is due by February 28. [3004(a)(4)(F)]
24. The operator shall submit to the Executive Officer and to the Environmental Protection Agency (EPA), an annual compliance certification. For RECLAIM facilities, the certification is due when the Annual Permit Emissions Program (APEP) report is due and shall cover the same reporting period. For other facilities, the certification is due on March 1 for the previous calendar year. The certification need not include the period preceding the date the initial Title V permit was issued. Each compliance certification shall include:
- (A) Identification of each permit term or condition that is the basis of the certification;
 - (B) The compliance status during the reporting period;
 - (C) Whether compliance was continuous or intermittent;
 - (D) The method(s) used to determine compliance over the reporting period and currently, and
 - (E) Any other facts specifically required by the Executive Officer to determine compliance.
- The EPA copy of the certification shall be sent to: Director of the Air Division Attn: Air-3 USEPA, Region IX 75 Hawthorne St. San Francisco, CA 94105 [3004(a)(10)(E)]
25. All records, reports, and documents required to be submitted by a Title V operator to AQMD or EPA shall contain a certification of accuracy consistent with Rule 3003(c)(7) by a responsible official (as defined in Rule 3000). [3004(a)(12)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

PERIODIC MONITORING

26. All periodic monitoring required by this permit pursuant to Rule 3004(a)(4)(c) is based on the requirements and justifications in the AQMD document "Periodic Monitoring Guidelines for Title V Facilities" or in case-by-case determinations documented in the Title V application file. [3004(a)(4)]

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

FACILITY RULES

This facility is subject to the following rules and regulations:

With the exception of Rule 402, 473, 477, 1118 and Rules 1401 through 1420, the following rules that are designated as non-federally enforceable are pending EPA approval as part of the state implementation plan. Upon the effective date of that approval, the approved rule(s) will become federally enforceable, and any earlier versions of those rules will no longer be federally enforceable.

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 109	5-2-2003	Federally enforceable
RULE 1113	11-8-1996	Federally enforceable
RULE 1113	7-13-2007	Non federally enforceable
RULE 1130.1	12-13-1996	Federally enforceable
RULE 1140	2-1-1980	Federally enforceable
RULE 1140	8-2-1985	Non federally enforceable
RULE 1147	12-5-2008	Non federally enforceable
RULE 1168	1-7-2005	Non federally enforceable
RULE 1168	10-3-2003	Federally enforceable
RULE 1171	11-7-2003	Federally enforceable
RULE 1171	2-1-2008	Non federally enforceable
RULE 118	12-7-1995	Non federally enforceable
RULE 1303(a)(1)-BACT	12-6-2002	Non federally enforceable
RULE 1303(a)(1)-BACT	5-10-1996	Federally enforceable
RULE 1303(b)(2)-Offset	12-6-2002	Non federally enforceable
RULE 1303(b)(2)-Offset	5-10-1996	Federally enforceable
RULE 1401	3-4-2005	Non federally enforceable
RULE 1401	5-2-2003	Non federally enforceable
RULE 204	10-8-1993	Federally enforceable
RULE 217	1-5-1990	Federally enforceable
RULE 219	6-1-2007	Non federally enforceable
RULE 219	9-4-1981	Federally enforceable
RULE 3002	11-14-1997	Federally enforceable
RULE 3003	11-14-1997	Federally enforceable
RULE 3003	3-16-2001	Non federally enforceable
RULE 3004	12-12-1997	Federally enforceable
RULE 3004(a)(4)-Periodic Monitoring	12-12-1997	Federally enforceable
RULE 3005	11-14-1997	Federally enforceable
RULE 3005	3-16-2001	Non federally enforceable

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

SECTION K: TITLE V Administration

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 3007	10-8-1993	Federally enforceable
RULE 304	5-2-2008	Non federally enforceable
RULE 401	11-9-2001	Non federally enforceable
RULE 401	3-2-1984	Federally enforceable
RULE 402	5-7-1976	Non federally enforceable
RULE 404	2-7-1986	Federally enforceable
RULE 405	2-7-1986	Federally enforceable
RULE 407	4-2-1982	Federally enforceable
RULE 408	5-7-1976	Federally enforceable
RULE 409	8-7-1981	Federally enforceable
RULE 430	7-12-1996	Non federally enforceable
RULE 431.1	6-12-1998	Federally enforceable
RULE 442	12-15-2000	Federally enforceable
RULE 481	1-11-2002	Federally enforceable
RULE 701	6-13-1997	Federally enforceable

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

**APPENDIX A: NOX AND SOX EMITTING EQUIPMENT EXEMPT FROM WRITTEN
PERMIT PURSUANT TO RULE 219**

NONE

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1113 11-8-1996]**

- (1) Except as provided in paragraphs (c)(2), (c)(3), and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, or solicit the application of, any architectural coating which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, or manufacture, blend, or repackage such a coating for use within the District.
- (2) Except as provided in paragraphs (c)(3) and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, solicit the application of, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified.

TABLE OF STANDARDS

VOC LIMITS

**Grams of VOC Per Liter of Coating,
 Less Water And Less Exempt Compounds**

COATING	Limit*	Effective Date of Adoption	Effective 1/1/1998	Effective 1/1/1999	Effective 7/1/2001	Effective 1/1/2005	Effective 7/1/2008
Bond Breakers	350						
Clear Wood Finishes							
Varnish	350						
Sanding Sealers	350						
Lacquer	680		550			275	
Concrete-Curing Compounds	350						
Dry-Fog Coatings	400						
Fire-proofing Exterior Coatings	350	450		350			
Fire-Retardant Coatings							
Clear	650						
Pigmented	350						
Flats	250						
Graphic Arts (Sign) Coatings	500					100	50
Industrial Maintenance							

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 11-8-1996]

Primers and Topcoats						
Alkyds	420					
Catalyzed Epoxy	420					
Bituminous Coatings	420					
Materials						
Inorganic Polymers	420					
Vinyl Chloride Polymers	420					
Chlorinated Rubber	420					
Acrylic Polymers	420					
Urethane Polymers	420					
Silicones	420					
Unique Vehicles	420					
Japans/Faux Finishing	350	700		350		
Coatings						
Magnesite Cement Coatings	600			450		
Mastic Coatings	300					
Metallic Pigmented Coatings	500					
Multi-Color Coatings	420		250			
Pigmented Lacquer	680		550		275	
Pre-Treatment Wash Primers	780					
Primers, Sealers, and	350					
Undercoaters						
Quick-Dry Enamels	400					
Roof Coatings	300					
Shellac						
Clear	730					
Pigmented	550					
Stains	350					
Swimming Pool Coatings						
Repair	650					
Other	340					
Traffic Coatings	250		150			
Waterproofing Sealers	400					
Wood Preservatives						
Below-Ground	350					
Other	350					

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 11-8-1996]**

TABLE OF STANDARDS (cont.)

VOC LIMITS

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 7-13-2007]

- (1) Except as provided in paragraphs (c)(2), (c)(3), (c)(4), and specified coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage any architectural coating for use in the District which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, and no person shall apply or solicit the application of any architectural coating within the District that exceeds 250 grams of VOC per liter of coating as calculated in this paragraph.
- (2) Except as provided in paragraphs (c)(3), (c)(4), and designated coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified, and no person shall apply or solicit the application of any architectural coating within the District that exceeds the VOC limit as specified in this paragraph. No person shall apply or solicit the application within the District of any industrial maintenance coatings, except anti-graffiti coatings, for residential use or for use in areas such as office space and meeting rooms of industrial, commercial or institutional facilities not exposed to such extreme environmental conditions described in the definition of industrial maintenance coatings; or of any rust-preventative coating for industrial use, unless such a rust preventative coating complies with the Industrial Maintenance Coating VOC limit specified in the Table of Standards.

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 7-13-2007]

TABLE OF STANDARDS VOC LIMITS

**Grams of VOC Per Liter of Coating,
 Less Water and Less Exempt Compounds**

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Bond Breakers	350							
Clear Wood Finishes	350					275		
Varnish	350					275		
Sanding Sealers	350					275		
Lacquer	680	550			275			
Clear Brushing Lacquer	680				275			
Concrete-Curing Compounds	350						100	
Concrete-Curing Compounds For Roadways and Bridges**	350							
Dry-Fog Coatings	400						150	
Fire-Proofing Exterior Coatings	450	350						
Fire-Retardant Coatings***								
Clear	650							
Pigmented	350							
Flats	250	100						50
Floor Coatings	420		100			50		
Graphic Arts (Sign) Coatings	500							
Industrial Maintenance (IM) Coatings	420			250		100		
High Temperature IM Coatings			420					
Zinc-Rich IM Primers	420		340			100		
Japans/Faux Finishing Coatings	700	350						
Magnesite Cement Coatings	600	450						
Mastic Coatings	300							
Metallic Pigmented Coatings	500							
Multi-Color Coatings	420	250						
Nonflat Coatings	250		150			50		
Nonflat High Gloss	250		150				50	

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 7-13-2007]

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Pigmented Lacquer	680	550			275			
Pre-Treatment Wash Primers	780		420					
Primers, Sealers, and Undercoaters	350		200			100		
Quick-Dry Enamels	400		250			150	50	
Quick-Dry Primers, Sealers, and Undercoaters	350		200			100		
Recycled Coatings			250					
Roof Coatings	300		250		50			
Roof Coatings, Aluminum	500				100			
Roof Primers, Bituminous	350		350					
Rust Preventative Coatings	420		400			100		
Shellac								
Clear	730							
Pigmented	550							
Specialty Primers	350					250	100	
Stains	350		250				100	
Stains, Interior	250							
Swimming Pool Coatings								
Repair	650		340					
Other	340							
Traffic Coatings	250	150					100	
Waterproofing Sealers	400		250			100		
Waterproofing	400					100		
Concrete/Masonry Sealers								
Wood Preservatives								
Below-Ground	350							
Other	350							

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards.

** Does not include compounds used for curbs and gutters, sidewalks, islands, driveways and other miscellaneous concrete areas.

*** The Fire-Retardant Coating category will be eliminated on January 1, 2007 and subsumed by the coating category for which they are formulated.

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 7-13-2007]**

**TABLE OF STANDARDS (cont.)
VOC LIMITS**

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS [RULE 1130.1 12-13-1996]

Except as otherwise provided in Rule 1130.1

(1) VOC Content of Screen Printing Materials

The operator shall not apply to any substrate any screen printing material, excluding extreme performance screen printing materials, which contains, as applied, a total amount of VOC in excess of the limits specified in subparagraphs (1)(A), (1)(B), or (1)(C). The applicable VOC limit for a screen printing operation shall be determined by first looking for the product in subparagraph (1)(A). If the product is not listed in subparagraph (1)(A), look for the product's substrate in subparagraph (1)(B). If the substrate is not listed in subparagraph (1)(B), look for the applicable limit in subparagraph (1)(C).

In lieu of meeting the requirements in subparagraph (1)(C), the operator may comply with the requirements in paragraph (2) if the screen printing material qualifies for an extreme performance classification under subdivision (e) of Rule 1130.1.

(A) For screen printing coatings and inks used in the production of the following products:

<u>PRODUCT</u>	<u>VOC LIMIT</u> grams per Liter of Coating (or Ink), Less water and Less Exempt Compounds	
	<u>On and After</u> <u>December 13, 1996</u>	
	<u>g/L</u>	<u>lbs/gal</u>
Chlorine Indicator	500	4.2
Containers	800	6.7
Electronic Circuit	850	7.1
Mechanically-Formed Products	800	6.7
Overlays	800	6.7
Polyethylene Products	800	6.7
Stained Glass Overlay	800	6.7
Sterilization Indicator	600	5.0
Sub-Printed Products	800	6.7
Water Slide Decals:		

FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS
[RULE 1130.1 12-13-1996]

<u>PRODUCT</u>	VOC LIMIT	
	grams per Liter of Coating (or Ink), Less water and <u>Less Exempt Compounds</u>	
Opaque Inks	800	6.7
Clear Inks	800	6.7
Ceramic Decal Inks	800	6.7

- (B) For screen printing coatings and inks not regulated by subparagraph (1)(A) and which are applied to the following specified substrates:

<u>SUBSTRATE</u>	VOC LIMIT	
	grams per Liter of Coating (or Ink), Less water <u>and Less Exempt Compounds</u>	
	On and After <u>December 13, 1996</u>	
	<u>g/L</u>	<u>lbs/gal</u>
Ceramic	800	6.7
Fiberglass	600	5.0
Glass or Metal	600	5.0
Man-Made Textile	800	6.7
Unsealed Aluminum	800	6.7

If a substrate is regulated under more than one substrate category listed in subparagraph (1)(B), the category with the highest VOC limit shall apply.

- (C) For screen printing materials not regulated by the provisions in subparagraph (1)(A) or (1)(B), which have the following material classifications:

<u>SCREEN PRINTING MATERIAL</u>	VOC LIMIT
	grams per Liter of Coating (or Ink or Adhesive), Less water and <u>Less Exempt</u> <u>Compounds</u>

FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS
[RULE 1130.1 12-13-1996]

	<u>On and After</u> <u>December 13, 1996</u>	
	<u>g/L</u>	<u>lbs/gal</u>
Adhesive	400	3.3
Coating	400	3.3
Fine Detail Loose-leaf Binder Ink	745	6.2
Fluorescent Ink	540	4.5
High-VOC Serigraph Ink	800	6.7
Loose-leaf Binder Metallic Ink	745	6.2
Metallic Ink	400	3.3
Printing Ink	400	3.3
Resists	600	5.0
Scratch-Off Ink	800	6.7
Water-Slide Decal Adhesive	800	6.7

If a screen printing material is regulated under more than one screen printing material category listed in subparagraph (1)(C), the category with the highest VOC limit shall apply.

(2) **VOC Content of Extreme Performance Screen Printing Materials**

The operator shall not apply any extreme performance screen printing material in excess of the limits specified below:

	VOC LIMIT Grams of VOC per Liter of Extreme Performance Screen Printing Material, Less Water and <u>Less</u> <u>Exempt Compounds</u>	
	<u>g/L</u>	<u>lbs/gal</u>
On and after July 9, 1993	800	6.7
On and after January 1, 2003	400	3.3

(3) **Usage of High-VOC Serigraph Inks**

The total usage of high-VOC serigraph inks, as defined in paragraph (b)(23) of Rule 1130.1, shall not exceed 10 percent, (by volume), of the total usage of screen

FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS
[RULE 1130.1 12-13-1996]

printing materials applied on all serigraphs at a facility, on a monthly basis, unless an approved emission control system is used to reduce emissions from high-VOC serigraph inks by an equivalent or greater level to that which would have been achieved by the use of an ink containing 3.3 pounds per gallon VOC (less water and exempt compounds). The required overall control efficiency of the emission control system shall be determined by the equation in paragraph (d)(1) of Rule 1130.1.

FACILITY PERMIT TO OPERATE

FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS **[RULE 1140 2-1-1980]**

- (1) The operator shall not, if he complies with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart, as published by the United States Bureau of Mines,
or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (1)(A).

- (2) The operator shall not, if he is not complying with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines,
or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (2)(A).

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS [RULE 1140 8-2-1985]

- (1) The operator shall not, if he complies with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (1)(A).
- (2) The operator shall not, if he is not complying with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (2)(A).

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1168 1-7-2005]**

- (1) Unless otherwise specified in paragraph (c)(2), a person shall not apply any adhesives, adhesive bonding primers, adhesive primers, or any other primer which have a VOC content in excess of 250 g/L less water and less exempt compounds.
- (2) A person shall not apply adhesives, adhesive bonding primers, adhesive primers, sealants, sealant primers, or any other primer which have a VOC content in excess of the limits specified below:

VOC Limit*, Less Water and Less Exempt Compounds in Grams per Liter

Architectural Applications	Current VOC Limit*
Indoor Carpet Adhesives	50
Carpet Pad Adhesives	50
Outdoor Carpet Adhesives	150
Wood Flooring Adhesive	100
Rubber Floor Adhesives	60
Subfloor Adhesives	50
Ceramic Tile Adhesives	65
VCT and Asphalt Tile Adhesives	50
Dry Wall and Panel Adhesives	50
Cove Base Adhesives	50
Multipurpose Construction Adhesives	70
Structural Glazing Adhesives	100
Single Ply Roof Membrane Adhesives	250

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1168 1-7-2005]**

Specialty Applications	VOC Limits and Effective Dates**			
	Current VOC Limit*	1-1-05	7-1-05	1-1-07
PVC Welding	510			
CPVC Welding	490			
ABS Welding	400		325	
Plastic Cement Welding	350	250		
Adhesive Primer for Plastic	650		550	
Computer Diskette Manufacturing	350			
Contact Adhesive	80			
Special Purpose Contact Adhesive	250			
Tire Retread	100			
Adhesive Primer for Traffic Marking Tape	150			
Structural Wood Member Adhesive	140			
Sheet Applied Rubber Lining Operations	850			
Top and Trim Adhesive	540			250

** The specified limits remain in effect unless revised limits are listed in subsequent columns.

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1168 1-7-2005]**

For adhesives, adhesive bonding primers, or any other primer not regulated by the above two tables and applied to the following substrates, the following limits shall apply:

Substrate Specific Applications	Current VOC Limit*
Metal to Metal	30
Plastic Foams	50
Porous Material (except wood)	50
Wood	30
Fiberglass	80

If an adhesive is used to bond dissimilar substrates together the adhesive with the highest VOC content shall be allowed.

Sealants	Current VOC Limit*
Architectural	250
Marine Deck	760
Nonmembrane Roof	300
Roadway	250
Single-Ply Roof Membrane	450
Other	420

FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS
[RULE 1168 1-7-2005]

Sealant Primers	Current VOC Limit*
Architectural	
Non Porous	250
Porous	775
Modified Bituminous	500
Marine Deck	760
Other	750

* For low-solid adhesives or sealants the VOC limit is expressed in grams per liter of material as determined in paragraph (b)(32); for all other adhesives and sealants, VOC limits are expressed as grams of VOC per liter of adhesive or sealant less water and less exempt compounds as determined in paragraph (b)(31).

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1168 10-3-2003]**

- (1) Unless otherwise specified in paragraph (c)(2), a person shall not apply any adhesives, adhesive bonding primers, adhesive primers, or any other primer which have a VOC content in excess of 250 g/L less water and less exempt compounds.
- (2) A person shall not apply adhesives, adhesive bonding primers, adhesive primers, sealants, sealant primers, or any other primer which have a VOC content in excess of the limits specified below:

VOC Limit*, Less Water and Less Exempt Compounds in Grams per Liter

Architectural Applications	Current VOC Limit
Indoor Carpet Adhesives	50
Carpet Pad Adhesives	50
Outdoor Carpet Adhesives	150
Wood Flooring Adhesive	100
Rubber Floor Adhesives	60
Subfloor Adhesives	50
Ceramic Tile Adhesives	65
VCT and Asphalt Tile Adhesives	50
Dry Wall and Panel Adhesives	50
Cove Base Adhesives	50
Multipurpose Construction Adhesives	70
Structural Glazing Adhesives	100
Single Ply Roof Membrane Adhesives	250

* For low-solid adhesives or sealants the VOC limit is expressed in grams per liter of material as determined in paragraph (b)(32); for all other adhesives and sealants, VOC limits are expressed as grams of VOC per liter of adhesive or sealant less water and less exempt compounds as determined in paragraph (b)(31).

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1168 10-3-2003]**

.Specialty Applications	VOC Limits and Effective Dates**			
	Current VOC Limit	6-7-02	1-1-03	1-1-05
PVC Welding	510			285
CPVC Welding	490			270
ABS Welding	400			
Plastic Cement Welding	350			250
Adhesive Primer for Plastic	650			250
Computer Diskette Manufacturing	350			
Contact Adhesive	250		80	
Special Purpose Contact Adhesive	250			
Tire Retread	100			
Adhesive Primer for Traffic Marking Tape	150			
Structural Wood Member Adhesive	140			
Sheet Applied Rubber Lining Operations	850			
Top and Trim Adhesive	250	540		250

** The specified limits remain in effect unless revised limits are listed in subsequent columns.

Substrate Specific Applications	Current VOC Limit
Metal to Metal	30
Plastic Foams	50
Porous Material (except wood)	50

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1168 10-3-2003]**

Substrate Specific Applications	Current VOC Limit
Wood	30
Fiberglass	80

If an adhesive is used to bond dissimilar substrates together the adhesive with the highest VOC content shall be allowed.

Sealants	Current VOC Limit
Architectural	250
Marine Deck	760
Nonmembrane Roof	300
Roadway	250
Single-Ply Roof Membrane	450
Other	420

Sealant Primers	Current VOC Limit
Architectural	
Non Porous	250
Porous	775
Modified Bituminous	500
Marine Deck	760
Other	750

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1171 11-7-2003]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	500 (4.2)
(iii) Medical Devices & Pharmaceuticals	800 (6.7)
(B) Repair and Maintenance Cleaning	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	900 (7.5)
(iii) Medical Devices & Pharmaceuticals	
(A) Tools, Equipment, & Machinery	800 (6.7)
(B) General Work Surfaces	600 (5.0)

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1171 11-7-2003]**

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(C) Cleaning of Coatings or Adhesives Application Equipment	550 (4.6)
(D) Cleaning of Ink Application Equipment	
(i) General	25 (0.21)
(ii) Flexographic Printing	25 (0.21)
(iii) Gravure Printing	
(A) Publication	750 (6.3)
(B) Packaging	25 (0.21)
(iv) Lithographic or Letter Press Printing	
(A) Roller Wash – Step 1	600 (5.0)
(B) Roller Wash-Step 2, Blanket Wash, & On-Press Components	800 (6.7)
(C) Removable Press Components	25 (0.21)
(v) Screen Printing	750 (6.3)
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	800 (6.7)

FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 11-7-2003]

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(vii) Specialty Flexographic Printing	600 (5.0)
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 1171 2-1-2008]**

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

	CURRENT LIMITS*	EFFECTIVE 1/1/2008*	EFFECTIVE 1/1/2009
SOLVENT CLEANING ACTIVITY	VOC g/l (lb/gal)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application			
(i) General	25 (0.21)		
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)		
(iii) Medical Devices & Pharmaceuticals	800 (6.7)		
(B) Repair and Maintenance Cleaning			
(i) General	25 (0.21)		
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)		

FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 2-1-2008]

	CURRENT LIMITS*	EFFECTIVE 1/1/2008*	EFFECTIVE 1/1/2009
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(iii) Medical Devices & Pharmaceuticals			
(A) Tools, Equipment, & Machinery	800 (6.7)		
(B) General Work Surfaces	600 (5.0)		
(C) Cleaning of Coatings or Adhesives Application Equipment	25 (0.21)		
(D) Cleaning of Ink Application Equipment			
(i) General	25 (0.21)		
(ii) Flexographic Printing	25 (0.21)		
(iii) Gravure Printing			
(A) Publication	100 (0.83)		
(B) Packaging	25 (0.21)		
(iv) Lithographic (Offset) or Letter Press Printing			
(A) Roller Wash, Blanket Wash, & On-Press Components			
(I) Newsprint	100 (0.83)		

FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 2-1-2008]

	CURRENT LIMITS*	EFFECTIVE 1/1/2008*	EFFECTIVE 1/1/2009
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(II) Other Substrates	500 (4.2)	100 (0.83)	
(B) Removable Press Components	25 (0.21)		
(v) Screen Printing	500 (4.2)	100 (0.83)	
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	650 (5.4)	650 (5.4)	100 (0.83)
(vii) Specialty Flexographic Printing	100 (0.83)		
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)		

* The specified limits remain in effect unless revised limits are listed in subsequent columns.

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 404 2-7-1986]**

The operator shall not discharge into the atmosphere from this equipment, particulate matter in excess of the concentration at standard conditions, shown in Table 404(a).

Where the volume discharged is between figures listed in the Table, the exact concentration permitted to be discharged shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 404(a)

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
25 or less	883 or less	450	0.196	900	31780	118	0.0515
30	1059	420	.183	1000	35310	113	.0493
35	1236	397	.173	1100	38850	109	.0476
40	1413	377	.165	1200	42380	106	.0463
45	1589	361	.158	1300	45910	102	.0445
50	1766	347	.152	1400	49440	100	.0437
60	2119	324	.141	1500	52970	97	.0424
70	2472	306	.134	1750	61800	92	.0402

FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND

APPENDIX B: RULE EMISSION LIMITS
[RULE 404 2-7-1986]

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
80	2825	291	.127	2000	70630	87	.0380
90	3178	279	.122	2250	79460	83	.0362
100	3531	267	.117	2500	88290	80	.0349
125	4414	246	.107	3000	105900	75	.0327
150	5297	230	.100	4000	141300	67	.0293
175	6180	217	.0947	5000	176600	62	.0271
200	7063	206	.0900	6000	211900	58	.0253
250	8829	190	.0830	8000	282500	52	.0227
300	10590	177	.0773	10000	353100	48	.0210
350	12360	167	.0730	15000	529700	41	.0179
400	14130	159	.0694	20000	706300	37	.0162
450	15890	152	.0664	25000	882900	34	.0148
500	17660	146	.0637	30000	1059000	32	.0140
600	21190	137	.0598	40000	1413000	28	.0122
700	24720	129	.0563	50000	1766000	26	.0114
800	28250	123	.0537	70000 or more	2472000 or more	23	.0100

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 405 2-7-1986]**

The operator shall not discharge into the atmosphere from this equipment, solid particulate matter including lead and lead compounds in excess of the rate shown in Table 405(a).

Where the process weight per hour is between figures listed in the table, the exact weight of permitted discharge shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 405(a)

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
100 or less	220 or less	0.450	0.99	9000	19840	5.308	11.7
150	331	0.585	1.29	10000	22050	5.440	12.0
200	441	0.703	1.55	12500	27560	5.732	12.6
250	551	0.804	1.77	15000	33070	5.982	13.2
300	661	0.897	1.98	17500	38580	6.202	13.7
350	772	0.983	2.17	20000	44090	6.399	14.1
400	882	1.063	2.34	25000	55120	6.743	14.9
450	992	1.138	2.51	30000	66140	7.037	15.5
500	1102	1.209	2.67	35000	77160	7.296	16.1
600	1323	1.340	2.95	40000	88180	7.527	16.6
700	1543	1.461	3.22	45000	99210	7.738	17.1
800	1764	1.573	3.47	50000	110200	7.931	17.5
900	1984	1.678	3.70	60000	132300	8.277	18.2
1000	2205	1.777	3.92	70000	154300	8.582	18.9

**FACILITY PERMIT TO OPERATE
 FORTUNE FASHIONS IND**

**APPENDIX B: RULE EMISSION LIMITS
 [RULE 405 2-7-1986]**

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
1250	2756	2.003	4.42	80000	176400	8.854	19.5
1500	3307	2.206	4.86	90000	198400	9.102	20.1
1750	3858	2.392	5.27	100000	220500	9.329	20.6
2000	4409	2.563	5.65	125000	275600	9.830	21.7
2250	4960	2.723	6.00	150000	330700	10.26	22.6
2500	5512	2.874	6.34	175000	385800	10.64	23.5
2750	6063	3.016	6.65	200000	440900	10.97	24.2
3000	6614	3.151	6.95	225000	496000	11.28	24.9
3250	7165	3.280	7.23	250000	551200	11.56	25.5
3600	7716	3.404	7.50	275000	606300	11.82	26.1
4000	8818	3.637	8.02	300000	661400	12.07	26.6
4500	9921	3.855	8.50	325000	716500	12.30	27.1
5000	11020	4.059	8.95	350000	771600	12.51	27.6
6000	13230	4.434	9.78	400000	881800	12.91	28.5
7000	15430	4.775	10.5	450000	992100	13.27	29.3
8000	17640	5.089	11.2	500000 or more	1102000 or more	13.60	30.0



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

Section I - General Information

1. Facility Name: Fortune Fashions Industries, LLC

Facility ID (6-Digit): 124725

PROCEDURES FOR DETERMINING COMPLIANCE STATUS

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. **
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

** Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input checked="" type="checkbox"/> Rule 442(f)	<input checked="" type="checkbox"/> Rule 442(g)
<input type="checkbox"/> All Combustion Equipment, ≥ 555 Mmbtu/Hr (except for NOx RECLAIM sources)	<input type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1	
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input checked="" type="checkbox"/> Rule 431.1(f)	<input checked="" type="checkbox"/> Rule 431.1(d) & (e)
<input type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.2 (09/15/00)	<input type="checkbox"/> Rule 431.2(g)	<input type="checkbox"/> Rule 431.2(f)
<input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.3 (05/07/76)		
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 N/A See Applicable Subpart	<input checked="" type="checkbox"/> Rule 430(b) See Applicable Subpart
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f)
<input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input checked="" type="checkbox"/> Rule 404 (02/07/86)	<input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> All RECLAIM Equipment (NOx & SOx)	<input type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)
<input checked="" type="checkbox"/> Abrasive Blasting	<input checked="" type="checkbox"/> Rule 1140 (08/02/85)	<input checked="" type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method	
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e)
<input checked="" type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input checked="" type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Asphalt	See Manufacturing, Asphalt Processing & Asphalt Roofing		
<input type="checkbox"/> Asphalt Concrete/Batch Plants	<input type="checkbox"/> 40 CFR60 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Transfer Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Waste Operations	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions	<input type="checkbox"/> 40 CFR61 SUBPART C	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing	<input type="checkbox"/> 40 CFR61 SUBPART D	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) <input type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	See Applicable Subpart <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	<input type="checkbox"/> Rule 1138(d)
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(e)	<input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k)
<input checked="" type="checkbox"/> Coating Operation, Adhesive Application Operation	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1168 (01/07/05)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1168(f) & (g)	<input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1168(e)

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR	<input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1124 (09/21/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART GG	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1124(e) & (f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1124(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1107 (11/09/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1125 (01/13/95)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1125(c)(6)

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART SSSS	<input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1151 (12/11/98) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1151(g) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1151(f) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Screen Printing	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input checked="" type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6)

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures)	<input type="checkbox"/> 40 CFR63 SUBPART KK <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	See Applicable Subpart <input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	See Applicable Subpart <input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	See Applicable Subpart <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	See Applicable Subpart <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ	See Applicable Subpart <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(f)	See Applicable Subpart <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Degreasers	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1122 (10/01/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1122(h) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1122(i) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	See Sterilizer, Ethylene Oxide		
<input type="checkbox"/> Flanges	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fluid Catalytic Cracking Unit	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03)	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f)	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e)
<input type="checkbox"/> Foundries, Iron and Steel	<input type="checkbox"/> 40 CFR63 SUBPART EEEEE	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Friction Materials Manufacturing	See Manufacturing, Friction Materials		
<input type="checkbox"/> Fugitive Emissions, Benzene	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Chemical Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

Section II. Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart See Applicable Subpart <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (01/09/04)	<input type="checkbox"/> Rule 461(f)	<input type="checkbox"/> Rule 461(e)(6) & (e)(7)
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Internal Combustion Engines, Reciprocating	<input type="checkbox"/> 40 CFR63 SUBPART ZZZZ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Kiln, Cement Plant	<input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F	N/A N/A See Applicable Subpart	N/A N/A See Applicable Subpart
<input type="checkbox"/> Landfills	<input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA	<input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Lead Acid Battery Manufacturing Plants	See Manufacturing, Lead Acid Battery		
<input type="checkbox"/> Lead Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing	<input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL	N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Brick & Structural Clay Products	<input type="checkbox"/> 40 CFR63 SUBPART JJJJ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Clay Ceramics	<input type="checkbox"/> 40 CFR63 SUBPART KKKKK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851)	<input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Consumer Product	<input type="checkbox"/> Title 17 CCR 94500		
<input type="checkbox"/> Manufacturing, Food Product	<input type="checkbox"/> Rule 1131 (06/06/03)	<input type="checkbox"/> Rule 1131(e)	<input type="checkbox"/> Rule 1131(d)
<input type="checkbox"/> Manufacturing, Friction Materials	<input type="checkbox"/> 40 CFR63 SUBPART QQQQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Glass	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Hydrochloric Acid	<input type="checkbox"/> 40 CFR63 SUBPART NNNNN	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lead-Acid Battery	<input type="checkbox"/> 40 CFR60 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lime	<input type="checkbox"/> 40 CFR63 SUBPART AAAAA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Magnetic Tape Industry	<input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical	<input type="checkbox"/> 40 CFR63 SUBPART FFFF	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Nitric Acid	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products	<input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1137(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Polymer Industry	<input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J	See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU	<input type="checkbox"/> Rule 1175(f) See Applicable Subpart	<input type="checkbox"/> Rule 1175(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Halon Blends	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A
<input type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWWW	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSSS	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W	<input type="checkbox"/> Rule 1141(d) See Applicable Subpart	<input type="checkbox"/> Rule 1141(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBBB	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A
<input type="checkbox"/> Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd	<input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1	
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A
<input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart
<input type="checkbox"/> Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART Cb	See Applicable Subpart	See Applicable Subpart

KEY ABBREVIATIONS:	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form Rev. 05/05 500-C1 Page 11 of 11
---------------------------	--	---	---	--

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR60 SUBPART Ea	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Eb	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Negative Air Machines/HEPA, Asbestos	<input type="checkbox"/> 40 CFR61 SUBPART M	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Nickel Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Nonmetallic Mineral Processing Plants	<input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Off-site Waste and Recovery Operation	<input type="checkbox"/> 40 CFR63 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Oil and Gas Well Operation	<input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04)	<input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g)	<input type="checkbox"/> Rule 1148.1 (f)
<input type="checkbox"/> Onshore Natural Gas Processing, SO ₂ Emissions	<input type="checkbox"/> 40 CFR60 SUBPART LLL	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Open Fires	<input type="checkbox"/> Rule 444 (12/21/01)		
<input type="checkbox"/> Open Storage, Petroleum Coke	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99)	<input type="checkbox"/> Rule 403(d)(4) <input type="checkbox"/> Rule 1158(h)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j)
<input type="checkbox"/> Open Storage	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f)
<input type="checkbox"/> Outer Continental Shelf Platform	<input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55	<input type="checkbox"/> 40 CFR55 See Applicable Subpart	<input type="checkbox"/> 40 CFR55 See Applicable Subpart
<input type="checkbox"/> Oven, Commercial Bakery	<input type="checkbox"/> Rule 1153 (01/13/95)	<input type="checkbox"/> Rule 1153(h)	<input type="checkbox"/> Rule 1153(g)
<input type="checkbox"/> Oven, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use	<input type="checkbox"/> 40 CFR82 Subpart G	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Fugitive Emissions	<input type="checkbox"/> Rule 1173 (12/06/02)	<input type="checkbox"/> Rule 1173(j)	<input type="checkbox"/> Rule 1173(i)

Section II Applicable Requirements, Test Methods & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Storage Tanks	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE	<input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Wastewater Systems	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing	<input type="checkbox"/> Rule 1103 (03/12/99)	<input type="checkbox"/> Rule 1103(f)	<input type="checkbox"/> Rule 1103(e)
<input type="checkbox"/> Polyester Resin Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1162 (07/09/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1162(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1162(e) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Primary Magnesium Refining	<input type="checkbox"/> 40 CFR63 SUBPART TTTT	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Printing Press	See Coating Operations		
<input type="checkbox"/> Publicly Owned Treatment Works Operations	<input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O	<input type="checkbox"/> Rule 1179(e) See Applicable Subpart	<input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart
<input type="checkbox"/> Pumps	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS),	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rendering Plant	<input type="checkbox"/> Rule 472 (05/07/76)	N/A	<input type="checkbox"/> Rule 472(b)
<input type="checkbox"/> Rock Crushing	See Nonmetallic Mineral Processing Plants		

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input type="checkbox"/> Site Remediation	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	<input type="checkbox"/> 40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	<input type="checkbox"/> 40 CFR60 SUBPART L	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART X	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Soil Decontamination	<input type="checkbox"/> Rule 1166 (05/11/01)	<input type="checkbox"/> Rule 1166(e)	<input type="checkbox"/> Rule 1166(c)(1)(C)
	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	<input type="checkbox"/> 40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	<input type="checkbox"/> Rule 1149 (07/14/95)		
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	<input type="checkbox"/> Rule 463 (05/06/05)	<input type="checkbox"/> Rule 463(g)	<input type="checkbox"/> Rule 463(e)(5)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART K	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Ka	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Kb	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART R	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Synthetic Fiber Production Facilities	<input type="checkbox"/> 40 CFR60 SUBPART HHH	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Taconite Iron Ore Processing Facilities	<input type="checkbox"/> 40 CFR63 SUBPART RRRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	<input type="checkbox"/> Rule 1134 (08/08/97)	<input type="checkbox"/> CEMS Rule 1134(e) & (g)	<input type="checkbox"/> Rule 1134(d) & (f)
	<input type="checkbox"/> Rule 475 (08/07/78)	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
	<input type="checkbox"/> 40 CFR60 SUBPART GG	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Oil-Fired	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	<input type="checkbox"/> Rule 1123 (12/07/90)	N/A	<input type="checkbox"/> Rule 1123(c)
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Wastewater Treatment, Other	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
<input type="checkbox"/> Woodworking Operations	<input type="checkbox"/> Rule 1137 (02/01/02)	N/A	<input type="checkbox"/> Rule 1137(e)

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
Rule = AQMD Rule

App. = Appendix
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
CCR = California Code of Regulations

AQMD Form Rev. 05/05
500-C1 Page 14 of 14

Section III Supplemental Identification of Specific Requirements

Complete this section **only** if there is a specific requirement (i.e., rule reference, test method, or MRR requirement) that is:

1. Listed for a specific type of equipment or process in Section II of this form & **DOES NOT** pertain to a specific device at your facility*; OR,
2. Is **NOT** Listed for a specific type of equipment or process in Section II of this form but it **IS** applicable to a specific device at your facility.

NOTES:

1. For any specific requirement, test method, or MRR requirement that is identified as "Remove," attach additional sheets to explain the reasons why the specific requirement does not pertain to the device listed.
2. All boxes that are checked in Section II and any additional requirements identified in this section as "Add" will be used to determine the facility's compliance status. This information will be used to verify the certification statements made on Form 500-A2.
3. Do not use this section to identify equipment that is exempt from specific rule requirements. Your equipment is automatically considered to be in compliance with the rule that specifically exempts the equipment from those requirements.
4. Listing any requirement that does not apply to a specific piece of equipment in this section will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and approved by the AQMD.

* If this section is completed as part of the initial Title V application & there is no device number assigned, refer to the existing permit or application number in this column.

Device No.*	Specific Requirement (Rule Number & Date)	Add (A) or Remove (R) (Check one)	Test Method	Add (A) or Remove (R) (Check one)	MRR Requirement	Add (A) or Remove (R) (Check one)
Presses	442, 12/15/00	<input checked="" type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R
		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R		<input type="checkbox"/> A <input type="checkbox"/> R

Section IV - SIP-Approved Rules That Are Not The Most Current AQMD Rule

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
218	08/07/81	<input type="checkbox"/>	1146.2	01/09/98	<input type="checkbox"/>
401	03/02/84	<input checked="" type="checkbox"/>	1162	11/17/00	<input type="checkbox"/>
403	12/11/98	<input type="checkbox"/>	1166	07/14/95	<input type="checkbox"/>
403.1	01/15/93	<input type="checkbox"/>	1168	10/03/03	<input checked="" type="checkbox"/>
431.2	05/04/90	<input type="checkbox"/>	1171	11/07/03	<input checked="" type="checkbox"/>
463	03/11/94	<input type="checkbox"/>	1173	05/13/94	<input type="checkbox"/>
466.1	05/02/80	<input type="checkbox"/>	1186	09/10/99	<input type="checkbox"/>
469	05/07/76	<input type="checkbox"/>	2000	05/11/01	<input type="checkbox"/>
475	10/08/76	<input type="checkbox"/>	2001	05/11/01	<input type="checkbox"/>
1112	01/06/84	<input type="checkbox"/>	2002	05/11/01	<input type="checkbox"/>
1113	11/08/96	<input checked="" type="checkbox"/>	2005	04/20/01	<input type="checkbox"/>
1121	12/10/99	<input type="checkbox"/>	2007	12/05/03	<input type="checkbox"/>
1122	07/11/97	<input type="checkbox"/>	2010	05/11/01	<input type="checkbox"/>
1132	03/05/04	<input type="checkbox"/>	2011	12/05/03	<input type="checkbox"/>
1140	02/01/80	<input checked="" type="checkbox"/>	2012	12/05/03	<input type="checkbox"/>
1145	02/14/97	<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

Section V - AQMD Rule That Are Not SIP-Approved (Continued on following page)

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
53 Los Angeles Co.	N/A	<input checked="" type="checkbox"/>	1170	05/06/88	<input type="checkbox"/>
53 Orange Co.	N/A	<input type="checkbox"/>	1183	03/12/93	<input type="checkbox"/>
53 Riverside Co.	N/A	<input type="checkbox"/>	1186.1	06/04/04	<input type="checkbox"/>
53 San Bernardino Co.	N/A	<input type="checkbox"/>	1191	06/16/00	<input type="checkbox"/>
53A San Bernardino Co.	N/A	<input type="checkbox"/>	1192	06/16/00	<input type="checkbox"/>
218.1	05/14/99	<input type="checkbox"/>	1193	06/06/03	<input type="checkbox"/>
402	05/07/76	<input checked="" type="checkbox"/>	1194	10/20/00	<input type="checkbox"/>
429	12/21/90	<input type="checkbox"/>	1195	04/20/01	<input type="checkbox"/>
430	07/12/96	<input checked="" type="checkbox"/>	1196	06/04/04	<input type="checkbox"/>
441	05/07/76	<input type="checkbox"/>	1401	03/04/05	<input checked="" type="checkbox"/>
473	05/07/76	<input type="checkbox"/>	1402	03/04/05	<input type="checkbox"/>
477	04/03/81	<input type="checkbox"/>	1403	04/08/94	<input type="checkbox"/>
480	10/07/77	<input type="checkbox"/>	1404	04/06/90	<input type="checkbox"/>
1105.1	11/07/03	<input type="checkbox"/>	1405	01/04/91	<input type="checkbox"/>
1109	08/05/88	<input type="checkbox"/>	1406	07/08/94	<input type="checkbox"/>
1110.1	10/04/85	<input type="checkbox"/>	1407	07/08/94	<input type="checkbox"/>
1110.2	11/14/97	<input type="checkbox"/>	1411	03/01/91	<input type="checkbox"/>
1116.1	10/20/78	<input type="checkbox"/>	1414	05/03/91	<input type="checkbox"/>
1118	02/13/98	<input type="checkbox"/>	1415	10/14/94	<input checked="" type="checkbox"/>
1127	08/06/04	<input type="checkbox"/>	1418	09/10/99	<input type="checkbox"/>
1148.1	03/05/04	<input type="checkbox"/>	1420	09/11/92	<input type="checkbox"/>
1150	10/15/82	<input type="checkbox"/>	1421	12/06/02	<input type="checkbox"/>
1157	01/07/05	<input type="checkbox"/>	1425	03/16/01	<input type="checkbox"/>
1163	06/07/85	<input type="checkbox"/>	1426	05/02/03	<input type="checkbox"/>

FORTUNE FASHIONS INDUSTRIES

March 24, 2009

L. L. C.

Permit Services
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765-4182

Subject: Title V Permit Renewal Application for
Fortune Fashions Industries, LLC (SCAQMD ID #002825)

To Whom It May Concern:

Enclosed please find the Fortune Fashions Industries, LLC (FFI) Title V Permit Renewal application as prepared by ENVIRON International Corporation (ENVIRON). The associated fee due for FFI is the Title V Renewal Application fee of \$1,916.59 per SCAQMD Rule 301(1)(8). A check in this amount is included with this package.

Please note that a total of 18 Permit Inactivation Applications were sent to FFI's permit engineer, Rene Loof, on February 19, 2009. These applications were for various printing presses and dryers that are no longer operating at the facility. FFI requests that the updated equipment list (with the items excluded) be incorporated into FFI's new Title V Permit.

The following materials are included with this submittal.

1. Form 400-A, Application for Permit to Construct and Permit to Operate (Title V Renewal)
2. Form 400-CEQA, California Environmental Quality Act (CEQA) Applicability
3. Form 500-A2, Title V Application Certification
4. Form 500-B, List of Exempt Equipment
5. Form 500-C1, Compliance Status Report
6. Form 500-H, Compliance Assurance Monitoring (CAM) Applicability Determination for Initial, Renewal, & Significant Permit Revision Title V Applications
7. Copy of current Title V Permit
8. One check for \$1,916.59, Title V Renewal Application fees

All forms have been signed where required, and dated. Please let us know when this application is deemed complete, or if additional information is needed.



4700 SOUTH BOYLE AVENUE VERNON CALIFORNIA 90058-3021
PO BOX 910945 LOS ANGELES CALIFORNIA 90091-0945
PH 323.277.7740 OUTSIDE LA 800.788.6550 FX 323.277.7745

March 24, 2009

If you have questions or concerns regarding this permit renewal application, please feel free to call Pete Jonker of ENVIRON at (949) 798-3638.

Very Truly Yours,

A handwritten signature in cursive script that reads "Lee Rosenblatt".

Lee Rosenblatt
Chief Operating Officer

cc: Pete Jonker (ENVIRON)

Enclosures

P:\F\Fortune Fashions\Title V\Title V Renewal\AQMD Cover Letter.doc [05-121370]



South Coast Air Quality Management District

Form 400-CEQA

California Environmental Quality Act (CEQA) Applicability

Mail Application To: P.O. Box 4944 Diamond Bar, CA 91765

Tel: (909) 396-3385

www.sqmd.gov

The SCAQMD is required by state law, the California Environmental Quality Act (CEQA), to review discretionary permit project applications for potential air quality and other environmental impacts. This form is a screening tool to assist the SCAQMD in clarifying whether or not the project has the potential to generate significant adverse environmental impacts that might require preparation of a CEQA document [CEQA Guidelines §15060(a)]. Refer to the attached instructions for guidance in completing this form. For each Form 400-A application, also complete and submit one Form 400-CEQA. If submitting multiple Form 400-A applications for the same project at the same time, only one 400-CEQA form is necessary for the entire project. If you need assistance completing this form, contact Lon Inga at (909) 396-3109.

FACILITY INFORMATION
Business Name of Operator to Appear on the Permit: Fortune Fashions Industries, LLC
Facility ID (6-Digit): 124725
Project Description: Title V Permit Renewal

REVIEW FOR EXEMPTION FROM FURTHER CEQA ACTION

Check "Yes" or "No" as applicable

Table with 4 columns: Question ID, Yes, No, Is this application for: (A-I) including questions about CEQA documents, permit changes, equipment certification, etc.

If "Yes" is checked for any question above, your application does not require additional evaluation for CEQA applicability. Skip to page 2, "SIGNATURES" and sign and date this form.

REVIEW OF IMPACTS WHICH MAY TRIGGER CEQA

Complete Sections I-VI by checking "Yes" or "No" as applicable. To avoid delays in processing your application(s), explain all "Yes" responses on a separate sheet and attach it to this form.

Table with 4 columns: Question ID, Yes, No, Section I - General (1-2) and Section II - Air Quality (3-4) including questions about public controversy, larger projects, demolition, and dust.

1 A "project" means the whole of an action which has a potential for resulting in physical change to the environment, including construction activities, cleaning or grading of land, improvements to existing structures, and activities or equipment involving the issuance of a permit.

2 To download the CEQA guidelines, visit http://ceres.ca.gov/env_law/state.html.

3 To download this form and the instructions, visit http://www.sqmd.gov/ceqa or http://www.sqmd.gov/permits

	Yes	No	
5.	<input type="radio"/>	<input type="radio"/>	Would this project result in noticeable off-site odors from activities that may not be subject to SCAQMD permit requirements? For example, compost materials or other types of greenwaste (i.e., lawn clippings, tree trimmings, etc.) have the potential to generate odor complaints subject to Rule 402 - Nuisance.
6.	<input type="radio"/>	<input type="radio"/>	Does this project cause an increase of emissions from marine vessels, trains and/or airplanes?
7.	<input type="radio"/>	<input type="radio"/>	Will the proposed project increase the QUANTITY of hazardous materials stored aboveground onsite or transported by mobile vehicle to or from the site by greater than or equal to the amounts associated with each compound on the attached Table 1?*
Section III - Water Resources			
8.	<input type="radio"/>	<input type="radio"/>	Will the project increase demand for water at the facility by more than 5,000,000 gallons per day? The following examples identify some, but not all, types of projects that may result in a "yes" answer to this question: 1) projects that generate steam; 2) projects that use water as part of the air pollution control equipment; 3) projects that require water as part of the production process; 4) projects that require new or expansion of existing sewage treatment facilities; 5) projects where water demand exceeds the capacity of the local water purveyor to supply sufficient water for the project; and 6) projects that require new or expansion of existing water supply facilities.
9.	<input type="radio"/>	<input type="radio"/>	Will the project require construction of new water conveyance infrastructure? Examples of such projects are when water demands exceed the capacity of the local water purveyor to supply sufficient water for the project, or require new or modified sewage treatment facilities such that the project requires new water lines, sewage lines, sewage hook-ups, etc.
Section IV - Transportation/Circulation			
10.			Will the project result in (Check all that apply):
	<input type="radio"/>	<input type="radio"/>	a. the need for more than 350 new employees?
	<input type="radio"/>	<input type="radio"/>	b. an increase in heavy-duty transport truck traffic to and/or from the facility by more than 350 truck round-trips per day?
	<input type="radio"/>	<input type="radio"/>	c. increase customer traffic by more than 700 visits per day?
Section V - Noise			
11.	<input type="radio"/>	<input type="radio"/>	Will the project include equipment that will generate noise GREATER THAN 90 decibels (dB) at the property line?
Section VI - Public Services			
12.			Will the project create a permanent need for new or additional public services in any of the following areas (Check all that apply):
	<input type="radio"/>	<input type="radio"/>	a. Solid waste disposal? Check "No" if the projected potential amount of wastes generated by the project is less than five tons per day.
	<input type="radio"/>	<input type="radio"/>	b. Hazardous waste disposal? Check "No" if the projected potential amount of hazardous wastes generated by the project is less than 42 cubic yards per day (or equivalent in pounds).
<small>REMINDER: For each "Yes" checked in the sections above, attach all pertinent information including, but not limited to, estimated quantities, volumes, weights, etc.</small>			
SIGNATURES			
I HEREBY CERTIFY THAT ALL INFORMATION CONTAINED HEREIN AND INFORMATION SUBMITTED WITH THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I UNDERSTAND THAT THIS FORM IS A SCREENING TOOL AND THAT THE SCAQMD RESERVES THE RIGHT TO CONSIDER OTHER PERTINENT INFORMATION IN DETERMINING CEQA APPLICABILITY.			
SIGNATURE OF RESPONSIBLE OFFICIAL OF FIRM:		TITLE OF RESPONSIBLE OFFICIAL OF FIRM:	
<i>Lee Rosenblatt</i>		Chief Operating Officer	
TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL OF FIRM:		RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER:	DATE Signed:
Lee Rosenblatt		(323) 2777-740	3/27/09
SIGNATURE OF PREPARER IF PREPARED BY PERSON OTHER THAN RESPONSIBLE OFFICIAL OF FIRM:		TITLE OF PREPARER:	
<i>Pete Jonker</i>		Senior Manager, ENVIRON	
TYPE OR PRINT NAME OF PREPARER:		PREPARER'S TELEPHONE NUMBER:	DATE Signed:
Pete Jonker		(949) 7983-638	3/24/09

THIS CONCLUDES FORM 400-CEQA. INCLUDE THIS FORM AND THE ATTACHMENTS WITH FORM 400-A.

* Table 1 - Regulated Substances List and Threshold Quantities for Accidental Release Prevention can be found in the Instructions for Form 400-CEQA.



Mail Application To:
P.O. Box 4944
Diamond Bar, CA 91765
Tel: (909) 398-3385
www.aqmd.gov

Section I - Facility Information

- 1. Permit to be issued to (Business name of operator to appear on permit): Fortune Fashions Industries, LLC
2. Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD): 124725
3. This Certification is submitted with a (Check one):
a. Title V Application (Initial, Revision or Renewal)
b. Supplement/Correction to a Title V Application
c. MACT Part 2
4. Is Form 500-C2 included with this Certification? Yes No

Section II - Responsible Official Certification Statement

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statements and information in this document and in all attached application forms and other materials are true, accurate, and complete.

Read each statement carefully and check each that applies - You must check 3a or 3b.

1. For Initial, Permit Renewal, and Administrative Application Certifications:

- a. The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1.
i. except for those requirements that do not specifically pertain to such devices or equipment and that have been identified as "Remove" on Section III of Form 500-C1.
ii. except for those devices or equipment that have been identified on the completed and attached Form 500-C2 that will not be operating in compliance with the specified applicable requirement(s).
b. The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.

2. For Permit Revision Application Certifications:

- a. The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.

3. For MACT Hammer Certifications:

- a. The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer." The following information is submitted with a Title V application to comply with the Part 1 requirements of Section 112(j). (If Part 2 has not been submitted, you must submit 500-MACT Part 2 with this form.)
b. The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).

Signature of Responsible Official: Lee Rosenblatt
Date: (323) 277-7740
Type or Print Name of Responsible Official: Lee Rosenblatt
Phone: (323) 277-9025
Title of Responsible Official: Chief Operating Officer
Fax:
Address of Responsible Official: 4700 S. Boyle Avenue
City: Vernon
State: CA
Zip Code: 90058

Acid Rain Facilities Only: Turn page over & complete Section III



South Coast Air Quality Management District

Form 500-B

Title V List of Exempt Equipment

Mail Application To:
P.O. Box 4844
Diamond Bar, CA 91765

Tel: (909) 396-3385

www.aqmd.gov

Use this form for all application submittals requesting an initial Title V permit or permit renewal. If you are applying for a permit revision, you may also use this form to have your exempt equipment listing updated prior to renewing your permit.

This form is designed to summarize all of the equipment at a facility that is exempt from AQMD permit requirements (e.g., I.C. Engines <= 50 BHP, Boilers < 2 MM BTU/hr etc.). This equipment can be listed according to category. However, if there is a specific device that is vented to control equipment, then the equipment must be listed separately. Trivial activities listed on the back of this form or the Technical Guidance Document do not have to be listed on this form. Note: If your facility is in the RECLAIM program, it is not necessary to repeat any equipment currently listed in Appendix A of the RECLAIM permit.

Permit to be issued to (Business name of operator to appear on permit):

Fortune Fashions Industries, LLC

Check box if facility is in RECLAIM program: []

Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD):

124725

Provide Current Permit Issue Date (m/day/yr): 05/05/2006

Permit Revision No.: 5

Table with 5 columns: Exempt Equipment Description, Venting to Control Device Number, Control Device Description, Basis for Exemption, Source Specific Rule. Rows include Coating equipment, Spot cleaning operations, Cleaning equipment, Adhesive application and laminating equipment, Hand wiping operation, Abrasive blasting equipment, Screen printing equipment, Pad printing activities, and Sublimation ink printing activities.



To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

Section I - General Information

1. Facility Name: Fortune Fashions Industries, LLC Facility ID (6-Digit): 124725

PROCEDURES FOR DETERMINING COMPLIANCE STATUS

1. **Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
2. **Identify applicable requirements*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
3. **Identify additional applicable requirements*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
4. **Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
5. **Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV. **
6. **Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
7. **Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

** Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input checked="" type="checkbox"/> Rule 442(f)	<input checked="" type="checkbox"/> Rule 442(g)
<input type="checkbox"/> All Combustion Equipment, \geq 555 Mmbtu/Hr (except for NOx RECLAIM sources)	<input type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1	
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input checked="" type="checkbox"/> Rule 431.1(f)	<input checked="" type="checkbox"/> Rule 431.1(d) & (e)
<input type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.2 (09/15/00)	<input type="checkbox"/> Rule 431.2(g)	<input type="checkbox"/> Rule 431.2(f)
<input type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources)	<input type="checkbox"/> Rule 431.3 (05/07/76)		
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input type="checkbox"/> Rule 1703 (10/07/88) <input type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 N/A See Applicable Subpart	<input checked="" type="checkbox"/> Rule 430(b) See Applicable Subpart
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f)
<input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input checked="" type="checkbox"/> Rule 404 (02/07/86)	<input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
<input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> All RECLAIM Equipment (NOx & SOx)	<input type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input type="checkbox"/> Rule 2012, App. A (12/05/03)
<input checked="" type="checkbox"/> Abrasive Blasting	<input checked="" type="checkbox"/> Rule 1140 (08/02/85)	<input checked="" type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method	
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e)
<input checked="" type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input checked="" type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Asphalt	See Manufacturing, Asphalt Processing & Asphalt Roofing		
<input type="checkbox"/> Asphalt Concrete/Batch Plants	<input type="checkbox"/> 40 CFR60 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Benzene Emissions, Maleic Anhydride Plants, Ethylbenzene/Styrene Plants, Benzene Storage Vessels, Benzene Equipment Leaks, & Coke By-Product Recovery Plants	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART Y <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) <input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) <input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Transfer Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR61 SUBPART BB <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Benzene Waste Operations	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> 40 CFR61 SUBPART FF <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions	<input type="checkbox"/> 40 CFR61 SUBPART C	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Beryllium Emissions, Rocket Motor Firing	<input type="checkbox"/> 40 CFR61 SUBPART D	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) <input type="checkbox"/> Rule 1146.2 (01/07/05) <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) N/A See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) N/A See Applicable Subpart
<input type="checkbox"/> Boiler, < 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 1146.1 (05/13/94) - excluding NOx requirements <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146.1(d) See Applicable Subpart	<input type="checkbox"/> Rule 1146.1(c)(2) & (c)(3) See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, ≥ 5 Mmbtu/Hr (RECLAIM sources)	<input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 476 (10/08/76) - excluding NOx requirements <input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) <u>or</u> <input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART D <input type="checkbox"/> 40 CFR60 SUBPART Da <input type="checkbox"/> 40 CFR60 SUBPART Dc <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 7.1, 100.1, 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> <input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (12/05/03) <u>or</u> <input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart See Applicable Subpart

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	See Applicable Subpart <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	<input type="checkbox"/> Rule 1138(d)
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(e)	<input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k)
<input checked="" type="checkbox"/> Coating Operation, Adhesive Application Operation	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1168 (01/07/05)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1168(f) & (g)	<input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1168(c)

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART RR	<input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1124 (09/21/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART GG	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1124(e) & (f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1124(j) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1130 (10/08/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART QQ <input type="checkbox"/> 40 CFR60 SUBPART RR <input type="checkbox"/> 40 CFR60 SUBPART FFF <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1130(h) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1130(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1126 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1126(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1126(c)(4) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106 (01/13/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106(c)(5) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Coating	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1107 (11/09/01) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART EE <input type="checkbox"/> 40 CFR60 SUBPART SS <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART MMMM <input type="checkbox"/> 40 CFR63 SUBPART RRRR	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1107(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1107(k) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1125 (01/13/95)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1125(e)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1125(c)(6)

KEY ABBREVIATIONS:

Reg. = AQMD Regulation
Rule = AQMD Rule

App. = Appendix
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
CCR = California Code of Regulations

AQMD Form 500-C1
Rev. 05/05
Page 5 of 5

Section II - Applicable Requirements, Test Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TT <input type="checkbox"/> 40 CFR60 SUBPART WW <input type="checkbox"/> 40 CFR63 SUBPART SSSS	<input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1151 (12/11/98) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1151(g) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1151(f) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1115 (05/12/95) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART MM <input type="checkbox"/> 40 CFR63 SUBPART IIII	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1115(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1115(g) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1128 (03/08/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART VVV <input type="checkbox"/> 40 CFR63 SUBPART OOOO	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1128(f) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1128(e) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1145 (12/03/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR60 SUBPART TTT <input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR63 SUBPART PPPP	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1145(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1145(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1106.1 (02/12/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1106.1(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1106.1(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Screen Printing	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1130.1 (12/13/96) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input checked="" type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1130.1(g) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1130.1(c)(5) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6)

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures)	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	<input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART II	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART JJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(c)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Degreasers	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1122 (10/01/04) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART T	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1122(h) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1122(i) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART JJJ	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f) See Applicable Subpart
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	See Sterilizer, Ethylene Oxide		
<input type="checkbox"/> Flanges	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fluid Catalytic Cracking Unit	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03)	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f)	<input type="checkbox"/> Rule 218(c) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e)
<input type="checkbox"/> Foundries, Iron and Steel	<input type="checkbox"/> 40 CFR63 SUBPART EEEEE	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Friction Materials Manufacturing	See Manufacturing, Friction Materials		
<input type="checkbox"/> Fugitive Emissions, Benzene	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Chemical Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(c) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(c) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (01/09/04)	<input type="checkbox"/> Rule 461(f)	<input type="checkbox"/> Rule 461(e)(6) & (e)(7)
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart

**KEY
ABBREVIATIONS:**

Reg. = AQMD Regulation
Rule = AQMD Rule

App. = Appendix
AQMD TM = AQMD Test Method

CFR = Code of Federal Regulations
CCR = California Code of Regulations

AQMD Form
500-C1

Rev. 05/05
Page 9 of 9

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Internal Combustion Engines, Reciprocating	<input type="checkbox"/> 40 CFR63 SUBPART ZZZZ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Kiln, Cement Plant	<input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F	N/A N/A See Applicable Subpart	N/A N/A See Applicable Subpart
<input type="checkbox"/> Landfills	<input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA	<input type="checkbox"/> Rule 1150.1(j) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Lead Acid Battery Manufacturing Plants	See Manufacturing, Lead Acid Battery		
<input type="checkbox"/> Lead Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Manufacturing, Asphalt Processing & Asphalt Roofing	<input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL	N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Brick & Structural Clay Products	<input type="checkbox"/> 40 CFR63 SUBPART JJJJ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Clay Ceramics	<input type="checkbox"/> 40 CFR63 SUBPART KKKKK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Coatings & Ink (SIC Code 2851)	<input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Consumer Product	<input type="checkbox"/> Title 17 CCR 94500		
<input type="checkbox"/> Manufacturing, Food Product	<input type="checkbox"/> Rule 1131 (06/06/03)	<input type="checkbox"/> Rule 1131(e)	<input type="checkbox"/> Rule 1131(d)
<input type="checkbox"/> Manufacturing, Friction Materials	<input type="checkbox"/> 40 CFR63 SUBPART QQQQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Glass	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Hydrochloric Acid	<input type="checkbox"/> 40 CFR63 SUBPART NNNNN	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lead-Acid Battery	<input type="checkbox"/> 40 CFR60 SUBPART KK	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lime	<input type="checkbox"/> 40 CFR63 SUBPART AAAAA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Magnetic Tape Industry	<input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Miscellaneous Organic Chemical	<input type="checkbox"/> 40 CFR63 SUBPART FFFF	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Nitric Acid	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products	<input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD	N/A See Applicable Subpart	<input type="checkbox"/> Rule 1137(e) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Polymer Industry	<input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J	See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU	<input type="checkbox"/> Rule 1175(f) See Applicable Subpart	<input type="checkbox"/> Rule 1175(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Halon Blends	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A
<input type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWW	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSS	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W	<input type="checkbox"/> Rule 1141(d) See Applicable Subpart	<input type="checkbox"/> Rule 1141(c) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBB	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(e) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A
<input type="checkbox"/> Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd	<input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1	
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A
<input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input type="checkbox"/> Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart
<input type="checkbox"/> Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART Cb	See Applicable Subpart	See Applicable Subpart

KEY ABBREVIATIONS:	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form Rev. 05/05 500-C1 Page 11 of 11
-------------------------------------	--	---	---	--

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> 40 CFR60 SUBPART Ea	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Eb	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Negative Air Machines/HEPA, Asbestos	<input type="checkbox"/> 40 CFR61 SUBPART M	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Nickel Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Nonmetallic Mineral Processing Plants	<input type="checkbox"/> Rule 404 (02/07/86) <input type="checkbox"/> Rule 405 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART OOO	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Off-site Waste and Recovery Operation	<input type="checkbox"/> 40 CFR63 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Oil and Gas Well Operation	<input type="checkbox"/> Rule 1148 (11/05/82) <input type="checkbox"/> Rule 1148.1 (03/05/04)	<input type="checkbox"/> AQMD TM 25.1 <input type="checkbox"/> Rule 1148.1 (g)	<input type="checkbox"/> Rule 1148.1 (f)
<input type="checkbox"/> Onshore Natural Gas Processing, SO ₂ Emissions	<input type="checkbox"/> 40 CFR60 SUBPART LLL	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Open Fires	<input type="checkbox"/> Rule 444 (12/21/01)		
<input type="checkbox"/> Open Storage, Petroleum Coke	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04) <input type="checkbox"/> Rule 1158 (06/11/99)	<input type="checkbox"/> Rule 403(d)(4) <input type="checkbox"/> Rule 1158(h)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f) <input type="checkbox"/> Rule 1158(j)
<input type="checkbox"/> Open Storage	<input type="checkbox"/> Rule 403 (04/02/04) <input type="checkbox"/> Rule 403.1 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f) <input type="checkbox"/> Rule 403.1(f)
<input type="checkbox"/> Outer Continental Shelf Platform	<input type="checkbox"/> Rule 1183 (03/12/93) <input type="checkbox"/> 40 CFR55	<input type="checkbox"/> 40 CFR55 See Applicable Subpart	<input type="checkbox"/> 40 CFR55 See Applicable Subpart
<input type="checkbox"/> Oven, Commercial Bakery	<input type="checkbox"/> Rule 1153 (01/13/95)	<input type="checkbox"/> Rule 1153(h)	<input type="checkbox"/> Rule 1153(g)
<input type="checkbox"/> Oven, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81) <input type="checkbox"/> 40 CFR63 SUBPART L	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ozone Depleting Substances (ODS) or Alternative ODS, Use	<input type="checkbox"/> 40 CFR82 Subpart G	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 465 (08/13/99) <input type="checkbox"/> Rule 468 (10/08/76) <input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> Rule 1123 (12/07/90) <input type="checkbox"/> Rule 1189 (01/21/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG <input type="checkbox"/> Title 13 CCR 2250	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 6.1 or 6.2 <input type="checkbox"/> AQMD TM 6.1 or 6.2 N/A <input type="checkbox"/> Rule 1189(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1123(c) <input type="checkbox"/> Rule 1189(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Fugitive Emissions	<input type="checkbox"/> Rule 1173 (12/06/02)	<input type="checkbox"/> Rule 1173(j)	<input type="checkbox"/> Rule 1173(i)

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Storage Tanks	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE	<input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Wastewater Systems	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing	<input type="checkbox"/> Rule 1103 (03/12/99)	<input type="checkbox"/> Rule 1103(f)	<input type="checkbox"/> Rule 1103(e)
<input type="checkbox"/> Polyester Resin Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1162 (07/09/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1162(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1162(e) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Primary Magnesium Refining	<input type="checkbox"/> 40 CFR63 SUBPART TTTT	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Printing Press	See Coating Operations		
<input type="checkbox"/> Publicly Owned Treatment Works Operations	<input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O	<input type="checkbox"/> Rule 1179(e) See Applicable Subpart	<input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart
<input type="checkbox"/> Pumps	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS),	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rendering Plant	<input type="checkbox"/> Rule 472 (05/07/76)	N/A	<input type="checkbox"/> Rule 472(b)
<input type="checkbox"/> Rock Crushing	See Nonmetallic Mineral Processing Plants		

Section II - Applicable Requirements, Test Methods, & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input type="checkbox"/> Site Remediation	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	<input type="checkbox"/> 40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	<input type="checkbox"/> 40 CFR60 SUBPART L	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART X	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Soil Decontamination	<input type="checkbox"/> Rule 1166 (05/11/01)	<input type="checkbox"/> Rule 1166(e)	<input type="checkbox"/> Rule 1166(c)(1)(C)
	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	<input type="checkbox"/> 40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	<input type="checkbox"/> Rule 1149 (07/14/95)		
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	<input type="checkbox"/> Rule 463 (05/06/05)	<input type="checkbox"/> Rule 463(g)	<input type="checkbox"/> Rule 463(e)(5)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART K	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Ka	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Kb	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART R	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> Synthetic Fiber Production Facilities	<input type="checkbox"/> 40 CFR60 SUBPART HHH	See Applicable Subpart
<input type="checkbox"/> Taconite Iron Ore Processing Facilities	<input type="checkbox"/> 40 CFR63 SUBPART RRRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	<input type="checkbox"/> Rule 1134 (08/08/97)	<input type="checkbox"/> CEMS Rule 1134(e) & (g)	<input type="checkbox"/> Rule 1134(d) & (f)
	<input type="checkbox"/> Rule 475 (08/07/78)	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
	<input type="checkbox"/> 40 CFR60 SUBPART GG	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Oil-Fired	<input type="checkbox"/> 40 CFR63 SUBPART YYYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	<input type="checkbox"/> Rule 1123 (12/07/90)	N/A	<input type="checkbox"/> Rule 1123(c)
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Wastewater Treatment, Other	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
<input type="checkbox"/> Woodworking Operations	<input type="checkbox"/> Rule 1137 (02/01/02)	N/A	<input type="checkbox"/> Rule 1137(e)

Section IV - SIP-Approved Rules That Are Not The Most Current AQMD Rules

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
218	08/07/81	<input type="checkbox"/>	1146.2	01/09/98	<input type="checkbox"/>
401	03/02/84	<input checked="" type="checkbox"/>	1162	11/17/00	<input type="checkbox"/>
403	12/11/98	<input type="checkbox"/>	1166	07/14/95	<input type="checkbox"/>
403.1	01/15/93	<input type="checkbox"/>	1168	10/03/03	<input checked="" type="checkbox"/>
431.2	05/04/90	<input type="checkbox"/>	1171	11/07/03	<input checked="" type="checkbox"/>
463	03/11/94	<input type="checkbox"/>	1173	05/13/94	<input type="checkbox"/>
466.1	05/02/80	<input type="checkbox"/>	1186	09/10/99	<input type="checkbox"/>
469	05/07/76	<input type="checkbox"/>	2000	05/11/01	<input type="checkbox"/>
475	10/08/76	<input type="checkbox"/>	2001	05/11/01	<input type="checkbox"/>
1112	01/06/84	<input type="checkbox"/>	2002	05/11/01	<input type="checkbox"/>
1113	11/08/96	<input checked="" type="checkbox"/>	2005	04/20/01	<input type="checkbox"/>
1121	12/10/99	<input type="checkbox"/>	2007	12/05/03	<input type="checkbox"/>
1122	07/11/97	<input type="checkbox"/>	2010	05/11/01	<input type="checkbox"/>
1132	03/05/04	<input type="checkbox"/>	2011	12/05/03	<input type="checkbox"/>
1140	02/01/80	<input checked="" type="checkbox"/>	2012	12/05/03	<input type="checkbox"/>
1145	02/14/97	<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

Section V - AQMD Rules That Are Not SIP-Approved (Continued on Following Page)

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
53 Los Angeles Co.	N/A	<input checked="" type="checkbox"/>	1170	05/06/88	<input type="checkbox"/>
53 Orange Co.	N/A	<input type="checkbox"/>	1183	03/12/93	<input type="checkbox"/>
53 Riverside Co.	N/A	<input type="checkbox"/>	1186.1	06/04/04	<input type="checkbox"/>
53 San Bernardino Co.	N/A	<input type="checkbox"/>	1191	06/16/00	<input type="checkbox"/>
53A San Bernardino Co.	N/A	<input type="checkbox"/>	1192	06/16/00	<input type="checkbox"/>
218.1	05/14/99	<input type="checkbox"/>	1193	06/06/03	<input type="checkbox"/>
402	05/07/76	<input checked="" type="checkbox"/>	1194	10/20/00	<input type="checkbox"/>
429	12/21/90	<input type="checkbox"/>	1195	04/20/01	<input type="checkbox"/>
430	07/12/96	<input checked="" type="checkbox"/>	1196	06/04/04	<input type="checkbox"/>
441	05/07/76	<input type="checkbox"/>	1401	03/04/05	<input checked="" type="checkbox"/>
473	05/07/76	<input type="checkbox"/>	1402	03/04/05	<input type="checkbox"/>
477	04/03/81	<input type="checkbox"/>	1403	04/08/94	<input type="checkbox"/>
480	10/07/77	<input type="checkbox"/>	1404	04/06/90	<input type="checkbox"/>
1105.1	11/07/03	<input type="checkbox"/>	1405	01/04/91	<input type="checkbox"/>
1109	08/05/88	<input type="checkbox"/>	1406	07/08/94	<input type="checkbox"/>
1110.1	10/04/85	<input type="checkbox"/>	1407	07/08/94	<input type="checkbox"/>
1110.2	11/14/97	<input type="checkbox"/>	1411	03/01/91	<input type="checkbox"/>
1116.1	10/20/78	<input type="checkbox"/>	1414	05/03/91	<input type="checkbox"/>
1118	02/13/98	<input type="checkbox"/>	1415	10/14/94	<input checked="" type="checkbox"/>
1127	08/06/04	<input type="checkbox"/>	1418	09/10/99	<input type="checkbox"/>
1148.1	03/05/04	<input type="checkbox"/>	1420	09/11/92	<input type="checkbox"/>
1150	10/15/82	<input type="checkbox"/>	1421	12/06/02	<input type="checkbox"/>
1157	01/07/05	<input type="checkbox"/>	1425	03/16/01	<input type="checkbox"/>
1163	06/07/85	<input type="checkbox"/>	1426	05/02/03	<input type="checkbox"/>

Section V – AQMD Rules That Are Not SIP-Approved (Continued on Following Page)					
1469	05/02/03	<input type="checkbox"/>	2009.1	05/11/01	<input type="checkbox"/>
1469.1	03/04/05	<input type="checkbox"/>	2020	05/11/01	<input type="checkbox"/>
1470	03/04/05	<input type="checkbox"/>	2501	05/09/97	<input type="checkbox"/>
2009	01/07/05	<input type="checkbox"/>	2506	12/10/99	<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21605 Copley Drive, Diamond Bar, CA 91765

Title Page
Facility I.D.#: 124725
Revision #: 3
Date: May 05, 2006

FACILITY PERMIT TO OPERATE

**FORTUNE FASHIONS IND
4700 S BOYLE AVE
VERNON, CA 90058**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER

By *Carol Coy*
Carol Coy
Deputy Executive Officer
Engineering & Compliance



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	0	09/28/2004
B	RECLAIM Annual Emission Allocation	0	09/28/2004
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	4	05/05/2006
E	Administrative Conditions	0	09/28/2004
F	RECLAIM Monitoring and Source Testing Requirements	0	09/28/2004
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	0	09/28/2004
H	Permit To Construct and Temporary Permit to Operate	0	09/28/2004
I	Compliance Plans & Schedules	0	09/28/2004
J	Air Toxics	0	09/28/2004
K	Title V Administration	1	06/29/2005
Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	0	09/28/2004
B	Rule Emission Limits	1	06/29/2005



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

**Facility Equipment and Requirements
(Section D)**

This section consists of a table listing all permitted equipment at the facility, facility wide requirements, all individual Permits to Construct and Permits to Operate issued to various equipment at the facility, and Rule 219-exempt equipment subject to source-specific requirements. Each permit and Rule 219-exempt equipment will list operating conditions including periodic monitoring requirements, and applicable emission limits and requirements that the equipment is subject to. Also included is the rule origin and authority of each emission limit and permit condition.



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMITTED EQUIPMENT LIST

THE FOLLOWING IS A LIST OF ALL PERMITS TO CONSTRUCT AND PERMITS TO OPERATE AT THIS FACILITY:

Application number	Permit to Operate number	Equipment description
429456	F70951	SILKSCREEN PRESS NO. 1
429458	F70950	SILKSCREEN PRESS NO. 2
429459	F70949	SILKSCREEN PRESS NO. 3
444054	F77499	SILKSCREEN PRESS NO. 4
429460	F70948	SILKSCREEN PRESS NO. 5
429462	F70947	SILKSCREEN PRESS NO. 6
429463	F70946	SILKSCREEN PRESS NO. 7
429464	F70945	SILKSCREEN PRESS NO. 8
429465	F70944	SILKSCREEN PRESS NO. 9
429466	F70943	SILKSCREEN PRESS NO. 10
429467	F70942	SILKSCREEN PRESS NO. 11
429468	F70941	SILKSCREEN PRESS NO. 12
429469	F70940	SILKSCREEN PRESS NO. 13
429461	F81005	SILKSCREEN PRESS NO. 14
429471	F70938	SILKSCREEN PRESS NO. 15
429472	F70937	SILKSCREEN PRESS NO. 16
429473	F70936	SILKSCREEN PRESS NO. 17
429474	F70935	SILKSCREEN PRESS NO. 18
429475	F81006	SILKSCREEN PRESS NO. 19
429478	F81008	SILKSCREEN PRESS NO. 20
429476	F81007	SILKSCREEN PRESS NO. 21
447613	F79493	SILKSCREEN PRESS NO. 22
447614	F79494	SILKSCREEN PRESS NO. 23
453133	F81895	SILKSCREEN PRESS NO. 24
453134	F81896	SILKSCREEN PRESS NO. 25
453136	F81897	SILKSCREEN PRESS NO. 26
453139	F81898	SILKSCREEN PRESS NO. 27
453140	F81899	SILKSCREEN PRESS NO. 28
453141	F81908	SILKSCREEN PRESS NO. 29
453142	F81900	SILKSCREEN PRESS NO. 30
453143	F81901	SILKSCREEN PRESS NO. 31
453144	F81902	SILKSCREEN PRESS NO. 32
453145	F81903	SILKSCREEN PRESS NO. 33
453146	F81904	SILKSCREEN PRESS NO. 34
453147	F81905	SILKSCREEN PRESS NO. 35
453148	F81906	SILKSCREEN PRESS NO. 36
453149	F81907	SILKSCREEN PRESS NO. 37
453150	F81909	SILKSCREEN PRESS NO. 38
453151	F81910	SILKSCREEN PRESS NO. 39
453152	F81911	SILKSCREEN PRESS NO. 40
431822	F70927	SCREEN WASH STATION



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

453171	F81912	DRYER NO. 1, PLASTISOL CURING
453174	F81913	DRYER NO. 2, PLASTISOL CURING
453178	F81914	DRYER NO. 3, PLASTISOL CURING
453179	F81915	DRYER NO. 4, PLASTISOL CURING
453180	F81916	DRYER NO. 5, PLASTISOL CURING
453181	F81917	DRYER NO. 6, PLASTISOL CURING
453182	F81918	DRYER NO. 7, PLASTISOL CURING
453201	F81919	DRYER NO. 8, PLASTISOL CURING
453127	F81890	DRYER NO. 9, PLASTISOL CURING
453128	F81891	DRYER NO. 10, PLASTISOL CURING
453130	F81892	DRYER NO. 11, PLASTISOL CURING
453131	F81893	DRYER NO. 12, PLASTISOL CURING
453132	F81894	DRYER NO. 13, PLASTISOL CURING

NOTE: EQUIPMENT LISTED ABOVE THAT HAVE NO CORRESPONDING PERMITS TO OPERATE NUMBER ARE ISSUED PERMITS TO CONSTRUCT. THE ISSUANCE OR DENIAL OF THEIR PERMITS TO OPERATE IS SUBJECT TO ENGINEERING FINAL REVIEW. ANY OTHER APPLICATIONS THAT ARE STILL BEING PROCESSED AND HAVE NOT BEEN ISSUED PERMITS TO CONSTRUCT OR PERMITS TO OPERATE WILL NOT BE FOUND IN THIS TITLE V PERMIT.



AQMD

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

FACILITY WIDE CONDITION(S)

Condition(s):

1. EXCEPT FOR OPEN ABRASIVE BLASTING OPERATIONS, THE OPERATOR SHALL NOT DISCHARGE INTO THE ATMOSPHERE FROM ANY SINGLE SOURCE OF EMISSIONS WHATSOEVER ANY AIR CONTAMINANT FOR A PERIOD OR PERIODS AGGREGATING MORE THAN THREE MINUTES IN ANY ONE HOUR WHICH IS:
 - A. AS DARK OR DARKER IN SHADE AS THAT DESIGNATED NO. 1 ON THE RINGELMANN CHART, AS PUBLISHED BY THE UNITED STATES BUREAU OF MINES; OR
 - B. OF SUCH OPACITY AS TO OBSCURE AN OBSERVER'S VIEW TO A DEGREE EQUAL TO OR GREATER THAN DOES SMOKE DESCRIBED IN SUBPARAGRAPH (A) OF THIS CONDITION.
[RULE 401]

2. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUNDS (VOC) EMISSIONS FROM ALL PERMITTED EQUIPMENT AND ASSOCIATED OPERATIONS AT THIS FACILITY SHALL NOT EXCEED 4,140 POUNDS IN ANY ONE CALENDAR MONTH. ASSOCIATED OPERATIONS INCLUDE, BUT ARE NOT LIMITED TO SURFACE PREPARATION, SPOT REMOVAL, EQUIPMENT CLEAN-UP, AND THE APPLICATION OF ANY OTHER MATERIALS TO ARTICLES THAT ARE PREVIOUSLY OR SUBSEQUENTLY PROCESSED IN THE PERMITTED EQUIPMENT. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH MONTH, THE FACILITY OPERATOR SHALL TOTAL AND RECORD VOC EMISSIONS FROM ALL PERMITTED EQUIPMENT AND ASSOCIATED OPERATIONS.
[RULE 1303 (b) (2)-OFFSET]

3. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM THE USE OF ALL VOC-CONTAINING MATERIALS IN THE SPOT REMOVING OPERATIONS AND ALL OTHER EQUIPMENT OR PROCESSES SUBJECT TO RULE 442 AT THIS FACILITY SHALL NOT EXCEED 833 POUNDS IN ANY ONE CALENDAR MONTH. WITHIN 14 CALENDAR DAYS AFTER THE END OF EACH CALENDAR MONTH, THE OPERATOR SHALL TOTAL AND RECORD VOC EMISSIONS FOR THE CALENDAR MONTH FROM ALL EQUIPMENT AND OPERATIONS SUBJECT TO RULE 442 AT THE FACILITY.
[RULE 442]

4. TO DETERMINE THE VOC CONTENT OF THE WASTE MATERIALS FOR DISPOSAL AND TO EXCLUDE SUCH VOC FROM THE TOTAL VOC EMISSIONS FOR EACH CALENDAR MONTH AT THIS FACILITY, THE OPERATOR SHALL BY THE END OF EACH CALENDAR MONTH:
 - A. USE A SEPARATE WASTE STORAGE CONTAINER TO STORE EACH TYPE OF WASTE MATERIAL
 - B. REMOVE OR SEAL ALL WASTE STORAGE CONTAINERS FOR WASTE MATERIALS THAT ARE GENERATED IN THE CALENDAR MONTH FOR DISPOSAL
 - C. DETERMINE AND RECORD THE AMOUNT OF ALL WASTE MATERIALS THAT ARE GENERATED IN EACH CALENDAR MONTH



FACILITY PERMIT TO OPERATE FORTUNE FASHIONS INC

- D. COLLECT A SAMPLE FROM EACH WASTE STORAGE CONTAINER USING AN AQMD APPROVED PROTOTOL PRIOR TO OFFSITE SHIPPING
 - E. SUBMIT THE COLLECTED SAMPLES TO AN INDEPENDENT LABORATORY FOR VOC CONTENT USING AN AQMD APPROVED METHOD
 - F. MAINTAIN ALL WASTE RECORDS AND LAB RESULTS ON SITE
[RULE 109, RULE 1303(b)(2)-OFFSET]
5. TO ENSURE COMPLIANCE WITH THE VOC EMISSION LIMITS OF THIS PERMIT, THE OPERATOR SHALL:
- A. COMPLY WITH RULE 109 (RECORDKEEPING FOR VOLATILE ORGANIC COMPOUND EMISSIONS).
 - B. KEEP ADEQUATE RECORDS FOR THIS FACILITY TO VERIFY THE VOC EMISSIONS IN POUNDS AND THE VOC CONTENT OF EACH MATERIAL AS APPLIED (INCLUDING WATER AND EXEMPT COMPOUNDS). THE RECORDS SHALL INCLUDE ANY PROCEDURES USED TO ACCOUNT FOR CONTROL DEVICE EFFICIENCIES AND/OR WASTE DISPOSAL. IT SHALL BE SIGNED AND CERTIFIED FOR ACCURACY BY THE HIGHEST RANKING INDIVIDUAL RESPONSIBLE FOR COMPLIANCE WITH DISTRICT RULES.
 - C. MAINTAIN A SINGLE LIST WHICH INCLUDES ONLY THE NAME AND ADDRESS OF EACH PERSON FROM WHOM THE FACILITY ACQUIRED VOC-CONTAINING MATERIAL REGULATED BY THE DISTRICT THAT WAS USED OR STORED AT THE FACILITY DURING THE PRECEDING 12 MONTHS.
 - D. RETAIN ALL PURCHASE INVOICES FOR ALL VOC-CONTAINING MATERIAL USED OR STORED AT THE FACILITY, AND ALL WASTE MANIFESTS FOR ALL WASTE VOC-CONTAINING MATERIAL REMOVED FROM THE FACILITY.
[RULE 109, RULE 1303(b)(2)-OFFSET]
6. ALL RECORDS REQUIRED BY THIS PERMIT SHALL BE PREPARED IN A FORMAT WHICH IS ACCEPTABLE TO THE DISTRICT, SHALL BE RETAINED AT THE FACILITY FOR AT LEAST FIVE YEARS, AND SHALL BE MADE AVAILABLE TO ANY DISTRICT REPRESENTATIVE UPON REQUEST.
[RULE 109, RULE 1303(b)(2)-OFFSET]
7. MATERIAL SAFETY DATA SHEETS FOR ALL VOC-CONTAINING MATERIALS USED AT THIS FACILITY SHALL BE KEPT CURRENT AND MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
[RULE 109, RULE 1303(b)(2)-OFFSET]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INTD**

PERMIT TO OPERATE

**Permit No. F70951
A/N 429456**

Equipment Description:

PRESS, SILKSCREEN, M&R, VOAC36/1-26/14, PRESS NO. 1, 26 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F70950
A/N 429458**

Equipment Description:

PRESS, SILKSCREEN, TAS, 260RA-330, PRESS NO. 2, 18 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



ACMD

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS INC

PERMIT TO OPERATE

Permit No. F70949
A/N 429459

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC36/2436-22, PRESS NO. 3, 22 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS INC

PERMIT TO OPERATE

Permit No. F77499
A/N 444054

Equipment Description:

PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVTP2UV/12-2436, PRESS NO. 4, 18 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS INC

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS INC

PERMIT TO OPERATE

Permit No. F70948
A/N 429460

Equipment Description:

PRESS, SILKSCREEN, TAS, 260RA-331, PRESS NO. 5, 18 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS INTD

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO OPERATE

**Permit No. F70947
A/N 429462**

Equipment Description:

PRESS, SILKSCREEN, TAS, 260RA-16, PRESS NO. 6, 14 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS INC

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F70946
A/N 429463

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC36/2436-3014, PRESS NO. 7, 30 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F70945
A/N 429464**

Equipment Description:

PRESS, SILKSCREEN, TAS, 240RA-41, PRESS NO. 8, 14 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F70944
A/N 429465

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC36/1-2436-30, PRESS NO. 9, 30 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMM PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F70943
A/N 429466

Equipment Description:

PRESS, SILKSCREEN, TAS, 205XL-221, PRESS NO. 10, 12 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F70942
A/N 429467

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC36/1-2436-30, PRESS NO. 11, 30 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F70941
A/N 429468**

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC36/1-2436-30, PRESS NO. 12, 30 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F70940
A/N 429469

Equipment Description:

PRESS, SILKSCREEN, TAS, 250RA-258, PRESS NO. 13, 16 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F81005
A/N 429461

Equipment Description:

PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 14, 20 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F70938
A/N 429471

Equipment Description:

PRESS, SILKSCREEN, TAS, 240RA-40, PRESS NO. 15, 14 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F70937
A/N 429472**

Equipment Description:

PRESS, SILKSCREEN, M&R, VO90 AC/1-2436, PRESS NO. 16, 30 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F70936
A/N 429473

Equipment Description:

PRESS, SILKSCREEN, TAS, 260RA-332, PRESS NO. 17, 18 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F70935
A/N 429474

Equipment Description:

PRESS, SILKSCREEN, TAS, 205RAL, PRESS NO. 18, 12 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INT**

PERMIT TO OPERATE

**Permit No. F81006
A/N 429475**

Equipment Description:

PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 19, 20 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F81008
A/N 429478**

Equipment Description:

PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 20, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMM PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
- VOC: RULE 109
 - VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
 - VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F81007
A/N 429476**

Equipment Description:

PRESS, SILKSCREEN, M&R, CH-50 X 70, PRESS NO. 21, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F79493
A/N 447613**

Equipment Description:

PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVGTGP2UV/12-2436, PRESS NO. 22, 18 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

7. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUNDS (VOC) EMISSIONS DISCHARGED TO THE ATMOSPHERE FROM THE SILKSCREEN PRESS NOS. 22 & 23 UNDER APPLICATION NUMBERS 447613 AND 447614 SHALL NOT EXCEED 900 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 212]

8. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

9. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE BY NOVEMBER 29, 2006 UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F79494
A/N 447614**

Equipment Description:

PRESS, SILKSCREEN, M&R ULTIMATE, MODEL VOVTGP2UV/12-2436, PRESS NO. 23, 18 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]
- THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC.**

7. THE TOTAL QUANTITY OF VOLATILE ORGANIC COMPOUNDS (VOC) EMISSIONS DISCHARGED TO THE ATMOSPHERE FROM THE SILKSCREEN PRESS NOS. 22 & 23 UNDER APPLICATION NUMBERS 447613 AND 447614 SHALL NOT EXCEED 900 POUNDS IN ANY ONE CALENDAR MONTH.
[RULE 212]

8. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F81895
A/N 453133**

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 24, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING: .

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81896
A/N 453134

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 25, 20 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F81897
A/N 453136**

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 26, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81898
A/N 453139

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 27, 20 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F81899
A/N 453140**

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 28, 20 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F81908
A/N 453141**

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 29, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81900
A/N 453142

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 30, 20 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81901
A/N 453143

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 31, 20 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81902
A/N 453144

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 32, 20 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81903
A/N 453145

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 33, 20 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]

7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81904
A/N 453146

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 34, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F81905
A/N 453147**

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-20-18, PRESS NO. 35, 20 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions and Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81906
A/N 453148

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-18-16, PRESS NO. 36, 18 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81907
A/N 453149

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-18-16, PRESS NO. 37, 18 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81909
A/N 453150

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-18-16, PRESS NO. 38, 18 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81910
A/N 453151

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-18-16, PRESS NO. 39, 18 STATIONS.

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

- ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
- THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F81911
A/N 453152**

Equipment Description:

PRESS, SILKSCREEN, M&R CHALLENGER II, CH50X70-18-16, PRESS NO. 40, 18 STATIONS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]

4. ONLY PLASTISOL INKS OR WATER-BASED INKS WITH A VOC CONTENT OF 5% BY WEIGHT OR LESS SHALL BE USED IN THIS EQUIPMENT.
[RULE 1303(a)(1)-BACT]
5. THE TOTAL QUANTITY OF THE WATER-BASED INKS THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 100 POUNDS IN ANY ONE MONTH.
[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THE VOC CONTENT OF THE ADHESIVES THAT ARE USED IN THIS EQUIPMENT SHALL BE LESS THAN 20 GRAMS PER LITER, LESS WATER AND EXEMPT COMPOUNDS.
[RULE 1168(k)(3)]
7. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE MONTHLY VOC EMISSIONS IN POUNDS AND THE VOC EMISSION FACTOR OR VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS. THE VOC EMISSIONS FROM THE USE OF ANY PLASTISOL INKS SHALL BE CALCULATED USING THE EMISSION FACTOR DETERMINED PURSUANT TO AN APPROVED AQMD OR EPA METHOD. IN CASE NO LABORATORY TESTED EMISSION FACTOR IS AVAILABLE, THEN A FACTOR OF 0.05 POUND OF VOC PER POUND OF PLASTISOL INK SHALL BE USED. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO ITS IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]
8. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Emissions And Requirements:

9. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO OPERATE

Permit No. F70927
A/N 431822

Equipment Description:

SCREEN WASH STATION, 2' - 7" W X 10' L X 6' - 2" H., WITH ONE SECTION AND ONE DRAIN DISCHARGE TO INDUSTRIAL SEWER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. ALL MATERIALS THAT ARE USED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT SODIUM HYDROXIDE AND ETHYLENE OXIDE.
[RULE 1401]
4. THE CONCENTRATION OF ETHYLENE OXIDE IN THE WASHES THAT ARE USED IN THIS EQUIPMENT SHALL NOT EXCEED 0.0006 % BY WEIGHT.
[RULE 1401]
5. IN ADDITION TO THE RECORDKEEPING REQUIREMENTS OF RULE 109, THE OPERATOR SHALL KEEP ADEQUATE RECORDS FOR THIS EQUIPMENT TO VERIFY THE VOC CONTENT OF EACH MATERIAL AS APPLIED, INCLUDING WATER AND EXEMPT COMPOUNDS, AND THE MONTHLY VOC EMISSIONS IN POUNDS. SUCH MONTHLY VOC EMISSIONS SHALL INCLUDE ALL VOC CONTAINED IN THE MATERIALS THAT ARE DISCHARGED TO THE SEWER. ANY ALTERNATIVE RECORDKEEPING METHOD SHALL BE APPROVED IN WRITING BY THE AQMD PRIOR TO IMPLEMENTATION.
[RULE 109, RULE 1303(b)(2)-OFFSET]

Emissions And Requirements:

6. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 109

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INT**

PERMIT TO OPERATE

Permit No. F81912
A/N 453171

Equipment Description:

DRYER NO. 1, SVECIA, THERMONATOR 76, DIRECT NATURAL GAS FIRED, WITH ONE 750,000 BTU PER HOUR BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
9. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

Permit No. F81913
A/N 453174

Equipment Description:

DRYER NO. 2, SVECIA, THERMONATOR 76, DIRECT NATURAL GAS FIRED, WITH ONE 750,000 BTU PER HOUR BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
9. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO OPERATE

**Permit No. F81914
A/N 453178**

Equipment Description:

DRYER NO. 3, SVECLA, THERMONATOR 76, DIRECT NATURAL GAS FIRED, WITH ONE 750,000 BTU PER HOUR BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
9. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F81915
A/N 453179**

Equipment Description:

DRYER NO. 4, INTERCHANGE, AIR-JET 1460, DIRECT NATURAL GAS FIRED, 1,000,000 BTU PER HOUR, WITH TWO 500,000 BTU PER HOUR BURNERS

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
9. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F81916
A/N 453180**

Equipment Description:

DRYER NO. 5, SVECIA, THERMONATOR 76, DIRECT NATURAL GAS FIRED, WITH ONE 750,000 BTU PER HOUR BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
9. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F81917
A/N 453181**

Equipment Description:

DRYER NO. 6, SVECIA, THERMONATOR 76/12, DIRECT NATURAL GAS FIRED, WITH ONE 750,000 BTU PER HOUR BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
9. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F81918
A/N 453182**

Equipment Description:

DRYER NO. 7, SVECIA, THERMONATOR 76, DIRECT NATURAL GAS FIRED, WITH ONE 750,000 BTU PER HOUR BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
9. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO OPERATE

**Permit No. F81919
A/N 453201**

Equipment Description:

DRYER NO. 8, INTERCHANGE, AIR-JET 7616-2, 1,000,000 BTU PER HOUR DIRECT NATURAL GAS FIRED, WITH TWO 500,000 BTU PER HOUR BURNERS

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MAY 2, 2003 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THIS EQUIPMENT SHALL NOT USE MORE THAN 10,000 CUBIC FEET OF NATURAL GAS IN ANY ONE CALENDAR DAY.
[RULE 1303(a)(1)-BACT]
7. A NON-RESETTABLE TOTALIZING FUEL METER SHALL BE INSTALLED AND MAINTAINED TO VERIFY COMPLIANCE WITH CONDITION NO. 6.
[RULE 1303(a)(1)-BACT]

Periodic Monitoring:

8. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]
9. THE OPERATOR SHALL DETERMINE AND RECORD THE TOTAL FUEL USAGE IN CUBIC FEET FOR EACH CALENDAR DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

10. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F81890
A/N 453127**

Equipment Description:

DRYER NO. 9, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

<u>TOXIC AIR CONTAMINANT</u>	<u>CONCENTRATION (% BY WEIGHT)</u>
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Periodic Monitoring:

7. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.

PM: 0.1 GR/SCF, RULE 409

CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81891
A/N 453128

Equipment Description:

DRYER NO. 10, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

6. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Periodic Monitoring:

7. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81892
A/N 453130

Equipment Description:

DRYER NO. 11, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER

Conditions:

- OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
- THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
- THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
- THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
- ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

6. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Periodic Monitoring:

7. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.

PM: 0.1 GR/SCF, RULE 409

CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

PERMIT TO CONSTRUCT/OPERATE

Permit No. F81893
A/N 453131

Equipment Description:

DRYER NO. 12, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

6. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Periodic Monitoring:

7. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS IND**

PERMIT TO CONSTRUCT/OPERATE

**Permit No. F81894
A/N 453132**

Equipment Description:

DRYER NO. 13, M&R INTERNATIONAL, MODEL SDI-HO-72-16, DIRECT NATURAL GAS FIRED, WITH ONE 390,000 BTU PER HOUR MAXON NP-1 BURNER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
[RULE 204]
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
[RULE 204]
3. THE OVEN SHALL NOT BE OPERATED AT TEMPERATURES ABOVE 450 DEGREES FARENHEIT.
[RULE 401]
4. THE OPERATOR SHALL INSTALL AND MAINTAIN A TEMPERATURE GAUGE TO ACCURATELY INDICATE THE TEMPERATURE OF THE OVEN.
[RULE 401]
5. ALL MATERIALS USED ON THE ARTICLES THAT ARE PROCESSED IN THIS EQUIPMENT SHALL NOT CONTAIN ANY TOXIC AIR CONTAMINANTS WITH A LISTING DATE OF MARCH 4, 2005 OR EARLIER IDENTIFIED IN RULE 1401 EXCEPT VINYL ACETATE, TOLUENE DIISOCYANATE, FORMALDEHYDE, HYDROGEN CHLORIDE, VINYL CHLORIDE, ACRYLONITRILE, 1,2-EPOXYBUTANE, CHLORINATED PARAFFINS, ARSENIC AND ARSENIC COMPOUNDS, COPPER AND COPPER COMPOUNDS, LEAD AND LEAD COMPOUNDS, ZINC AND ZINC COMPOUNDS, BIS(2-ETHYLHEXYL)PHTHALATE (DEHP), AND AMMONIA, WITH A CONCENTRATION NOT TO EXCEED THE FOLLOWING:

TOXIC AIR CONTAMINANT	CONCENTRATION (% BY WEIGHT)
VINYL ACETATE	0.2
TOLUENE DIISOCYANATE	0.5
FORMALDEHYDE	0.002
HYDROGEN CHLORIDE	0.001
VINYL CHLORIDE	0.0008
ACRYLONITRILE	0.0033
1,2-EPOXYBUTANE	1.5

[RULE 1401]



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

6. THIS PERMIT SHALL EXPIRE IF CONSTRUCTION OF THIS EQUIPMENT IS NOT COMPLETE WITHIN ONE YEAR OF THE PERMIT ISSUANCE DATE UNLESS AN EXTENSION IS GRANTED BY THE EXECUTIVE OFFICER.
[RULE 205]

Periodic Monitoring:

7. THE OPERATOR SHALL DETERMINE AND RECORD THE TEMPERATURE ONCE EVERY DAY.
[RULE 3004 (a)(4)]

Emissions And Requirements:

8. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM: RULE 404, SEE APPENDIX B FOR EMISSION LIMITS.
PM: 0.1 GR/SCF, RULE 409
CO: 2000 PPMV, RULE 407



AQMD

FACILITY PERMIT TO OPERATE FORTUNE FASHIONS IND

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS.

Periodic Monitoring:

1. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):

FOR ARCHITECTURAL APPLICATIONS WHERE NO THINNERS, REDUCERS, OR OTHER VOC CONTAINING MATERIALS ARE ADDED, MAINTAIN SEMI-ANNUAL RECORDS OF ALL COATINGS CONSISTING OF (a) COATING TYPE, (b) VOC CONTENT AS SUPPLIED IN GRAMS PER LITER (g/l) OF MATERIALS FOR LOW-SOLIDS COATINGS, AND (c) VOC CONTENT AS SUPPLIED IN g/l OF COATING, LESS WATER AND EXEMPT SOLVENT, FOR OTHER COATINGS.

FOR OTHER ARCHITECTURAL APPLICATIONS WHERE THINNERS, REDUCERS, OR OTHER VOC CONTAINING MATERIALS ARE ADDED, MAINTAIN DAILY RECORDS FOR EACH COATING CONSISTING OF (a) COATING TYPE, (b) VOC CONTENT AS APPLIED IN GRAMS PER LITER (g/l) OF MATERIALS USED FOR LOW-SOLIDS COATINGS, AND (c) VOC CONTENT AS APPLIED IN g/l OF COATING, LESS WATER AND EXEMPT SOLVENT, FOR OTHER COATINGS.

[RULE 3004 (a) (4)]

Emissions And Requirements:

2. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 1113, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21800 Copley Drive, Diamond Bar, CA 91765

Section D Page 114
Facility I.D.#: 124725
Revision #: 4
Date: May 5, 2006

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, SPOT CLEANING OPERATIONS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATION:

VOC: RULE 442



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, CLEANING EQUIPMENT, SMALL UNHEATED, NON-CONVEYORIZED

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, ADHESIVE APPLICATION AND LAMINATING EQUIPMENT, LOW USE OR EMISSIONS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
VOC: RULE 1168, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, HAND WIPING OPERATION.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, ABRASIVE BLASTING EQUIPMENT, GLOVE-BOX, < 53 FT3, WITH DUST FILTER.

Periodic Monitoring:

1. THE OPERATOR SHALL PERFORM AN ANNUAL INSPECTION OF THE EQUIPMENT AND FILTER MEDIA FOR LEAKS, BROKEN OR TORN FILTER MEDIA AND IMPROPERLY INSTALLED FILTER MEDIA. THE OPERATOR SHALL KEEP RECORDS, IN A MANNER APPROVED BY THE DISTRICT, FOR THE FOLLOWING PARAMETER(S) OR ITEM(S):
 - A. THE NAME OF THE PERSON PERFORMING THE INSPECTION AND/OR MAINTENANCE OF THE FILTER MEDIA;
 - B. THE DATE, TIME AND RESULTS OF THE INSPECTION; AND
 - C. THE DATE, TIME AND DESCRIPTION OF ANY MAINTENANCE OR REPAIRS RESULTING FROM THE INSPECTION.
[RULE 3004 (a)(4)]
2. THE OPERATOR SHALL DISCHARGE DUST COLLECTED IN THIS EQUIPMENT ONLY INTO CLOSED CONTAINERS.
[RULE 3004 (a)(4)]
3. THE OPERATOR SHALL CONDUCT AN INSPECTION FOR VISIBLE EMISSIONS FROM ALL STACKS AND OTHER EMISSION POINTS OF THIS EQUIPMENT WHENEVER THERE IS A PUBLIC COMPLAINT OF VISIBLE EMISSIONS, WHENEVER VISIBLE EMISSIONS ARE OBSERVED, AND ON AN ANNUAL BASIS, AT LEAST, UNLESS THE EQUIPMENT DID NOT OPERATE DURING THE ENTIRE ANNUAL PERIOD. THE ROUTINE ANNUAL INSPECTION SHALL BE CONDUCTED WHILE THE EQUIPMENT IS IN OPERATION AND DURING DAYLIGHT HOURS. IF ANY VISIBLE EMISSIONS (NOT INCLUDING CONDENSED WATER VAPOR) ARE DETECTED, THE OPERATOR SHALL TAKE CORRECTIVE ACTION(S) THAT ELIMINATES THE VISIBLE EMISSIONS WITHIN 24 HOURS AND REPORT THE VISIBLE EMISSIONS AS A POTENTIAL DEVIATION IN ACCORDANCE WITH THE REPORTING REQUIREMENTS IN SECTION K OF THIS PERMIT.
THE OPERATOR SHALL KEEP THE RECORDS IN ACCORDANCE WITH THE RECORDKEEPING REQUIREMENTS IN SECTION K OF THIS PERMIT AND THE FOLLOWING RECORDS:
 - A. STACK OR EMISSION POINT IDENTIFICATION;
 - B. DESCRIPTION OF ANY CORRECTIVE ACTIONS TAKEN TO ABATE VISIBLE EMISSIONS; AND
 - C. DATE AND TIME VISIBLE EMISSION WAS ABATED.
[RULE 3004 (a)(4)]

Emissions And Requirements:



AQMD

**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

4. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:

PM:RULE 404, SEE APPENDIX B FOR EMISSION LIMITS
PM:RULE 405, SEE APPENDIX B FOR EMISSION LIMITS
PM:RULE 1140, SEE APPENDIX B FOR EMISSION LIMITS



**FACILITY PERMIT TO OPERATE
FORTUNE FASHIONS INC**

RULE 219 EQUIPMENT

Equipment Description:

RULE 219 EXEMPT EQUIPMENT, SCREEN PRINTING EQUIPMENT, LOW USE OR EMISSIONS.

Emissions And Requirements:

1. THIS EQUIPMENT IS SUBJECT TO THE APPLICABLE REQUIREMENTS OF THE FOLLOWING RULES AND REGULATIONS:
VOC: RULE 1130.1, SEE APPENDIX B FOR EMISSION LIMITS
VOC: RULE 1171, SEE APPENDIX B FOR EMISSION LIMITS