

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: COATING					
System 1: FLOWCOATERS					
COATER, FLOW, 4 W. X 1 L. X 6 H. (FEET), WITH ONE GALLON WASTE DISPOSAL CONTAINER A/N: 462112	D6			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	C1.2, H23.2, K67.1
COATER, FLOW, FLOW, 4 W. X 1 L. X 6 H. (FEET), WITH 15-KW INFRA RED LAMPS A/N: 547852	D9			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.13, H23.7, K67.1
COATER, FLOW, 4 W. X 1 L. X 6 H. (FEET), WITH 18-KW INFRA RED LAMPS A/N: 547853	D10			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.13, H23.7, K67.1
COATER, FLOW, NO. 1, MILLIPORE AND 36.33 W. X 48.25 L. X 84 H. (INCH) SIMPLEX GLOVEBOX A/N: 462115	D53			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.4, B27.1, H23.2, K67.1
COATER, FLOW, NO. 2, MILLIPORE AND 36.33 W. X 48.25 L. X 84 H. (INCH) SIMPLEX GLOVEBOX A/N: 462114	D54			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.3, B27.1, H23.2, K67.1
System 2: FLOW COATING ROOMS					

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: COATING					
COATER, PLANT 1, ROOM NO. 1, ONE 5GAL MILLIPORE FLOW COATER, W/ ONE 45KW-IR CURING BANK, & FIVE 7.2KW-TOTAL UV ROBOTIC CURING SYSTEMS COMMON TO ROOMS NOS. 1 THROUGH 6 A/N: 468416	D4			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.8, B27.1, H23.7, K67.1, K67.2
COATER, PLANT 1, ROOM NO. 2, ONE 5GAL MILLIPORE FLOW COATER, W/ ONE 45KW-IR CURING BANK, & FIVE 7.2KW-TOTAL UV ROBOTIC CURING SYSTEMS COMMON TO ROOMS NOS. 1 THROUGH 6 A/N: 468417	D19			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.8, B27.1, H23.7, K67.1, K67.2
COATER, PL 1, RM # 3, 5-GAL MILLIPORE, ONE IR- & FIVE UV-CURING BANKS, 52.2 KW TOTAL, COMMON TO ROOMS # 1 THROUGH 6, & ONE MOTOMAN HP50-35 ROBOTIC UV CURING SYSTEM A/N: 533578	D13			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.8, B27.1, H23.7, K67.1, K67.2
COATER, PLANT 1, ROOM NO. 4, ONE 5GAL MILLIPORE FLOW COATER, W/ ONE 45KW-IR CURING BANK, & FIVE 7.2KW-TOTAL UV ROBOTIC CURING SYSTEMS COMMON TO ROOMS NOS. 1 THROUGH 6 A/N: 468419	D60			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.8, B59.2, H23.7, K67.1, K67.2

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: COATING					
COATER, PLANT 3, ROOM NO. 6, ONE 5GAL MILLIPORE FLOW COATER, ONE MOTOMAN HP50-35 UV CURING SYSTEM WITH TWO ROBITIC ARMS A/N: 505539	D61			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.8, B59.3, H23.7, K67.1, K67.2
CONVEYOR, PLANT 1, ROOM NO. 7, ONE 28.8-KW UV CURING CONVEYOR, MODEL C48-300-2 A/N: 468422	D62			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	E193.1, H23.7
COATER, PLANT 3, FLOW COATING ROOM, 13 W. X 17 L. X 21 H. (FEET), WITH ONE MILLIPORE FLOW COATING GUN, AND TWO 5-KV UV CURING SYSTEMS A/N: 524739	D12			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.7, B27.1, H23.7, K67.1, K67.2
COATER, PLANT 3, MILITARY, CLASS 100 COATING ROOM, 5-GALLON PRESSURE POT, ONE NOZZLE, AND ONE SPRAY GUN A/N: 462129	D57			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.7, B27.4, H23.7, K67.2, K67.7
COATER, PLANT 2, ROOM NO. FX-205, 14.5 L X 13.5 W X 10 H (FEET), WITH ONE 2.5-GAL CA TECHN FLOW COATING AND ONE 2-GAL WASTE COLLECTION SYSTEMS A/N: 521385	D64			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.8, B59.4, H23.7, K67.1, K67.2

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: COATING					
COATER, PLANT 1, GFA ROOM, GFA COATER NO. 1, WITH ONE 10-L MILLIPORE FLOW COATER, AND, ONE SHARED MOTOMAN HP50-35 ROBOTIC UV CURING SYSTEM A/N: 547847	D65			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.12, B59.5, H23.7, K67.1, K67.2
COATER, PLANT 1, GFA ROOM, GFA COATER NO. 2, WITH ONE 10-L MILLIPORE FLOW COATER, AND, ONE SHARED MOTOMAN HP50-35 ROBOTIC UV CURING SYSTEM A/N: 547848	D66			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.12, B59.5, H23.7, K67.1, K67.2
COATER, PLANT 1, GFA ROOM, GFA COATER NO. 3, WITH ONE 10-L MILLIPORE FLOW COATER, AND, ONE SHARED MOTOMAN HP50-35 ROBOTIC UV CURING SYSTEM A/N: 547849	D67			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.12, B59.5, H23.7, K67.1, K67.2
COATER, PLANT 1, GFA ROOM, GFA COATER NO. 4, WITH ONE 10-L MILLIPORE FLOW COATER, AND, ONE SHARED MOTOMAN HP50-35 ROBOTIC UV CURING SYSTEM A/N: 547850	D68			VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	A63.12, B59.5, H23.7, K67.1, K67.2
System 3: SPRAY BOOTHS					
SPRAY COATING OPERATION, WITH TWENTY 20 IN X 20 IN FILTERS, 21 FT- 8 IN D X 10 FT W X 8 FT H, WITH SPRAY BOOTH A/N: 510703	D14			PM: (9) [RULE 404, 2-7-1986]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]; VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]	A63.10, A63.11, B27.1, C6.1, D182.1, D322.1, E175.1, H23.3, K67.2, K67.4, K67.5

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: COATING					
SPRAY COATING OPERATION, 3 FT. D. X 8 FT. W. X 7 FT. H., WITH SPRAY BOOTH A/N: 510704	D16			PM: (9) [RULE 404, 2-7-1986]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]; VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]	A63.9, C1.4, C6.1, D182.2, D322.1, E175.1, H23.3, K67.1, K67.4, K67.5
SPRAY COATING OPERATION, WITH EIGHT 24 IN X 24 IN FILTERS, 14 FT D X 12 FT W X 8 FT H, WITH SPRAY BOOTH A/N: 547851	D69			PM: (9) [RULE 404, 2-7-1986]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]; VOC: (9) [RULE 1124, 9-21-2001; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]	A63.9, B59.6, C1.4, C6.1, D182.2, D322.1, E175.1, H23.3, K67.1, K67.2, K67.4, K67.5
Process 3: ABRASIVE BLASTING					
ABRASIVE BLASTING, ROOM, WITH SELF-CONTAINED ABRASIVE BLAST CLEANING MACHINE, ALUMINUM OXIDE, PAULI SYSTEMS, VR2-E, 5 LBS CAP, 0.375 IN DIA NOZZLE, 1 TOTAL; WIDTH: 7 FT 7 IN; HEIGHT: 8 FT ; LENGTH: 9 FT 7 IN WITH A/N:	D33	C70		PM: (9) [RULE 1140, 2-1-1980; RULE 1140, 8-2-1985; RULE 405, 2-7-1986]	B59.1, D323.2, H23.9
DUST COLLECTOR, PAULI SYSTEMS, WITH CYCLONE SEPARATOREGRAL, 9 BAGS, INTEGRAL, 9 BAGS, EACH 4 IN DIA. X 21 IN. H., WITH FABRIC FILTER	C70	D33		PM: (9) [RULE 404, 2-7-1986]	A63.14, D322.2, D381.1, E102.1, H23.10, K67.4
Process 4: PROCESS TANKS					
System 2: NICKEL PLATING					

- * (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 4: PROCESS TANKS					
PROCESS TANK, HEATED, PLATING, NICKEL PLATING, WIDTH: 2 FT 6 IN; LENGTH: 4 FT ; HEIGHT: 3 FT ; 16 AMPS; 24 KW A/N: 462095	D35				B27.1, H23.8
System 3: COPPER PLATING					
PROCESS TANK, PLATING, UNHEATED, COPPER COMPOUNDS, 2 FT 1 INCH W. X 4 FT L. X 4 FT D. A/N: 462097	D36				E260.1, H23.8
Process 5: R219 EXEMPT EQUIPMENT SUBJECT TO SOURCE-SPECIFIC RULE					
System 1:					
RULE 219 EXEMPT EQUIPMENT, DEGREASERS, HEATED, < 1.0 FT2	E37				H23.1, H339.2
RULE 219 EXEMPT EQUIPMENT, AIR CONDITIONING UNITS	E38				H23.5
RULE 219 EXEMPT EQUIPMENT, REFRIGERATION UNITS	E39				H23.5
RULE 219 EXEMPT EQUIPMENT, FIRE EXTINGUISHING EQUIPMENT USING HALONS	E40				H23.4
RULE 219 EXEMPT EQUIPMENT, REFRIGERANT RECOVERY AND/OR RECYCLING UNITS,	E41				H23.6
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS	E42			VOC: (9) [RULE 1113, 7-13-2007; RULE 1113, 6-3-2011; RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]	K67.6
RULE 219 EXEMPT EQUIPMENT, EXEMPT HAND WIPING OPERATIONS	E43			VOC: (9) [RULE 1171, 2-1-2008; RULE 1171, 5-1-2009]; VOC: (10) [40CFR 63 Subpart GG, 12-8-2000]	H23.2

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: R219 EXEMPT EQUIPMENT SUBJECT TO SOURCE-SPECIFIC RULE					
RULE 219 EXEMPT EQUIPMENT, SMALL BOILERS, WATER HEATERS AND PROCESS HEATERS, >1 MMBTU/HR AND <= 2 MMBTU/HR	E63			CO: 400 PPMV (5A) [RULE 1146.2, 5-5-2006]; CO: 2000 PPMV (5) [RULE 407, 4-2-1982]; NOX: 30 PPMV (5) [RULE 1146.2, 5-5-2006]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
SIERRACIN/SYLMAR CORP**

SECTION D: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

**FACILITY PERMIT TO OPERATE
 SIERRACIN/SYLMAR CORP
 SECTION D: DEVICE ID INDEX**

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D4	2	1	2
D6	1	1	1
D9	1	1	1
D10	1	1	1
D12	3	1	2
D13	2	1	2
D14	4	1	3
D16	5	1	3
D19	2	1	2
D33	5	3	0
D35	6	4	2
D36	6	4	3
E37	6	5	1
E38	6	5	1
E39	6	5	1
E40	6	5	1
E41	6	5	1
E42	6	5	1
E43	6	5	1
D53	1	1	1
D54	1	1	1
D57	3	1	2
D60	2	1	2
D61	3	1	2
D62	3	1	2
E63	7	5	1
D64	3	1	2
D65	4	1	2
D66	4	1	2
D67	4	1	2
D68	4	1	2
D69	5	1	3
C70	5	3	0

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F2.1 The operator shall limit emissions from this facility as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than or equal to 3510 LBS IN ANY ONE MONTH

To ensure compliance with the monthly Volatile Organic Compound(VOC) emission limit(s) of this condition, the operator shall comply with the following recordkeeping requirements:

- (1) The operator shall comply with Rule 109 (Recordkeeping for Volatile Organic Compound Emissions).
- (2) Within 14 calendar days after the end of each month, the operator shall total and record VOC emissions for the month from all equipment and operations covered by the monthly emission limit(s). The record shall include any procedures used to account for control device efficiencies and/or waste disposal. It shall be signed and certified for accuracy by the highest ranking individual responsible for compliance with District rules.
- (3) The operator shall maintain a single list which includes only the name and address of each person from whom the facility acquired VOC-containing material regulated by the District that was used or stored at the facility during the preceding 12 months.
- (4) The operator shall retain all purchase invoices for all VOC-containing material used or stored at the facility, and all waste manifests for all waste VOC-containing material removed from the facility, for five years.

For the purpose of this condition, the VOC emission limit shall be from all equipment and operations that are required to have written permits or are exempt from written permits pursuant to rule 219.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[**RULE 109, 5-2-2003; RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]**

F2.2 The operator shall limit emissions from this facility as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than or equal to 833 LBS IN ANY ONE MONTH

For the purpose of this condition, the VOC emission limit shall be from all equipment and operations that are subject to rule 442.

To ensure compliance with the VOC Volatile Organic Compound(VOC) emission limit(s) of this condition, the operator shall comply with the following recordkeeping requirements:

- (1) The operator shall comply with Rule 109 (Recordkeeping for Volatile Organic Compound Emissions).
- (2) Within 14 calendar days after the end of each month, the operator shall total and record VOC emissions for the month from all equipment and operations covered by the monthly emission limit(s). The record shall include any procedures used to account for control device efficiencies and/or waste disposal. It shall be signed and certified for accuracy by the highest ranking individual responsible for compliance with District rules.
- (3) The operator shall maintain a single list which includes only the name and address of each person from whom the facility acquired VOC-containing material regulated by the District that was used or stored at the facility during the preceding 12 months.
- (4) The operator shall retain all purchase invoices for all VOC-containing material used or stored at the facility, and all waste manifests for all waste VOC-containing material removed from the facility, for five years.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 109, 5-2-2003; RULE 442, 12-15-2000]

- F9.1 Except for open abrasive blasting operations, the operator shall not discharge into the atmosphere from any single source of emissions whatsoever any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
- (a) As dark or darker in shade as that designated No.1 on the Ringelmann Chart, as published by the United States Bureau of Mines; or
 - (b) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in subparagraph (a) of this condition.

[RULE 401, 3-2-1984; RULE 401, 11-9-2001]

DEVICE CONDITIONS

A. Emission Limits

A63.3 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than or equal to 15 LBS IN ANY ONE DAY

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D54]

A63.4 The operator shall limit emissions from this equipment as follows:

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than or equal to 11 LBS IN ANY ONE DAY

[**RULE 1303(a)(1)-BACT, 5-10-1996**; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D53]

A63.7 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than 30 LBS IN ANY ONE DAY

The operator shall calculate the emission limit(s) in this device for coating usage based on total collection efficiency of 90 % by weight.

[**RULE 1303(a)(1)-BACT, 5-10-1996**; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D12, D57]

A63.8 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than 15 LBS IN ANY ONE DAY

The operator shall calculate the emission limit(s) in this device for coating usage based on total collection efficiency of 90 % by weight.

[**RULE 1303(a)(1)-BACT, 5-10-1996**; RULE 1303(a)(1)-BACT, 12-6-2002]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D4, D13, D19, D60, D61, D64]

A63.9 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than or equal to 12 LBS IN ANY ONE DAY

For the purpose of this condition and for exemption under Rule 1132(h)(2), the VOC emissions from this equipment shall be defined as a monthly average for each calendar month, calculated by dividing the total emissions from this equipment for the calendar month by the number of calendar days in that month.

If the records generated after the end of any calendar month exceed the emission cap of this condition, the operator shall submit the appropriate applications and achieve compliance pursuant to the requirements specified in Rule 1132. Exceedance of the VOC emission limit of this condition shall not subject this equipment to new source review requirements if the operator complies with all other permit conditions that are applicable to such equipment.

In addition to the recordkeeping requirements of Rule 109, the operator shall keep adequate records to demonstrate compliance with this condition.

[RULE 1132(h)(2) - Exemptions, 3-5-2004; RULE 1132(h)(2) - Exemptions, 5-7-2004]

[Devices subject to this condition : D16, D69]

A63.10 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than or equal to 25 LBS IN ANY ONE DAY

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

For the purpose of this condition and for exemption under Rule 1132(h)(2), the VOC emissions from this equipment shall be defined as a monthly average for each calendar month, calculated by dividing the total emissions from this equipment for the calendar month by the number of calendar days in that month.

If the records generated after the end of any calendar month exceed the emission cap of this condition, the operator shall submit the appropriate applications and achieve compliance pursuant to the requirements specified in Rule 1132. Exceedance of the VOC emission limit of this condition shall not subject this equipment to new source review requirements if the operator complies with all other permit conditions that are applicable to such equipment.

In addition to the recordkeeping requirements of Rule 109, the operator shall keep adequate records to demonstrate compliance with this condition.

[RULE 1132(h)(2) - Exemptions, 3-5-2004; RULE 1132(h)(2) - Exemptions, 5-7-2004]

[Devices subject to this condition : D14]

A63.11 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than or equal to 25 LBS IN ANY ONE DAY

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D14]

A63.12 The operator shall limit emissions from this equipment as follows:

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than 5.25 LBS IN ANY ONE DAY

The operator shall calculate the emission limit(s) in this device for coating usage based on total collection efficiency of 90 % by weight.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D65, D66, D67, D68]

A63.13 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
VOC	Less than 3 LBS IN ANY ONE DAY

The operator shall calculate the emission limit(s) in this device for coating usage based on total collection efficiency of 90 % by weight.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D9, D10]

A63.14 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
Visible emissions	Less than or equal to 0 Percent Opacity

[RULE 1155, 5-2-2014]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D33]

B. Material/Fuel Type Limits

B27.1 The operator shall not use materials containing any compounds identified in the SCAQMD Rule 1401, as amended 12/07/1990.

For the purposes of this condition, compounds are those in Table I of the above mentioned rule, with an effective date of 12/07/1990 or earlier.

[RULE 1401, 12-7-1990]

[Devices subject to this condition : D4, D12, D13, D14, D19, D35, D53, D54]

B27.4 The operator shall not use materials, except isopropyl alcohol and propylene glycol monomethyl ether, containing any carcinogenic compounds identified in the SCAQMD Rule 1401, as amended 05/02/2003.

For the purposes of this condition, carcinogenic compounds are those in Table I of the above mentioned rule, with an effective date of 05/02/2003 or earlier.

[RULE 1401, 5-2-2003]

[Devices subject to this condition : D57]

B59.1 The operator shall only use the following material(s) in this device :

aluminum oxide as abarsive media

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D33]

B59.2 The operator shall not use the following material(s) in this device :

Materials containing any toxic air contaminants (TAC) listed in Table 1 of Rule 1401, with an effective date of March 4, 2005, or earlier, except isopropyl alcohol (CAS No. 67-63-0) and propylene glycol methyl ether (CAS No. 107-98-2).

[RULE 1401, 3-4-2005]

[Devices subject to this condition : D60]

B59.3 The operator shall not use the following material(s) in this device :

Materials containing any toxic air contaminants (TAC) listed in Table 1 of Rule 1401, with an effective date of June 5, 2009, or earlier, except isopropyl alcohol (CAS No. 67-63-0) and propylene glycol methyl ether (CAS No. 107-98-2).

[RULE 1401, 6-5-2009]

[Devices subject to this condition : D61]

B59.4 The operator shall not use the following material(s) in this device :

Materials containing any toxic air contaminants (TAC) listed in Table 1 of Rule 1401, with an effective date of September 10, 2010, or earlier, except isopropyl alcohol (CAS No. 67-63-0).

[RULE 1401, 9-10-2010]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D64]

B59.5 The operator shall not use the following material(s) in this device :

Materials containing any toxic air contaminants (TAC) listed in Table 1 of Rule 1401, with an effective date of September 10, 2010, or earlier, except isopropyl alcohol (CAS No. 67-63-0), xylenes (CAS No. 1330-20-7) and propylene glycol methyl ether (CAS No. 107-98-2).

[RULE 1401, 9-10-2010]

[Devices subject to this condition : D65, D66, D67, D68]

B59.6 The operator shall not use the following material(s) in this device :

Materials containing any toxic air contaminants (TAC) listed in Table 1 of Rule 1401, with an effective date of September 10, 2010, or earlier, except benzene (CAS No. 71-43-2), formaldehyde (CAS No. 50-00-00), o- cresol (CAS No. 95-48-7), phenol (CAS No. 108-95-2), isopropyl alcohol (CAS No. 67-63-0), toluene (CAS No. 108-88-3) and propylene glycol methyl ether (CAS No. 107-98-2).

[RULE 1401, 9-10-2010]

[Devices subject to this condition : D69]

C. Throughput or Operating Parameter Limits

C1.2 The operator shall limit the coating and solvent usage to no more than 13 gallon(s) per day.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D6]

C1.4 The operator shall limit the coating and solvent usage to no more than 1 gallon(s) per day.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D16, D69]

C6.1 The operator shall use this equipment in such a manner that the differential pressure being monitored, as indicated below, does not exceed 0.25 inches water column.

To comply with this condition, the operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the filters.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D14, D16, D69]

D. Monitoring/Testing Requirements

D182.1 The operator shall test this equipment in accordance with the following specifications:

The exhaust flow rate from this equipment shall be 10,000 SCFM or greater. If the exhaust fan of this spray booth is repaired, modified, or replaced, the operator shall conduct tests pursuant to an appropriate AQMD approved test method to determine the exhaust flow rate within 60 days of such repair, modification, or replacement

[RULE 1132(h)(2) - Exemptions, 3-5-2004; RULE 1132(h)(2) - Exemptions, 5-7-2004]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D14]

D182.2 The operator shall test this equipment in accordance with the following specifications:

The exhaust flow rate from this equipment shall be less than 10,000 SCFM. If the exhaust fan of this spray booth is repaired, modified, or replaced, the operator shall conduct tests pursuant to an appropriate AQMD approved test method to determine the exhaust flow rate within 60 days of such repair, modification, or replacement

[RULE 1132(h)(2) - Exemptions, 3-5-2004; RULE 1132(h)(2) - Exemptions, 5-7-2004]

[Devices subject to this condition : D16, D69]

D322.1 The operator shall perform a weekly inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D14, D16, D69]

D322.2 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D33]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.2 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D33]

D381.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 1155, 5-2-2014; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D33]

E. Equipment Operation/Construction Requirements

E102.1 The operator shall discharge dust collected in this equipment only into closed containers.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D33]

E175.1 The operator shall not use this equipment unless all exhaust air passes through the following:

Filter media at least 2 inches thick

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D14, D16, D69]

E193.1 The operator shall restrict the operation of this equipment as follows:

Only curing operations with the UV conveyor shall be conducted in this equipment.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D62]

E260.1 The operator shall ensure that all hatches and openings on this equipment shall remain closed except during loading and unloading operations.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D36]

H. Applicable Rules

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	1122

[RULE 1122, 10-1-2004; RULE 1122, 5-1-2009]

[Devices subject to this condition : E37]

H23.2 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	109

[RULE 109, 5-2-2003]

[Devices subject to this condition : D6, E43, D53, D54]

H23.3 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	109
PM	District Rule	481

[RULE 109, 5-2-2003; RULE 481, 1-11-2002]

[Devices subject to this condition : D14, D16, D69]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H23.4 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Halon	District Rule	1418

[RULE 1418, 9-10-1999]

[Devices subject to this condition : E40]

H23.5 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Refrigerants	District Rule	1415

[RULE 1415, 12-3-2010]

[Devices subject to this condition : E38, E39]

H23.6 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Refrigerants	District Rule	1411

[RULE 1411, 3-1-1991]

[Devices subject to this condition : E41]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H23.7 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	109
VOC	District Rule	442

[RULE 109, 5-2-2003; RULE 442, 12-15-2000]

[Devices subject to this condition : D4, D9, D10, D12, D13, D19, D57, D60, D61, D62, D64, D65, D66, D67, D68]

H23.8 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
HAPs	District Rule	1426

[RULE 1426, 5-2-2003]

[Devices subject to this condition : D35, D36]

H23.9 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
PM	District Rule	1140

[RULE 1140, 2-1-1980; RULE 1140, 8-2-1985]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D33]

H23.10 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Visible Emissions	District Rule	1155

[RULE 1155, 5-2-2014]

[Devices subject to this condition : D33]

H339.2 The operator shall determine compliance with Rule 1122(e)(6) requirements by measuring the temperature at the center of the air blanket and the temperature at the center of the superheated solvent vapor zone once a month. In addition to the recordkeeping requirements in Section K of this Facility Permit, the operator shall keep records of the corrective actions taken when the monitoring demonstrates non-compliance.

This condition applies to all degreasing operations on and after January 1, 1999.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : E37]

K. Record Keeping/Reporting

K67.1 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

Daily usage of coatings and solvents

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 109, 5-2-2003; RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D4, D6, D9, D10, D12, D13, D16, D19, D53, D54, D60, D61, D64, D65, D66, D67, D68, D69]

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

Material safety data sheets for all coatings and solvents used at this facility shall be kept current and made available to district personnel.

[RULE 109, 5-2-2003; RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D4, D12, D13, D14, D19, D57, D60, D61, D64, D65, D66, D67, D68, D69]

K67.4 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

the date, time and description of any maintenance or repairs resulting from the inspection

the name of the person performing the inspection and/or maintenance of the filter media

the date, time and results of the inspection

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D14, D16, D33, D69]

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

K67.5 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

weekly record of pressure drop across the filter media

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D14, D16, D69]

K67.6 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

For architectural applications where no thinners, reducers, or other VOC containing materials are added, maintain semi-annual records for all coating consisting of (a) coating type, (b) VOC content as supplied in grams per liter (g/l) of materials for low-solids coatings, (c) VOC content as supplied in g/l of coating, less water and exempt solvent, for other coatings.

For architectural applications where thinners, reducers, or other VOC containing materials are added, maintain daily records for each coating consisting of (a) coating type, (b) VOC content as applied in grams per liter (g/l) of materials used for low-solids coatings, (c) VOC content as applied in g/l of coating, less water and exempt solvent, for other coatings.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : E42]

K67.7 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

Daily usage of all coatings and solvent used in this equipment.

FACILITY PERMIT TO OPERATE SIERRACIN/SYLMAR CORP

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[**RULE 109, 5-2-2003; RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002**]

[Devices subject to this condition : D57]