

# SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

## Title V Permit Summary

AQMD Facility ID:	136173	Company Name:	E/M Coating Services
Equipment Location:	20751 Superior Street, Chatsworth, CA 91311		SIC Code: 3479
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:	
Application #(s):	515678	Application Submittal Date(s):	10/19/10
AQMD Contact Person:	Hamed Mandilawi	Phone #:	E-Mail Address:
		(909) 396-3275	hmandilawi@aqmd.gov
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the coating of aerospace fasteners. The facility operates spray booths, ovens, dip tanks, a solvent recovery still, coaters, and other supporting equipment. Emissions from five spray booths, the dip tanks, seven ovens, and coaters are vented to an air pollution control equipment consisting of mesh filters, HEPA filters, a zeolite concentrator and an afterburner.			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal			
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2010		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u>	
		Ammonia	Emissions (lbs/yr): 289.26
		Benzene	0.118
		Chromium (VI)	0.002
		Formaldehyde	0.25
		Naphthalene	0.004
		PAH's	0.001
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____			
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2010		<input checked="" type="checkbox"/> NOx 1.044 <input checked="" type="checkbox"/> PM 0.06 <input checked="" type="checkbox"/> CO 0.281 <input checked="" type="checkbox"/> SOx 0.004 <input checked="" type="checkbox"/> VOC 1.194 <input type="checkbox"/> Other: _____	
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0)			
Comments:			