

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
System 1: Boilers					
BOILER, NO. 2, DIESEL FUEL, NATURAL GAS, BABCOCK & WILCOX, MODEL TYPE FF 15, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, OXYGEN CONTENT CONTROL, 62 MMBTU/HR WITH A/N: 381727	D2		NOX: MAJOR SOURCE**, SOX: PROCESS UNIT**	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 6.23 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; NOX: 47.75 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; PM: 0.01 GRAINS/SCF (5A) [RULE 476, 10-8-1976]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]; PM: 11 LBS/HR (5B) [RULE 476, 10-8-1976]; SOX: 7 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]	A327.1, B61.1, D12.2, D82.1, D328.1, D371.1, E73.1, E113.1
BURNER, TWO, DIESEL FUEL, NATURAL GAS, TODD VARIFLAME, WITH LOW NOX BURNER, 31 MMBTU/HR					

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
BOILER, NO. 3, DIESEL FUEL, NATURAL GAS, BABCOCK & WILCOX, MODEL TYPE FF 15, WITH LOW NOX BURNER, FLUE GAS RECIRCULATION, OXYGEN CONTENT CONTROL, 62 MMBTU/HR WITH A/N: 381728	D3		NOX: MAJOR SOURCE**, SOX: PROCESS UNIT**	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 6.23 LBS/1000 GAL DIESEL (1) [RULE 2011, 12-5-2003; RULE 2011, 5-6-2005]; NOX: 47.75 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 5-11-2001; RULE 2012, 12-5-2003]; PM: 0.01 GRAINS/SCF (5A) [RULE 476, 10-8-1976]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]; PM: 11 LBS/HR (5B) [RULE 476, 10-8-1976]; SOX: 7 LBS/1000 GAL DIESEL (1) [RULE 2012, 5-11-2001; RULE 2012, 12-5-2003]	A327.1, B61.1, D12.2, D82.1, D328.1, D371.1, E73.1, E113.1
BURNER, TWO, DIESEL FUEL, NATURAL GAS, TODD VARIFLAME, WITH LOW NOX BURNER, 31 MMBTU/HR					

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements
 ** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
BOILER, NO. 5, DIESEL FUEL, DIGESTER GAS, NATURAL GAS, WITH FLUE GAS RECIRCULATION, 147 MMBTU/HR WITH A/N: 381730	D5		NOX: MAJOR SOURCE**, SOX: MAJOR SOURCE - SUPER COMPLIANT **	CO: 400 PPMV (5) [RULE 1146, 11-17-2000]; CO: 2000 PPMV (5A) [RULE 407, 4-2-1982]; NOX: 6.23 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; NOX: 47.75 LBS/MMSCF NATURAL GAS (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; NOX: 47.75 LBS/MMSCF DIGESTER GAS (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; PM: 0.01 GRAINS/SCF (5A) [RULE 476, 10-8-1976]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]; PM: 11 LBS/HR (5B) [RULE 476, 10-8-1976]; SOX: 0.83 LBS/MMSCF NATURAL GAS (1) [RULE 2011(c)(4)-Super Compliance, 12-5-2003]; SOX: 7 LBS/1000 GAL DIESEL (1) [RULE 2011(c)(4)-Super Compliance, 12-5-2003]; SOX: 32.1 LBS/MMSCF DIGESTER GAS (1) [RULE 2011(c)(4)-Super Compliance, 12-5-2003]	A327.1, D328.1, D371.1, E73.2, H418.1
BURNER, DIESEL FUEL, DIGESTER GAS, NATURAL GAS, TODD VARIFLAME, WITH LOW NOX BURNER, 147 MMBTU/HR					

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1: EXTERNAL COMBUSTION					
FLARE, DIGESTER GAS, HEIGHT: 40 FT ; DIAMETER: 10 FT ; 77 MMBTU/HR A/N: 290396	D239			CO: 2000 PPMV (5) [RULE 407, 4-2-1982]; PM: (9) [RULE 404, 2-7-1986]; PM: 0.1 GRAINS/SCF (5) [RULE 409, 8-7-1981]	C8.3, D12.3
Process 2: INTERNAL COMBUSTION					
System 1: Emergency Engines					
INTERNAL COMBUSTION ENGINE, EMERGENCY FIRE, DIESEL FUEL, CUMMINS, MODEL N-855F, 6 CYL, 215 HP A/N: 207988	D7		NOX: PROCESS UNIT**; SOX: PROCESS UNIT**	NOX: 469 LBS/1000 GAL DIESEL (1) [RULE 2012, 12-5-2003; RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; SOX: 6.24 LBS/1000 GAL DIESEL (1) [RULE 2011, 12-5-2003; RULE 2011, 5-6-2005]	C1.4, D135.1
INTERNAL COMBUSTION ENGINE, EMERGENCY ELECTRIC GENERATOR, DIESEL FUEL, JOHN DEERE, MODEL 6068HF475, 314 BHP A/N: 457266	D926			NOX: 469 LBS/1000 GAL DIESEL (5) [RULE 2012, 5-6-2005]; PM: (9) [RULE 404, 2-7-1986; RULE 405, 2-7-1986]; SOX: 6.24 LBS/1000 GAL DIESEL (5) [RULE 2011, 5-6-2005]	B61.2, C1.4, D12.6, D135.1, K67.8
Process 5: BULK MATERIALS					
System 1: SILICA STORAGE					
BULK MATERIAL LOAD/UNLOAD STATION, AIR PALLET CONTAINER, 50 CU. FT, SILICA A/N: 276256	D13	C15		PM: (9) [RULE 405, 2-7-1986]	D323.1
MIXER, NO. 23-103-003, SILICA GEL, HEIGHT: 9 FT ; DIAMETER: 6 FT A/N: 321333	D14			PM: (9) [RULE 405, 2-7-1986]	B59.1, D323.1, E193.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
BAGHOUSE, ULTRA, MODEL CBX-10-58-111, PULSE JET CLEANING, 73 SQ.FT. A/N: 276258	C15	D13		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1, E102.1, K67.2
System 2: CELITE RECEIVING, STORAGE & MIXING					
STORAGE SILO, CELITE WITH A/N: 346728	D16	D296 D297		PM: (9) [RULE 405, 2-7-1986]	
FILTER, NORTHWEST, MODEL 25-8, WITH FABRIC FILTER, 235 SQ.FT.	C294			PM: (9) [RULE 404, 2-7-1986]	A63.2, D12.5, D322.2, D381.1, E102.1
HOPPER, WEIGH, CELITE A/N: 346729	D296	D16		PM: (9) [RULE 405, 2-7-1986]	D323.1
MIXER, CELITE, 2325 GALS A/N: 346729	D297	D16		PM: (9) [RULE 405, 2-7-1986]	D323.1
System 4: ACID MIXING					
MIXER, NO. 23-116-3, SULFAMIC ACID, 100 GALS A/N: 242013	D24	C25			B27.1, B59.2, C1.9, C1.10
SCRUBBER, WITH MIST ELIMINATOR A/N: 241741	C25	D24			C8.1, D12.1, D12.4, K67.3
System 6: Gypsum Conveying and Storage					
STORAGE SILO, GYPSUM, HEIGHT: 30 FT ; DIAMETER: 12 FT A/N: 340638	D280	C283		PM: (9) [RULE 405, 2-7-1986]	C1.6, D323.1
HOPPER, WEIGH, GYPSUM A/N: 340637	D281	C283		PM: (9) [RULE 405, 2-7-1986]	
HOPPER, WEIGH, GYPSUM A/N: 340637	D282	C283		PM: (9) [RULE 405, 2-7-1986]	

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
BAGHOUSE, MAC/FLOTRONICS, MODEL 39AVSC16, PULSE JET CLEANING, 635 SQ.FT.; 16 CARTRIDGE A/N: 340639	C283	D280 D281 D282 D882		PM: (9) [RULE 404, 2-7-1986]	C10.2, D12.5, D322.2, D381.2, E102.1
HOPPER, WEIGH, GYPSUM A/N: 340637	D882	C283		PM: (9) [RULE 405, 2-7-1986]	
HOPPER, WEIGH, GYPSUM, WITH VENT FILTER A/N: 340637	D883			PM: (9) [RULE 405, 2-7-1986]	
System 7: GRAINS RECEIVING STORAGE AND CONVEYING					
BULK MATERIAL LOAD/UNLOAD STATION, 1A TRUCK PIT, GRAIN A/N: 430167	D39			PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, SURGE, PIT, GRAIN WITH A/N: 430167 FILTER, BAG, SHICK TUBE-VEYOR, MODEL 58AJ-25, WITH FABRIC FILTER, 182 SQ.FT.	D42 C886			PM: (9) [RULE 405, 2-7-1986]	D323.1
BULK MATERIAL LOAD/UNLOAD STATION, 1B, PNEUMATIC UNLOADING, GRAIN WITH A/N: 430165 FILTER, WITH FABRIC FILTER, 597 SQ.FT.	D921 C40			PM: (9) [RULE 405, 2-7-1986] PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.2, E102.1, K67.2
HOPPER, SURGE, GRAIN A/N: 430165	D922	C55		PM: (9) [RULE 405, 2-7-1986]	
HOPPER, SURGE, DUST A/N: 430165	D41	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
STORAGE SILO, MALT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D43	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D44	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D45	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUNCT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D46	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUNCT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D47	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 16 FT 3 IN A/N: 430167	D48	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430167	D49	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430167	D50	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430167	D51	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430167	D52	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430168	D53	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT, ADJUCANT, WIDTH: 16 FT 3 IN; HEIGHT: 71 FT 4 IN; LENGTH: 7 FT 8 IN A/N: 430168	D54	C55		PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, BUHLER, MODEL ASFA 44/8, TYPE A, REVERSE JET CLEANING, 410 SQ.FT.; 44 BAGS A/N: 439397	C55	D41 D43 D44 D45 D46 D47 D48 D49 D50 D51 D52 D53 D54 D922		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1, E102.1, K67.2
System 8: MALT/ADJUNCT, RECEIVING STORAGE AND CONVEYING					
BULK MATERIAL LOAD/UNLOAD STATION, SYSTEM 2, MALT, ADJUCANT WITH A/N: 430168	D71	C72		PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER-MIAG, MODEL ASFA 64/8, WITH FABRIC FILTER, LENGTH: 10 FT ; DIAMETER: 3 FT	C72	D71		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1
HOPPER, SURGE, GRAIN A/N: 430168	D74	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions* And Requirements	Conditions
Process 5: BULK MATERIALS					
HOPPER, SURGE, DUST A/N: 430168	D73	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D75	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D76	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D77	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D78	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D79	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D80	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D81	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
STORAGE SILO, MALT A/N: 430168	D82	C83		PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, CLOTH FILTER, BUHLER MIAG, MODEL ASFA 44/8, 410 SQ.FT. A/N: 439395	C83	D73 D74 D75 D76 D77 D78 D79 D80 D81 D82		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1, E102.1, K67.2
System 9: MALT/RICE/ADJUNCT CONVEYING AND MILLING					

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
CONVEYOR, PNEUMATIC WITH A/N: 430169	D56			PM: (9) [RULE 405, 2-7-1986]	
FILTER, BAG, BUHLER-MIAG, MODEL RPPR-14-8, WITH FABRIC FILTER, 167 SQ.FT.	C923			PM: (9) [RULE 405, 2-7-1986]	
FILTER, BAG, BUHLER-MIAG, MODEL RPPR-14-8, WITH FABRIC FILTER, 167 SQ.FT.	C924				
BIN, MALT, ADJUCANT, 1500 CU.FT. A/N: 430169	D58	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
BIN, MALT, ADJUCANT, 1500 CU.FT. A/N: 430169	D59	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
BIN, MALT, 1500 CU.FT. A/N: 430169	D60	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
BIN, MALT, 1500 CU.FT. A/N: 430169	D61	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
BIN, MALT, 780 CU.FT. A/N: 430169	D62	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, DRAG, MALT A/N: 430169	D63	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, SCREW, MALT A/N: 430169	D64	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, MALT A/N: 430169	D65	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, ADJUCANT A/N: 430169	D67	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, WEIGH, MALT, ADJUCANT, 1300 CU.FT. A/N: 430169	D68	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1

- | | |
|--|--|
| * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits | (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
HOPPER, WEIGH, MALT, ADJUCANT, 1300 CU.FT. A/N: 430169	D69	C70		PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, BUHLER-MIAG, MODEL ASFA-36/8, 224 SQ.FT.; 24 BAGS A/N: 302273	C70	D58 D59 D60 D61 D62 D63 D64 D65 D67 D68 D69		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1, E102.1, K67.2
CONVEYOR, PNEUMATIC, NO. 1, MALT WITH A/N: 430169	D84			PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER MIAG, MODEL ASFA 36/8, WITH FABRIC FILTER, LENGTH: 6 FT ; DIAMETER: 2 FT	C85			PM: (9) [RULE 404, 2-7-1986]	D381.1
HOPPER, SURGE, MALT A/N: 430169	D86			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, PNEUMATIC, NO. 2, MALT WITH A/N: 430169	D87			PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER MIAG, MODEL ASFA 24/8, WITH FABRIC FILTER	C88			PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1
HOPPER, SURGE, MALT A/N: 430169	D89	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, SURGE, MALT A/N: 430169	D884	C109		PM: (9) [RULE 405, 2-7-1986]	

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
CONVEYOR, PNEUMATIC, NO. 1, RICE WITH A/N: 430169	D92			PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER MIAG, MODEL ASFA 18/8, WITH FABRIC FILTER, LENGTH: 4 FT ; DIAMETER: 2 FT	C93			PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1
HOPPER, SURGE, RICE A/N: 430169	D94			PM: (9) [RULE 405, 2-7-1986]	D323.1
CONVEYOR, PNEUMATIC, RICE WITH A/N: 430169	D95			PM: (9) [RULE 405, 2-7-1986]	D323.1
FILTER, BUHLER, MODEL MIAG, WITH FABRIC FILTER	C96			PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1
FEEDER, MALT A/N: 430169	D97			PM: (9) [RULE 405, 2-7-1986]	C1.4, D323.1
FEEDER, MALT A/N: 430169	D98			PM: (9) [RULE 405, 2-7-1986]	D323.1
FEEDER, RICE A/N: 430169	D100			PM: (9) [RULE 405, 2-7-1986]	D323.1
FEEDER, RICE A/N: 430169	D101			PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, MALT A/N: 430169	D102	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, MALT A/N: 430169	D103	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, RICE A/N: 430169	D105	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
MILL, RICE A/N: 430169	D106	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 5: BULK MATERIALS					
HOPPER, WEIGH, MALT A/N: 430169	D107	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
HOPPER, WEIGH, RICE A/N: 430169	D108	C109		PM: (9) [RULE 405, 2-7-1986]	D323.1
BAGHOUSE, CLOTH FILTER, BUHLER MIAG, MODEL ASFA 36/8, 336 SQ.FT. A/N: 439396	C109	D89 D102 D103 D105 D106 D107 D108 D884		PM: (9) [RULE 404, 2-7-1986]	D322.2, D381.1, E102.1, K67.2
Process 6: BEER PRODUCTION					
System 3: Brewing for Systems 1 and 2					
COOKER, MASH A/N: 475296	D110			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D111			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D112			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D113			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D114			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D115			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D284			PM: (9) [RULE 405, 2-7-1986]	D323.1
BREW KETTLE, 33000 GALS A/N: 475296	D117			PM: (9) [RULE 405, 2-7-1986]	D323.1
COOKER, MASH A/N: 475296	D259			PM: (9) [RULE 405, 2-7-1986]	D323.1
TANK, STRAINING [LAUTER TUN],, COLD WORT, 21700 GALS A/N: 475296	D255				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, STRAINING [LAUTER TUN],, COLD WORT, 21700 GALS A/N: 475296	D256				
TANK, STRAINING [LAUTER TUN],, COLD WORT, 21700 GALS A/N: 475296	D285				
TANK, STRAINING [LAUTER TUN],, COLD WORT, 21700 GALS A/N: 475296	D286				
BREW KETTLE, REPLACES D116, 21700 GALS A/N: 475296	D257			PM: (9) [RULE 405, 2-7-1986]	D323.1
BREW KETTLE, 21700 GALS A/N: 475296	D258			PM: (9) [RULE 405, 2-7-1986]	D323.1
BREW KETTLE, 33000 GALS A/N: 475296	D118			PM: (9) [RULE 405, 2-7-1986]	D323.1
BREW KETTLE, 33000 GALS A/N: 475296	D119			PM: (9) [RULE 405, 2-7-1986]	D323.1
TANK, SURGE, HOT WORT, 20000 GALS A/N: 475296	D121				
TANK, SURGE, HOT WORT, 33000 GALS A/N: 475296	D122				
TANK, SURGE, HOT WORT, 33000 GALS A/N: 475296	D123				
TANK, SURGE, HOT WORT, 20000 GALS A/N: 475296	D287				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D125				

- | | |
|--|--|
| * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits | (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D126				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D127				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D128				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D129				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D130				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D131				
TANK, SURGE, SPENT GRAIN, 5600 GALS A/N: 475296	D132				
COOLER, HOT WORT WITH A/N: 475296	D133				C1.3
FILTER	D134				
INJECTOR, AIR	D135				
COOLER, HOT WORT WITH A/N: 475296	D136				C1.3
FILTER	D137				
INJECTOR, AIR	D138				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
COOLER, HOT WORT WITH A/N: 475296	D139				C1.3
INJECTOR, AIR	D140				
SETTLING TANK, 33000 GALS A/N: 475296	D141				
SETTLING TANK, 33000 GALS A/N: 475296	D142				
SETTLING TANK, 33000 GALS A/N: 475296	D143				
SETTLING TANK, 33000 GALS A/N: 475296	D144				
SETTLING TANK, 33000 GALS A/N: 475296	D145				
SETTLING TANK, 33000 GALS A/N: 475296	D288				
SETTLING TANK, 33000 GALS A/N: 475296	D289				
SETTLING TANK, 33000 GALS A/N: 475296	D290				
SETTLING TANK, 33000 GALS A/N: 475296	D291				
SETTLING TANK, 33000 GALS A/N: 475296	D292				
TANK, STRAINING [LAUTER TUN],, COLD WORT, 21700 GALS A/N: 475296	D277				
TANK, KRAEUSEN, 37000 GALS A/N: 475296	D278				
TANK, STRAINING, HOPS A/N: 475296	D293				

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FERMENTATION, BEER A/N: 475296	D155				
TANK, FERMENTATION, BEER A/N: 475296	D156				
TANK, FERMENTATION, BEER A/N: 475296	D157				
TANK, FERMENTATION, BEER A/N: 475296	D158				
TANK, FERMENTATION, BEER A/N: 475296	D159				
TANK, FERMENTATION, BEER A/N: 475296	D160				
TANK, FERMENTATION, BEER A/N: 475296	D161				
TANK, FERMENTATION, BEER A/N: 475296	D162				
TANK, FERMENTATION, BEER A/N: 475296	D163				
TANK, FERMENTATION, BEER A/N: 475296	D164				
TANK, FERMENTATION, BEER A/N: 475296	D165				
TANK, FERMENTATION, BEER A/N: 475296	D166				
TANK, FERMENTATION, BEER A/N: 475296	D167				
TANK, FERMENTATION, BEER A/N: 475296	D168				
TANK, FERMENTATION, BEER A/N: 475296	D169				
TANK, FERMENTATION, BEER A/N: 475296	D170				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FERMENTATION, BEER A/N: 475296	D171				
TANK, FERMENTATION, BEER A/N: 475296	D172				
TANK, FERMENTATION, BEER A/N: 475296	D173				
TANK, FERMENTATION, BEER A/N: 475296	D174				
TANK, FERMENTATION, BEER A/N: 475296	D175				
TANK, FERMENTATION, BEER A/N: 475296	D176				
TANK, FERMENTATION, BEER A/N: 475296	D177				
TANK, FERMENTATION, BEER A/N: 475296	D178				
TANK, FERMENTATION, BEER A/N: 475296	D179				
TANK, FERMENTATION, BEER A/N: 475296	D180				
TANK, FERMENTATION, BEER A/N: 475296	D181				
TANK, FERMENTATION, BEER A/N: 475296	D182				
TANK, FERMENTATION, BEER A/N: 475296	D183				
TANK, FERMENTATION, BEER A/N: 475296	D184				
TANK, FERMENTATION, BEER A/N: 475296	D185				
TANK, FERMENTATION, BEER A/N: 475296	D186				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FERMENTATION, BEER A/N: 475296	D187				
TANK, FERMENTATION, BEER A/N: 475296	D188				
TANK, FERMENTATION, BEER A/N: 475296	D189				
TANK, FERMENTATION, BEER A/N: 475296	D190				
TANK, FERMENTATION, BEER A/N: 475296	D191				
TANK, FERMENTATION, BEER A/N: 475296	D192				
TANK, FERMENTATION, BEER A/N: 475296	D193				
TANK, FERMENTATION, BEER A/N: 475296	D194				
TANK, FERMENTATION, BEER A/N: 475296	D195				
TANK, FERMENTATION, BEER A/N: 475296	D196				
TANK, FERMENTATION, BEER A/N: 475296	D197				
TANK, FERMENTATION, BEER A/N: 475296	D198				
TANK, FERMENTATION, BEER A/N: 475296	D199				
TANK, FERMENTATION, BEER A/N: 475296	D200				
TANK, FERMENTATION, BEER A/N: 475296	D201				
TANK, FERMENTATION, BEER A/N: 475296	D202				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FERMENTATION, BEER A/N: 475296	D203				
TANK, FERMENTATION, BEER A/N: 475296	D204				
TANK, FERMENTATION, BEER A/N: 475296	D205				
TANK, FERMENTATION, BEER A/N: 475296	D206				
TANK, FERMENTATION, BEER A/N: 475296	D207				
TANK, FERMENTATION, BEER A/N: 475296	D208				
TANK, FERMENTATION, BEER A/N: 475296	D209				
TANK, FERMENTATION, BEER A/N: 475296	D210				
TANK, FERMENTATION, BEER A/N: 475296	D211				
TANK, FERMENTATION, BEER A/N: 475296	D212				
TANK, FERMENTATION, BEER A/N: 475296	D213				
TANK, FERMENTATION, BEER A/N: 475296	D214				
TANK, FERMENTATION, BEER, 3400 BBL A/N: 475296	D778				C1.7, E17.1
TANK, FERMENTATION, BEER, 3400 BBL A/N: 475296	D779				C1.7, E17.1

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FERMENTATION, BEER, 4000 BBL A/N: 475296	D916				C1.7, E17.1
TANK, ALPHA DROP RECEIVER, BEER, 3400 BBL A/N: 475296	D780				
TANK, ALPHA DROP RECEIVER, BEER, 4000 BBL A/N: 475296	D915				
TANK, KRAEUSEN, 37000 GALS A/N: 475296	D215				
TANK, KRAEUSEN, 37000 GALS A/N: 475296	D216				
TANK, KRAEUSEN, 37000 GALS A/N: 475296	D217				
System 4: CO2 INJECTION					
CLEANER, DEAERATOR A/N: 475296	D300				
SCRUBBER, WITH MIST ELIMINATOR A/N: 475296	D301				
SCRUBBER, WITH MIST ELIMINATOR A/N: 475296	D302				
CARBON FILTER, NO.1, WITH MIST ELIMINATOR A/N: 475296	D303				
CARBON FILTER, NO.2, WITH MIST ELIMINATOR A/N: 475296	D304				

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
HEATER, ELECTRIC, NO.1, WITH MIST ELIMINATOR A/N: 475296	D305				
HEATER, ELECTRIC, NO.2, WITH MIST ELIMINATOR A/N: 475296	D306				
FILTER, NO.1, WITH MIST ELIMINATOR A/N: 475296	D307				
FILTER, NO.2, WITH MIST ELIMINATOR A/N: 475296	D308				
COMPRESSOR, NO.1, CO2, WITH MIST ELIMINATOR A/N: 475296	D309				
COMPRESSOR, NO.2, CO2, WITH MIST ELIMINATOR A/N: 475296	D310				
COMPRESSOR, NO.3, CO2, WITH MIST ELIMINATOR A/N: 475296	D311				
COMPRESSOR, NO.4, CO2, WITH MIST ELIMINATOR A/N: 475296	D312				
System 5: SECONDARY FERMENTATION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D313				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D314				

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D315				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D316				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D317				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D318				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D319				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D320				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D321				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D322				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D323				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D324				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D325				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D326				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D327				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D328				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D329				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D330				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D331				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D332				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D333				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D334				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D335				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D336				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D337				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D338				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D339				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D340				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D341				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D342				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D343				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D344				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D345				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D346				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D347				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D348				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D349				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D350				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D351				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D352				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D353				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D354				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D355				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D356				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D357				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D358				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D359				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D360				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D361				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D362				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D363				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D364				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D365				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D366				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D367				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D368				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D369				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D370				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D371				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D372				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D373				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D374				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D375				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D376				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D377				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D378				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D379				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D380				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D381				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D382				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D383				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D384				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D385				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D386				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D387				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D388				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D389				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D390				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D391				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D392				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D393				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4000 BBL A/N: 475296	D394				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D395				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D396				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D397				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D398				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D399				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 3600 BBL A/N: 475296	D400				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1200 BBL A/N: 475296	D401				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1200 BBL A/N: 475296	D402				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D403				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D404				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D405				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D406				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D407				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D408				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D409				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D410				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D411				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D412				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D413				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D414				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D415				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D416				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D417				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D418				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D419				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D420				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D421				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D422				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D423				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D424				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D425				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D426				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D427				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D428				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D429				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D430				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D431				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D432				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D433				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D434				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D435				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D436				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D437				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D438				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D439				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D440				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D441				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D442				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D443				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D444				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D445				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D446				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D447				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D448				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D449				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D450				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D451				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D452				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D453				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D454				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D455				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D456				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D457				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D458				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D459				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D460				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D461				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D462				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D463				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D464				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D465				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D466				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D467				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D468				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D469				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D470				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D471				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D472				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D473				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D474				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D475				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D476				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D477				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D478				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D479				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D480				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D481				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D482				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D483				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D484				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D485				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D486				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D487				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D488				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D489				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D490				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D491				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D492				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D493				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D494				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D495				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D496				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D497				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D498				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D499				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D500				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D501				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D502				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D503				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D504				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D505				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D506				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D507				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D508				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D509				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D510				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D511				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D512				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D513				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D514				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D515				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D516				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D517				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D518				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D519				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D520				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D521				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D522				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D523				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D524				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D525				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D526				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D527				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D528				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D529				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D530				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D531				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D532				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D533				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D534				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D535				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D536				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D537				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D538				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D539				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D540				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D541				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D542				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D543				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D544				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D545				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D546				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D547				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D548				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D549				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D550				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D551				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D552				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D553				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D554				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D555				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: INACTIVE	D556				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D557				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D558				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D559				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D560				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D561				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D562				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D563				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D564				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D565				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D566				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D567				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D568				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D569				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D570				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D571				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D572				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D573				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D574				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D575				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D576				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D577				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D578				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D579				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D580				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D581				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D582				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D583				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D584				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D585				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D586				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D587				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D588				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D589				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D590				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D591				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D592				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D593				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D594				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D595				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D596				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D597				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D598				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D599				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D600				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D601				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D602				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D603				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D604				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D605				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D606				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D607				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D608				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D609				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D610				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D611				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 1146 BBL A/N: 475296	D612				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D613				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D614				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D615				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D616				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D617				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D618				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D619				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D620				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D621				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D622				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D623				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D624				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D625				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D626				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D627				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D628				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D629				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D630				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D631				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 517 BBL A/N: 475296	D632				
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392366	D848				A63.3, E71.1, E71.2

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392369	D849				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392371	D850				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392373	D851				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392374	D852				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392376	D853				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392378	D854				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392380	D855				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392382	D856				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392384	D857				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392386	D858				E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 392387	D859				E71.1, E71.2

- | | |
|--|--|
| * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits | (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433090	D891				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433091	D892				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433093	D893				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433094	D894				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433096	D895				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433097	D896				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433099	D897				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433101	D898				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433103	D899				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433104	D900				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433105	D901				C1.8, E71.1, E71.2

- | | |
|--|--|
| * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits | (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433106	D902				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433107	D903				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433108	D904				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433109	D905				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433110	D906				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433111	D907				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433112	D908				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433113	D909				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433114	D910				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433115	D911				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433116	D912				C1.8, E71.1, E71.2

- | | |
|--|--|
| * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits | (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433117	D913				C1.8, E71.1, E71.2
TANK, CHIP, BEER, SECONDARY FERMENTATION, 4800 BBL A/N: 433118	D914				C1.8, E71.1, E71.2
System 6: INTERMEDIATE PRODUCT STORAGE					
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D633				
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D634				
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D635				
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D636				
TANK, SCHOENE BEER BALANCE, BEER, 500 BBL A/N: 475296	D637				
TANK, SCHOENE BEER BALANCE, BEER, 400 BBL A/N: 475296	D638				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D639				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D640				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D641				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D642				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D643				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D644				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D645				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D646				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D647				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D648				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D649				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D650				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D651				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D652				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D653				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D654				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D655				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D656				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D657				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D658				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D659				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D660				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D661				
TANK, SCHOENE BEER BALANCE, BEER, 2000 BBL A/N: 475296	D662				

- | | |
|--|--|
| * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits | (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D663				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D664				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D665				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D666				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D667				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D668				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D669				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D670				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D671				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D672				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D673				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D674				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D675				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D676				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D677				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D678				
TANK, SCHOENE BEER BALANCE, BEER, 1200 BBL A/N: 475296	D679				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D680				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D681				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D682				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D683				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D684				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FILTERED BEER BALANCE, BEER, 500 BBL A/N: 475296	D685				
TANK, SCHOENE BEER BALANCE, BEER, 200 BBL A/N: 475296	D686				
TANK, SCHOENE BEER BALANCE, BEER, 150 BBL A/N: 475296	D687				
TANK, SCHOENE BEER BALANCE, BEER, 150 BBL A/N: 475296	D688				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D689				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D690				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D691				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D692				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D693				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D694				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D695				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D696				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D697				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D698				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D699				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D700				
TANK, FINISHING, BEER, 2000 BBL A/N: 475296	D701				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D702				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D703				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D704				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D705				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D706				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D707				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D708				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D709				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D710				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D711				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D712				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D713				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D714				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D715				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D716				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D717				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D718				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D719				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D720				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D721				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D722				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D723				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D724				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D725				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D726				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D727				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D728				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D729				
TANK, FINISHING, BEER, ., 1200 BBL A/N: 475296	D730				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D731				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D732				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D733				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D734				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D735				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D736				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D737				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D738				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D739				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D740				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D741				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D742				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D743				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D744				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D745				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D746				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D747				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D748				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D749				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D750				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D751				
TANK, FINISHING, BEER, 1200 BBL A/N: 475296	D752				
TANK, FINISHING, BEER, ,, 1200 BBL A/N: 475296	D753				
TANK, FILTERED BEER SURGE, BEER, ,, 500 BBL A/N: 475296	D754				
TANK, FILTERED BEER SURGE, BEER, ,, 500 BBL A/N: 475296	D755				
TANK, FILTERED BEER SURGE, BEER, ,, 500 BBL A/N: 475296	D756				
TANK, FILTERED BEER SURGE, BEER, ,, 500 BBL A/N: 475296	D757				
TANK, FILTERED BEER SURGE, BEER, ,, 500 BBL A/N: 475296	D758				
TANK, FILTERED BEER SURGE, BEER, ,, 500 BBL A/N: 475296	D759				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D760				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D761				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D762				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D763				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D764				
TANK, FILTERED BEER SURGE, BEER, , 500 BBL A/N: 475296	D765				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D766				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D767				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D768				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D769				
TANK, FILTERED BEER BALANCE, BEER, 200 BBL A/N: 475296	D770				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, G-BEER, BEER, 1200 BBL A/N: 475296	D771				
TANK, G-BEER, BEER, 1200 BBL A/N: 475296	D772				
TANK, G-BEER, BEER, 1200 BBL A/N: 475296	D773				
TANK, G-BEER, BEER, 1200 BBL A/N: 475296	D774				
TANK, G-BEER, BEER, 400 BBL A/N: 475296	D775				
TANK, G-BEER, BEER, 400 BBL A/N: 475296	D776				
TANK, G-BEER, BEER, 400 BBL A/N: 475296	D777				
TANK, FERMENTATION, BEER, 3400 BBL A/N: 475296	D778				C1.7, E17.1
TANK, FERMENTATION, BEER, 3400 BBL A/N: 475296	D779				C1.7, E17.1
TANK, ALPHA DROP RECEIVER, BEER, 3400 BBL A/N: 475296	D780				
TANK, HOT TRUB RECEIVER, BEER, 1500 BBL A/N: 475296	D781				
TANK, HOT TRUB RECEIVER, BEER, 10 BBL A/N: 475296	D782				
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D927				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, FILTERED BEER SURGE, BEER, 500 BBL A/N: 475296	D928				
System 7: SPENT MATERIAL HANDLING					
BIN, SPENT CHIPS (DUMPSTER), BEER, 10 BBL A/N: 475296	D783				
TANK, DIATOMACEOUS EARTH SLURRY, DIATOMACEOUS EARTH SLURRY A/N: 475296	D784				
FILTER, DIATOMACEOUS EARTH A/N: 475296	D785				
BIN, DIATOMACEOUS EARTH A/N: 475296	D786				
BIN, SPENT YEAST, NO.1, 400 BBL A/N: 475296	D787				
BIN, SPENT YEAST, NO.2, 400 BBL A/N: 475296	D788				
BIN, SPENT GRAINS, 10000 CU.FT. A/N: 475296	D789				
HOPPER, TRUCK LOADING, SPENT GRAINS A/N: 475296	D790				
System 8: K-FILTERS					
CLEANER, CHIP WASHER A/N: 475296	D797				
FILTER, K-FILTER NO. 2, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D792				
CLEANER, KEG WASHER A/N: 475296	D798				

- | | |
|---|---|
| <p>* (1) (1A) (1B) Denotes RECLAIM emission factor
 (3) Denotes RECLAIM concentration limit
 (5) (5A) (5B) Denotes command and control emission limit
 (7) Denotes NSR applicability limit
 (9) See App B for Emission Limits</p> | <p>(2) (2A) (2B) Denotes RECLAIM emission rate
 (4) Denotes BACT emission limit
 (6) Denotes air toxic control rule limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (10) See section J for NESHAP/MACT requirements</p> |
|---|---|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
FILTER, K-FILTER NO. 3, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D793				
CRUSHER, NO. 1 (CANS) A/N: 475296	D799				
FILTER, K-FILTER NO. 4, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D794				
CRUSHER, NO. 2 (CANS) A/N: 475296	D800				
FILTER, K-FILTER NO. 5, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D795				
CRUSHER, (BOTTLES) A/N: 475296	D801				
FILTER, K-FILTER NO. 6, FINAL FILTRATION, BEER, 900 SQ.FT. A/N: 475296	D796				
STORAGE TANK, FIXED ROOF, (SUMP), WASTE BEER A/N: 475296	D802				
System 10: YEAST TANKS					
TANK, YEAST, 900 GALS A/N: 475296	D146				
TANK, YEAST, 900 GALS A/N: 475296	D147				
TANK, YEAST, 900 GALS A/N: 475296	D148				
TANK, YEAST, 900 GALS A/N: 475296	D149				
TANK, YEAST, 900 GALS A/N: 475296	D150				

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
TANK, YEAST, 900 GALS A/N: 475296	D151				
TANK, YEAST, 900 GALS A/N: 475296	D152				
TANK, YEAST, 900 GALS A/N: 475296	D153				
TANK, YEAST, 900 GALS A/N: 475296	D154				
TANK, YEAST, 100 BBL A/N: 475296	D264				
TANK, YEAST, 100 BBL A/N: 475296	D265				
TANK, YEAST, 100 BBL A/N: 475296	D266				
TANK, YEAST, 100 BBL A/N: 475296	D267				
TANK, YEAST, 100 BBL A/N: 335431	D803				E193.2
System 11: Bottle Line No.1					
ETCHER, CONVEYORIZED, LASER TYPE, 2 TOTAL A/N: 393394	D804	C805		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORPTION FILTER, FUMEX A/N: 393394	C805	D804 D860			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D860	C805			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 393394	D806	C807		PM: (9) [RULE 405, 2-7-1986]	

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 393394	C807	D806 D861			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D861	C807			E149.2, K67.7
System 12: Bottle Line No.2					
ETCHER, CONVEYORIZED, LASER TYPE, 2 TOTAL A/N: 395911	D810	C811		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395911	C811	D810 D863			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D863	C811			E149.2, K67.7
System 13: Bottle Line No.7					
ETCHER, CONVEYORIZED, LASER TYPE, 2 TOTAL A/N: 395914	D816	C817		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395914	C817	D816 D866			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D866	C817			E149.2, K67.7
System 15: Bottle Line No.9					
ETCHER, CONVEYORIZED, LASER TYPE, 2 TOTAL A/N: 395917	D824	C825		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395917	C825	D824 D870			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D870	C825			E149.2, K67.7

- | | |
|--|--|
| <ul style="list-style-type: none"> * (1) (1A) (1B) Denotes RECLAIM emission factor (3) Denotes RECLAIM concentration limit (5) (5A) (5B) Denotes command and control emission limit (7) Denotes NSR applicability limit (9) See App B for Emission Limits | <ul style="list-style-type: none"> (2) (2A) (2B) Denotes RECLAIM emission rate (4) Denotes BACT emission limit (6) Denotes air toxic control rule limit (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) (10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395919	D826	C827		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395917	C827	D826 D871			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D871	C827			E149.2, K67.7
System 16: Can Line No.62					
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395919	D828	C829		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395919	C829	D828 D872			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D872	C829			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395919	D830	C831		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395919	C831	D830 D873			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D873	C831			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395919	D832	C833		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395919	C833	D832 D874			E149.1, K67.6

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
CARBON ADSORBER, FUMEX A/N: 393394	D874	C833			E149.2, K67.7
System 17: Can Line No.63					
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395923	D834	C835		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395923	C835	D834 D875			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D875	C835			E149.2, K67.7
System 19: Can Line No.65					
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395927	D840	C841		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395927	C841	D840 D878			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D878	C841			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395927	D842	C843		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395927	C843	D842 D879			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D879	C843			E149.2, K67.7
System 20: Can Line No.66					
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395930	D844	C845		PM: (9) [RULE 405, 2-7-1986]	

- | | |
|--|--|
| * (1) (1A) (1B) Denotes RECLAIM emission factor
(3) Denotes RECLAIM concentration limit
(5) (5A) (5B) Denotes command and control emission limit
(7) Denotes NSR applicability limit
(9) See App B for Emission Limits | (2) (2A) (2B) Denotes RECLAIM emission rate
(4) Denotes BACT emission limit
(6) Denotes air toxic control rule limit
(8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
(10) See section J for NESHAP/MACT requirements |
|--|--|

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6: BEER PRODUCTION					
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395930	C845	D844 D880			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D880	C845			E149.2, K67.7
ETCHER, CONVEYORIZED, LASER TYPE, 1 TOTAL A/N: 395930	D846	C847		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 395930	C847	D846 D881			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 393394	D881	C847			E149.2, K67.7
System 21: Packaging Line No.2					
ETCHER, CONVEYORIZED, 2 TOTAL A/N: 423731	D917	C918		PM: (9) [RULE 405, 2-7-1986]	
FILTER, WITH ACTIVATED CARBON ADSORBER, FUMEX A/N: 423731	C918	D917 C919			E102.1, E149.1, K67.6
CARBON ADSORBER, FUMEX A/N: 430164	C919	C918			E149.2, K67.7
Process 7: BIO-ENERGY RECOVERY SYSTEM					
System 1: Waste Water Treatment System					
SCREEN, CLASSIFYING, CLASSIFYING, WASTE WATER A/N: 380323	D224				
PROCESS TANK, PIT#1, WASTE WATER, 46000 GALS; WIDTH: 16 FT 6 IN; HEIGHT: 22 FT ; LENGTH: 17 FT A/N: 380323	D225				

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 7: BIO-ENERGY RECOVERY SYSTEM					
PROCESS TANK, EQUILIZATION#1, WASTE WATER, 635000 GALS; DIAMETER: 60 FT ; HEIGHT: 30 FT A/N: 380323	D226	C235			
PROCESS TANK, EQUILIZATION#2, WASTE WATER, 635000 GALS; DIAMETER: 60 FT ; HEIGHT: 30 FT A/N: 380323	D227	C235			
DIGESTER, NO.1, WASTE WATER, 343000 GALS; DIAMETER: 33 FT ; HEIGHT: 54 FT A/N: 380323	D228	C235			
DIGESTER, NO.2, WASTE WATER, 343000 GALS; DIAMETER: 33 FT ; HEIGHT: 54 FT A/N: 380323	D229	C235			
DIGESTER, NO.3, WASTE WATER, 343000 GALS; DIAMETER: 33 FT ; HEIGHT: 54 FT A/N: 380323	D230	C235			
DIGESTER, NO.4, WASTE WATER, 343000 GALS; DIAMETER: 33 FT ; HEIGHT: 54 FT A/N: 380323	D231	C235			
TANK, SURGE, BIOGAS A/N: 290395	C260				
PROCESS TANK, WASTE WATER, EFFLUENT TANK, 15000 GALS; DIAMETER: 12 FT ; HEIGHT: 17 FT A/N: 380323	D232				

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 7: BIO-ENERGY RECOVERY SYSTEM					
PROCESS TANK, PIT#2, WASTE WATER, 46000 GALS; WIDTH: 16 FT 6 IN; HEIGHT: 22 FT ; LENGTH: 17 FT A/N: 380323	D233				
SUMP, WASTE WATER, WIDTH: 5 FT ; DEPTH: 12 FT ; LENGTH: 7 FT A/N: 380323	D234				
BIOFILTER, TWO CELLS, EACH, WIDTH: 12 FT ; LENGTH: 24 FT ; FILTER THICKNESS: 4 FT ; HEIGHT: 8 FT A/N: 381724	C235	D226 D227 D228 D229 D230 D231		H2S: 10 PPMV (6) [RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997; RULE 402, 5-7-1976]	D90.1, K67.5
System 2: Biogas Collection System					
STORAGE TANK, BIOGAS A/N: 380323	D262				
SCRUBBER, CHEMICAL, PACKED BED, BIOGAS, HYDROGEN SULFIDE, WIDTH: 5 FT ; HEIGHT: 10 FT ; LENGTH: 7 FT A/N: 380323	D299				C8.4, C10.1
FUGITIVE EMISSIONS, COMPRESSORS, BIOGAS A/N: 380323	D263				
Process 8: RULE 219 EXEMPT EQUIPMENT SUBJECT TO SOURCE-SPECIFIC RULES					
RULE 219 EXEMPT EQUIPMENT, AIR CONDITIONING UNITS	E268				H23.3
RULE 219 EXEMPT EQUIPMENT, REFRIGERATION UNITS	E269				H23.3
RULE 219 EXEMPT EQUIPMENT, ABRASIVE BLASTING EQUIPMENT, GLOVE-BOX, <= 53 FT3, WITH DUST FILTER	E270			PM: (9) [RULE 1140, 8-2-1985; RULE 404, 2-7-1986; RULE 405, 2-7-1986]	D381.1, E102.1, K67.2

- * (1) (1A) (1B) Denotes RECLAIM emission factor
- (3) Denotes RECLAIM concentration limit
- (5) (5A) (5B) Denotes command and control emission limit
- (7) Denotes NSR applicability limit
- (9) See App B for Emission Limits
- (2) (2A) (2B) Denotes RECLAIM emission rate
- (4) Denotes BACT emission limit
- (6) Denotes air toxic control rule limit
- (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
- (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 8: RULE 219 EXEMPT EQUIPMENT SUBJECT TO SOURCE-SPECIFIC RULES					
RULE 219 EXEMPT EQUIPMENT, INKJET PRINTER	E271			ROG: (9) [RULE 1171, 11-7-2003; RULE 1171, 5-6-2005]	H23.4, M333.1
RULE 219 EXEMPT EQUIPMENT, CLEANING EQUIPMENT, SMALL, UNHEATED, NON-CONVEYORIZED	E272			ROG: (9) [RULE 1171, 11-7-2003; RULE 1171, 5-6-2005]	H23.1
RULE 219 EXEMPT EQUIPMENT, LAMINATING EQUIPMENT, LOW USE OR EMISSIONS	E273			ROG: (9) [RULE 1168, 10-3-2003; RULE 1168, 1-7-2005; RULE 1171, 11-7-2003; RULE 1171, 5-6-2005]	H23.5
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS	E274			ROG: (9) [RULE 1113, 11-8-1996; RULE 1171, 11-7-2003; RULE 1171, 5-6-2005]	K67.4
RULE 219 EXEMPT EQUIPMENT, HALON UNIT	E275				H23.2
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, LOW USE OR EMISSIONS	E279			ROG: (9) [RULE 1113, 11-8-1996; RULE 1113, 7-9-2004; RULE 1171, 11-7-2003; RULE 1171, 5-6-2005]	H23.5

* (1) (1A) (1B) Denotes RECLAIM emission factor
 (2) (2A) (2B) Denotes RECLAIM emission rate
 (3) Denotes RECLAIM concentration limit
 (4) Denotes BACT emission limit
 (5) (5A) (5B) Denotes command and control emission limit
 (6) Denotes air toxic control rule limit
 (7) Denotes NSR applicability limit
 (8) (8A) (8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)
 (9) See App B for Emission Limits
 (10) See section J for NESHAP/MACT requirements

** Refer to section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D2	1	1	1
D3	2	1	1
D4	3	1	1
D5	4	1	1
D6	5	1	1
D7	6	2	1
D13	6	5	1
D14	6	5	1
C15	7	5	1
D16	7	5	2
D24	7	5	4
C25	7	5	4
D39	8	5	7
C40	8	5	7
D41	8	5	7
D42	8	5	7
D43	9	5	7
D44	9	5	7
D45	9	5	7
D46	9	5	7
D47	9	5	7
D48	9	5	7
D49	9	5	7
D50	9	5	7
D51	10	5	7
D52	10	5	7
D53	10	5	7
D54	10	5	7
C55	10	5	7
D56	12	5	9
D58	12	5	9
D59	12	5	9
D60	12	5	9
D61	12	5	9
D62	12	5	9

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D63	12	5	9
D64	12	5	9
D65	12	5	9
D67	12	5	9
D68	12	5	9
D69	13	5	9
C70	13	5	9
D71	10	5	8
C72	10	5	8
D73	11	5	8
D74	10	5	8
D75	11	5	8
D76	11	5	8
D77	11	5	8
D78	11	5	8
D79	11	5	8
D80	11	5	8
D81	11	5	8
D82	11	5	8
C83	11	5	8
D84	13	5	9
C85	13	5	9
D86	13	5	9
D87	13	5	9
C88	13	5	9
D89	13	5	9
D92	14	5	9
C93	14	5	9
D94	14	5	9
D95	14	5	9
C96	14	5	9
D97	14	5	9
D98	14	5	9
D100	14	5	9
D101	14	5	9

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D102	14	5	9
D103	14	5	9
D105	14	5	9
D106	14	5	9
D107	15	5	9
D108	15	5	9
C109	15	5	9
D110	15	6	3
D111	15	6	3
D112	15	6	3
D113	15	6	3
D114	15	6	3
D115	15	6	3
D117	15	6	3
D118	16	6	3
D119	16	6	3
D121	16	6	3
D122	16	6	3
D123	16	6	3
D125	16	6	3
D126	17	6	3
D127	17	6	3
D128	17	6	3
D129	17	6	3
D130	17	6	3
D131	17	6	3
D132	17	6	3
D133	17	6	3
D134	17	6	3
D135	17	6	3
D136	17	6	3
D137	17	6	3
D138	17	6	3
D139	18	6	3
D140	18	6	3

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D141	18	6	3
D142	18	6	3
D143	18	6	3
D144	18	6	3
D145	18	6	3
D146	70	6	10
D147	70	6	10
D148	70	6	10
D149	70	6	10
D150	70	6	10
D151	71	6	10
D152	71	6	10
D153	71	6	10
D154	71	6	10
D155	19	6	3
D156	19	6	3
D157	19	6	3
D158	19	6	3
D159	19	6	3
D160	19	6	3
D161	19	6	3
D162	19	6	3
D163	19	6	3
D164	19	6	3
D165	19	6	3
D166	19	6	3
D167	19	6	3
D168	19	6	3
D169	19	6	3
D170	19	6	3
D171	20	6	3
D172	20	6	3
D173	20	6	3
D174	20	6	3
D175	20	6	3

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D176	20	6	3
D177	20	6	3
D178	20	6	3
D179	20	6	3
D180	20	6	3
D181	20	6	3
D182	20	6	3
D183	20	6	3
D184	20	6	3
D185	20	6	3
D186	20	6	3
D187	21	6	3
D188	21	6	3
D189	21	6	3
D190	21	6	3
D191	21	6	3
D192	21	6	3
D193	21	6	3
D194	21	6	3
D195	21	6	3
D196	21	6	3
D197	21	6	3
D198	21	6	3
D199	21	6	3
D200	21	6	3
D201	21	6	3
D202	21	6	3
D203	22	6	3
D204	22	6	3
D205	22	6	3
D206	22	6	3
D207	22	6	3
D208	22	6	3
D209	22	6	3
D210	22	6	3

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D211	22	6	3
D212	22	6	3
D213	22	6	3
D214	22	6	3
D215	23	6	3
D216	23	6	3
D217	23	6	3
D224	75	7	1
D225	75	7	1
D226	76	7	1
D227	76	7	1
D228	76	7	1
D229	76	7	1
D230	76	7	1
D231	76	7	1
D232	76	7	1
D233	77	7	1
D234	77	7	1
C235	77	7	1
D239	6	1	2
D255	15	6	3
D256	16	6	3
D257	16	6	3
D258	16	6	3
D259	15	6	3
C260	76	7	1
D262	77	7	2
D263	77	7	2
D264	71	6	10
D265	71	6	10
D266	71	6	10
D267	71	6	10
E268	77	8	0
E269	77	8	0
E270	77	8	0

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
E271	78	8	0
E272	78	8	0
E273	78	8	0
E274	78	8	0
E275	78	8	0
D277	18	6	3
D278	18	6	3
E279	78	8	0
D280	7	5	6
D281	7	5	6
D282	7	5	6
C283	8	5	6
D284	15	6	3
D285	16	6	3
D286	16	6	3
D287	16	6	3
D288	18	6	3
D289	18	6	3
D290	18	6	3
D291	18	6	3
D292	18	6	3
D293	18	6	3
C294	7	5	2
D296	7	5	2
D297	7	5	2
D299	77	7	2
D300	23	6	4
D301	23	6	4
D302	23	6	4
D303	23	6	4
D304	23	6	4
D305	24	6	4
D306	24	6	4
D307	24	6	4
D308	24	6	4

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D309	24	6	4
D310	24	6	4
D311	24	6	4
D312	24	6	4
D313	24	6	5
D314	24	6	5
D315	25	6	5
D316	25	6	5
D317	25	6	5
D318	25	6	5
D319	25	6	5
D320	25	6	5
D321	25	6	5
D322	25	6	5
D323	25	6	5
D324	25	6	5
D325	25	6	5
D326	26	6	5
D327	26	6	5
D328	26	6	5
D329	26	6	5
D330	26	6	5
D331	26	6	5
D332	26	6	5
D333	26	6	5
D334	26	6	5
D335	26	6	5
D336	26	6	5
D337	27	6	5
D338	27	6	5
D339	27	6	5
D340	27	6	5
D341	27	6	5
D342	27	6	5
D343	27	6	5

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D344	27	6	5
D345	27	6	5
D346	27	6	5
D347	27	6	5
D348	28	6	5
D349	28	6	5
D350	28	6	5
D351	28	6	5
D352	28	6	5
D353	28	6	5
D354	28	6	5
D355	28	6	5
D356	28	6	5
D357	28	6	5
D358	28	6	5
D359	29	6	5
D360	29	6	5
D361	29	6	5
D362	29	6	5
D363	29	6	5
D364	29	6	5
D365	29	6	5
D366	29	6	5
D367	29	6	5
D368	29	6	5
D369	29	6	5
D370	30	6	5
D371	30	6	5
D372	30	6	5
D373	30	6	5
D374	30	6	5
D375	30	6	5
D376	30	6	5
D377	30	6	5
D378	30	6	5

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D379	30	6	5
D380	30	6	5
D381	31	6	5
D382	31	6	5
D383	31	6	5
D384	31	6	5
D385	31	6	5
D386	31	6	5
D387	31	6	5
D388	31	6	5
D389	31	6	5
D390	31	6	5
D391	31	6	5
D392	32	6	5
D393	32	6	5
D394	32	6	5
D395	32	6	5
D396	32	6	5
D397	32	6	5
D398	32	6	5
D399	32	6	5
D400	32	6	5
D401	32	6	5
D402	32	6	5
D403	33	6	5
D404	33	6	5
D405	33	6	5
D406	33	6	5
D407	33	6	5
D408	33	6	5
D409	33	6	5
D410	33	6	5
D411	33	6	5
D412	33	6	5
D413	33	6	5

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D414	34	6	5
D415	34	6	5
D416	34	6	5
D417	34	6	5
D418	34	6	5
D419	34	6	5
D420	34	6	5
D421	34	6	5
D422	34	6	5
D423	34	6	5
D424	34	6	5
D425	35	6	5
D426	35	6	5
D427	35	6	5
D428	35	6	5
D429	35	6	5
D430	35	6	5
D431	35	6	5
D432	35	6	5
D433	35	6	5
D434	35	6	5
D435	35	6	5
D436	36	6	5
D437	36	6	5
D438	36	6	5
D439	36	6	5
D440	36	6	5
D441	36	6	5
D442	36	6	5
D443	36	6	5
D444	36	6	5
D445	36	6	5
D446	36	6	5
D447	37	6	5
D448	37	6	5

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D449	37	6	5
D450	37	6	5
D451	37	6	5
D452	37	6	5
D453	37	6	5
D454	37	6	5
D455	37	6	5
D456	37	6	5
D457	37	6	5
D458	38	6	5
D459	38	6	5
D460	38	6	5
D461	38	6	5
D462	38	6	5
D463	38	6	5
D464	38	6	5
D465	38	6	5
D466	38	6	5
D467	38	6	5
D468	38	6	5
D469	39	6	5
D470	39	6	5
D471	39	6	5
D472	39	6	5
D473	39	6	5
D474	39	6	5
D475	39	6	5
D476	39	6	5
D477	39	6	5
D478	39	6	5
D479	39	6	5
D480	40	6	5
D481	40	6	5
D482	40	6	5
D483	40	6	5

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D484	40	6	5
D485	40	6	5
D486	40	6	5
D487	40	6	5
D488	40	6	5
D489	40	6	5
D490	40	6	5
D491	41	6	5
D492	41	6	5
D493	41	6	5
D494	41	6	5
D495	41	6	5
D496	41	6	5
D497	41	6	5
D498	41	6	5
D499	41	6	5
D500	41	6	5
D501	41	6	5
D502	42	6	5
D503	42	6	5
D504	42	6	5
D505	42	6	5
D506	42	6	5
D507	42	6	5
D508	42	6	5
D509	42	6	5
D510	42	6	5
D511	42	6	5
D512	42	6	5
D513	43	6	5
D514	43	6	5
D515	43	6	5
D516	43	6	5
D517	43	6	5
D518	43	6	5

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D519	43	6	5
D520	43	6	5
D521	43	6	5
D522	43	6	5
D523	43	6	5
D524	44	6	5
D525	44	6	5
D526	44	6	5
D527	44	6	5
D528	44	6	5
D529	44	6	5
D530	44	6	5
D531	44	6	5
D532	44	6	5
D533	44	6	5
D534	44	6	5
D535	45	6	5
D536	45	6	5
D537	45	6	5
D538	45	6	5
D539	45	6	5
D540	45	6	5
D541	45	6	5
D542	45	6	5
D543	45	6	5
D544	45	6	5
D545	45	6	5
D546	46	6	5
D547	46	6	5
D548	46	6	5
D549	46	6	5
D550	46	6	5
D551	46	6	5
D552	46	6	5
D553	46	6	5

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D554	46	6	5
D555	46	6	5
D556	46	6	5
D557	47	6	5
D558	47	6	5
D559	47	6	5
D560	47	6	5
D561	47	6	5
D562	47	6	5
D563	47	6	5
D564	47	6	5
D565	47	6	5
D566	47	6	5
D567	47	6	5
D568	48	6	5
D569	48	6	5
D570	48	6	5
D571	48	6	5
D572	48	6	5
D573	48	6	5
D574	48	6	5
D575	48	6	5
D576	48	6	5
D577	48	6	5
D578	48	6	5
D579	49	6	5
D580	49	6	5
D581	49	6	5
D582	49	6	5
D583	49	6	5
D584	49	6	5
D585	49	6	5
D586	49	6	5
D587	49	6	5
D588	49	6	5

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D589	49	6	5
D590	50	6	5
D591	50	6	5
D592	50	6	5
D593	50	6	5
D594	50	6	5
D595	50	6	5
D596	50	6	5
D597	50	6	5
D598	50	6	5
D599	50	6	5
D600	50	6	5
D601	51	6	5
D602	51	6	5
D603	51	6	5
D604	51	6	5
D605	51	6	5
D606	51	6	5
D607	51	6	5
D608	51	6	5
D609	51	6	5
D610	51	6	5
D611	51	6	5
D612	52	6	5
D613	52	6	5
D614	52	6	5
D615	52	6	5
D616	52	6	5
D617	52	6	5
D618	52	6	5
D619	52	6	5
D620	52	6	5
D621	52	6	5
D622	52	6	5
D623	53	6	5

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D624	53	6	5
D625	53	6	5
D626	53	6	5
D627	53	6	5
D628	53	6	5
D629	53	6	5
D630	53	6	5
D631	53	6	5
D632	53	6	5
D633	57	6	6
D634	57	6	6
D635	57	6	6
D636	57	6	6
D637	57	6	6
D638	57	6	6
D639	57	6	6
D640	57	6	6
D641	58	6	6
D642	58	6	6
D643	58	6	6
D644	58	6	6
D645	58	6	6
D646	58	6	6
D647	58	6	6
D648	58	6	6
D649	58	6	6
D650	58	6	6
D651	58	6	6
D652	59	6	6
D653	59	6	6
D654	59	6	6
D655	59	6	6
D656	59	6	6
D657	59	6	6
D658	59	6	6

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D659	59	6	6
D660	59	6	6
D661	59	6	6
D662	59	6	6
D663	60	6	6
D664	60	6	6
D665	60	6	6
D666	60	6	6
D667	60	6	6
D668	60	6	6
D669	60	6	6
D670	60	6	6
D671	60	6	6
D672	60	6	6
D673	60	6	6
D674	61	6	6
D675	61	6	6
D676	61	6	6
D677	61	6	6
D678	61	6	6
D679	61	6	6
D680	61	6	6
D681	61	6	6
D682	61	6	6
D683	61	6	6
D684	61	6	6
D685	62	6	6
D686	62	6	6
D687	62	6	6
D688	62	6	6
D689	62	6	6
D690	62	6	6
D691	62	6	6
D692	62	6	6
D693	62	6	6

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D694	62	6	6
D695	62	6	6
D696	62	6	6
D697	62	6	6
D698	62	6	6
D699	63	6	6
D700	63	6	6
D701	63	6	6
D702	63	6	6
D703	63	6	6
D704	63	6	6
D705	63	6	6
D706	63	6	6
D707	63	6	6
D708	63	6	6
D709	63	6	6
D710	63	6	6
D711	63	6	6
D712	63	6	6
D713	63	6	6
D714	63	6	6
D715	64	6	6
D716	64	6	6
D717	64	6	6
D718	64	6	6
D719	64	6	6
D720	64	6	6
D721	64	6	6
D722	64	6	6
D723	64	6	6
D724	64	6	6
D725	64	6	6
D726	64	6	6
D727	64	6	6
D728	64	6	6

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D729	64	6	6
D730	64	6	6
D731	65	6	6
D732	65	6	6
D733	65	6	6
D734	65	6	6
D735	65	6	6
D736	65	6	6
D737	65	6	6
D738	65	6	6
D739	65	6	6
D740	65	6	6
D741	65	6	6
D742	65	6	6
D743	65	6	6
D744	65	6	6
D745	65	6	6
D746	65	6	6
D747	66	6	6
D748	66	6	6
D749	66	6	6
D750	66	6	6
D751	66	6	6
D752	66	6	6
D753	66	6	6
D754	66	6	6
D755	66	6	6
D756	66	6	6
D757	66	6	6
D758	66	6	6
D759	66	6	6
D760	67	6	6
D761	67	6	6
D762	67	6	6
D763	67	6	6

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D764	67	6	6
D765	67	6	6
D766	67	6	6
D767	67	6	6
D768	67	6	6
D769	67	6	6
D770	67	6	6
D771	68	6	6
D772	68	6	6
D773	68	6	6
D774	68	6	6
D775	68	6	6
D776	68	6	6
D777	68	6	6
D778	22	6	3
D778	68	6	6
D779	22	6	3
D779	68	6	6
D780	23	6	3
D780	68	6	6
D781	68	6	6
D782	68	6	6
D783	69	6	7
D784	69	6	7
D785	69	6	7
D786	69	6	7
D787	69	6	7
D788	69	6	7
D789	69	6	7
D790	69	6	7
D792	69	6	8
D793	70	6	8
D794	70	6	8
D795	70	6	8
D796	70	6	8

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D797	69	6	8
D798	69	6	8
D799	70	6	8
D800	70	6	8
D801	70	6	8
D802	70	6	8
D803	71	6	10
D804	71	6	11
C805	71	6	11
D806	71	6	11
C807	72	6	11
D810	72	6	12
C811	72	6	12
D816	72	6	13
C817	72	6	13
D824	72	6	15
C825	72	6	15
D826	73	6	15
C827	73	6	15
D828	73	6	16
C829	73	6	16
D830	73	6	16
C831	73	6	16
D832	73	6	16
C833	73	6	16
D834	74	6	17
C835	74	6	17
D840	74	6	19
C841	74	6	19
D842	74	6	19
C843	74	6	19
D844	74	6	20
C845	75	6	20
D846	75	6	20
C847	75	6	20

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D848	53	6	5
D849	54	6	5
D850	54	6	5
D851	54	6	5
D852	54	6	5
D853	54	6	5
D854	54	6	5
D855	54	6	5
D856	54	6	5
D857	54	6	5
D858	54	6	5
D859	54	6	5
D860	71	6	11
D861	72	6	11
D863	72	6	12
D866	72	6	13
D870	72	6	15
D871	73	6	15
D872	73	6	16
D873	73	6	16
D874	74	6	16
D875	74	6	17
D878	74	6	19
D879	74	6	19
D880	75	6	20
D881	75	6	20
D882	8	5	6
D883	8	5	6
D884	13	5	9
C886	8	5	7
D891	55	6	5
D892	55	6	5
D893	55	6	5
D894	55	6	5
D895	55	6	5

**FACILITY PERMIT TO OPERATE
 ANHEUSER-BUSCH INC., (LA BREWERY)**

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D896	55	6	5
D897	55	6	5
D898	55	6	5
D899	55	6	5
D900	55	6	5
D901	55	6	5
D902	56	6	5
D903	56	6	5
D904	56	6	5
D905	56	6	5
D906	56	6	5
D907	56	6	5
D908	56	6	5
D909	56	6	5
D910	56	6	5
D911	56	6	5
D912	56	6	5
D913	57	6	5
D914	57	6	5
D915	23	6	3
D916	23	6	3
D917	75	6	21
C918	75	6	21
C919	75	6	21
D921	8	5	7
D922	8	5	7
C923	12	5	9
C924	12	5	9
D926	6	2	1
D927	68	6	6
D928	69	6	6

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F24.1 Accidental release prevention requirements of Section 112(r)(7):

a). The operator shall comply with the accidental release prevention requirements pursuant to 40 CFR Part 68 and shall submit to the Executive Officer, as a part of an annual compliance certification, a statement that certifies compliance with all of the requirements of 40 CFR Part 68, including the registration and submission of a risk management plan (RMP).

b). The operator shall submit any additional relevant information requested by the Executive Officer or designated agency.

[40CFR 68 - Accidental Release Prevention, 5-24-1996]

DEVICE CONDITIONS

A. Emission Limits

A63.2 The operator shall limit emissions from this equipment as follows:

Contaminant	EMISSIONS LIMIT
PM10	Less than 79 LBS IN ANY 30-DAY PERIOD

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D16]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

A63.3 The operator shall limit emissions from this equipment as follows:

Contaminant	EMISSIONS LIMIT
ROG	Less than 7 LBS IN ANY 30-DAY PERIOD

[Devices subject to this condition : D848]

A327.1 For the purpose of determining compliance with District Rule 476, combustion contaminant emissions may exceed the concentration limit or the mass emission limit listed, but not both limits at the same time.

[RULE 476, 10-8-1976]

[Devices subject to this condition : D1, D2, D3, D4, D5, D6]

B. Material/Fuel Type Limits

B27.1 The operator shall not use materials containing any compounds identified in the SCAQMD Rule 1401, as amended 03/07/2008.

[RULE 1401, 3-7-2008]

[Devices subject to this condition : D24]

B59.1 The operator shall not use the following material(s) in this device :

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- 1.
2. Organic Solvents

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D14]

B59.2 The operator shall only use the following material(s) in this device :

1. sulfamic acid and water

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D24]

B61.1 The operator shall not use fuel oil containing the following specified compounds:

Sulfur greater than or equal to 0.05 weight percent

[**RULE 1303(a)(1)-BACT, 5-10-1996**; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D1, D2, D3, D4]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

B61.2 The operator shall only use fuel oil containing the following specified compounds:

Compound	ppm by weight
Sulfur less than or equal to	15

[RULE 1470, 4-2-2004; **RULE 431.2, 5-4-1990**; RULE 431.2, 9-15-2000]

[Devices subject to this condition : D926]

C. Throughput or Operating Parameter Limits

C1.3 The operator shall limit the material processed to no more than 35100 barrel(s) in any one day.

For the purpose of this condition, material processed shall be defined as cold wort produced.

This limit shall be based on the total combined limit for equipment D133, D136 and D139.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D133, D136, D139]

C1.4 The operator shall limit the operating time to no more than 199 hour(s) in any one year.

[RULE 1110.2, 6-3-2005; **RULE 1304(a)-Modeling and Offset Exemption, 6-14-1996**;
RULE 2012, 5-6-2005]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D7, D97, D926]

C1.6 The operator shall limit the throughput to no more than 648 ton(s) in any one day.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D280]

C1.7 The operator shall limit the material processed to no more than 35,100 barrel(s) in any one day.

This limit shall be based on the total combined limit for equipment D155 to D214, D778, D779, and D916 (Primary Fermentation Tanks).

For the purpose of this condition, material processed shall be defined as cold wort.

To comply with this condition, the operator shall maintain records of the total quantity of material processed in barrels per day..

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D778, D779, D916]

C1.8 The operator shall limit the number of turnovers to no more than 15 in any one calendar month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D891, D892, D893, D894, D895, D896, D897, D898, D899, D900, D901, D902, D903, D904, D905, D906, D907, D908, D909, D910, D911, D912, D913, D914]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

C1.9 The operator shall limit the material processed to no more than 6000 lb(s) in any one day.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D24]

C1.10 The operator shall limit the material processed to no more than 90 ton(s) in any one month.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D24]

C8.1 The operator shall use this equipment in such a manner that the flow rate being monitored, as indicated below, is not less than 3 gpm.

To comply with this condition, the operator shall monitor the flow rate as specified in condition number 12-1.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C25]

C8.3 The operator shall use this equipment in such a manner that the temperature being monitored, as indicated below, is not less than 1400 Deg F.

To comply with this condition, the operator shall monitor the temperature as specified in condition number 12-3.

This condition shall only apply when the biogas supply valves to all boilers are closed and biogas flaring exceeding 300 cfm, occurs longer than 15 minutes continuously.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D239]

- C8.4 The operator shall use this equipment in such a manner that the flow rate being monitored, as indicated below, is not less than 30 gpm.

The operator shall use a flow meter or pressure gauge with a pump flow curve correlating line pressure to flow rate to determine the flow rate.

The operator shall determine and record the parameter being monitored once every 24 hours.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D299]

- C10.1 The operator shall use this equipment in such a manner that the pH being monitored, as indicated below, is maintained between 8 and 11 of the pH scale.

To comply with this condition, the operator shall install and maintain a(n) pH meter to accurately indicate the pH in the scrubber recirculation line.

The operator shall also install and maintain a device to continuously record the parameter being measured.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D299]

- C10.2 The operator shall use this equipment in such a manner that the pressure being monitored, as indicated below, is maintained between 0.5 and 6.5 inches water column.

The operator shall install a pressure gauge to accurately indicate the pressure at the outlet of the filters.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C283]

D. Monitoring/Testing Requirements

D12.1 The operator shall install and maintain a(n) flow meter to accurately indicate the flow rate in the water supply line(s) to the scrubber.

A pressure gauge with a chart correlating line pressure to flow rate may be used as a flow meter to determine the flow rate in the recirculated scrubbing solution.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C25]

D12.2 The operator shall install and maintain a(n) gauge to accurately indicate the flue gas flow from the exhaust gas stack to the burner.

[RULE 1303(a)(1)-BACT, 12-6-2002; RULE 2012, 12-5-2003]

[Devices subject to this condition : D1, D2, D3, D4]

D12.3 The operator shall install and maintain a(n) temperature gauge to accurately indicate the temperature of the flare.

The operator shall record the parameter being monitored once every 24 hours.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D239]

- D12.4 The operator shall install and maintain a(n) pH meter to accurately indicate the pH of the scrubbing solution.

The operator shall record the parameter being monitored once every 24 hours.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C25]

- D12.5 The operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the filter.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D16, C283]

- D12.6 The operator shall install and maintain a(n) non-resettable elapsed time meter to accurately indicate the elapsed operating time of the engine.

[RULE 1110.2, 2-1-2008; RULE 1470, 6-1-2007]

[Devices subject to this condition : D926]

- D82.1 The operator shall install and maintain a CEMS to measure the following parameters:

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

NOX concentration in ppmv

Concentrations shall be corrected to 3 percent oxygen on a dry basis.

The CEMS will convert the actual NOX concentrations to mass emission rates (lbs/hr) and record the hourly emission rates on a continuous basis.

[RULE 2012, 5-6-2005]

[Devices subject to this condition : D1, D2, D3, D4]

D90.1 The operator shall periodically monitor the H2S concentration at the outlet of the biofilter according to the following specifications:

The operator shall use Dreger Tube (or equivalent) at the biofilter screen port to monitor the parameter.

The operator shall monitor once every day.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C235]

D135.1 The operator shall inspect, adjust, and certify the ignition or fuel injection timing of this engine a minimum of once every 3 years of operation. Inspections, adjustments, and certifications shall be performed by a qualified mechanic and performed in accordance with the engine manufacturer's specifications and procedures.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D7, D926]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D322.2 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C15, D16, C55, C70, D71, C83, D87, D92, D95, C109, C283, D921]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D13, D14, D39, D41, D42, D43, D44, D45, D46, D47, D48, D49, D50, D51, D52, D53, D54, D58, D59, D60, D61, D62, D63, D64, D65, D67, D68, D69, D71, D73, D74, D75, D76, D77, D78, D79, D80, D81, D82, D84, D86, D87, D89, D92, D94, D95, D97, D98, D100, D101, D102, D103, D105, D106, D107, D108, D110, D111, D112, D113, D114, D115, D117, D118, D119, D257, D258, D259, D280, D284, D296, D297, D885, D890]

- D328.1 The operator shall determine compliance with the CO emission limit(s) either: (a) conducting a source test at least once every five years using AQMD Method 100.1 or 10.1; or (b) conducting a test at least annually using a portable analyzer and AQMD-approved test method. The test shall be conducted when the equipment is operating under normal conditions to demonstrate compliance with Rule 1146. The operator shall comply with all general testing, reporting, and recordkeeping requirements in Sections E and K of this permit.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D1, D2, D3, D4, D5, D6]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D371.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever this equipment has combusted one million gallons of diesel fuel, to be counted cumulatively over a five year period. The inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall:

Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three working days (or during the next fuel oil firing period if the unit ceases firing on fuel oil within the three working day time frame) and report any deviations to AQMD.

In addition, the operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- a). Stack or emission point identification;
- b). Description of any corrective actions taken to abate visible emissions;
- c). Date and time visible emission was abated; and
- d). Visible emission observation record by a certified smoke reader.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D1, D2, D3, D4, D5, D6]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C15, D16, C55, C70, D71, C83, D84, D87, D92, D95, C109, E270]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D381.2 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a quarterly basis, at least, unless the equipment did not operate during the entire quarterly period. The routine quarterly inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C283, D921]

E. Equipment Operation/Construction Requirements

E17.1 The operator shall not use more than 60 of the following items simultaneously:

Device ID: D778 [D779, D916, and D155 to D214 (Primary Fermentation Tanks)]

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[Devices subject to this condition : D778, D779, D916]

E71.1 The operator shall only use this equipment for the storage and processing of beer.

[RULE 204, 10-8-1993]

[Devices subject to this condition : D848, D849, D850, D851, D852, D853, D854, D855, D856, D857, D858, D859, D891, D892, D893, D894, D895, D896, D897, D898, D899, D900, D901, D902, D903, D904, D905, D906, D907, D908, D909, D910, D911, D912, D913, D914]

E71.2 The operator shall not vent this equipment to the atmosphere except during filling, loading, and cleaning operations.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D848, D849, D850, D851, D852, D853, D854, D855, D856, D857, D858, D859, D891, D892, D893, D894, D895, D896, D897, D898, D899, D900, D901, D902, D903, D904, D905, D906, D907, D908, D909, D910, D911, D912, D913, D914]

E73.1 Notwithstanding the requirements of Section E conditions, the operator may, at his discretion, choose not to use FGR if any of the following requirement(s) are met:

Boiler load is less than 30 percent of maximum load

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D1, D2, D3, D4]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E73.2 Notwithstanding the requirements of Section E conditions, the operator may use standard SCAQMD approved source test methods, without submitting a source test protocol sixty day prior to the source test date, to conduct source tests performed for SO_x Super Compliance:

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D5, D6]

E102.1 The operator shall discharge dust collected in this equipment only into closed containers.

[RULE 1303(a)(1)-BACT, 12-6-2002; RULE 1303(b)(2)-Offset, 5-10-1996]

[Devices subject to this condition : C15, D16, C18, C55, C70, C83, C109, E270, C283, C805, C807, C811, C817, C825, C827, C829, C831, C835, C839, C841, C843, C845, C847, C918, D921]

E113.1 The operator shall have the burner equipped with a control system to automatically regulate the combustion air, fuel and, if applicable, recirculated flue gas as the boiler load varies. This control system shall be adjusted and tuned at least twice a year according to the manufacturer's specifications to maintain its ability to repeat the same performance at the same firing rate.

[RULE 1146, 11-17-2000; RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D1, D2, D3, D4]

E149.1 The operator shall replace the exhaust filters or wash the exhaust filters at least once every three months or according the manufacturer recommended frequency.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C805, C807, C811, C817, C825, C827, C829,
C831, C833, C835, C839, C841, C843, C845, C847, C918]

E149.2 The operator shall replace the carbon adsorbers at least once every six months or according to manufacturers recommendation.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D860, D861, D863, D866, D870, D871, D872,
D873, D874, D875, D877, D878, D879, D880, D881, C919]

E193.1 The operator shall upon completion of construction, operate and maintain this equipment according to the following specifications:

Water sprays shall be operated whenever dry materials are added to device D14

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D14]

E193.2 The operator shall upon completion of construction, operate and maintain this equipment according to the following specifications:

The tank shall be well mixed

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D803]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H. Applicable Rules

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
ROG	District Rule	1122

[RULE 1122, 7-11-1997; RULE 1122, 12-6-2002]

[Devices subject to this condition : E272]

H23.2 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Halon	District Rule	1418

[RULE 1418, 9-10-1999]

[Devices subject to this condition : E275]

H23.3 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Refrigerants	District Rule	1415
Refrigerants	40CFR82, SUBPART	F

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[RULE 1415, 10-14-1994; 40CFR 82 Subpart F, 5-14-1993]

[Devices subject to this condition : E268, E269]

H23.4 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
ROG	District Rule	442
ROG	District Rule	109

[RULE 109, 5-2-2003; RULE 442, 12-15-2000]

[Devices subject to this condition : E271]

H23.5 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
ROG	District Rule	109

[RULE 109, 5-2-2003]

[Devices subject to this condition : E273, E279]

H418.1 This equipment is subject to the Super Compliance provisions of Rule 2011. In order to maintain designation as a Super Compliant facility, the operator shall conduct annual source tests of this equipment to determine the SOx emissions at the outlet. The test shall be conducted to demonstrate compliance with Rule 2011(c)(4)(C) and 2011(c)(4)(D), as amended September 8, 1995. The operator shall also provide source tests reports to the District no more than sixty days after the date of the source tests.

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

**[RULE 2011(c)(4)-Super Compliance, 12-7-1995; RULE 2011(c)(4)-Super
Compliance, 12-5-2003]**

[Devices subject to this condition : D5, D6]

K. Record Keeping/Reporting

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

the name of the person performing the inspection and/or maintenance of the filter media

the date, time and results of the inspection

the date, time and description of any maintenance or repairs resulting from the inspection

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C15, C18, C55, C70, C83, C109, E270, D921]

K67.3 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

scrubbing solution flow rate

scrubbing solution pH

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C25]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

K67.4 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

For architectural applications where no thinners, reducers, or other VOC containing materials are added, maintain semi-annual records for all coating consisting of (a) coating type, (b) VOC content as supplied in grams per liter (g/l) of materials for low-solids coatings, (c) VOC content as supplied in g/l of coating, less water and exempt solvent, for other coatings.

For architectural applications where thinners, reducers, or other VOC containing materials are added, maintain daily records for each coating consisting of (a) coating type, (b) VOC content as applied in grams per liter (g/l) of materials used for low-solids coatings, (c) VOC content as applied in g/l of coating, less water and exempt solvent, for other coatings.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : E274]

K67.5 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

daily H₂S concentration measured by Dreger Tube or (equivalent)

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C235]

K67.6 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

Filter replacement or washing frequency

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

[**RULE 1303(a)(1)-BACT, 5-10-1996**; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C805, C807, C811, C817, C825, C827, C829, C831, C833, C835, C839, C841, C843, C845, C847, C918]

K67.7 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

Carbon replacement frequency

[**RULE 1303(a)(1)-BACT, 5-10-1996**; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D860, D861, D863, D866, D870, D871, D872, D873, D874, D875, D877, D878, D879, D880, D881, C919]

K67.8 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

An engine operating log shall be kept and maintained on file to record when this engine is started manually. The log shall list the date of operation, the timer reading in hours at the beginning and end of operation and the reason for operation.

By January 15 of each year, the operator shall total and record the total hours of operation (including hours for both manual and automatic operation) for the previous calendar year.

All records required by this permit shall be kept in a format that is acceptable to the District, shall be retained on the premises for at least three years, and shall be made available to any District representative upon request.

[**RULE 1110.2, 2-1-2008**; RULE 1470, 6-1-2007]

[Devices subject to this condition : D926]

FACILITY PERMIT TO OPERATE ANHEUSER-BUSCH INC., (LA BREWERY)

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

M. Title V Permit Shield

M333.1 Permit Shield. Notwithstanding the other requirements and conditions in this permit, this device is not subject to the following rule requirement(s):

Rule	Number/Subpart	Adopted/Amended Date	Non-Applicable Requirement(s)
District Rule	1130	10/08/1999	All
District Rule	1107	01/06/2006	All

Compliance with the conditions of this Title V permit shall be deemed in compliance with any regulatory requirements applicable as of the date of permit issuance to this device, provided that such regulatory requirements are included and specifically identified in this permit. Nothing in this permit or in any permit shield can alter or affect: (a) under Section 303 of the Federal Clean Air Act, the provisions for emergency orders; (b) the liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance; (c) the applicable requirements of the Acid Rain Program; (d) the ability of EPA to obtain information from the operator pursuant to Section 114 of the Federal Clean Air Act; (e) the applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do not apply to the facility, such as toxics requirements unique to the State; or, (f) the applicability of regulatory requirements with compliance dates after the permit issuance date. This permit shield shall not apply to any operational change made pursuant to the operational flexibility provisions of District Rule 3005.

[RULE 3004(c)-Permit Shield, 12-12-1997]

[Devices subject to this condition : E271]