



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178  
(909) 396-2000 • www.aqmd.gov

June 10, 2009

Mr. Gerardo Rios  
Chief, Permits Office  
U.S. EPA – Region IX – Air – 3  
75 Hawthorne Street  
San Francisco, CA 94105

**Subject: Title V Permit to Operate Revision**

Dear Mr. Rios:

The University of California, Los Angeles (ID #18452) has proposed to revise their Title V facility permit by adding two emergency internal combustion engines (A/N's 498393 and 498553). This proposed revision is considered a "de minimis significant permit revision" to their Title V Facility Permit. The draft Title V permit for the proposed revision is being sent electronically for your review. With your receipt of this proposed Title V permit, we will note that the EPA 45-day review period has begun.

If you have any questions or wish to provide comments regarding these changes, please contact the processing engineer, Ms. Maria Vibal at (909) 396-2422 or [mvibal@aqmd.gov](mailto:mvibal@aqmd.gov).

Sincerely,

*Michael D. Mills*

Michael D. Mills, P.E.  
Senior Manager  
General Commercial and Energy Team  
Engineering and Compliance

MDM:MYL:RGC:MV

Enclosures

cc: (w/o Enclosures)  
Title V Facility File  
Title V Admin File