



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

October 30, 2013

Mr. Bob Palmer
Plant Manager
3M Company
1601 S. Shamrock Avenue
Monrovia, CA 91016

SUBJECT: Title V Facility Permit Revision (Facility ID: 35188)

Dear Mr. Palmer:

Please find attached the revised Title Page, Table of Contents, and Section D of your Title V Facility Permit. The revised sections reflect the approval of the permit revision requested in your Application Number 555548. The proposed permit revision was submitted to EPA for 45-day review on September 13, 2013. This permit revision includes the proposed modification of the following equipment:

Equipment	Appl. No.	Permit Type
North Coating and Curing System	555545	PC
South Coating and Curing System	555546	PC
Air Pollution Control System	555547	PC

Please review the attached sections carefully. Insert the enclosed sections into your Title V Facility Permit and discard the earlier version. Questions concerning changes to your permit should be directed to Mr. Rene Loof at (909) 396-2544.

Sincerely,

Amir Dejbakhsh
Senior Engineering Manager
Coating, Printing, Plating, Military
& Entertainment Operations

Attachment
cc: Gerardo Rios, EPA Region IX