



SEP 06 2012

Derek Yurosek  
WM Bolthouse Farms Inc - North Avenal  
7200 E. Brundage Lane  
Bakersfield, CA 93307

**Re: Notice of Final Action - Title V Permit**  
**District Facility # C-7837**  
**Project # C-1120332**

Dear Mr. Yurosek:

The District has issued the Final Title V Permit for WM Bolthouse Farms Inc - North Avenal. The preliminary decision for this project was made on July 23, 2012. No comments were received subsequent to the District preliminary decision. The location of the facility was corrected to Section 15, Township 22S, Range 17E in Avenal, California. Enclosed are the Final Title V Permit and public notice to be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner  
Director of Permit Services

**Attachments**

cc: Juscellino Siongco, Permit Services Engineer

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



SEP 06 2012

Gerardo C. Rios, Chief  
Permits Office (AIR-3)  
U.S. EPA - Region IX  
75 Hawthorne St  
San Francisco, CA 94105

**Re: Notice of Final Action - Title V Permit**  
**District Facility # C-7837**  
**Project # C-1120332**

Dear Mr. Rios:

The District has issued the Final Title V Permit for WM Bolthouse Farms Inc - North Avenal. The preliminary decision for this project was made on July 23, 2012. No comments were received subsequent to the District preliminary decision. The location of the facility was corrected to Section 15, Township 22S, Range 17E in Avenal, California. Enclosed are the Final Title V Permit and public notice to be published approximately three days from the date of this letter.

I would like to thank you and your staff for working with us. We appreciate your concurrence with this action. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner  
Director of Permit Services

Attachments

cc: Juscellino Siongco, Permit Services Engineer

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



SEP 06 2012

Mike Tollstrup, Chief  
Project Assessment Branch  
Air Resources Board  
P O Box 2815  
Sacramento, CA 95812-2815

**Re: Notice of Final Action - Title V Permit  
District Facility # C-7837  
Project # C-1120332**

Dear Mr. Tollstrup:

The District has issued the Final Title V Permit for WM Bolthouse Farms Inc - North Avenal. The preliminary decision for this project was made on July 23, 2012. No comments were received subsequent to the District preliminary decision. The location of the facility was corrected to Section 15, Township 22S, Range 17E in Avenal, California. Enclosed are the Final Title V Permit and public notice to be published approximately three days from the date of this letter.

I would like to thank you and your staff for working with us. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner  
Director of Permit Services

**Attachments**

cc: Juscelino Siongco, Permit Services Engineer

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585

Fresno Bee

**SAN JOAQUIN VALLEY  
AIR POLLUTION CONTROL DISTRICT  
NOTICE OF FINAL DECISION TO ISSUE  
FEDERALLY MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District has made its final decision to issue the initial Federally Mandated Operating Permit to WM Bolthouse Farms Inc - North Avenal for its agricultural facility, Section 15, Township 22S, Range 17E in Avenal, California.

The District's analysis of the legal and factual basis for this proposed action, project #C-1120332, is available for public inspection at [http://www.valleyair.org/notices/public\\_notices\\_idx.htm](http://www.valleyair.org/notices/public_notices_idx.htm) and the District office at the address below. For additional information regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900, or contact David Warner, Director of Permit Services, in writing at SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 E. GETTYSBURG AVE, FRESNO, CA 93726-0244.



# Permit to Operate

**FACILITY:** C-7837

**EXPIRATION DATE:** 08/31/2017

**LEGAL OWNER OR OPERATOR:**

WM BOLTHOUSE FARMS INC - NORTH AVENAL

**MAILING ADDRESS:**

7200 E BRUNDAGE LN  
BAKERSFIELD, CA 93307

**FACILITY LOCATION:**

TS-22S, R-17E  
AVENAL, CA

**FACILITY DESCRIPTION:**

AGRICULTURAL CROP PRODUCTION

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

**Seyed Sadredin**

Executive Director / APCO

**David Warner**

Director of Permit Services

# San Joaquin Valley Air Pollution Control District

**FACILITY:** C-7837-0-0

**EXPIRATION DATE:** 08/31/2017

## **FACILITY-WIDE REQUIREMENTS**

---

1. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1 and Fresno County Rule 110] Federally Enforceable Through Title V Permit
2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0 and Fresno County Rule 110] Federally Enforceable Through Title V Permit
3. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.9.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: WM BOLTHOUSE FARMS INC - NORTH AVENAL

Location: TS-22S, R-17E, AVENAL, CA

C-7837-0-0 : Sep 4 2012 4:10PM - SIONGCOJ

10. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
32. Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
34. Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
35. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

36. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
40. On September 30, 2012, the initial Title V permit was issued. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report are based upon this initial permit issuance date, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-7837-8-0

EXPIRATION DATE: 08/31/2017

## EQUIPMENT DESCRIPTION:

TRANSPORTABLE 60 BHP JOHN DEERE MODEL 4045D TIER 2 CERTIFIED DIESEL-FIRED IC ENGINE S/N PE4045D683007 POWERING AN AGRICULTURAL BOOSTER PUMP (ENG 307)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-6982, C-7842, C-7843 and S-7633. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. This engine shall be equipped with an operational nonresettable elapsed time meter or other APCO approved alternative. [District Rule 4702]
7. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]
8. Emissions from this IC engine shall not exceed any of the following limits: 4.22 g-NOx/bhp-hr, 1.94 g-CO/bhp-hr, or 0.32 g-VOC/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
9. Emissions from this IC engine shall not exceed 0.20 g-PM10/bhp-hr based on US EPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, and 17 CCR 93115]
10. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
11. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701 and 17 CCR 93115]
12. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702]
17. This certified Tier 1 or Tier 2 engine shall be replaced with a new certified Tier 4 engine by January 1, 2015 or 12 years from the installation of the engine, whichever is later, to be in compliance with Rule 4702. Authority to Construct (ATC) application for new certified Tier 4 engine must be submitted to the District at least six months before the compliance date. [District Rule 4702]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-7837-9-0

EXPIRATION DATE: 08/31/2017

## EQUIPMENT DESCRIPTION:

TRANSPORTABLE 60 BHP JOHN DEERE MODEL 4045D TIER 2 CERTIFIED DIESEL-FIRED IC ENGINE S/N PE4045D683006 POWERING AN AGRICULTURAL BOOSTER PUMP (ENG 309)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-6982, C-7842, C-7843 and S-7633. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. This engine shall be equipped with an operational nonresettable elapsed time meter or other APCO approved alternative. [District Rule 4702]
7. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]
8. Emissions from this IC engine shall not exceed any of the following limits: 4.22 g-NOx/bhp-hr, 1.94 g-CO/bhp-hr, or 0.32 g-VOC/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
9. Emissions from this IC engine shall not exceed 0.20 g-PM10/bhp-hr based on US EPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, and 17 CCR 93115]
10. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
11. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701 and 17 CCR 93115]
12. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702]
17. This certified Tier 1 or Tier 2 engine shall be replaced with a new certified Tier 4 engine by January 1, 2015 or 12 years from the installation of the engine, whichever is later, to be in compliance with Rule 4702. Authority to Construct (ATC) application for new certified Tier 4 engine must be submitted to the District at least six months before the compliance date. [District Rule 4702]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-7837-10-0

EXPIRATION DATE: 08/31/2017

## EQUIPMENT DESCRIPTION:

TRANSPORTABLE 60 BHP JOHN DEERE MODEL 4045D TIER 2 CERTIFIED DIESEL-FIRED IC ENGINE S/N PE4045D683004 POWERING AN AGRICULTURAL BOOSTER PUMP (ENG 310)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-6982, C-7842, C-7843 and S-7633. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. This engine shall be equipped with an operational nonresettable elapsed time meter or other APCO approved alternative. [District Rule 4702]
7. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]
8. Emissions from this IC engine shall not exceed any of the following limits: 4.22 g-NOx/bhp-hr, 1.94 g-CO/bhp-hr, or 0.32 g-VOC/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
9. Emissions from this IC engine shall not exceed 0.20 g-PM10/bhp-hr based on US EPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, and 17 CCR 93115]
10. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
11. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701 and 17 CCR 93115]
12. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702]
17. This certified Tier 1 or Tier 2 engine shall be replaced with a new certified Tier 4 engine by January 1, 2015 or 12 years from the installation of the engine, whichever is later, to be in compliance with Rule 4702. Authority to Construct (ATC) application for new certified Tier 4 engine must be submitted to the District at least six months before the compliance date. [District Rule 4702]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-7837-11-0

**EXPIRATION DATE:** 08/31/2017

**EQUIPMENT DESCRIPTION:**

TRANSPORTABLE 125 BHP JOHN DEERE MODEL 4045H TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE S/N PE4045L008898 POWERING AN AGRICULTURAL IRRIGATION BOOSTER PUMP (ENG #343)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-7836, C-7837, C-7842, C-7843 and C-6982. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
7. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115]
8. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]
9. Emissions from this IC engine shall not exceed any of the following limits: 2.41 g-NOx/bhp-hr, 1.12 g-CO/bhp-hr, or 0.13 g-VOC/bhp-hr. [District Rule 2201 and 13 CCR 2423 and 17 CCR 93115]
10. Emissions from this IC engine shall not exceed 0.19 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102 and 13 CCR 2423 and 17 CCR 93115]
11. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
12. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The permittee shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-7837-12-0

**EXPIRATION DATE:** 08/31/2017

**EQUIPMENT DESCRIPTION:**

TRANSPORTABLE 125 BHP JOHN DEERE MODEL 4045H S/N PE4045L006829 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG #345)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-7836, C-7837, C-7842, C-7843 and C-6982. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
7. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115]
8. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]
9. Emissions from this IC engine shall not exceed any of the following limits: 2.41 g-NOx/bhp-hr, 1.12 g-CO/bhp-hr, or 0.13 g-VOC/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
10. Emissions from this IC engine shall not exceed 0.19 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, and 17 CCR 93115]
11. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
12. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701, and 17 CCR 93115]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: WM BOLTHOUSE FARMS INC - NORTH AVENAL

Location: TS-22S, R-17E, AVENAL, CA

C-7837-12-0 : Sep 4 2012 4:10PM - SIONGCCJ

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-7837-13-0

**EXPIRATION DATE:** 08/31/2017

**EQUIPMENT DESCRIPTION:**

TRANSPORTABLE 125 BHP JOHN DEERE MODEL 4045H S/N PE4045L012454 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG #344)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-7836, C-7837, C-7842, C-7843 and C-6982. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
7. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115]
8. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]
9. Emissions from this IC engine shall not exceed any of the following limits: 2.41 g-NOx/bhp-hr, 1.12 g-CO/bhp-hr, or 0.13 g-VOC/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
10. Emissions from this IC engine shall not exceed 0.19 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, and 17 CCR 93115]
11. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
12. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701, and 17 CCR 93115]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: WM BOLTHOUSE FARMS INC - NORTH AVENAL

Location: TS-22S, R-17E, AVENAL, CA

C-7837-13-0 : Sep 4 2012 4:10PM - SIONGCCJ

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-7837-14-0

**EXPIRATION DATE:** 08/31/2017

**EQUIPMENT DESCRIPTION:**

TRANSPORTABLE 125 BHP JOHN DEERE MODEL 4045H S/N PE4045L012410 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG #342)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-7836, C-7837, C-7842, C-7843 and C-6982. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
7. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115]
8. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]
9. Emissions from this IC engine shall not exceed any of the following limits: 2.41 g-NOx/bhp-hr, 1.12 g-CO/bhp-hr, or 0.13 g-VOC/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
10. Emissions from this IC engine shall not exceed 0.19 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, and 17 CCR 93115]
11. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
12. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701, and 17 CCR 93115]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: WM BOLTHOUSE FARMS INC - NORTH AVENAL

Location: TS-22S, R-17E, AVENAL, CA

C-7837-14-0 : Sep 4 2012 4:10PM - SIONGCCJ

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-7837-15-0

**EXPIRATION DATE:** 08/31/2017

**EQUIPMENT DESCRIPTION:**

TRANSPORTABLE 226 BHP JOHN DEERE MODEL 6068H S/N PE6068L100945 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG #347)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-7836, C-7837, C-7842, C-7843 and C-6982. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
7. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115]
8. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]
9. Emissions from this IC engine shall not exceed any of the following limits: 2.55 g-NOx/bhp-hr, 0.37 g-CO/bhp-hr, or 0.13 g-VOC/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
10. Emissions from this IC engine shall not exceed 0.09 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, and 17 CCR 93115]
11. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
12. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701, and 17 CCR 93115]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-7837-17-1

**EXPIRATION DATE:** 08/31/2017

**EQUIPMENT DESCRIPTION:**

325 BHP JOHN DEERE MODEL 6125H SERIAL #RG6125H030975 TIER 2 DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL WELL PUMP (ENG 316)

## PERMIT UNIT REQUIREMENTS

---

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070 and Fresno County Rule 107] Federally Enforceable Through Title V Permit
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070 and Fresno County Rule 107] Federally Enforceable Through Title V Permit
3. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
5. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rule 4701 and 4702] Federally Enforceable Through Title V Permit
6. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702] Federally Enforceable Through Title V Permit
7. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 4702] Federally Enforceable Through Title V Permit
8. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
9. The permittee shall maintain an engine operating log to demonstrate compliance with District Rule 4702. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, the purpose of the operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance with District Rule 4702. [District Rule 4702] Federally Enforceable Through Title V Permit
10. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 4702] Federally Enforceable Through Title V Permit
11. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: WM BOLTHOUSE FARMS INC - NORTH AVENAL

Location: TS-22S, R-17E, AVENAL, CA

C-7837-17-1 : Sep 4 2012 4:10PM - SIONGCCJ

12. This certified Tier 1 or Tier 2 engine shall be replaced with a new certified Tier 4 engine by January 1, 2015 or 12 years from the installation of the engine, whichever is later, to be in compliance with Rule 4702. Authority to Construct (ATC) application for new certified Tier 4 engine must be submitted to the District at least six months before the compliance date. [District Rule 4702] Federally Enforceable Through Title V Permit
13. On and after May 3, 2013, the permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. After startup the emission standards applicable are specified in Table 2d of 40 CFR Part 63 Subpart ZZZZ. [40 CFR 63.6625(h)] Federally Enforceable Through Title V Permit
14. On and after May 3, 2013, the engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63.6585/63.6595(a)] Federally Enforceable Through Title V Permit
15. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight shall be consumed by the engine. [District Rule 4801, 17 CCR 93115, 40 CFR 63.6604, and Fresno County Rule 406] Federally Enforceable Through Title V Permit
16. On and after May 3, 2013, the CO emissions from the engine shall be reduced by 70% or shall not exceed 49 ppmvd @ 15% O<sub>2</sub> (equivalent to 0.44 g-CO/bhp-hr). [40 CFR 63.6603/63.6640 Table 2d, Row 2.a/2.b] Federally Enforceable Through Title V Permit
17. On and after May 3, 2013, the engine shall be equipped with either a closed crankcase ventilation system that prevents crankcase emissions from being emitted to the atmosphere, or an open crank crankcase filtration emission control system that reduces emissions from the crankcase by filtering the exhaust stream to remove oil mist, particulates, and metals. The permittee shall follow the manufacturer's specified maintenance requirements for operating and maintaining crankcase ventilation system. [40 CFR 63.6625(g)] Federally Enforceable Through Title V Permit
18. On and after May 3, 2013, the CO after-treatment control device, if any, shall be maintained per manufacturer recommendations. [40 CFR 63.6625(e)] Federally Enforceable Through Title V Permit
19. By May 3, 2013, an initial performance testing to demonstrate compliance with the CO emission requirement shall be performed. [40 CFR 63.6612(a)] Federally Enforceable Through Title V Permit
20. The performance test shall consist of measuring the O<sub>2</sub> at the inlet and outlet of the control device with the use of a portable O<sub>2</sub> and CO analyzer following ASTM D6522-00 (2005) or Methods 3A and 10. Measurements to determine O<sub>2</sub> must be made at the same time as the measurements for the CO concentration. [40 CFR 63.6612/66.6620/66.6640 Table 4, Row 1] Federally Enforceable Through Title V Permit
21. The performance test shall consist of measuring the CO at the inlet and outlet of the control device with the use of a portable O<sub>2</sub> and CO analyzer following ASTM D6522-00 (2005), Method 10 of 40 CFR Appendix A, Method 320 of 40 CFR Part 63 Appendix A, or ASTM D6348-03. The CO concentration shall be corrected to 15% O<sub>2</sub>, dry basis. Measurements to determine O<sub>2</sub> must be made at the same time as the measurements for the CO concentration. [40 CFR 63.6612/66.6620/66.6640 Table 4, Row 1] Federally Enforceable Through Title V Permit
22. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
23. On and after May 3, 2013, the owner/operator shall submit an initial compliance demonstration report to the District within 60 days after the required source test. [District Rule 1081 and 40 CFR 63.6645(h)] Federally Enforceable Through Title V Permit
24. On and after May 3, 2013, the permittee shall maintain monthly records that include any information necessary to demonstrate compliance with 40 CFR 63 Subpart ZZZZ. [District Rule 1070 and 40 CFR 63.6655] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

25. On and after May 3, 2013, the permittee shall maintain monthly records of all performance tests, opacity and visible emissions observations and required maintenance performed on the air pollution control and monitoring equipment. [District Rule 1070 and 40 CFR 63.6655(a)(3)/63.10(b)(2)(viii) and 63.6655(a)(4)] Federally Enforceable Through Title V Permit
26. On and after May 3, 2013, the permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070 and 40 CFR 63.6655(a)(2) and (a)(5)] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-7837-18-1

**EXPIRATION DATE:** 08/31/2017

**EQUIPMENT DESCRIPTION:**

425 BHP CUMMINS MODEL N14 SERIAL #11865582 TIER 1 DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL WELL PUMP (ENG 97)

## PERMIT UNIT REQUIREMENTS

---

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070 and Fresno County Rule 107] Federally Enforceable Through Title V Permit
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070 and Fresno County Rule 107] Federally Enforceable Through Title V Permit
3. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
5. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rule 4701 and 4702] Federally Enforceable Through Title V Permit
6. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702] Federally Enforceable Through Title V Permit
7. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 4702] Federally Enforceable Through Title V Permit
8. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
9. The permittee shall maintain an engine operating log to demonstrate compliance with District Rule 4702. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, the purpose of the operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance with District Rule 4702. [District Rule 4702] Federally Enforceable Through Title V Permit
10. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 4702] Federally Enforceable Through Title V Permit
11. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: WM BOLTHOUSE FARMS INC - NORTH AVENAL

Location: TS-22S, R-17E, AVENAL, CA

C-7837-18-1 : Sep 4 2012 4:10PM - SIONGCOJ

12. This certified Tier 1 or Tier 2 engine shall be replaced with a new certified Tier 4 engine by January 1, 2015 or 12 years from the installation of the engine, whichever is later, to be in compliance with Rule 4702. Authority to Construct (ATC) application for new certified Tier 4 engine must be submitted to the District at least six months before the compliance date. [District Rule 4702] Federally Enforceable Through Title V Permit
13. On and after May 3, 2013, the permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. After startup the emission standards applicable are specified in Table 2d of 40 CFR Part 63 Subpart ZZZZ. [40 CFR 63.6625(h)] Federally Enforceable Through Title V Permit
14. On and after May 3, 2013, the engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63.6585/63.6595(a)] Federally Enforceable Through Title V Permit
15. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight shall be consumed by the engine. [District Rule 4801, 17 CCR 93115, 40 CFR 63.6604, and Fresno County Rule 406] Federally Enforceable Through Title V Permit
16. On and after May 3, 2013, the CO emissions from the engine shall be reduced by 70% or shall not exceed 49 ppmvd @ 15% O<sub>2</sub> (equivalent to 0.44 g-CO/bhp-hr). [40 CFR 63.6603/63.6640 Table 2d, Row 2.a/2.b] Federally Enforceable Through Title V Permit
17. On and after May 3, 2013, the engine shall be equipped with either a closed crankcase ventilation system that prevents crankcase emissions from being emitted to the atmosphere, or an open crank crankcase filtration emission control system that reduces emissions from the crankcase by filtering the exhaust stream to remove oil mist, particulates, and metals. The permittee shall follow the manufacturer's specified maintenance requirements for operating and maintaining crankcase ventilation system. [40 CFR 63.6625(g)] Federally Enforceable Through Title V Permit
18. On and after May 3, 2013, the CO after-treatment control device, if any, shall be maintained per manufacturer recommendations. [40 CFR 63.6625(e)] Federally Enforceable Through Title V Permit
19. By May 3, 2013, an initial performance testing to demonstrate compliance with the CO emission requirement shall be performed. [40 CFR 63.6612(a)] Federally Enforceable Through Title V Permit
20. The performance test shall consist of measuring the O<sub>2</sub> at the inlet and outlet of the control device with the use of a portable O<sub>2</sub> and CO analyzer following ASTM D6522-00 (2005) or Methods 3A and 10. Measurements to determine O<sub>2</sub> must be made at the same time as the measurements for the CO concentration. [40 CFR 63.6612/66.6620/66.6640 Table 4, Row 1] Federally Enforceable Through Title V Permit
21. The performance test shall consist of measuring the CO at the inlet and outlet of the control device with the use of a portable O<sub>2</sub> and CO analyzer following ASTM D6522-00 (2005), Method 10 of 40 CFR Appendix A, Method 320 of 40 CFR Part 63 Appendix A, or ASTM D6348-03. The CO concentration shall be corrected to 15% O<sub>2</sub>, dry basis. Measurements to determine O<sub>2</sub> must be made at the same time as the measurements for the CO concentration. [40 CFR 63.6612/66.6620/66.6640 Table 4, Row 1] Federally Enforceable Through Title V Permit
22. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
23. On and after May 3, 2013, the owner/operator shall submit an initial compliance demonstration report to the District within 60 days after the required source test. [District Rule 1081 and 40 CFR 63.6645(h)] Federally Enforceable Through Title V Permit
24. On and after May 3, 2013, the permittee shall maintain monthly records that include any information necessary to demonstrate compliance with 40 CFR 63 Subpart ZZZZ. [District Rule 1070 and 40 CFR 63.6655] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

25. On and after May 3, 2013, the permittee shall maintain monthly records of all performance tests, opacity and visible emissions observations and required maintenance performed on the air pollution control and monitoring equipment. [District Rule 1070 and 40 CFR 63.6655(a)(3)/63.10(b)(2)(viii) and 63.6655(a)(4)] Federally Enforceable Through Title V Permit
26. On and after May 3, 2013, the permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070 and 40 CFR 63.6655(a)(2) and (a)(5)] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-7837-20-0

EXPIRATION DATE: 08/31/2017

## EQUIPMENT DESCRIPTION:

TRANSPORTABLE 212 BHP JOHN DEERE MODEL 6076A SERIAL #RG6076A857187 TIER 1 DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION BOOSTER PUMP (ENG 88)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-7843, S-7633, C-6982 and C-7842. [District Rule 2010]
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070]
3. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070]
4. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
5. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
6. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
7. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rule 4701]
8. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
9. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702]
10. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 4702]
11. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
12. The permittee shall maintain an engine operating log to demonstrate compliance with District Rule 4702. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, the purpose of the operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance with District Rule 4702. [District Rule 4702]
13. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 4702]
14. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4702]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: WM BOLTHOUSE FARMS INC - NORTH AVENAL

Location: TS-22S, R-17E, AVENAL, CA

C-7837-20-0 : Sep 4 2012 4:10PM - SIONGCCJ

15. This certified Tier 1 or Tier 2 engine shall be replaced with a new certified Tier 4 engine by January 1, 2015 or 12 years from the installation of the engine, whichever is later, to be in compliance with Rule 4702. Authority to Construct (ATC) application for new certified Tier 4 engine must be submitted to the District at least six months before the compliance date. [District Rule 4702]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: WM BOLTHOUSE FARMS INC - NORTH AVENAL

Location: TS-22S, R-17E, AVENAL, CA

C-7837-20-0 : Sep 4 2012 4:10PM - SIONGCCJ

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-7837-24-0

**EXPIRATION DATE:** 08/31/2017

**EQUIPMENT DESCRIPTION:**

TRANSPORTABLE 125 BHP JOHN DEERE MODEL 4045H TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE S/N PE4045L102555 POWERING AN AGRICULTURAL WELL PUMP (ENG 352)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-6982, C-7842, C-7843 and S-7633. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. This engine shall be equipped with an operational nonresettable elapsed time meter or other APCO approved alternative. [District Rule 4702]
7. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]
8. Emissions from this IC engine shall not exceed any of the following limits: 2.37 g-NOx/bhp-hr, 1.12 g-CO/bhp-hr, or 0.17 g-VOC/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
9. Emissions from this IC engine shall not exceed 0.19 g-PM10/bhp-hr based on US EPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, and 17 CCR 93115]
10. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
11. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701 and 17 CCR 93115]
12. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-7837-26-0

EXPIRATION DATE: 08/31/2017

## EQUIPMENT DESCRIPTION:

TRANSPORTABLE 226 BHP JOHN DEERE MODEL 6068H TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE S/N PE6068L100946 POWERING AN AGRICULTURAL WELL PUMP (ENG #348)

## PERMIT UNIT REQUIREMENTS

---

1. Owner/operator may operate this permit unit at any of the following facilities: C-6982, C-7842, C-7843, S-7652, S-7632, S-7633, S-7634, S-7635, S-7636, S-7637 and S-7731. [District Rule 2010]
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
6. This engine shall be equipped with an operational nonresettable elapsed time meter or other APCO approved alternative. [District Rule 4702]
7. Operation of this engine shall not exceed 3,500 hours per year. [District Rule 2201]
8. Emissions from this IC engine shall not exceed any of the following limits: 2.37 g-NOx/bhp-hr, 0.45 g-CO/bhp-hr, or 0.17 g-VOC/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
9. Emissions from this IC engine shall not exceed 0.08 g-PM10/bhp-hr based on US EPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, and 17 CCR 93115]
10. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115]
11. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701 and 17 CCR 93115]
12. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
13. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
14. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
15. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

16. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: WM BOLTHOUSE FARMS INC - NORTH AVENAL

Location: TS-22S, R-17E, AVENAL, CA

C-7837-26-0 : Sep 4 2012 4:10PM - SIONGCGJ