



SEP 03 2013

Mr. Darren Filkins
W.M. Bolthouse Farms
7200 Brundage Lane
Bakersfield, CA 93307

Re: Notice of Minor Title V Permit Modification
District Facility # C-7837
Project # C-1132470

Dear Mr. Filkins:


Enclosed is the District's analysis of your application for minor Title V permit modification for the facility identified above. You proposed a Title V minor permit modification to incorporate recently issued C-7837-31-0 and '-32-0 into the Title V operating permit. The facility has proposed to replace two existing engines with two Tier 3 certified diesel-fired IC engines powering agricultural irrigation booster pumps.

Enclosed is the engineering evaluation with the following attachments: proposed modified Title V permit, recently issued C-7837-31-0 and '-32-0, emission increases, application, and previous Title V permit. This project will be subject to a 45-day EPA commenting period prior to the District taking final action.

If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Thank you for your cooperation in this matter.

Sincerely,



David Warner
Director of Permit Services

Enclosures

cc: Gerardo C. Rios, EPA (w/enclosure) via email

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95358-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

TITLE V APPLICATION REVIEW

Minor Modification
Project #: C-1132470

Engineer: John Yoshimura
Date: 8/8/13

Facility Number: C-7837
Facility Name: W.M. Bolthouse Farms
Mailing Address: 7200 Brundage Lane
Bakersfield, CA 93307

Contact Name: Darren Filkins
Phone: (661) 366-7209

Responsible Official: Darren Filkins
Title: Vice President of Ag Operations

I. PROPOSAL

W.M. Bolthouse Farms is proposing a Title V minor permit modification to incorporate the recently issued C-7837-31-0 and '-32-0 into the Title V operating permit. The facility proposed to replace two existing engines with two Tier 3 certified diesel-fired IC engines powering agricultural irrigation booster pumps.

The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with the applicable requirements and to provide the legal and factual basis for the proposed revisions.

II. FACILITY LOCATION

The facility is located at Township 22S, Range 17E in North Avenal.

III. EQUIPMENT DESCRIPTION

C-7837-31-1: TRANSPORTABLE 125 BHP JOHN DEERE MODEL 4045H S/N PE4045L168268 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG 386)

C-7837-32-1: TRANSPORTABLE 155 BHP JOHN DEERE MODEL 6068 S/N PE6068L156918 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE

POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG
388)

IV. SCOPE OF EPA AND PUBLIC REVIEW

This change to a Title V permit is considered to be a minor modification and, as such, requires no public review.

V. APPLICABLE REQUIREMENTS

District Rule 2520, Federally Mandated Operating Permits (Adopted June 21, 2001)

VI. DESCRIPTION OF PROPOSED MODIFICATIONS

W.M. Bolthouse Farms is proposing to replace two existing stationary diesel-fired IC engines powering agricultural irrigation booster pumps with two stationary Tier 3 certified diesel-fired IC engines powering agricultural irrigation booster pumps.

C-7837-31-1:

Permit condition 1 from the Authority to Construct C-7837-31-0 has been removed since permit unit C-7837-19 has been removed from service.

Permit conditions 2 through 18 from the Authority to Construct C-7837-31-0 are represented by conditions 1 through 17 of the proposed Permit to Operate C-7837-31-1.

C-7837-32-1:

Permit condition 1 from the Authority to Construct C-7837-31-0 has been removed since permit unit C-7837-21 has been removed from service.

Permit conditions 2 through 18 from the Authority to Construct C-7837-31-0 are represented by conditions 1 through 17 of the proposed Permit to Operate C-7837-31-1.

VII. COMPLIANCE

In accordance with Rule 2520, 3.20, these modifications:

1. Do not violate requirements of any applicable federally enforceable local or federal requirement;

2. Do not relax monitoring, reporting, or recordkeeping requirements in the permit and are not significant changes in existing monitoring permit terms or conditions;
3. Do not require or change a case-by-case determination of an emission limitation or other standard, or a source-specific determination for temporary sources of ambient impacts, or a visibility or increment analysis;
4. Do not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
 - a. A federally enforceable emission cap assumed to avoid classification as a modification under any provisions of Title I of the Federal Clean Air Act; and
 - b. An alternative emissions limit approved pursuant to regulations promulgated under section 112(i)(5) of the Federal Clean Air Act; and
5. Are not Title I modifications as defined in District Rule 2520 or modifications as defined in section 111 or 112 of the Federal Clean Air Act; and
6. Do not seek to consolidate overlapping applicable requirements.

In accordance with Rule 2520, the application meets the procedural requirements of section 11.4 by including;

1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
2. The source's suggested draft permit; and
3. Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used.

VIII. ATTACHMENTS

- A. Proposed Modified Title V Operating Permit No. C-7837-31-1 and '-32-1
- B. Authorities to Construct No. C-7837-31-0 and '-32-0
- C. Emissions Increases
- D. Application

ATTACHMENT A

**Proposed Modified Title V Operating Permit No.
(C-7837-31-1 and '-32-1)**

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-7837-31-1

EXPIRATION DATE: 08/31/2017

EQUIPMENT DESCRIPTION:

TRANSPORTABLE 125 BHP JOHN DEERE MODEL 4045H S/N PE4045L168268 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG 386)

PERMIT UNIT REQUIREMENTS

1. Owner/operator may also operate this permit unit at any of the following facilities: C-7843, C-6982, C-7842, and S-7633. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702] Federally Enforceable Through Title V Permit
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
6. The engine shall be equipped with an operational nonresettable elapsed time meter or other APCO approved alternative. [District Rule 4702] Federally Enforceable Through Title V Permit
7. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102] Federally Enforceable Through Title V Permit
9. Emissions from this unit shall not exceed any of the following limits: 2.48 g-NO_x/bhp-hr, 0.13 g-VOC/bhp-hr, or 1.19 g-CO/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115] Federally Enforceable Through Title V Permit
10. PM₁₀ emissions shall not exceed 0.15 g/bhp-hr based on US EPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, 17 CCR 93115] Federally Enforceable Through Title V Permit
11. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801, 17 CCR 93115] Federally Enforceable Through Title V Permit
12. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701 and 17 CCR 93115] Federally Enforceable Through Title V Permit
13. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
14. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant) and/or other operational characteristics as recommended by the manufacturer or supplier. [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

15. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702] Federally Enforceable Through Title V Permit
16. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201] Federally Enforceable Through Title V Permit
17. The permittee shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, compliance source test results, and any other information necessary to demonstrate compliance. [District Rule 4702] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-7837-32-1

EXPIRATION DATE: 08/31/2017

EQUIPMENT DESCRIPTION:

TRANSPORTABLE 155 BHP JOHN DEERE MODEL 6068 S/N PE6068L156918 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG 388)

PERMIT UNIT REQUIREMENTS

1. Owner/operator may also operate this permit unit at any of the following facilities: C-7843, C-6982, C-7842, and S-7633. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702] Federally Enforceable Through Title V Permit
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
5. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
6. The engine shall be equipped with an operational nonresettable elapsed time meter or other APCO approved alternative. [District Rule 4702] Federally Enforceable Through Title V Permit
7. Operation of this engine shall not exceed 5,871 hours per year. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102] Federally Enforceable Through Title V Permit
9. Emissions from this unit shall not exceed any of the following limits: 2.48 g-NOx/bhp-hr, 0.13 g-VOC/bhp-hr, or 1.19 g-CO/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115] Federally Enforceable Through Title V Permit
10. PM10 emissions shall not exceed 0.15 g/bhp-hr based on US EPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, 17 CCR 93115] Federally Enforceable Through Title V Permit
11. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801, 17 CCR 93115] Federally Enforceable Through Title V Permit
12. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701 and 17 CCR 93115] Federally Enforceable Through Title V Permit
13. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
14. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

15. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702] Federally Enforceable Through Title V Permit
16. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201] Federally Enforceable Through Title V Permit
17. The permittee shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, compliance source test results, and any other information necessary to demonstrate compliance. [District Rule 4702] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

ATTACHMENT B

Authorities to Construct No.
(C-7837-31-0 and '-32-0)



AUTHORITY TO CONSTRUCT

PERMIT NO: C-7837-31-0

ISSUANCE DATE: 06/08/2012

LEGAL OWNER OR OPERATOR: WM BOLTHOUSE FARMS INC - NORTH AVENAL
MAILING ADDRESS: 7200 E BRUNDAGE LN
BAKERSFIELD, CA 93307

LOCATION: TS-22S, R-17E
AVENAL, CA

EQUIPMENT DESCRIPTION:

TRANSPORTABLE 125 BHP JOHN DEERE MODEL 4045H S/N PE4045L168268 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG 386) (REPLACEMENT FOR PERMIT UNIT C-7837-19) (REVISED JANUARY 17, 2013)

CONDITIONS

1. Within 90 days after startup of the equipment authorized by this Authority to Construct, Permit to Operate C-7837-19 shall be surrendered to the District and the associated equipment shall be removed or rendered inoperable. [District Rule 2201]
2. Owner/operator may also operate this permit unit at any of the following facilities: C-7843, C-6982, C-7842, and S-7633. [District Rule 2201]
3. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
6. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
7. The engine shall be equipped with an operational nonresettable elapsed time meter or other APCO approved alternative. [District Rule 4702]
8. Operation of this engine shall not exceed 6,500 hours per year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services

C-7837-31-0 Jan 17 2013 9:18AM - SANDHUG Joint Inspection NOT Required

9. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
10. Emissions from this unit shall not exceed any of the following limits: 2.48 g-NOx/bhp-hr, 0.13 g-VOC/bhp-hr, or 1.19 g-CO/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
11. PM10 emissions shall not exceed 0.15 g/bhp-hr based on US EPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, 17 CCR 93115]
12. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801, 17 CCR 93115]
13. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701 and 17 CCR 93115]
14. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
15. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
16. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
17. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]
18. The permittee shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, compliance source test results, and any other information necessary to demonstrate compliance. [District Rule 4702]



AUTHORITY TO CONSTRUCT

PERMIT NO: C-7837-32-0

ISSUANCE DATE: 06/08/2012

LEGAL OWNER OR OPERATOR: WM BOLTHOUSE FARMS INC - NORTH AVENAL
MAILING ADDRESS: 7200 E BRUNDAGE LN
BAKERSFIELD, CA 93307

LOCATION: TS-22S, R-17E
AVENAL, CA

EQUIPMENT DESCRIPTION:

TRANSPORTABLE 155 BHP JOHN DEERE MODEL 6068 S/N PE6068L156918 TIER 3 CERTIFIED DIESEL-FIRED IC ENGINE POWERING AN AGRICULTURAL IRRIGATION PUMP (ENG 388) (REPLACEMENT FOR PERMIT UNIT C-7837-21) (REVISED JANUARY 17, 2013)

CONDITIONS

1. Within 90 days after startup of the equipment authorized by this Authority to Construct, Permit to Operate C-7837-21 shall be surrendered to the District and the associated equipment shall be removed or rendered inoperable. [District Rule 2201]
2. Owner/operator may also operate this permit unit at any of the following facilities: C-7843, C-6982, C-7842, and S-7633. [District Rule 2201]
3. This IC engine shall only be used for the growing of crops or raising of fowl or animals. [District Rules 2201, 4701, and 4702]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
6. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
7. The engine shall be equipped with an operational nonresettable elapsed time meter or other APCO approved alternative. [District Rule 4702]
8. Operation of this engine shall not exceed 5,871 hours per year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
C-7837-32-0 Jan 17 2013 9:18AM - SANDHUJG Joint Inspection NOT Required

9. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
10. Emissions from this unit shall not exceed any of the following limits: 2.48 g-NO_x/bhp-hr, 0.13 g-VOC/bhp-hr, or 1.19 g-CO/bhp-hr. [District Rules 2201 and 4702, and 17 CCR 93115]
11. PM₁₀ emissions shall not exceed 0.15 g/bhp-hr based on US EPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, 17 CCR 93115]
12. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801, 17 CCR 93115]
13. This engine shall be operated at one location or site at a facility for no more than 12 consecutive months, or if at a seasonal source, the engine shall not be operated at one location or site at a facility for more than the duration of the season. [District Rules 2201 and 4701 and 17 CCR 93115]
14. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702]
15. During periods of operation, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702]
16. The owner/operator shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, and any other information necessary to demonstrate compliance. [District Rule 4702]
17. The permittee shall record the total time the engine operates, in hours per calendar year. [District Rule 2201]
18. The permittee shall maintain an engine operating log to demonstrate compliance. The engine operating log shall include, on a monthly basis, the following information: total hours of operation, type of fuel used, maintenance or modifications performed, monitoring data, compliance source test results, and any other information necessary to demonstrate compliance. [District Rule 4702]

ATTACHMENT C

Emissions Increases

	SSIPE (lb/yr)				
	NOx	VOC	CO	SOx	PM10
C-7837-31-1	-13,059	-2,303	-19,723	-4	-746
C-7837-32-1	-8,868	-2,006	-3,712	0	-501
TOTAL	-21,927	-4,309	-23,435	-4	-1,247

ATTACHMENT D

Application

RECEIVED

San Joaquin Valley Air Pollution Control District


AUG 07 2013

www.valleyair.org

Permits Srvc
SJVAPCD

Permit Application For:

[] ADMINISTRATIVE AMENDMENT [X] MINOR MODIFICATION [] SIGNIFICANT MODIFICATION

1. PERMIT TO BE ISSUED TO: W.M. Bolthouse Farms	
2. MAILING ADDRESS: STREET P.O. BOX: 7200 Brundage Lane CITY: Bakersfield STATE: CA 9-DIGIT ZIP CODE: 93307	
3. LOCATION WHERE THE EQUIPMENT WILL BE OPERATED: STREET: _____ CITY: Avenal _____ SECTION _____ TOWNSHIP 22E RANGE 17E	INSTALLATION DATE:
4. GENERAL NATURE OF BUSINESS:	
5. DESCRIPTION OF EQUIPMENT OR MODIFICATION FOR WHICH APPLICATION IS MADE (include Permit #'s if known, and use additional sheets if necessary) ATC C-7837-31-0 : Transportable 125 BHP John Deere Model 4045H S/N PE4045L168268 Tier 3 IC Engine.	
6. TYPE OR PRINT NAME OF APPLICANT: Darren Filkins	TITLE OF APPLICANT: Vice President of Ag Operations
7. SIGNATURE OF APPLICANT: 	DATE: 7/30/13 PHONE: (661) 366-7209 FAX: (661) 616-1316 EMAIL: dfilkins@bolthouse.com

For APCD Use Only:

DATE STAMP	FILING FEE RECEIVED: \$ 38.00 CHECK#: 8428
	DATE PAID: 8/7/13
	PROJECT NO: C-1132470 FACILITY ID: C-7837

**San Joaquin Valley
Unified Air Pollution Control District**

TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM

I. TYPE OF PERMIT ACTION (Check appropriate box)


- SIGNIFICANT PERMIT MODIFICATION ADMINISTRATIVE
 MINOR PERMIT MODIFICATION AMENDMENT

COMPANY NAME: W.M. Bolthouse Farms	FACILITY ID: C -7837
1. Type of Organization: <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Sole Ownership <input type="checkbox"/> Government <input type="checkbox"/> Partnership <input type="checkbox"/> Utility	
2. Owner's Name: W.M. Bolthouse Farms	
3. Agent to the Owner: Darren Filkins, Vice President of Ag Operations	

II. COMPLIANCE CERTIFICATION (Read each statement carefully and initial all circles for confirmation):

- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will continue to comply with the applicable federal requirement(s).
- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will comply with applicable federal requirement(s) that will become effective during the permit term, on a timely basis.
- Corrected information will be provided to the District when I become aware that incorrect or incomplete information has been submitted.
- Based on information and belief formed after reasonable inquiry, information and statements in the submitted application package, including all accompanying reports, and required certifications are true accurate and complete.

I declare, under penalty of perjury under the laws of the state of California, that the forgoing is correct and true:



Signature of Responsible Official

7/30/13

Date

Darren Filkins

Name of Responsible Official (please print)

Vice President of Ag Operations

Title of Responsible Official (please print)

RECEIVED

San Joaquin Valley Air Pollution Control District


AUG 07 2013

www.valleyair.org

Permits Srvc
SJVAPCD

Permit Application For:

[] ADMINISTRATIVE AMENDMENT [X] MINOR MODIFICATION [] SIGNIFICANT MODIFICATION

1. PERMIT TO BE ISSUED TO: W.M. Bolthouse Farms	
2. MAILING ADDRESS: STREET P.O. BOX: 7200 Brundage Lane CITY: Bakersfield STATE: CA 9-DIGIT ZIP CODE: 93307	
3. LOCATION WHERE THE EQUIPMENT WILL BE OPERATED: STREET: _____ CITY: Avenal _____ X SECTION _____ TOWNSHIP 22E RANGE 17E	INSTALLATION DATE:
4. GENERAL NATURE OF BUSINESS:	
5. DESCRIPTION OF EQUIPMENT OR MODIFICATION FOR WHICH APPLICATION IS MADE (include Permit #'s if known, and use additional sheets if necessary) ATC C-7837-32-0 : Transportable 155 BHP John Deere Model 6068 S/N PE6068L156918 Tier 3 IC Engine.	
6. TYPE OR PRINT NAME OF APPLICANT: Darren Filkins	TITLE OF APPLICANT: Vice President of Ag Operations
7. SIGNATURE OF APPLICANT: 	DATE: 7/30/13 PHONE: (661) 366-7209 FAX: (661) 616-1316 EMAIL: dfilkins@bolthouse.com

For APCD Use Only:

DATE STAMP	FILING FEE RECEIVED: \$ _____ CHECK#: _____
	DATE PAID: _____
	PROJECT NO: C-1132470 FACILITY ID: C-7837

**San Joaquin Valley
Unified Air Pollution Control District**

TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM

I. TYPE OF PERMIT ACTION (Check appropriate box)

- SIGNIFICANT PERMIT MODIFICATION ADMINISTRATIVE
 MINOR PERMIT MODIFICATION AMENDMENT

COMPANY NAME: W.M. Bolthouse Farms	FACILITY ID: C -7837
1. Type of Organization: <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Sole Ownership <input type="checkbox"/> Government <input type="checkbox"/> Partnership <input type="checkbox"/> Utility	
2. Owner's Name: W.M. Bolthouse Farms	
3. Agent to the Owner: Darren Filkins, Vice President of Ag Operations	

II. COMPLIANCE CERTIFICATION (Read each statement carefully and initial all circles for confirmation):

- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will continue to comply with the applicable federal requirement(s).
- Based on information and belief formed after reasonable inquiry, the equipment identified in this application will comply with applicable federal requirement(s) that will become effective during the permit term, on a timely basis.
- Corrected information will be provided to the District when I become aware that incorrect or incomplete information has been submitted.
- Based on information and belief formed after reasonable inquiry, information and statements in the submitted application package, including all accompanying reports, and required certifications are true accurate and complete.

I declare, under penalty of perjury under the laws of the state of California, that the forgoing is correct and true:

Darren Filkins
Signature of Responsible Official

7/31/12
Date

Darren Filkins
Name of Responsible Official (please print)

Vice President of Ag Operations
Title of Responsible Official (please print)