



**MAR 04 2015**

Ryan Hensen  
ASV Wines, Inc.  
1998 Road 152  
Delano, CA 93215

**Re: Notice of Final Action - Minor Title V Permit Modification  
District Facility # S-7048  
Project # S-1142109**

Dear Mr. Hensen:

The Air Pollution Control Officer has modified the Title V permit for ASV Wines, Inc. by incorporating S-7048-108-3, -109-3, -112-3, & -113-3. These ATCs were issued for application of insulation on wine storage tanks.

Enclosed is the modified Title V permit. The application and proposal were sent to US EPA Region IX on November 4, 2014. No comments were received following the District's preliminary decision on this project.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

Arnaud Marjollet  
Director of Permit Services

AM:KS

Enclosures

cc: Gerardo C. Rios, EPA (w/enclosure) via email

Seyed Sadredin  
Executive Director/Air Pollution Control Officer

Northern Region  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5586



Facility # S-7048  
ASV WINES INC  
1998 ROAD 152  
DELANO, CA 93215-9437

### Notice of Permit Issuance

The enclosed permit unit requirements authorize the operation of the equipment as described. These permit unit requirements supersede any and all previous permits for the specified equipment.\* Please insert these documents into the Facility Permit to Operate, and post copies on or near the equipment as required by District Rule 2010.

Please contact any of our Small Business Assistance (SBA) staff at the numbers below if you have any questions:

Modesto: (209) 557-6446  
Fresno: (559) 230-5888  
Bakersfield: (661) 392-5665

\*Failure to comply with the permit unit requirements may result in enforcement action.

Seyed Sadredin  
Executive Director/Air Pollution Control Officer

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** S-7048-108-4

**EXPIRATION DATE:** 03/31/2017

**EQUIPMENT DESCRIPTION:**

351,708 GALLON STEEL WINE STORAGE AND WHITE WINE FERMENTATION TANK (TANK #507) WITH PRESSURE/VACUUM VALVE AND INSULATION

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Daily wine storage throughput shall not exceed two (2) tank volumes per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Combined annual wine storage throughput for permit units S-7048-1, '-2, '-17, '-88, '-90, '-108, '-109, '-112, '-113, '-114, '-115 and '-153 shall not exceed 70,000,000 gallons per year, calculated on a twelve (12) month rolling basis. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the 12-month rolling wine storage throughput, shall be maintained and updated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit
9. For each batch of must fermented in this tank, the operator shall record the fermentation completion date, the total gallons of must fermented, the average fermentation temperature and the uncontrolled fermentation emissions and fermentation emission reductions (calculated per the emission factors given in District Rule 4694). The information shall be recorded by the tank Permit to Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** S-7048-109-4

**EXPIRATION DATE:** 03/31/2017

**EQUIPMENT DESCRIPTION:**

351,708 GALLON STEEL WINE STORAGE TANK (TANK #508) WITH PRESSURE/VACUUM VALVE VALVE AND INSULATION

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Daily wine storage throughput shall not exceed two (2) tank volumes per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Combined annual wine storage throughput for permit units S-7048-1, '-2, '-17, '-88, '-90, '-108, '-109, '-112, '-113, '-114, '-115 and '-153 shall not exceed 70,000,000 gallons per year, calculated on a twelve (12) month rolling basis. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the 12-month rolling wine storage throughput, shall be maintained and updated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** S-7048-112-4

**EXPIRATION DATE:** 03/31/2017

**EQUIPMENT DESCRIPTION:**

351,708 GALLON STEEL WINE STORAGE TANK (TANK #511) WITH PRESSURE/VACUUM VALVE VALVE AND INSULATION

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Daily wine storage throughput shall not exceed two (2) tank volumes per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Combined annual wine storage throughput for permit units S-7048-1, '-2, '-17, '-88, '-90, '-108, '-109, '-112, '-113, '-114, '-115 and '-153 shall not exceed 70,000,000 gallons per year, calculated on a twelve (12) month rolling basis. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the 12-month rolling wine storage throughput, shall be maintained and updated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** S-7048-113-4

**EXPIRATION DATE:** 03/31/2017

**EQUIPMENT DESCRIPTION:**

351,708 GALLON STEEL WINE STORAGE TANK (TANK #512) WITH PRESSURE/VACUUM VALVE VALVE AND INSULATION

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
4. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
5. Daily wine storage throughput shall not exceed two (2) tank volumes per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Combined annual wine storage throughput for permit units S-7048-1, '-2, '-17, '-88, '-90, '-108, '-109, '-112, '-113, '-114, '-115 and '-153 shall not exceed 70,000,000 gallons per year, calculated on a twelve (12) month rolling basis. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the 12-month rolling wine storage throughput, shall be maintained and updated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.